# NEW MATHEMATICA® ROOK

# Now available from Cambridge

The MATHEMATICA® Book, Third Edition, by Stephen Wolfram (the creator of Mathematica) is the must-have guide and reference to Mathematica 3.0.

A major benefit of the new version of *Mathematica* is ease of use, bringing technical empowerment to everyone.

The MATHEMATICA Book describes the underlying concepts behind this groundbreaking new version of the software including:

- Editable typesetting capabilities that actually do the mathematics.
- New and unique "palette" based feature that enables you to build and manipulate mathematical expressions.
- Fully programmable interactive documents for mixing text, graphics, sound and mathematics.

This edition which is nearly 50% longer than the second edition, includes many

other new features, for example

• Behind-the-scenes discussions of the algorithms and engineering of *Mathematica* 

STEPHEN WOLFRAM

MATHEMATICA

- How to create WEB publishable interactive documents
- A 16-page colour section of spectacular Mathematica graphics
- Over 250 new functions

In a comprehensive step-by-step fashion, The MATHEMATICA Book, Third Edition shows you how to take advantage of the powerful new features of Version 3.0 that make Mathematica so easy to use.


# http://www.cup.cam.ac.uk

September 1996 250mm x 200mm 1400 pp. 1980 tables 370 halftones and line diagrams 16 colour plates 200 exercises. For PC, Macintosh and Unix. 0521 58889 8 Hardback £49.95 0521 58888 X Paperback £34.95 Co-published with Wolfram Media Inc.

# Would you like to advertise in...

# Ergodic Theory and Dynamical Systems

*Ergodic Theory and Dynamical Systems* focuses on a rich variety of research areas which, although diverse, employ as common themes global dynamical methods. The journal provides a focus for this important and flourishing area of mathematics and brings together many major contributions in the field. Publishing only high quality articles, the journal acts as a forum for central problems of differential geometry, number theory, operator algebras, topological, differential and symbolic dynamics, and celestial and statistical mechanics.



## Readership

• Mathematicians working in areas such as harmonics, analysis, geometry, topology and number theory, but also in physics and other allied subjects

## **Rates & Data**

Published in February, April, June, August, October and December

Copydate: 7 weeks preceding 1st of publication month

Circulation 600

Full page 210 x 135 mm £250/\$400 Half page 103 x 135 or 210 x 65mm £200/\$300 Insert (WW) 600 £120/\$200 Insert (ex N America) 400 £95/\$150 List rental (WW) 600 £130/\$220 List rental (ex N America) 400 £110/\$170

# Bookings

#### I would like to book the following space:

□ full page □ half page inserts □ world wide □ ex N America list rental □ world wide □ ex N America In the: □ February □ April □ June □ August □ October □ December issue(s)



# **Your Details**

Name	 
Company	 
Address	
Telephone	 
Fax	 

#### Please send/fax to:

Rebecca Symons Journals Advertising Promoter Cambridge University Press The Edinburgh Building Shaftesbury Road Cambridge CB2 2RU Tel: +44 (0)1223 325757 Fax: +44 (0)1223 315052 Email: rsymons@cup.cam.ac.uk


# CAMBRIDGE

### Introduction to the Modern Theory of Dynamical Systems

#### ANATOLE KATOK and BORIS HASSELBLATT

This book provides the first self-contained comprehensive exposition of the theory of dynamical systems as a core mathematical discipline closely intertwined with all main areas of mathematics. The authors introduce and rigorously develop the theory while providing researchers interested in applications with fundamental tools and paradigms.

£60.00 net HB 0 521 34187 6 822 pp. 1995 Encyclopedia of Mathematics and its Applications 54



Ergodic Theory and Harmonic Analysis

Proceedings of the 1993 Alexandria Conference Edited by KARL E. PETERSEN and IBRAHIM SALAMA

The papers printed here explore many of the rapidly developing connections between ergodic theory and other branches of mathematics, giving the background of each area, the most outstanding recent results and the most current promising lines of research. They should form perfect starting points for beginning researchers.

£24.95 net PB 0 521 45999 0 445 pp. 1995

London Mathematical Society Lecture Note Series 205

# Lectures on Ergodic Theory and Pesin Theory on **Compact Manifolds**

MARK POLLICOTT

Pesin theory consists of the study of the theory of non-uniformly hyperbolic diffeomorphisms. The aim of this book is to provide the reader with a straightforward account of this theory, following the approaches of Katok and Newhouse. The notes are divided into two parts. The first develops the basic theory, starting with general ergodic theory and introducing Liapunov exponents. Part Two deals with the applications of Pesin theory and contains an account of the existence (and distribution) of periodic points. It closes with a look at stable manifolds, and gives some results on absolute continuity. £19.95 net PB 0 521 43593 5 180 pp. 1992

London Mathematical Society Lecture Note Series 180

Cambridge books are available from good bookshops, alternatively call UK + 44 (0)1223 325970 to order direct using your credit card, or fax UK + 44 (0)1223 315052. For further information please email Giulia Williams on science@cup.cam.ac.uk



The Edinburgh Building, Cambridge CB2 2RU

# Mathematical Structures in Computer Science

# **Editor-in-Chief**

G. Longo, Laboratoire d'Informatique (CNRS) et DMI, Ecole Normale Superieure, 45 rue d'Ulm, 75005, Paris (email: longo@dmi.ens.fr)

#### **Associate Editors**

P. L. Curien, LIENS, 45 rue d'Ulm, 75230 Paris (email: curien@dmi.ens.fr) A. M. Pitts, Computer Laboratory, University of Cambridge, Pembroke St, Cambridge CB2 3QG

Mathematical Structures in Computer Sci-

ence (MSCS) is a new journal of excellence in theoretical computer science which focuses on the application of ideas from the structural side of mathematics and mathematical logic to computer science. The journal bridges the gap between theoretical contributions and software design, publishing original papers or broad surveys with original perspectives in all areas of computing, provided that ideas or results from algebra, geometry or category theory form a basis for the work.

MSCS is distinct from existing titles in that it specialises in the art of applying mathematics of genuine interest and general applicability to computer science; its objective is to promote the useful application of high level mathematics to language design and software implementation. The journal increases the circulation of new results in this fast growing area.

## **Essential reading for:**

- Mathematicians with interests in computer science
- Theoretical computer scientists
- Computer scientists working in language development or formal methods

#### **Subscription information**

Mathematical Structures in Computer Science, Volume 6, 1996: February, April, June, August, October and December: £144. Delivery by airmail £22.00 per year extra. ISSN 0960-1295

#### **Recent articles**

The glueing construction and lax limits HAROLD SIMMONS

Dynamic labeled 2-structures

A. EHRENFEUCHT AND G. ROZENBERG

Interaction Systems I: The theory of optimal reductions

ANDREA ASPERTI AND COSIMO LANEVE

Languages under concatenation and shuffling STEVEN T. TSCHANTZ

## Take a closer look – FREE!

Please send me a free sample copy of Mathematical Structures in Computer Science

□ Please send me further information

Name \_\_\_\_\_ Address

#### \_\_\_\_

#### Send to:

Journals Marketing Department, Cambridge University Press, FREEPOST\*, The Edinburgh Building, Cambridge, CB2 1BR, UK.

Tel: +44 (0) 1223 325806 Fax: +44 (0) 1223 315052 Email: journals\_marketing@cup.cam.ac.uk (\*no postage stamp necessary if posted in UK)

In USA, Canada & Mexico, write to: Cambridge University Press, 40 West 20th Street, New York, NY 10011-4211, USA.



#### 1 Submission of typescripts

Two copies of the manuscript should be submitted to one of the Executive Editors (addresses on outside front cover). Papers may also be submitted electronically to those Executive Editors with electronic mail addresses. The editor will acknowledge receipt of the manuscripts. It is important that authors inform the editor of any changes of address whilst their paper is under consideration.

Submission of a paper is taken to imply that it has not been previously published and that it is not being considered for publication elsewhere. Upon acceptance of a paper, the author will be asked to transfer copyright to the publisher.

#### 2 Typescript

Papers should be typed, double-spaced, on one side only and with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. A new proof of the ergodic theorem, whereas Some applications of a theorem of Birkhoff would be useless).

#### 3 Notation

It is important that mathematician's expressions are clear to a printer (who is not a mathematician). For instance,  $n_t$  (n sub k) is common usage, but avoid if possible using c sub n sub k. Fractions are generally best expressed by a solidus. Complicated exponents like

$$\exp\left\{\frac{z^2}{\sin\theta}\frac{\theta}{(1+y^2)}\right\}$$

should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced types is shown by wavy underlining.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as  $o, O, o, O, 0; x, X, \times; \phi, \Phi$ ,  $\emptyset; l, 1; \varepsilon, \in; \kappa, k$ .

There is no need to underline Greek or script letters provided these are clearly typed. Any special symbols should be explained on a separate sheet of directions for the printer.

If an author wishes to mark the end of the proof of a theorem, the sign  $\Box$  may be used.

Footnotes should be avoided.

#### 4 Diagrams

Figures and drawings should be on separate sheets in black ink or produced by computer to comparable quality. Photocopies are acceptable only if they are as clear as the originals. *Symbols, legends and captions should be given on a transparent overlay.* Each text figure must be numbered as Figure 1, Figure 2,... and its intended position clearly indicated in the typescript. The author's name in pencil must be on all separate sheets of diagrams.

Figures should be used sparingly and only when they greatly clarify the exposition.

The publisher recognizes that some authors do not have the facilities for producing drawings of a sufficiently high standard to be reproduced directly and is therefore willing to have such diagrams re-drawn, provided that they are clear.

#### 5 Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures.

6 References

References should be collected at the end of the paper numbered in alphabetical order of the author's names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication;

[4] N. Dunford & J. T. Schwartz Linear Operators Part I. Wiley: New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. J. Analyse Math. 23 (1970), 236-268.

#### 7 Proofs

Authors receive one set of proofs for correction. If excessive alterations to the original manuscript are requested after the paper has been typeset, the author will be charged the cost of resetting. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. It is important that proofs are corrected and returned promptly.

#### 8 Offprints

50 offprints of each article will be supplied free to each first named author. Extra offprints may be purchased from the publisher.

# VOLUME 16 PART 5 OCTOBER 1996

#### CONTENTS

Roland L. Dobrushin (1929–1995)	
Obituary by R. Minlos, S. Shlosman and Ya. Sinai	863
Barreira, L. M. A non-additive thermodynamic formalism and applica- tions to dimension theory of hyperbolic dynamical systems	871
Beleznay, F. and Foreman, M. The complexity of the collection of measure-distal transformations	929
Bergelson, V., Furstenberg, H. and McCutcheon, R. IP-sets and polynomial recurrence	963
Donnay, V. J. Elliptic islands in generalized Sinai billiards	975
Goldberg L. and Tresser, C. Rotation orbits and the Farey tree	1011
Kennedy, J. A. and Yorke, J. A. Pseudocircles, diffeomorphisms and perturbable dynamical systems	1031
McCord, C. K. Planar central configuration estimates in the n-body problem	1059
<i>Naudot, V.</i> Strange attractor in the unfolding of an inclination-flip homoclinic orbit	1071
Slud, E. and Chambers, D. Mixing for stationary processes with finite- order multiple Wiener-Itô integral representation	1087
Book review. 'Nonlinear Dynamical Systems and Chaos'	1101
Book review. 'Ergodic Theory of $\mathbb{Z}^d$ -Actions'	1105
Correction to M. A. Shereshevsky. On the classification of some two- dimensional Markov shifts with group structure	
Ergod. Th. & Dynam. Sys. <b>12</b> (1992), 823–833	1109

Printed in the United Kingdom by the University Press, Cambridge



