

Annex II

Glossary

Coordinating Editors: Vincent Möller (Germany), Renée van Diemen (the Netherlands/UK), J. B. Robin Matthews (France/UK), Jan S. Fuglestedt (Norway), Carlos Méndez (Venezuela), Andy Reisinger (New Zealand), Sergey Semenov (Russian Federation)

Editorial Team: Paulina Paz Aldunce (Chile), Suruchi Bhadwal (India), Vanesa Castán Broto (UK/Spain), Cecilia Conde (Mexico), Mark Costello (New Zealand/Norway/Ireland), Jackson Efitre (Uganda), Elizabeth Jewett (USA), Piero Lionello (Italy), Tabea Lissner (Germany), Emma Liwenga (Tanzania), Katherine Mach (USA), Francisco Meza (Chile), Katja Mintenbeck (Germany), Gretta Pecl (Australia), Rosa Perez (Philippines), John Pinnegar (UK), Hans-Otto Pörtner (Germany), Elvira S. Poloczanska (UK/Australia), Marie-Fanny Racault (UK), Debra C. Roberts (South Africa), Lisandro Roco (Chile), Chandni Singh (India), Yongyut Trisurat (Thailand), Philippus Wester (Nepal/the Netherlands)

This Annex should be cited as:

IPCC, 2022: Annex II: Glossary [Möller, V., R. van Diemen, J.B.R. Matthews, C. Méndez, S. Semenov, J.S. Fuglestedt, A. Reisinger (eds.)]. In: *Climate Change 2022: Impacts, Adaptation and Vulnerability*. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [H.-O. Pörtner, D.C. Roberts, M. Tignor, E.S. Poloczanska, K. Mintenbeck, A. Alegría, M. Craig, S. Langsdorf, S. Löschke, V. Möller, A. Okem, B. Rama (eds.)]. Cambridge University Press, Cambridge, UK and New York, NY, USA, pp. 2897–2930, doi:10.1017/9781009325844.029.

Note: This glossary defines some specific terms as the Lead Authors intend them to be interpreted in the context of this report. *Italicised words* in definitions indicate that the term is defined in the Glossary. Subterms appear in italics beneath main terms.

(Internal) Displacement (of humans)

The involuntary movement, individually or collectively, of persons from their country or community, notably for reasons of armed conflict, civil unrest, or natural or human-made disasters (adapted from IOM, 2011).

2030 Agenda for Sustainable Development

A UN resolution in September 2015 adopting a plan of action for people, planet and prosperity in a new global development framework anchored in 17 *Sustainable Development Goals* (UN, 2015).

Abrupt change

A change in the system that is substantially faster than the typical rate of the changes in its history. See also *Abrupt climate change* and *Tipping point*.

Abrupt climate change

A large-scale *abrupt change* in the *climate system* that takes place over a few decades or less, persists (or is anticipated to persist) for at least a few decades and causes substantial *impacts* in *human* and/or *natural systems*. See also *Tipping point* and *Abrupt change*.

Access to food

See *Access* under *Food security*.

Acclimatisation

A change in functional or morphological traits occurring once or repeatedly (e.g., seasonally) during the lifetime of an individual organism in its natural environment. Through *acclimatisation*, the individual maintains performance across a range of environmental conditions. For a clear differentiation between findings in laboratory and field studies, the term ‘acclimation’ is used in ecophysiology for the respective phenomena when observed in well-defined experimental settings. The term ‘(adaptive) *plasticity*’ characterises the generally limited scope of changes in phenotype that an individual can reach through the process of *acclimatisation*.

Accumulation (of glaciers, ice sheets or snow cover)

All processes that add to the mass of a *glacier*, an *ice sheet*, or snow cover. The main process of *accumulation* is snowfall. *Accumulation* also includes deposition of hoar, freezing rain, other types of solid precipitation, gain of wind-blown snow, avalanching and basal accumulation (often beneath floating ice).

Acute food insecurity

Acute food insecurity is a situation which can occur at any time with a severity that threatens lives, livelihoods or both, regardless of the causes, context or duration, as a result of shocks risking determinants of food security and nutrition, and used to assess the need for humanitarian action (IPC Global Partners, 2019).

Adaptation

In *human systems*, the process of adjustment to actual or expected *climate* and its effects, in order to moderate harm or exploit beneficial opportunities. In *natural systems*, the process of adjustment to actual *climate* and its effects; human intervention may facilitate adjustment to expected *climate* and its effects. See also *Adaptation options*, *Adaptive capacity* and *Maladaptive actions (Maladaptation)*.

Adaptation deficit

The gap between the current state of a system and a state that minimises adverse *impacts* from existing *climate* conditions and variability.

Adaptation gap

The difference between actually implemented *adaptation* and a societally set goal, determined largely by preferences related to tolerated climate change impacts and reflecting resource limitations and competing priorities (UNEP, 2014; UNEP, 2018).

Adaptation limits

The point at which an actor’s objectives (or system needs) cannot be secured from intolerable risks through adaptive actions.

- Hard adaptation limit – No adaptive actions are possible to avoid intolerable risks.
- Soft adaptation limit – Options may exist but are currently not available to avoid intolerable risks through adaptive action.

Adaptation needs

The circumstances requiring action to ensure the safety of populations and the security of assets in response to *climate impacts*.

Adaptation options

The array of strategies and measures that are available and appropriate for addressing *adaptation*. They include a wide range of actions that can be categorised as structural, institutional, ecological or behavioural.

Autonomous adaptation

Adaptation in response to experienced *climate* and its effects, without planning explicitly or consciously focused on addressing *climate* change. Also referred to as spontaneous *adaptation*.

Community-based adaptation

Local, community-driven *adaptation*. *Community-based adaptation* focuses attention on empowering and promoting the adaptive capacity of communities. It is an approach that takes context, culture, knowledge, agency and preferences of communities as strengths.

Ecosystem-based adaptation (EBA)

The use of *ecosystem* management activities to increase the *resilience* and reduce the *vulnerability* of people and *ecosystems* to *climate change* (Campbell et al., 2009). See also *Nature-based solution (NBS)*.

Evolutionary adaptation

The process whereby a species or population becomes better able to live in a changing environment through the selection of heritable traits. Biologists usually distinguish *evolutionary adaptation* from *acclimatisation*, with the latter occurring within an organism's lifetime.

Incremental adaptation

Adaptation that maintains the essence and integrity of a system or process at a given scale (Park et al., 2012). In some cases, *incremental adaptation* can accrue to result in *transformational adaptation* (Tàbara et al., 2018; Termeer et al., 2017). Incremental *adaptations* to change in *climate* are understood as extensions of actions and behaviours that already reduce the losses or enhance the benefits of natural variations in *extreme weather/climate events*.

Transformational adaptation

Adaptation that changes the fundamental attributes of a *social-ecological system* in anticipation of *climate* change and its *impacts*.

Adaptation Fund

A Fund established under the Kyoto Protocol in 2001 and officially launched in 2007. The Fund finances *adaptation* projects and programmes in *developing countries* that are Parties to the Kyoto Protocol. Financing comes mainly from sales of Certified Emissions Reductions (CERs) and a share of proceeds amounting to 2% of the value of CERs issued each year for Clean Development Mechanism (CDM) projects. The Adaptation Fund can also receive funds from governments, the private sector and individuals.

Adaptation limits

See *Adaptation*.

Adaptation needs

See *Adaptation*.

Adaptation options

See *Adaptation*.

Adaptation pathways

See *Pathways*.

Adaptive capacity

The ability of systems, *institutions*, humans and other organisms to adjust to potential damage, to take advantage of opportunities or to respond to consequences (MA, 2005).

Adaptive governance

See *Governance*.

Adaptive management

A process of iteratively planning, implementing and modifying strategies for managing resources in the face of *uncertainty* and change. Adaptive management involves adjusting approaches in response to observations of their effect on, and changes in, the system brought on by resulting feedback effects and other variables.

Adverse side-effect

A negative effect that a *policy* or measure aimed at one objective has on another objective, thereby potentially reducing the net benefit to society or the environment. See also *Trade-off* and *Co-benefit*.

Aerosol

A suspension of airborne solid or liquid particles, with typical particle size in the range of a few nanometres to several tens of micrometres and *atmospheric lifetimes* of up to several days in the *troposphere* and up to years in the *stratosphere*. The term aerosol, which includes both the particles and the suspending gas, is often used in this report in its plural form to mean 'aerosol particles'. Aerosols may be of either natural or *anthropogenic* origin in the troposphere; stratospheric aerosols mostly stem from volcanic eruptions. Aerosols can cause an *effective radiative forcing* directly through scattering and absorbing radiation (*aerosol–radiation interaction*), and indirectly by acting as *cloud condensation nuclei* or ice nucleating particles that affect the properties of clouds (*aerosol–cloud interaction*), and upon deposition on snow- or ice-covered surfaces. Atmospheric aerosols may be either emitted as primary particulate matter or formed within the atmosphere from gaseous *precursors* (secondary production). Aerosols may be composed of sea salt, organic carbon, *black carbon (BC)*, mineral species (mainly desert dust), sulphate, nitrate and ammonium or their mixtures. See also *Particulate matter (PM)* and *Short-lived climate forcers (SLCFs)*.

Afforestation

Conversion to *forest* of *land* that historically has not contained *forests*. See also *Deforestation*.

[Note: For a discussion of the term *forest* and related terms such as *afforestation*, *reforestation* and *deforestation*, see the 2006 IPCC Guidelines for National Greenhouse Gas Inventories and their 2019 Refinement, and information provided by the United Nations Framework Convention on Climate Change (IPCC 2006, 2019; UNFCCC 2021a, 2021b)]

Agreement

In this report, the degree of *agreement* within the scientific body of knowledge on a particular finding is assessed based on multiple lines of *evidence* (e.g., mechanistic understanding, theory, data, *models*, expert judgement) and expressed qualitatively (Mastrandrea et al., 2010). See also *Confidence*, *Evidence*, *Likelihood* and *Uncertainty*.

Agricultural and ecological drought

See *Drought*.

Agroecology

The science and practice of applying ecological concepts, principles and knowledge (i.e., the interactions of, and explanations for, the diversity, abundance and activities of organisms) to the study, design and management of sustainable agroecosystems. It includes the roles of human beings as a central organism in *agroecology* by way of social and economic processes in farming systems. *Agroecology* examines the roles and interactions among all relevant biophysical, technical and socioeconomic components of farming systems and their surrounding landscapes (IPBES, 2019).

Agroforestry

Collective name for *land-use* systems and technologies where woody perennials (trees, shrubs, palms, bamboos, etc.) are deliberately used on the same *land-management* units as agricultural crops and/or animals, in some form of spatial arrangement or temporal sequence. In agroforestry systems, there are both ecological and economical interactions between the different components. Agroforestry can also be defined as a dynamic, ecologically based, natural resource management system that, through the integration of trees on farms and in the agricultural landscape, diversifies and sustains production for increased social, economic and environmental benefits for *land* users at all levels (FAO, 2015a).

Air pollution

Degradation of air quality with negative effects on human *health* or the natural or built environment due to the introduction, by natural processes or human activity, into the *atmosphere* of substances (gases, *aerosols*) which have a direct (primary pollutants) or indirect (secondary pollutants) harmful effect.

Albedo

The proportion of sunlight (solar radiation) reflected by a surface or object, often expressed as a percentage. Clouds, snow and ice usually have high *albedo*; soil surfaces cover the *albedo* range from high to low; vegetation in the dry season and/or in *arid zones* can have high *albedo*, whereas photosynthetically active vegetation and the *ocean* have low *albedo*. The Earth's planetary *albedo* changes mainly through changes in cloudiness, snow, ice, leaf area and *land cover*.

Anomaly

The deviation of a variable from its value averaged over a *reference period*.

Anthropocene

A proposed new geological epoch resulting from significant human-driven changes to the structure and functioning of the Earth system, including the *climate system*. Originally proposed in the Earth System science community in 2000, the proposed new epoch is undergoing a formalisation process within the geological community based on the stratigraphic *evidence* that human activities have changed the Earth System to the extent of forming geological deposits with a signature that is distinct from those of the Holocene, and which will remain in the geological record. Both the stratigraphic and Earth system approaches to defining the *Anthropocene* consider the mid-20th century to be the most appropriate starting date (Steffen et al., 2016), although others have been proposed and continue to be discussed. The *Anthropocene* concept has already been informally adopted by diverse disciplines and the public to denote the substantive influence of humans on the Earth system.

Anthropogenic

Resulting from or produced by human activities.

Anthropogenic emissions

See *Emissions*.

Anthropogenic subsidence

Downward motion of the *land* surface induced by *anthropogenic drivers* (e.g., loading, extraction of hydrocarbons and/or groundwater, *drainage* and mining activities) causing sediment compaction or subsidence/deformation of the sedimentary sequence, or oxidation of organic material, thereby leading to relative *sea level rise*.

Arid zone

Areas where vegetation growth is severely constrained due to limited water availability. For the most part, the native vegetation of *arid zones* is sparse. There is high rainfall variability, with annual averages below 300 mm. Crop farming in *arid zones* requires irrigation.

Aridity

The state of a long-term climatic feature characterised by low average precipitation or available water in a *region*. *Aridity* generally arises from widespread persistent *atmospheric* subsidence or anticyclonic conditions, and from more localised subsidence in the lee side of mountains (adapted from Ogallo and Gbeckor-Kove, 1989). See also *Drought*.

Atmosphere

The gaseous envelope surrounding the Earth, divided into five layers: the troposphere, which contains half of the Earth's *atmosphere*, the stratosphere, the mesosphere, the thermosphere and the exosphere, which is the outer limit of the *atmosphere*. The dry *atmosphere* consists almost entirely of nitrogen (78.1% volume mixing ratio) and oxygen (20.9% volume mixing ratio), together with a number of trace gases such as argon (0.93% volume mixing ratio), helium and radiatively active *greenhouse gases (GHGs)* such as *carbon dioxide (CO₂)* (0.04% volume mixing ratio) methane (CH₄), nitrous oxide (N₂O) and *ozone (O₃)*. In addition, the *atmosphere* contains the GHG water vapour (H₂O), whose concentrations are highly variable (0–5% volume mixing ratio) as the sources (evapotranspiration) and sinks (precipitation) of water vapour show large spatio-temporal variations, and atmospheric temperature exerts a strong constraint on the amount of water vapour an air parcel can hold. The *atmosphere* also contains clouds and *aerosols*. See also *Hydrological cycle*.

Attribution

Attribution is defined as the process of evaluating the relative contributions of multiple causal factors to a change or event with an assessment of *confidence*.

Autonomous adaptation

See *Adaptation*.

Avalanche

A mass of snow, ice, earth or rocks, or a mixture of these, falling down a mountainside.

Baseline scenario

see *Reference scenario*.

Behavioural change

In this report, *behavioural change* refers to alteration of human decisions and actions in ways that mitigate *climate* change and/or reduce negative consequences of *climate change impacts*.

Benthic

Occurring at the bottom of a body of water; related to *benthos* (NOAA, 2018). See also *Benthos*.

Benthos

The community of organisms living on the bottom or in sediments of a body of water (such as an *ocean*, a river or a lake). The ecological zone at the bottom of a body of water, including the sediment surface and some subsurface layers, is known as the *benthic* zone.

Beta diversity

The change in species composition between different areas (spatial turnover) or times (temporal turnover) due to habitat and environmental heterogeneity

Biodiversity

Biodiversity or biological diversity means the variability among living organisms from all sources including, among other things, terrestrial, marine and other aquatic *ecosystems*, and the ecological complexes of which they are part; this includes diversity within species, between species and of *ecosystems* (UN, 1992). See also *Ecosystem* and *Ecosystem services*.

Biodiversity hotspots

Biodiversity hotspots are geographic areas exceptionally rich in species, ecologically distinct, and often contain geographically rare *endemic species*. They are thus priorities for nature conservation action.

Bioenergy

Energy derived from any form of *biomass* or its metabolic by-products. See also *Biofuel* and *Biomass*.

Biofuel

A fuel, generally in liquid form, produced from *biomass*. *Biofuels* include bioethanol from sugarcane, sugar beet or maize and biodiesel from canola or soybeans. See also *Bioenergy*.

Biomass

Organic material excluding the material that is fossilised or embedded in geological formations. *Biomass* may refer to the mass of organic matter in a specific area (ISO, 2014). See also *Bioenergy* and *Biofuel*.

Biomes

Global-scale zones, generally defined by the type of plant life that they support in response to average rainfall and temperature patterns. For example, *tundra*, *coral reefs* or savannas (IPBES, 2019).

Biosphere (terrestrial and marine)

The part of the Earth system comprising all *ecosystems* and living organisms, in the *atmosphere*, on *land* (*terrestrial biosphere*) or in the *oceans* (*marine biosphere*), including derived dead organic matter, such as litter, *soil organic matter* and oceanic detritus.

Blue carbon

Biologically driven carbon *fluxes* and storage in marine systems that are amenable to management. Coastal *blue carbon* focuses on rooted vegetation in the coastal zone, such as tidal marshes, mangroves and

seagrasses. These *ecosystems* have high carbon burial rates on a per unit area basis and accumulate carbon in their soils and sediments. They provide many non-climatic benefits and can contribute to *ecosystem-based adaptation*. If degraded or lost, coastal *blue carbon ecosystems* are likely to release most of their carbon back to the *atmosphere*. There is current debate regarding the application of the *blue carbon* concept to other coastal and non-coastal processes and *ecosystems*, including the open *ocean*. See also *Ecosystem services* and *Sequestration*.

Blue infrastructure

See *Infrastructure*.

Burden

The total mass of a gaseous substance of concern in the *atmosphere*.

Business-As-Usual (BAU)

The term *Business-As-Usual* scenario has been used to describe a scenario that assumes no additional *policies* beyond those currently in place and that patterns of socio-economic development are consistent with recent trends. The term is now used less frequently than in the past. See also *Reference scenario*.

Calcification

The process of biologically precipitating calcium carbonate minerals to create organism shells, skeletons, otoliths or other body structures. The chemical equation describing *calcification* is $\text{Ca}^{2+}(\text{aq}) + 2\text{HCO}_3^{-}(\text{aq}) \rightarrow \text{CaCO}_3(\text{s}) + \text{CO}_2 + \text{H}_2\text{O}$. Aragonite and calcite are two common crystalline forms of biologically precipitated calcium carbonate minerals that have different solubilities.

Capacity building

The practice of enhancing the strengths and attributes of, and resources available to, an individual, community, society or organisation to respond to change.

Carbon dioxide (CO₂)

A naturally occurring gas, CO₂ is also a by-product of burning *fossil fuels* (such as oil, gas and coal), of burning *biomass*, of *land-use changes (LUC)* and of industrial processes (e.g., cement production). It is the principal *anthropogenic greenhouse gas (GHG)* that affects the Earth's radiative balance. It is the reference gas against which other GHGs are measured and therefore has a *global warming potential (GWP)* of 1.

Carbon dioxide (CO₂) fertilisation

The increase of plant *photosynthesis* and *water-use efficiency* in response to increased atmospheric *carbon dioxide (CO₂)* concentration. Whether this increased *photosynthesis* translates into increased plant growth and carbon storage on *land* depends on the interacting effects of temperature, moisture and nutrient availability.

Carbon dioxide removal (CDR)

Anthropogenic activities removing *carbon dioxide (CO₂)* from the *atmosphere* and durably storing it in geological, terrestrial or *ocean reservoirs*, or in products. It includes existing and potential *anthropogenic* enhancement of biological or geochemical CO₂ *sinks* and direct air *carbon dioxide* capture and storage (DACCS) but excludes natural CO₂ *uptake* not directly caused by human activities. See also *Afforestation*.

Carbon footprint

Measure of the exclusive total amount of *emissions* of *carbon dioxide* (*CO₂*) that is directly and indirectly caused by an activity or accumulated over the life stages of a product (Wiedmann and Minx, 2008).

Carbon stock

The quantity of carbon in a carbon pool.

Cascading impacts

Cascading impacts from *extreme weather/climate events* occur when an extreme *hazard* generates a sequence of secondary events in natural and *human systems* that result in physical, natural, social or economic disruption, whereby the resulting *impact* is significantly larger than the initial *impact*. *Cascading impacts* are complex and multi-dimensional, and are associated more with the magnitude of *vulnerability* than with that of the *hazard* (modified from Pescaroli & Alexander, 2015).

Catchment

An area that collects and drains precipitation.

Cities

Cities are open systems, continually exchanging resources, products and services, waste, people, ideas and finances with the hinterlands and broader world. *Cities* are complex, self-organising, adaptive and constantly evolving. *Cities* also encompass multiple actors with varying responsibilities, capabilities and priorities, as well as processes that transcend the institutional sector-based approach to *city* administration. *Cities* are embedded in broader ecological, economic, technical, institutional, legal and *governance* structures that enable or constrain their systemic function, which cannot be separated from wider power relations. *Urban* processes of a physical, social and economic nature are causally interlinked, with interactions and feedbacks that result in both intended and unintended *impacts* on *emissions*. See also *City region*, *Peri-urban areas* and *Urban*.

City region

The areal extent of an individual *city's* material associations and economic or political influence. The *city region* concept accepts that rural *livelihoods* and *land* uses can be incorporated within the functional activities of a *city*. This will include dormitory *settlements*, *sources* for critical inputs of water, some food, and waste disposal. See also *Region*, *Cities*, *Urban* and *Urban systems*.

Climate

In a narrow sense, *climate* is usually defined as the average weather -or more rigorously, as the statistical description in terms of the mean and variability of relevant quantities- over a period of time ranging from months to thousands or millions of years. The classical period for averaging these variables is 30 years, as defined by the World Meteorological Organization (WMO). The relevant quantities are most often surface variables such as temperature, precipitation and wind. *Climate* in a wider sense is the state, including a statistical description, of the *climate system*.

Climate change

A change in the state of the *climate* that can be identified (e.g., by using statistical tests) by changes in the mean and/or the variability of its

properties and that persists for an extended period, typically decades or longer. *Climate change* may be due to natural internal processes or external forcings such as modulations of the solar cycles, volcanic eruptions and persistent *anthropogenic* changes in the composition of the *atmosphere* or in *land use*. Note that the United Nations Framework Convention on Climate Change (UNFCCC), in its Article 1, defines *climate change* as: 'a change of climate which is attributed directly or indirectly to human activity that alters the composition of the global atmosphere and which is in addition to natural climate variability observed over comparable time periods'. The UNFCCC thus makes a distinction between *climate change* attributable to human activities altering the atmospheric composition and *climate variability* attributable to natural causes. See also *Climate variability*, *Detection, Attribution* and *Ocean acidification (OA)*.

Climate extreme (extreme weather or climate event)

The occurrence of a value of a weather or *climate* variable above (or below) a threshold value near the upper (or lower) ends of the range of observed values of the variable.

By definition, the characteristics of what is called extreme weather may vary from place to place in an absolute sense. When a pattern of extreme weather persists for some time, such as a season, it may be classified as an *extreme climate event*, especially if it yields an average or total that is itself extreme (e.g., high temperature, *drought* or heavy rainfall over a season). For simplicity, both *extreme weather events* and *extreme climate events* are referred to collectively as *climate extremes*.

Climate feedback

An interaction in which a perturbation in one *climate* quantity causes a change in a second and the change in the second quantity ultimately leads to an additional change in the first. A negative feedback is one in which the initial perturbation is weakened by the changes it causes; a positive feedback is one in which the initial perturbation is enhanced. The initial perturbation can either be externally forced or arise as part of internal variability.

Climate finance

There is no agreed definition of *climate finance*. The term *climate finance* is applied to the financial resources devoted to addressing *climate change* by all public and private actors from global to local scales, including international financial flows to *developing countries* to assist them in addressing *climate change*. *Climate finance* aims to reduce net *greenhouse gas emissions* and/or to enhance *adaptation* and increase *resilience* to the *impacts* of current and projected *climate change*. Finance can come from private and public sources, channelled by various intermediaries, and is delivered by a range of instruments, including grants, concessional and non-concessional debt, and internal budget reallocations.

Climate governance

See *Governance*.

Climate information

Information about the past, current or future state of the *climate system* that is relevant for *mitigation*, *adaptation* and *risk management*. It may be tailored or "co-produced" for specific contexts, taking into account users' needs and values.

Climate justice

See *Justice*.

Climate literacy

Climate literacy encompasses being aware of climate change, its anthropogenic causes and implications.

Climate model

A qualitative or quantitative representation of the *climate system* based on the physical, chemical and biological properties of its components, their interactions and feedback processes and accounting for some of its known properties. The *climate system* can be represented by *models* of varying complexity; that is, for any one component or combination of components, a spectrum or hierarchy of *models* can be identified, differing in such aspects as the number of spatial dimensions, the extent to which physical, chemical or biological processes are explicitly represented, or the level at which empirical parametrisations are involved. There is an evolution towards more complex *models* with interactive chemistry and biology. *Climate models* are applied as a research tool to study and simulate the *climate* and for operational purposes, including monthly, seasonal and interannual *climate predictions*. See also *Earth system model (ESM)*.

Climate prediction

A *climate prediction* or *climate* forecast is the result of an attempt to produce (starting from a particular state of the *climate system*) an estimate of the actual evolution of the *climate* in the future, for example, at seasonal, interannual or decadal *time scales*. Because the future evolution of the *climate system* may be highly sensitive to initial conditions, such predictions are usually probabilistic in nature.

Climate projection

Simulated response of the *climate system* to a scenario of future *emissions* or concentrations of *greenhouse gases (GHGs)* and *aerosols* and changes in *land use*, generally derived using *climate models*. *Climate projections* depend on an emission/concentration/*radiative forcing scenario*, which is in turn based on assumptions concerning, for example, future socioeconomic and technological developments that may or may not be realised.

Climate refugium

A *climate refugium* is a geographic area that has had a stable *climate* on evolutionary time scales, or that is projected to have a stable *climate* into the future. See also *Refugium*.

Climate services

Climate services involve the provision of *climate information* in such a way as to assist decision-making. The service includes appropriate engagement from users and providers, is based on scientifically credible information and expertise, has an effective access mechanism and responds to user needs (Hewitt et al. 2012).

Climate simulation ensemble

A group of parallel model simulations characterising historical *climate* conditions, *climate predictions* or *climate projections*. Variation of the results across the ensemble members may give an estimate of modelling-based *uncertainty*. Ensembles made with the same model

but different initial conditions characterise the *uncertainty* associated with internal *climate variability*, whereas multi-model ensembles including simulations by several *models* also include the effect of model differences. Perturbed parameter ensembles, in which model parameters are varied in a systematic manner, aim to assess the *uncertainty* resulting from internal model specifications within a single model. Remaining sources of *uncertainty* unaddressed with model ensembles are related to systematic model errors or biases, which may be assessed from systematic comparisons of model simulations with observations wherever available.

Climate system

The global system consisting of five major components: the *atmosphere*, the hydrosphere, the *cryosphere*, the lithosphere and the *biosphere* and the interactions between them. The *climate system* changes in time under the influence of its own internal dynamics and because of external forcings such as volcanic eruptions, solar variations, orbital forcing, and *anthropogenic* forcings such as the changing composition of the *atmosphere* and *land-use change*.

Climate variability

Deviations of some *climate* variables from a given mean state (including the occurrence of extremes, etc.) at all *spatial and temporal scales* beyond that of individual weather events. Variability may be intrinsic, due to fluctuations of processes internal to the *climate system* (internal variability), or extrinsic, due to variations in natural or *anthropogenic* external forcing (forced variability).

Climate velocity

The speed at which isolines of a specified *climate* variable travel across landscapes or seascapes due to changing *climate*. For example, *climate velocity* for temperature is the speed at which isotherms move due to changing *climate* (km yr^{-1}) and is calculated as the temporal change in temperature ($^{\circ}\text{C yr}^{-1}$) divided by the current spatial gradient in temperature ($^{\circ}\text{C km}^{-1}$). It can be calculated using additional *climate* variables such as precipitation or can be based on the climatic niche of organisms.

Climate resilient development

In the WGII report, *climate resilient development* refers to the process of implementing *greenhouse gas* mitigation and *adaptation* measures to support sustainable development for all.

Climate resilient development pathways (CRDPs)

See *Pathways*.

Climate-resilient pathways

See *Pathways*.

Climate-smart agriculture (CSA)

An approach to agriculture that aims to transform and reorient agricultural systems to effectively support development and ensure *food security* in a changing *climate* by sustainably increasing agricultural productivity and *incomes*, adapting and building *resilience* to *climate change*, and reducing and/or removing *greenhouse gas emissions*, where possible (FAO, 2018).

Climatic driver (Climate driver)

A changing aspect of the *climate system* that influences a component of a *human* or *natural* system.

Climatic impact-drivers (CIDs)

Climatic impact-drivers (CIDs) are physical climate system conditions (e.g., means, events, extremes) that affect an element of society or ecosystems. Depending on system tolerance, CIDs and their changes can be detrimental, beneficial, neutral, or a mixture of each across interacting system elements and regions.

CMIP3, CMIP5 and CMIP6

See *Coupled Model Intercomparison Project* (CMIP).

Co-benefit

A positive effect that a *policy* or measure aimed at one objective has on another objective, thereby increasing the total benefit to society or the environment. *Co-benefits* are also referred to as ancillary benefits. See also *Trade-off* and *Adverse side-effect*.

Coast

The *land* near to the sea. The term 'coastal' can refer to that *land* (e.g., as in 'coastal communities'), or to that part of the marine environment that is strongly influenced by *land*-based processes. Thus, coastal seas are generally shallow and near-shore. The landward and seaward limits of the coastal zone are not consistently defined, neither scientifically nor legally. Thus, coastal waters can either be considered as equivalent to territorial waters (extending 12 nautical miles/22.2 km from mean low water), or to the full exclusive economic zone, or to *shelf seas*, with less than 200 m water depth.

Coastal erosion

Coastal erosion, sometimes referred to as shoreline retreat, occurs when a net loss of sediment or bedrock from the shoreline results in landward movement of the high-tide mark.

Communicable disease

Illness due to a specific infectious agent or its toxic products that arises through transmission of that agent or its products from an infected person, animal or reservoir to a susceptible host, either directly or indirectly through an intermediate plant or animal host, vector or the inanimate environment. *Communicable disease* pathogens include bacteria, viruses, fungi, parasites and prions.

Community-based adaptation

See *Adaptation*.

Compound risks

See *Risk*.

Compound weather/climate events

The terms 'compound events', 'compound extremes' and 'compound extreme events' are used interchangeably in the literature and this report and refer to the combination of multiple *drivers* and/or *hazards* that contributes to societal and/or environmental *risk* (Zscheischler et al., 2018).

Concentrations scenario

See *Scenarios*.

Confidence

The robustness of a finding based on the type, amount, quality and consistency of *evidence* (e.g., mechanistic understanding, theory, data, *models*, expert judgment) and on the degree of *agreement* across multiple lines of *evidence*. In this report, *confidence* is expressed qualitatively (Mastrandrea et al., 2010).

Conservation agriculture

A farming system that promotes minimum soil disturbance (e.g., by using no-till practices), maintenance of a permanent soil cover and diversification of plant species. It aims to prevent *land degradation* and regenerate degraded *lands* by enhancing *biodiversity* and natural biological processes above and below the ground surface that contribute to increased water and nutrient use efficiency and improved and sustained crop production (FAO, 2016).

Coping

The use of available skills, resources and opportunities to address, manage and overcome adverse conditions, with the aim of achieving basic functioning of people, *institutions*, organisations and systems in the short to medium term (UNISDR, 2009; IPCC, 2012a).

Coping capacity

The ability of people, *institutions*, organisations and systems, using available skills, values, beliefs, resources and opportunities, to address, manage and overcome adverse conditions in the short to medium term (UNISDR, 2009; IPCC, 2012a). See also *Resilience*.

Coral bleaching

Loss of coral pigmentation through the loss of intracellular symbiotic algae (known as zooxanthellae) and/or loss of their pigments.

Coral reef

An underwater *ecosystem* characterised by structure-building stony corals. Warm-water *coral reefs* occur in shallow seas, mostly in the tropics, with the corals (animals) containing algae (plants) that depend on light and relatively stable temperature conditions. Cold-water *coral reefs* occur throughout the world, mostly at water depths of 50–500 m. In both kinds of reef, living corals frequently grow on older, dead material, predominantly made of calcium carbonate (CaCO₃). Both warm- and cold-water *coral reefs* support high *biodiversity* of fish and other groups, and are considered to be especially vulnerable to *climate change*.

Cost–benefit analysis

Monetary assessment of all negative and positive *impacts* associated with a given action. *Cost–benefit analysis* enables comparison of different interventions, investments or strategies and reveals how a given investment or *policy* effort pays off for a particular person, company or country. *Cost–benefit analyses* representing society's point of view are important for *climate change* decision-making, but there are difficulties in aggregating costs and benefits across different actors and across timescales. See also *Discounting*.

Coupled Model Intercomparison Project (CMIP)

A *climate modelling* activity from the World Climate Research Programme (WCRP) which coordinates and archives *climate model* simulations based on shared model inputs by modelling groups from around the world. The CMIP3 multi-model data set includes *projections* using Special Report on Emissions Scenarios (SRES) scenarios. The CMIP5 data set includes *projections* using the *Representative Concentration Pathways (RCP)*. The CMIP6 phase involves a suite of common model experiments as well as an ensemble of CMIP-endorsed Model Intercomparison Projects (MIPs).

Cryosphere

The components of the Earth system at and below the *land* and *ocean* surface that are frozen, including snow cover, *glaciers*, *ice sheets*, ice shelves, icebergs, *sea ice*, lake ice, river ice, *permafrost* and seasonally frozen ground.

Cultural impacts

Impacts on material and ecological aspects of culture and the lived experience of culture, including dimensions such as identity, community cohesion and belonging, sense of place, worldview, values, perceptions and tradition. *Cultural impacts* are closely related to ecological *impacts*, especially for iconic and representational dimensions of species and landscapes. Culture and cultural practices frame the importance and value of the *impacts* of change, shape the *feasibility* and acceptability of *adaptation options*, and provide the skills and practices that enable *adaptation*.

Decarbonisation

Human actions to reduce *carbon dioxide emissions* from human activities.

Deep uncertainty

See *Uncertainty*.

Deforestation

Conversion of *forest* to non-forest. See also *Afforestation* and *Reforestation*.

[Note: For a discussion of the term *forest* and related terms such as *afforestation*, *reforestation* and *deforestation*, see the 2006 IPCC Guidelines for National Greenhouse Gas Inventories and their 2019 Refinement, and information provided by the United Nations Framework Convention on Climate Change (IPCC 2006, 2019; UNFCCC 2021a, 2021b)]

Desertification

Land degradation in arid, semi-arid, and dry sub-humid areas resulting from many factors, including climatic variations and human activities (UNCCD, 1994).

Detection

Detection of change is defined as the process of demonstrating that *climate* or a system affected by *climate* has changed in some defined statistical sense, without providing a reason for that change. An identified change is detected in observations if its *likelihood* of occurrence by chance due to internal variability alone is determined to be small, for example, <10%.

Detection and attribution

See *Attribution* and *Detection*.

Developed/developing countries (Industrialised/developed/developing countries)

There is a diversity of approaches for categorising countries on the basis of their level of development, and for defining terms such as 'industrialised', 'developed' or 'developing'. Several categorisations are used in this Special Report. (1) In the United Nations (UN) system, there is no established convention for the designation of *developed* and *developing countries* or areas. (2) The UN Statistics Division specifies developed and developing regions based on common practice. In addition, specific countries are designated as Least Developed Countries, landlocked *developing countries*, *Small Island Developing States (SIDS)* and transition economies. Many countries appear in more than one of these categories. (3) The World Bank uses *income* as the main criterion for classifying countries as low, lower middle, upper middle and high *income*. (4) The UN Development Programme (UNDP) aggregates indicators for life expectancy, educational attainment and *income* into a single composite Human Development Index (HDI) to classify countries as low, medium, high or very high human development.

Development pathways

See *Pathways*.

Diatoms

Microscopic (2–200 µm) unicellular photosynthetic algae that live in surface waters of lakes, rivers and *oceans* and form shells of opal. In the global *ocean*, marine *diatom* species distribution is primarily driven by nutrient availability. On regional scales, their species distribution in *ocean* sediment cores can be related to past sea surface temperatures.

Diet

The kinds of food that follow a particular pattern that a person or community eats (FAO, 2014).

Disaster

A 'serious disruption of the functioning of a community or a society at any scale due to hazardous events interacting with conditions of *exposure*, *vulnerability* and capacity, leading to one or more of the following: human, material, economic and environmental losses and impacts' (UNGA, 2016). See also *Exposure*, *Hazard*, *Risk* and *Vulnerability*.

Disaster management

Social processes for designing, implementing and evaluating strategies, *policies* and measures that promote and improve *disaster* preparedness, response and recovery practices at different organisational and societal levels.

Disaster risk

The *likelihood* over a specified time period of severe alterations in the normal functioning of a community or a society due to hazardous physical events interacting with vulnerable social conditions, leading to widespread adverse human, material, economic or environmental effects that require immediate emergency response to satisfy critical human needs and that may require external support for recovery.

Disaster risk management (DRM)

Processes for designing, implementing and evaluating strategies, *policies* and measures to improve the understanding of current and future *disaster risk*, foster *disaster risk reduction* and transfer, and promote continuous improvement in *disaster* preparedness, prevention and protection, response and recovery practices, with the explicit purpose of increasing *human security*, *well-being*, quality of life and *sustainable development (SD)*.

Disaster risk reduction (DRR)

Denotes both a *policy* goal or objective, and the strategic and instrumental measures employed for anticipating future *disaster risk*; reducing existing *exposure*, *hazard* or *vulnerability*; and improving *resilience*.

Discount rate

See *Discounting*.

Discounting

A mathematical operation that aims to make monetary (or other) amounts received or expended at different times (years) comparable across time. If the discount rate is positive, future values are given less weight than those today. The choice of discount rate(s) is debated as it is a judgement based on hidden and/or explicit values.

Downscaling

A method that derives local- to regional-scale information from larger-scale *models* or data analyses. Two main methods exist: dynamical *downscaling* and empirical/statistical *downscaling*. The dynamical method uses the output of regional *climate models*, global *models* with variable spatial *resolution* or high-*resolution* global *models*. The empirical/statistical methods are based on observations and develop statistical relationships that link the large-scale atmospheric variables with local/regional *climate* variables. In all cases, the quality of the driving model remains an important limitation on the quality of the downscaled information. The two methods can be combined, for example, applying empirical/statistical *downscaling* to the output of a regional *climate model*, consisting of a dynamical *downscaling* of a global *climate model*.

Drainage

Artificial lowering of the soil water table (IPCC, 2013).

Driver

Any natural or human-induced factor that directly or indirectly causes a change in a system (adapted from MA, 2005). See also *Climatic driver*.

Drought

An exceptional period of water shortage for existing *ecosystems* and the human population (due to low rainfall, high temperature and/or wind).

Megadrought

A very lengthy and pervasive *drought*, lasting much longer than normal, usually a decade or more.

Hydrological drought

A period with large *runoff* and water deficits in rivers, lakes and reservoirs.

Agricultural and ecological drought

Agricultural and ecological drought (depending on the affected *biome*): a period with abnormal *soil moisture* deficit, which results from combined shortage of precipitation and excess *evapotranspiration*, and during the growing season impinges on crop production or *ecosystem* function in general.

Meteorological drought

A period with an abnormal precipitation deficit.

Early warning systems (EWS)

The set of technical and institutional capacities to forecast, predict and communicate timely and meaningful warning information to enable individuals, communities, managed *ecosystems* and organisations threatened by a *hazard* to prepare to act promptly and appropriately to reduce the possibility of harm or loss. Dependent upon context, EWS may draw upon scientific and/or *indigenous knowledge*, and other knowledge types. EWS are also considered for ecological applications, for example, conservation, where the organisation itself is not threatened by *hazard* but the ecosystem under conservation is (e.g., *coral bleaching* alerts), in agriculture (e.g., warnings of heavy rainfall, *drought*, ground frost and hailstorms) and in fisheries (e.g., warnings of storms, *storm surges* and *tsunamis*) (UNISDR 2009; IPCC, 2012a).

Earth system model (ESM)

A coupled *Atmosphere–Ocean* General Circulation Model (AOGCM) in which a representation of the *carbon cycle* is included, allowing for interactive calculation of atmospheric *carbon dioxide (CO₂)* or compatible *emissions*. Additional components (e.g., atmospheric chemistry, *ice sheets*, dynamic vegetation, nitrogen cycle, but also *urban* or crop *models*) may be included.

Eastern boundary upwelling system (EBUS)

Eastern boundary upwelling systems (EBUS) are located at the eastern (landward) edges of major *ocean* basins in both hemispheres, where equatorward winds drive upwelling currents that bring cool, nutrient-rich (and often oxygen-poor) waters from the deep *ocean* to the surface near the *coast*.

Ecosystem

A functional unit consisting of living organisms, their non-living environment and the interactions within and between them. The components included in a given *ecosystem* and its spatial boundaries depend on the purpose for which the *ecosystem* is defined: in some cases, they are relatively sharp, while in others they are diffuse. *Ecosystem* boundaries can change over time. *Ecosystems* are nested within other *ecosystems*, and their scale can range from very small to the entire *biosphere*. In the current era, most *ecosystems* either contain people as key organisms or are influenced by the effects of human activities in their environment. See also *Ecosystem services* and *Ecosystem health*.

Ecosystem health

Ecosystem health is a metaphor used to describe the condition of an *ecosystem*, by analogy with human *health*. Note that there is no universally accepted benchmark for a healthy *ecosystem*. Rather, the apparent *health* status of an *ecosystem* is judged on the *ecosystem's*

resilience to change, with details depending upon which metrics are employed in judging it and which societal aspirations are driving the assessment (following IPBES 2019).

Ecosystem services

Ecological processes or functions having monetary or non-monetary value to individuals or society at large. These are frequently classified as (1) supporting services such as productivity or *biodiversity* maintenance, (2) provisioning services such as food or fibre, (3) regulating services such as *climate regulation* or carbon *sequestration* and (4) cultural services such as tourism or spiritual and aesthetic appreciation. See also *Ecosystem* and *Ecosystem health*.

Ecosystem-based adaptation (EBA)

See *Adaptation*.

El Niño-Southern Oscillation (ENSO)

The term 'El Niño' was initially used to describe a warm-water current that periodically flows along the *coast* of Ecuador and Peru, disrupting the local fishery. It has since become identified with warming of the tropical Pacific Ocean east of the dateline. This oceanic event is associated with a fluctuation of a global-scale tropical and subtropical surface pressure pattern called the Southern Oscillation. This coupled *atmosphere-ocean* phenomenon, with preferred time scales of 2 to about 7 years, is known as the *El Niño-Southern Oscillation (ENSO)*. The warm and cold phases of the ENSO are called El Niño and La Niña, respectively. ENSO is often measured by the surface pressure *anomaly* difference between Tahiti and Darwin and/or the sea surface temperatures in the central and eastern equatorial Pacific. This phenomenon has a great impact on the wind, sea surface temperature and precipitation patterns in the tropical Pacific. It has climatic effects throughout the Pacific region and in many other parts of the world through global *teleconnections*. See WGI AR6 Annex AIV.2.3 (IPCC 2021a).

Emergence (of the climate signal)

Emergence of a *climate change* signal or trend refers to when a change in *climate* (the 'signal') becomes larger than the amplitude of natural or internal variations (defining the 'noise'). This concept is often expressed as a signal-to-noise ratio, and *emergence* occurs at a defined threshold of this ratio (e.g., $S/N > 1$ or 2). *Emergence* can refer to changes relative to a historical or modern baseline (usually at least 20 years long) and can also be expressed in terms of time (time of *emergence*) or in terms of a *global warming* level. *Emergence* is also used to refer to a time when we can expect to see a response of reducing *greenhouse gas (GHG) emissions* (*emergence* with respect to *mitigation*). *Emergence* can be estimated using observations and/or model simulations.

Emission pathways

See *Pathways*.

Emission scenario

See *Scenario*.

Emissions

Anthropogenic emissions

Emissions of *greenhouse gases (GHGs)*, *precursors* of GHGs and *aerosols* caused by human activities. These activities include the burning of *fossil fuels*, *deforestation*, *land use* and *land-use changes* (LULUC), livestock production, fertilisation, waste management and industrial processes.

Fossil-fuel emissions

Emissions of *greenhouse gases* (in particular, *carbon dioxide*), other trace gases and *aerosols* resulting from the combustion of fuels from fossil carbon deposits such as oil, gas and coal.

Non-CO₂ emissions and radiative forcing

Non-CO₂ emissions included in this report are all *anthropogenic emissions* other than CO₂ that result in *radiative forcing*. These include short-lived *climate* forcers, such as *methane (CH₄)*, some fluorinated gases, *ozone (O₃) precursors*, *aerosols* or *aerosol precursors*, such as black carbon and sulphur dioxide, respectively, as well as long-lived *greenhouse gases*, such as nitrous oxide (N₂O) or other fluorinated gases. The *radiative forcing* associated with non-CO₂ *emissions* and changes in surface *albedo* is referred to as non-CO₂ *radiative forcing*.

Enabling conditions (for adaptation and mitigation options)

Conditions that enhance the *feasibility* of *adaptation* and *mitigation options*. *Enabling conditions* include finance, technological innovation, strengthening *policy* instruments, *institutional capacity*, multi-level *governance* and changes in human behaviour and lifestyles.

Endemic species

Plants and animals that are only found in one geographic region.

Energy access

Access to clean, reliable and affordable energy services for cooking and heating, lighting, communications and productive uses (with special reference to *Sustainable Development Goal 7*) (AGECC, 2010).

Energy efficiency

The ratio of output or useful energy or energy services or other useful physical outputs obtained from a system, conversion process, transmission or storage activity to the input of energy (measured as kWh kWh⁻¹, tonnes kWh⁻¹ or any other physical measure of useful output like tonne-km transported). *Energy efficiency* is often described by energy intensity.

Energy security

The goal of a given country, or the global community as a whole, to maintain an adequate, stable and predictable energy supply. Measures encompass safeguarding the sufficiency of energy resources to meet national energy demand at competitive and stable prices and the *resilience* of the energy supply; enabling the development and deployment of technologies; building sufficient *infrastructure* to generate, store and transmit energy supplies and ensuring enforceable contracts of delivery.

Energy system

The *energy system* comprises all components related to the production, conversion, delivery and use of energy.

Equality

A principle that ascribes equal worth to all human beings, including equal opportunities, rights and obligations, irrespective of origins. See also *Equity* and *Fairness*.

Inequality

Uneven opportunities and social positions, and processes of discrimination within a group or society, based on gender, class, ethnicity, age and (dis)ability, often produced by uneven development. *Income inequality* refers to gaps between the highest and lowest *income* earners within a country and between countries.

Equity

The principle of being fair and impartial, and a basis for understanding how the *impacts* and responses to *climate change*, including costs and benefits, are distributed in and by society in more or less equal ways. Often aligned with ideas of *equality*, *fairness* and *justice* and applied with respect to *equity* in the responsibility for, and distribution of, *climate impacts* and *policies* across society, generations and gender, and in the sense of who participates and controls the processes of decision-making.

Ethics

Ethics involves questions of *justice* and value. Justice is concerned with right and wrong, *equity* and *fairness*, and, in general, with the rights to which people and living beings are entitled. Value is a matter of worth, benefit or good.

Eutrophication

Over-enrichment of water by nutrients such as nitrogen and phosphorus. It is one of the leading causes of water quality impairment. The two most acute symptoms of *eutrophication* are hypoxia (or oxygen depletion) and harmful algal blooms.

Evaporation

The physical process by which a liquid (e.g., water) becomes a gas (e.g., water vapour).

Evapotranspiration

The combined processes through which water is transferred to the *atmosphere* from open water and ice surfaces, bare soil and vegetation that make up the Earth's surface.

Evidence

Data and information used in the scientific process to establish findings. In this report, the degree of *evidence* reflects the amount, quality and consistency of scientific/technical information on which the Lead Authors are basing their findings. See also *Agreement*, *Confidence*, *Likelihood* and *Uncertainty*.

Evolutionary adaptation

See *Adaptation*.

Exposure

The presence of people; *livelihoods*; species or *ecosystems*; environmental functions, services, and resources; *infrastructure*; or economic, social, or cultural assets in places and settings that could be adversely affected.

Externality/external cost/external benefit

Externalities arise from a human activity, when agents responsible for the activity do not take full account of the activity's *impact* on others' production and consumption possibilities, and no compensation exists for such *impacts*. When the *impact* is negative, they are *external costs*. When positive they are referred to as *external benefits*. See also *Co-benefits*.

Extinction

A population, species or more inclusive taxonomic group has gone extinct when all its individuals have died. A species may go extinct locally (population *extinction*), regionally (e.g., *extinction* of all populations in a country, continent or *ocean*) or globally (IPBES, 2019). See also *Extirpation*.

Extirpation

The disappearance of a species from an area, sometimes also referred to as local *extinction*. Its use implies that the species still occurs elsewhere. See also *Extinction*.

Extreme sea level (ESL)

The occurrence of an exceptionally low or high local sea surface height, arising from (a combination of) short-term phenomena (e.g., *storm surges*, tides and waves). Relative *sea level changes* affect *extreme sea levels* directly by shifting the mean water levels and indirectly by modulating the propagation of tides, waves and/or surges due to increased water depth. In addition, *extreme sea levels* can be influenced by changes in the frequency, tracks or strength of weather systems and storms, or due to *anthropogenically* induced changes such as the modification of coastlines or dredging. In turn, changes in any or all of the contributions to *extreme sea levels* may lead to long-term relative *sea level changes*. Alternate expressions for ESL may be used depending on the processes resolved.

Extreme still water level (ESWL) refers to the combined contribution of relative *sea level change*, tides and *storm surges*. Wind-waves also contribute to coastal sea level via three processes: infragravity waves (lower-frequency gravity waves generated by wind waves), wave setup (time-mean sea level elevation due to wave energy dissipation) and swash (vertical displacement up the shore-face induced by individual waves). Extreme total water level (ETWL) is the ESWL plus wave setup. When considering coastal *impacts*, swash is also important, and extreme coastal water level (ECWL) is used. See also *Sea level change (sea level rise/sea level fall)*

Extreme weather event

An event that is rare at a particular place and time of year. Definitions of 'rare' vary, but an *extreme weather event* would normally be as rare as or rarer than the 10th or 90th percentile of a probability density function estimated from observations. By definition, the characteristics of what is called extreme weather may vary from place to place in an absolute sense. See also *Heatwave* and *Climate extreme*.

Extreme/heavy precipitation event

An *extreme/heavy precipitation event* is an event that is of very high magnitude with a very rare occurrence at a particular place. Types of extreme precipitation may vary depending on its duration, hourly, daily or multi-days (e.g., 5 days), though all of them qualitatively represent high magnitude. The intensity of such events may be defined with block maxima approach such as annual maxima or with peak over threshold approach, such as rainfall above 95th or 99th percentile at a particular space.

Fairness

Impartial and just treatment without favouritism or discrimination in which each person is considered of equal worth with equal opportunity. See also *Equality* and *Equity*.

Feasibility

In this report, *feasibility* refers to the potential for a *mitigation* or *adaptation option* to be implemented. Factors influencing *feasibility* are context dependent, temporally dynamic and may vary between different groups and actors. *Feasibility* depends on geophysical, environmental-ecological, technological, economic, socio-cultural and institutional factors that enable or constrain the implementation of an option. The *feasibility* of options may change when different options are combined, and increase when *enabling conditions* are strengthened. See also *Enabling conditions (for adaptation and mitigation options)*.

Fire weather

Weather conditions conducive to triggering and sustaining wildfires, usually based on a set of indicators and combinations of indicators including temperature, *soil moisture*, humidity and wind. *Fire weather* does not include the presence or absence of fuel load.

Flood

The overflowing of the normal confines of a stream or other water body, or the *accumulation* of water over areas that are not normally submerged. *Floods* can be caused by unusually heavy rain, for example during storms and cyclones. *Floods* include river (fluvial) *floods*, flash *floods*, *urban floods*, rain (pluvial) *floods*, sewer *floods*, coastal *floods*, and *glacial lake outburst floods (GLOF)*.

Flux

A movement (flow) of matter (e.g., water vapour, particles), heat or energy from one place to another, or from one medium (e.g., *land surface*) to another (e.g., *atmosphere*).

Food security

A situation that exists when all people, at all times, have physical, social and economic access to sufficient, safe and nutritious food that meets their dietary needs and food preferences for an active and healthy life. The four pillars of *food security* are availability, access, utilisation and stability. The nutritional dimension is integral to the concept of *food security* (FAO, 2018/ 2009).

Availability

Physical availability of food. *Food availability* addresses the supply side of food security and is determined by the levels of food production, stocks and net trade.

Access

Economic and/or physical access to food. Economic access is determined by disposable *income*, food prices and the provision of and access to social support. Physical access is determined by the availability and quality of *land* and other *infrastructure*, property rights or the functioning of markets.

Utilisation

The way in which the body uses the various nutrients in food. Individuals achieve sufficient energy and nutrient intake through good care and feeding practices, food preparation, *diet* diversity and intrahousehold distribution of food. Combined with biological utilisation of the food consumed, energy and nutrient intake determine the nutrition status of individuals.

Stability

The stability of the other three dimensions over time. Even if individuals' food intake is adequate today, they are still considered food-insecure if periodically they have inadequate access to food, risking deterioration of their nutrition status. Adverse weather conditions, political instability or economic factors (unemployment, rising food prices) may have an impact on individuals' *food security* status.

Food system

All the elements (environment, people, inputs, processes, infrastructures, *institutions*, etc.) and activities that relate to the production, processing, distribution, preparation and consumption of food, and the output of these activities, including socio-economic and environmental outcomes (HLPE, 2017). [Note: While there is a global *food system* (encompassing the totality of global production and consumption), each location's *food system* is unique, being defined by that place's mix of food produced locally, nationally, regionally or globally.]

Food-borne diseases

Illnesses transmitted through the consumption of unsafe or contaminated food. That contamination can come from a variety of *sources*, including contaminated water (adapted from UNEP, 2018).

Forest

A vegetation type dominated by trees. Many definitions of the term *forest* are in use throughout the world, reflecting wide differences in bio-geophysical conditions, social structure and economics. See also *Afforestation*, *Deforestation* and *Reforestation*

[Note: For a discussion of the term forest in the context of national GHG inventories, see the 2006 IPCC Guidelines for National GHG Inventories and their 2019 Refinement, and information provided by the United Nations Framework Convention on Climate Change (IPCC 2006, 2019; UNFCCC, 2021a, 2021b).]

Forest degradation

A reduction in the capacity of a *forest* to produce *ecosystem services* such as carbon storage and wood products as a result of *anthropogenic* and environmental changes.

Forest dieback

See *Forest degradation*.

Forest line

The upper limit of the closed upper montane forest or forest at high latitudes. It is less elevated or less poleward than the tree line.

Forest management

See *Sustainable forest management*.

Fossil fuels

Carbon-based fuels from fossil hydrocarbon deposits, including coal, oil and natural gas.

Glacial lake outburst flood (GLOF)/Glacier lake outburst

A sudden release of water from a *glacier* lake, including any of the following types: a *glacier*-dammed lake, a pro-glacial moraine-dammed lake or water that was stored within, under or on the *glacier*.

Glacier

A perennial mass of ice, and possibly firn and snow, originating on the *land* surface by *accumulation* and compaction of snow and showing *evidence* of past or present flow. A *glacier* typically gains mass by *accumulation* of snow and loses mass by ablation. *Land* ice masses of continental size (>50,000 km²) are referred to as *ice sheets* (Cogley et al., 2011).

Global change

A generic term to describe global-scale changes in systems, including the *climate system*, *ecosystems* and *social-ecological systems*.

Global mean sea level change

Global mean sea level (GMSL) *change* is the increase or decrease in the volume of the *ocean* divided by the *ocean* surface area. It is the sum of changes in *ocean* density through temperature changes (global mean thermosteric *sea level change*) and changes in the *ocean* mass as a result of changes in the *cryosphere* or land water storage (barystatic *sea level change*).

Global mean surface air temperature (GSAT)

The global average of near-surface air temperatures over *land*, *oceans* and *sea ice*. Changes in GSAT are often used as a measure of global temperature change in *climate models*. See also *Global mean surface temperature (GMST)*.

Global mean surface temperature (GMST)

The estimated global average of near-surface air temperatures over *land* and *sea ice*, and sea surface temperature (SST) over ice-free *ocean regions*, with changes normally expressed as departures from a value over a specified *reference period*. See also *Global mean surface air temperature (GSAT)*.

Global monsoon

The *global monsoon* (GM) is a global-scale solstitial mode that dominates the annual variation of tropical and sub-tropical precipitation and circulation. The GM domain is defined as the area where the annual range of precipitation (local summer minus winter mean precipitation rate) is greater than 2.5 mm/day, following on from the definition as in Kitoh et al. (2013). Further details on how the GM is defined, used

and related to regional *monsoons* throughout the report are provided by WGI AR6 Annex V (IPCC 2021b).

Global warming

Global warming refers to the increase in global surface temperature relative to a baseline *reference period*, averaging over a period sufficient to remove interannual variations (e.g., 20 or 30 years). A common choice for the baseline is 1850–1900 (the earliest period of reliable observations with sufficient geographic coverage), with more modern baselines used depending upon the application. See also *Climate change* and *Climate variability*.

Governance

The structures, processes and actions through which private and public actors interact to address societal goals. This includes formal and informal *institutions* and the associated norms, rules, laws and procedures for deciding, managing, implementing and monitoring *policies* and measures at any geographic or political scale, from global to local.

Adaptive governance

Adjusting to changing conditions, such as *climate change*, through *governance* interactions that seek to maintain a desired state in a *social-ecological system*.

Climate governance

The structures, processes and actions through which private and public actors seek to mitigate and adapt to *climate change*.

Multi-level governance

The dispersion of *governance* across multiple levels of jurisdiction and decision-making, including, global, regional, national and local as well as trans-regional and trans-national levels.

Polycentric governance

Polycentric governance involves multiple centres of decision-making with overlapping jurisdictions. While the centres have some degree of autonomy, they also take each other into account, coordinating their actions and seeking to resolve conflicts (Carlisle and Gruby, 2017; Jordan et al., 2018; McGinnis and Ostrom, 2012).

Governance capacity

The ability of *governance institutions*, leaders and non-state and civil society to plan, coordinate, fund, implement, evaluate and adjust *policies* and measures over the short, medium and long term, adjusting for *uncertainty*, rapid change and wide-ranging *impacts* and multiple actors and demands.

Green Climate Fund (GCF)

The *Green Climate Fund* was established by the 16th Session of the Conference of the Parties (COP) in 2010 as an operating entity of the financial mechanism of the United Nations Framework Convention on Climate Change (UNFCCC), in accordance with Article 11 of the Convention, to support projects, programmes and *policies* and other activities in *developing country* Parties. The Fund is governed by a board and will receive guidance from the COP.

Green infrastructure

See *Infrastructure*.

Greenhouse gases (GHG)

Gaseous constituents of the *atmosphere*, both natural and *anthropogenic*, that absorb and emit radiation at specific wavelengths within the spectrum of radiation emitted by the Earth's *ocean* and *land* surface, by the *atmosphere* itself and by clouds. This property causes the greenhouse effect. Water vapour (H₂O), *carbon dioxide* (CO₂), nitrous oxide (N₂O), *methane* (CH₄) and *ozone* (O₃) are the primary GHGs in the Earth's *atmosphere*. Human-made GHGs include sulphur hexafluoride (SF₆), hydrofluorocarbons (HFCs), chlorofluorocarbons (CFCs) and perfluorocarbons (PFCs); several of these are also O₃-depleting (and are regulated under the Montreal Protocol).

Grey infrastructure

See *Infrastructure*.

Gross domestic product (GDP)

The sum of gross value added, at purchasers' prices, by all resident and non-resident producers in the economy, plus any taxes and minus any subsidies not included in the value of the products in a country or a geographic region for a given period, normally one year. GDP is calculated without deducting for depreciation of fabricated assets or depletion and degradation of natural resources.

Groundwater recharge

The process by which external water is added to the zone of saturation of an aquifer, either directly into a geologic formation that traps the water or indirectly by way of another formation.

Habitability (human)

The ability of a place to support human life by providing protection from *hazards* which challenge human survival, and by assuring adequate space, food and freshwater.

Hazard

The potential occurrence of a natural or human-induced physical event or trend that may cause loss of life, injury or other *health impacts*, as well as damage and loss to property, *infrastructure*, *livelihoods*, service provision, *ecosystems* and environmental resources. See also *Impacts* and *Risk*.

Health

Health is a state of complete physical, mental and social *well-being* and not merely the absence of disease or infirmity (WHO).

Heat index

A measure of how hot the air feels to the human body. The index is mainly based on surface air temperature and *relative humidity* and thus reflects the combined effect of high temperature and humidity on human physiology and provides a relative indication of potential *health risks*. See also *Heatwave*.

Heat stress

A range of conditions in, for example, terrestrial or aquatic organisms when the body absorbs excess heat during overexposure to high air or

water temperatures or thermal radiation. In aquatic water-breathing animals, hypoxia and acidification can exacerbate *vulnerability* to heat. *Heat stress* in mammals (including humans) and birds, both in air, is exacerbated by a detrimental combination of ambient heat, high humidity and low wind speed, causing the regulation of body temperature to fail.

Heatwave

A period of abnormally hot weather, often defined with reference to a relative temperature threshold, lasting from two days to months. *Heatwaves* and warm spells have various and, in some cases, overlapping definitions. See also *Heat index*, *Heat stress* and *Marine heatwave*.

Heavy precipitation event

See *Extreme/heavy precipitation event*.

Human mobility

The permanent or semi-permanent move by a person for at least 1 year and involving crossing an administrative, but not necessarily a national, border.

Human rights

Rights that are inherent to all human beings, universal, inalienable and indivisible, typically expressed and guaranteed by law. They include the right to life, economic, social and cultural rights, and the right to development and self-determination (UNOHCHR, 2018).

Human security

A condition that is met when the vital core of human lives is protected, and when people have the freedom and capacity to live with dignity. In the context of *climate change*, the vital core of human lives includes the universal and culturally specific, material and non-material elements necessary for people to act on behalf of their interests and to live with dignity.

Human system

Any system in which human organisations and *institutions* play a major role. Often, but not always, the term is synonymous with society or social system. Systems such as agricultural systems, *urban systems*, political systems, technological systems and economic systems are all *human systems* in the sense applied in this report.

Hydrological cycle

The cycle in which water evaporates from the *ocean* and the *land* surface, is carried over the Earth in atmospheric circulation as water vapour, condenses to form clouds, precipitates over the *ocean* and *land* as rain or snow, which on *land* can be intercepted by trees and vegetation, potentially accumulating as snow or ice, provides *runoff* on the *land* surface, infiltrates into soils, recharges groundwater, discharges into streams and, ultimately, flows into the *oceans* as rivers, polar *glaciers* and *ice sheets*, from which it will eventually evaporate again. The various systems involved in the *hydrological cycle* are usually referred to as hydrological systems.

Hydrological drought

See *Drought*.

Hydropower

Power harnessed from the flow of water.

Hyperthermal events

Geologically abrupt *global warming* events of the past associated with disturbances of the carbon cycle and *impacts* on the *biosphere*.

Hypoxic

Conditions of low dissolved oxygen in shallow-water *ocean* and freshwater environments. There is no universal threshold for hypoxia. A value around 60 $\mu\text{mol kg}^{-1}$ has commonly been used for some estuarine systems, although this does not necessarily directly translate into biological *impacts*. Anoxic conditions occur where there is no oxygen present at all. See also *Eutrophication*.

Hypoxic events

Events that lead to deficiencies of oxygen in water bodies.

Ice sheet

An ice body originating on *land* that covers an area of continental size, generally defined as covering >50,000 km², and that has formed over thousands of years through *accumulation* and compaction of snow. An *ice sheet* flows outward from a high central ice plateau with a small average surface slope. The margins usually slope more steeply, and most ice is discharged through fast-flowing ice streams or outlet *glaciers*, often into the sea or into ice shelves floating on the sea. There are only two *ice sheets* in the modern world, one on Greenland and one on Antarctica. The latter is divided into the East Antarctic Ice Sheet (EAIS), the West Antarctic Ice Sheet (WAIS) and the Antarctic Peninsula Ice Sheet. During glacial periods, there were other *ice sheets*.

Impacts

The consequences of realised *risks* on *natural* and *human systems*, where *risks* result from the interactions of *climate*-related *hazards* (including *extreme weather/climate events*), *exposure*, and *vulnerability*. *Impacts* generally refer to effects on lives, *livelihoods*, *health* and *well-being*, *ecosystems* and species, economic, social and cultural assets, services (including *ecosystem services*) and *infrastructure*. *Impacts* may be referred to as consequences or outcomes, and can be adverse or beneficial. See also *Adaptation*, *Exposure*, *Loss and Damage*, and *losses and damages*, *Vulnerability* and *Risk*.

Income

The maximum amount that a household, or other unit, can consume without reducing its real net worth. Total *income* is the broadest measure of *income* and refers to regular receipts such as wages and salaries, *income* from self-employment, interest and dividends from invested funds, pensions or other benefits from social *insurance*, and other current transfers receivable. OECD (2003).

Incremental adaptation

See *Adaptation*.

Indigenous knowledge (IK)

The understandings, skills and philosophies developed by societies with long histories of interaction with their natural surroundings. For many indigenous peoples, IK informs decision-making about

fundamental aspects of life, from day-to-day activities to longer-term actions. This knowledge is integral to cultural complexes, which also encompass language, systems of classification, resource use practices, social interactions, values, ritual and spirituality. These distinctive ways of knowing are important facets of the world's cultural diversity (UNESCO, 2018). See also *Local knowledge*.

Indigenous Peoples

Indigenous Peoples and Nations are those that, having a historical continuity with pre-invasion and pre-colonial societies that developed on their territories, consider themselves distinct from other sectors of the societies now prevailing on those territories, or parts of them. They form at present principally non-dominant sectors of society and are often determined to preserve, develop and transmit to future generations their ancestral territories, and their ethnic identity, as the basis of their continued existence as Peoples, in accordance with their own cultural patterns, social *institutions* and common law system. Cobo (1987)

Indirect land-use change (iLUC)

See *Land-use change*.

Inequality

See *Equality*.

Informal settlement

A term given to *settlements* or residential areas that, by at least one criterion, fall outside official rules and *regulations*. Most *informal settlements* have poor housing (with widespread use of temporary materials) and are developed on *land* that is occupied illegally with high levels of overcrowding. In most such *settlements*, provision for safe water, sanitation, *drainage*, paved roads and basic services is inadequate or lacking. The term 'slum' is often used for *informal settlements*, although it is misleading as many *informal settlements* develop into good-quality residential areas, especially where governments support such development.

Infrastructure

The designed and built set of physical systems and corresponding institutional arrangements that mediate between people, their communities and the broader environment to provide services that support economic growth, *health*, quality of life and safety (Chester, 2019; Dawson et al., 2018) There are four categories of *infrastructure*:

Blue infrastructure

Blue infrastructure includes bodies of water, watercourses, ponds, lakes and storm *drainage*, that provide ecological and hydrological functions including *evaporation*, transpiration, *drainage*, infiltration and temporarily storage of *runoff* and discharge.

Green infrastructure

The strategically planned interconnected set of natural and constructed ecological systems, green spaces and other landscape features that can provide functions and services including air and water purification, temperature management, floodwater management and coastal defence often with *co-benefits* for human and ecological *well-being*. *Green infrastructure* includes planted and

remnant native vegetation, soils, wetlands, parks and green open spaces, as well as building and street-level design interventions that incorporate vegetation (after Culwick and Bobbins, 2016).

Grey infrastructure

Engineered physical components and networks of pipes, wires, roads and tracks that underpin energy, transport, communications (including digital), built form, water and sanitation, and solid-waste management systems.

Social infrastructure

The social, cultural and financial activities and *institutions* as well as associated property, buildings and artefacts and *policy* domains such as *social protection*, *health* and education that support *well-being* and public life (Frolova et al., 2016; Latham and Layton, 2019).

Institutional capacity

Building and strengthening individual organisations and providing technical and management training to support integrated planning and decision-making processes between organisations and people, as well as empowerment, social capital and an enabling environment, including culture, values and power relations (Willems and Baumert, 2003).

Institutions

Rules, norms and conventions that guide, constrain or enable human behaviours and practices. *Institutions* can be formally established, for instance through laws and *regulations*, or informally established, for instance by traditions or customs. *Institutions* may spur, hinder, strengthen, weaken or distort the emergence, adoption and implementation of *climate* action and *climate governance*.

[Note: *Institutions* can also refer to a large organisation]

Insurance/reinsurance

A family of financial instruments for sharing and transferring *risk* among a pool of at-*risk* households, businesses and/or governments.

Integrated assessment

A method of analysis that combines results and *models* from the physical, biological, economic and social sciences and the interactions among these components in a consistent framework to evaluate the status and consequences of environmental change and the *policy* responses to it.

Integrated assessment model (IAM)

Models that integrate knowledge from two or more domains into a single framework. They are one of the main tools for undertaking *integrated assessments*. One class of IAM used in respect of *climate change mitigation* may include representations of: multiple sectors of the economy, such as energy, *land* use and *land use change*; interactions between sectors; the economy as a whole; associated *greenhouse gas (GHG) emissions* and *sinks*; and reduced representations of the *climate system*. This class of model is used to assess linkages between economic, social and technological development and the evolution of the *climate system*. Another class of IAM additionally includes representations of the costs associated with *climate change impacts*, but includes less

detailed representations of economic systems. These can be used to assess *impacts* and *mitigation* in a cost–benefit framework and have been used to estimate the social cost of carbon.

Invasive species

A species that is not native to a specific location or nearby, lacking natural controls, and that has a tendency to rapidly increase in abundance, displacing *native species*. *Invasive species* may also damage the human economy or human *health*.

Justice

Justice is concerned with, setting out the moral or legal principles of *fairness* and *equity* in the way people are treated, often based on the *ethics* and values of society.

Climate justice

Justice that links development and *human rights* to achieve a human-centred approach to addressing *climate change*, safeguarding the rights of the most vulnerable people and sharing the burdens and benefits of *climate change* and its *impacts* equitably and fairly (MRFJC, 2018).

Procedural justice

Justice in the way outcomes are brought about, including who participates and is heard in the processes of decision-making.

Social justice

Just or fair relations within society that seek to address the distribution of wealth, access to resources, opportunity and support according to principles of *justice* and *fairness*.

Key risk

Key risks have potentially severe adverse consequences for humans and social-ecological systems resulting from the interaction of climate related *hazards* with vulnerabilities of societies and systems exposed.

Representative Key Risks (RKR)

are representative, thematic clusters of key risks.

Land

The terrestrial portion of the *biosphere* that comprises the natural resources (soil, near-surface air, vegetation and other biota, and water), the ecological processes, topography, and human *settlements* and *infrastructure* that operate within that system (FAO, 2007; UNCCD, 1994).

Land cover

The biophysical coverage of *land* (e.g., bare soil, rocks, *forests*, buildings and roads, or lakes). *Land cover* is often categorised in broad *land-cover* classes (e.g., deciduous forest, coniferous forest, mixed forest, grassland and bare ground). Note: In some literature assessed in this report, *land cover* and *land use* are used interchangeably, but the two represent distinct classification systems. For example, the *land cover* class of woodland can be under various *land uses* such as livestock grazing, recreation, conservation or wood harvest.

Land cover change

Change from one *land cover* class to another, due to change in *land use* or change in natural conditions (Pongratz et al., 2018). See also *Land cover* and *Land-use change*.

Land degradation

A negative trend in *land* condition, caused by direct or indirect human-induced processes including *anthropogenic climate change*, expressed as a long-term reduction or loss of at least one of the following: biological productivity, ecological integrity or value to humans. [Note: This definition applies to *forest* and non-*forest land*. Changes in *land* condition resulting solely from natural processes (such as volcanic eruptions) are not considered to be *land degradation*. Reduction of biological productivity or ecological integrity or value to humans can constitute degradation, but any one of these changes need not necessarily be considered degradation.]

Land management

The sum of *land-use* practices (e.g., sowing, fertilising, weeding, harvesting, thinning and clear-cutting) that take place within broader *land-use* categories (Pongratz et al., 2018).

Land use

The total of arrangements, activities and inputs applied to a parcel of *land*. The term *land use* is also used in the sense of the social and economic purposes for which *land* is managed (e.g., grazing, timber extraction, conservation and *city* dwelling). In national *greenhouse gas (GHG)* inventories, *land use* is classified according to the IPCC *land-use* categories of *forest land*, cropland, grassland, wetlands, *settlements* and other *lands* (see the 2006 IPCC Guidelines for National GHG Inventories and their 2019 Refinement for details (IPCC, 2006, 2019)).

Land-use change

The change from one *land-use* category to another. Note that, in some scientific literature, *land-use change* encompasses changes in *land-use* categories as well as changes in *land management*. See also *Afforestation*, *Deforestation* and *Reforestation*.

Indirect land-use change (iLUC)

Land-use change outside the area of focus that occurs as a consequence of change in use or management of *land* within the area of focus, such as through market or *policy drivers*. For example, if agricultural *land* is diverted to *biofuel* production, forest clearance may occur elsewhere to replace the former agricultural production. See *Land-use change (LUC)*.

Least Developed Countries (LDCs)

A list of countries designated by the Economic and Social Council of the United Nations (ECOSOC) as meeting three criteria: (1) a low *income* criterion below a certain threshold of gross national income per capita of between USD 750 and USD 900, (2) a human resource weakness based on indicators of *health*, education and adult literacy, and (3) an economic *vulnerability* weakness based on indicators on instability of agricultural production, instability of export of goods and services, economic importance of non-traditional activities, merchandise export concentration and the handicap of economic smallness. Countries in this

category are eligible for a number of programmes focused on assisting countries most in need. These privileges include certain benefits under the articles of the United Nations Framework Convention on Climate Change (UNFCCC).

Likelihood

The chance of a specific outcome occurring, where this might be estimated probabilistically. *Likelihood* is expressed in this Special Report using a standard terminology (Mastrandrea et al., 2010). See also *Agreement*, *Confidence*, *Evidence* and *Uncertainty*.

Livelihood

The resources used and the activities undertaken in order for people to live. *Livelihoods* are usually determined by the entitlements and assets to which people have access. Such assets can be categorised as human, social, natural, physical or financial.

Local extinction

See *Extirpation*.

Local knowledge (LK)

The understandings and skills developed by individuals and populations, specific to the places where they live. Local knowledge informs decision-making about fundamental aspects of life, from day-to-day activities to longer-term actions. This knowledge is a key element of the social and cultural systems which influence observations of and responses to *climate change*; it also informs *governance* decisions (UNESCO, 2018). See also *Indigenous knowledge*.

Lock-in

A situation in which the future development of a system, including *infrastructure*, technologies, investments, institutions and behavioural norms, is determined or constrained ('locked in') by historical developments. See also *Path dependence*.

Loss and Damage, and losses and damages

Research has taken Loss and Damage (capitalised letters) to refer to political debate under the United Nations Framework Convention on Climate Change (UNFCCC) following the establishment of the Warsaw Mechanism on Loss and Damage in 2013, which is to 'address loss and damage associated with impacts of climate change, including extreme events and slow onset events, in developing countries that are particularly vulnerable to the adverse effects of climate change.' Lowercase letters (losses and damages) have been taken to refer broadly to harm from (observed) *impacts* and (projected) *risks* and can be economic or non-economic (Mechler et al., 2018).

Low Elevation Coastal Zones (LECZ)

Coastal areas below 10 m of elevation above sea level that are 13 hydrologically connected to the sea.

Low-likelihood, high-impact outcomes

Outcomes/events whose probability of occurrence is low or not well known (as in the context of *deep uncertainty*) but whose potential *impacts* on society and *ecosystems* could be high. To better inform *risk* assessment and decision-making, such low-*likelihood* outcomes are considered if they are associated with very large consequences and may

therefore constitute material *risks*, even though those consequences do not necessarily represent the most likely outcome. See also *Impacts*.

Maladaptive actions (Maladaptation)

Actions that may lead to increased *risk* of adverse climate-related outcomes, including via increased *greenhouse gas (GHG) emissions*, increased or shifted *vulnerability* to *climate change*, more inequitable outcomes, or diminished welfare, now or in the future. Most often, *maladaptation* is an unintended consequence.

Malnutrition

Deficiencies, excesses or imbalances in a person's intake of energy and/or nutrients. The term *malnutrition* addresses three broad groups of conditions: undernutrition, which includes wasting (low weight-for-height), stunting (low height-for-age) and underweight (low weight-for-age); micronutrient-related malnutrition, which includes micronutrient deficiencies (a lack of important vitamins and minerals) or micronutrient excess; and overweight, obesity and *diet*-related *non-communicable diseases* (such as heart disease, stroke, diabetes and some cancers) (WHO, 2018). Micronutrient deficiencies are sometimes termed 'hidden hunger' to emphasise that people can be malnourished in the sense of deficient without being deficient in calories. Hidden hunger can apply even where people are obese.

Marine heatwave

A period during which water temperature is abnormally warm for the time of the year relative to historical temperatures, with that extreme warmth persisting for days to months. The phenomenon can manifest in any place in the *ocean* and at scales of up to thousands of kilometres. See also *Heatwave*.

Mean sea level

The surface level of the *ocean* at a particular point averaged over an extended period of time such as a month or year. *Mean sea level* is often used as a national datum to which heights on land are referred.

Measurement

Processes of data collection over time, providing basic data sets, including associated accuracy and precision, for the range of relevant variables. Possible data sources are field *measurements*, field observations, detection through remote sensing and interviews (UN-REDD, 2009).

Megacity

An *urban* agglomeration with 10 million inhabitants or more (United Nations, Department of Economic and Social Affairs, Population Division (2019)).

Megadrought

See *Drought*.

Meteorological drought

See *Drought*.

Mental health

The state of *well-being* in which an individual realises his or her own abilities, can cope with the normal stresses of life, can work productively and is able to contribute to his or her community.

Methane (CH₄)

One of the six *greenhouse gases (GHGs)* to be mitigated under the Kyoto Protocol. *Methane* is the major component of natural gas and associated with all hydrocarbon fuels. Significant *anthropogenic emissions* also occur as a result of animal husbandry and paddy rice production. *Methane* is also produced naturally where organic matter decays under anaerobic conditions, such as in wetlands. Under future *global warming*, there is *risk* of increased *methane emissions* from thawing *permafrost*, coastal wetlands and sub-sea gas hydrates.

Metric

A consistent *measurement* of a characteristic of an object or activity that is otherwise difficult to quantify. Within the context of the evaluation of *climate models*, this is a quantitative measure of agreement between a simulated and an observed quantity which can be used to assess the performance of individual *models*.

Metropolitan region

See *City region*.

Microclimate

Local *climate* at or near the Earth's surface.

Migrant

Any person who is moving or has moved across an international border or within a state away from his/her habitual place of residence, regardless of (1) the person's legal status, (2) whether the movement is voluntary or involuntary, (3) what the causes for the movement are and (4) what the length of the stay is (IOM, 2018).

Migration (of humans)

Movement of a person or a group of persons, either across an international border, or within a state. It is a population movement, encompassing any kind of movement of people, whatever its length, composition and causes; it includes migration of refugees, displaced persons, economic *migrants* and persons moving for other purposes, including family reunification (IOM, 2018).

Mitigation (of climate change)

A human intervention to reduce *emissions* or enhance the *sinks* of *greenhouse gases*.

Mitigation measures

In *climate policy*, *mitigation measures* are technologies, processes or practices that contribute to *mitigation*, for example renewable energy technologies, waste minimisation processes and public transport commuting practices.

Mitigation option

A technology or practice that reduces *greenhouse gas (GHG) emissions* or enhances *sinks*.

Mitigation scenario

A plausible description of the future that describes how the (studied) system responds to the implementation of *mitigation policies* and measures.

Model ensemble

See *Climate simulation ensemble*.

Models

Structured imitations of a system's attributes and mechanisms to mimic the appearance or functioning of systems, for example, the *climate*, the economy of a country, or a crop. Mathematical *models* assemble (many) variables and relations (often in a computer code) to simulate system functioning and performance for variations in parameters and inputs.

Monitoring and evaluation (M&E)

Mechanisms put in place to respectively monitor and evaluate efforts to reduce *greenhouse gas emissions* and/or adapt to the *impacts* of *climate change* with the aim of systematically identifying, characterising and assessing progress over time.

Monsoon

See *Global monsoon*.

Mountains

A mountain is a landform formed through plate tectonics that rises above its surrounding area, characterised by verticality and ruggedness such as gentle or steep sloping sides, sharp or rounded ridges and a high point called a peak or a summit. Mountain *regions* consist of mountains and mountain ranges as defined by ruggedness, intermontane valleys, plateaus and tablelands, and hills and hilly forelands, together forming a complex terrain.

To delineate mountain *regions*, a combination of terrain characteristics is used, such as elevation above sea level, steepness of slope and relative relief or local elevational range.

Three mountain characterisations using different combinations of the above criteria applied to digital elevation models have been developed to arrive at mountain area statistics, described and analysed in detail by Sayre et al. (2018), namely K1 (Kapos et al., 2000), K2 (Körner et al., 2011) and K3 (Karagulle et al., 2017).

Multi-level governance

See *Governance*.

Narrative

See *Storyline*. See also *Pathways*.

Native species

Indigenous species of animals or plants that naturally occur in a given region or *ecosystem*. Under *climate change*, many species colonise new areas where they may become native over time (following IPBES, 2019). See also *Invasive species*.

Natural systems

The dynamic physical, physicochemical and biological components of the Earth system that would operate independently of human activities.

Nature-based solution (NBS)

Actions to protect, sustainably manage and restore natural or modified *ecosystems* that address societal challenges effectively and adaptively, simultaneously providing human *well-being* and *biodiversity* benefits. (IUCN, 2016). See also *Biodiversity* and *Ecosystem*.

Net primary production (NPP)

See *Primary production*.

Net zero CO₂ emissions

Condition in which *anthropogenic carbon dioxide (CO₂)* emissions are balanced by *anthropogenic* CO₂ removals over a specified period. See also *Land use*.

[Note: Carbon neutrality and *net zero CO₂ emissions* are overlapping concepts. The concepts can be applied at global or sub-global scales (e.g., regional, national and sub-national). At a global scale, the terms 'carbon neutrality' and *net zero CO₂ emissions* are equivalent. At sub-global scales, *net zero CO₂ emissions* is generally applied to *emissions* and removals under direct control or territorial responsibility of the reporting entity, while carbon neutrality generally includes *emissions* and removals within and beyond the direct control or territorial responsibility of the reporting entity. Accounting rules specified by GHG programmes or schemes can have a significant influence on the quantification of relevant CO₂ *emissions* and removals.]

New Urban Agenda

The New Urban Agenda was adopted at the United Nations Conference on Housing and Sustainable Urban Development (Habitat III) in Quito, Ecuador, on 20 October 2016. It was endorsed by the United Nations General Assembly at its 68th plenary meeting of the 71st session on 23 December 2016.

Non-climatic driver (Non-climate driver)

An agent or process outside the *climate system* that influences a *human* or *natural system*.

Non-communicable diseases

Non-communicable diseases (NCDs), also known as chronic diseases, tend to be of long duration and are the result of a combination of genetic, physiological, environmental and behavioural factors. The main types of NCDs are cardiovascular diseases (such as heart attacks and stroke), cancers, chronic respiratory diseases (such as chronic obstructive pulmonary disease and asthma) and diabetes (WHO).

Ocean

The interconnected body of saline water that covers 71% of the Earth's surface, contains 97% of the Earth's water and provides 99% of the Earth's biologically habitable space. It includes the Arctic, Atlantic, Indian, Pacific and Southern Oceans, as well as their marginal seas and coastal waters.

Ocean acidification (OA)

A reduction in the *pH* of the *ocean*, accompanied by other chemical changes (primarily in the levels of carbonate and bicarbonate ions), over an extended period, typically decades or longer, which is caused primarily by *uptake* of *carbon dioxide (CO₂)* from the *atmosphere*, but can also be caused by other chemical additions or subtractions from

the *ocean*. *Anthropogenic* OA refers to the component of pH reduction that is caused by human activity (IPCC, 2011, p. 37).

Ocean deoxygenation

The loss of oxygen in the *ocean*. It results from *ocean* warming, which reduces oxygen solubility and increases oxygen consumption and *stratification*, thereby reducing the mixing of oxygen into the *ocean* interior. Deoxygenation can also be exacerbated by the addition of excess nutrients in the coastal zone.

Ocean stratification

See *Stratification*.

Outbreak

Often used synonymously with 'epidemic', usually to indicate localised as opposed to generalised epidemics (WHO, 2020).

Overshoot pathways

See *Pathways*.

Oxygen minimum zone (OMZ)

The midwater layer (200–1000 m) in the open *ocean* in which oxygen saturation is the lowest in the *ocean*. The degree of oxygen depletion depends on the largely bacterial consumption of organic matter, and the distribution of the OMZs is influenced by large-scale *ocean* circulation. In coastal *oceans*, OMZs extend to the shelves and may also affect *benthic ecosystems*.

Ozone (O₃)

The triatomic form of oxygen, and a gaseous atmospheric constituent. In the troposphere, O₃ is created both naturally and by photochemical reactions involving gases resulting from human activities (e.g., smog). Tropospheric O₃ acts as a *greenhouse gas (GHG)*. In the stratosphere, O₃ is created by the interaction between solar ultraviolet radiation and molecular oxygen (O₂). Stratospheric O₃ plays a dominant role in the stratospheric radiative balance. Its concentration is highest in the *ozone* layer.

Pandemic

A worldwide outbreak of a disease in humans in numbers clearly in excess of normal (WHO, 2020).

Particulate matter (PM)

Atmospheric aerosol involved in air pollution issues. Of greatest concern for health are particles of aerodynamic diameter less than or equal to 10 micrometers, usually designated as PM10 and particles of diameter less than or equal to 2.5 micrometers, usually designated as PM2.5.

Pasture

Area covered with grass or other plants used or suitable for grazing of livestock; grassland.

Path dependence

The generic situation where decisions, events or outcomes at one point in time constrain *adaptation*, *mitigation* or other actions or options at a later point in time. See also *Lock-in*.

Pathways

The temporal evolution of *natural* and/or *human systems* towards a future state. *Pathway* concepts range from sets of quantitative and qualitative *scenarios* or *narratives* of potential futures to solution-oriented decision-making processes to achieve desirable societal goals. *Pathway* approaches typically focus on biophysical, techno-economic and/or socio-behavioural trajectories and involve various dynamics, goals and actors across different scales. See also *Scenario*.

Adaptation pathways

A series of *adaptation* choices involving *trade-offs* between short-term and long-term goals and values. These are processes of deliberation to identify solutions that are meaningful to people in the context of their daily lives and to avoid potential *maladaptation*.

Climate resilient development pathways (CRDPs)

Trajectories that strengthen sustainable development and efforts to eradicate *poverty* and reduce inequalities while promoting fair and cross-scalar *adaptation* to and *resilience* in a changing *climate*. They raise the *ethics*, *equity* and *feasibility* aspects of the deep *societal transformation* needed to drastically reduce *emissions* to limit *global warming* (e.g., to well below 2°C) and achieve desirable and liveable futures and *well-being* for all.

Climate-resilient pathways

Iterative processes for managing change within complex systems in order to reduce disruptions and enhance opportunities associated with *climate change*. See also *Development pathways* and *Pathways*.

Development pathways

Development pathways evolve as the result of the countless decisions being made and actions being taken at all levels of societal structure, as well due to the emergent dynamics within and between *institutions*, cultural norms, technological systems and other *drivers* of *behavioural change*.

Emission pathways

Modelled trajectories of global *anthropogenic emissions* over the 21st century are termed *emission pathways*.

Overshoot pathways

Pathways that first exceed a specified concentration, forcing or *global warming* level, and then return to or below that level again before the end of a specified period of time (e.g., before 2100). Sometimes the magnitude and *likelihood* of the overshoot are also characterised. The overshoot duration can vary from one *pathway* to the next, but in most *overshoot pathways* in the literature and referred to as *overshoot pathways* in the AR6, the overshoot occurs over a period of at least one decade and up to several decades.

Representative Concentration Pathways (RCPs)

Scenarios that include time series of *emissions* and concentrations of the full suite of *greenhouse gases (GHGs)* and *aerosols* and chemically active gases, as well as *land use/land cover* (Moss et al., 2008; van Vuuren et al., 2011). The word 'representative' signifies that each RCP provides only one of many possible scenarios that would lead to the specific *radiative forcing* characteristics. The term *pathway*

emphasises the fact that not only the long-term concentration levels, but also the trajectory taken over time to reach that outcome are of interest (Moss et al., 2010; van Vuuren et al., 2011).

RCPs usually refer to the portion of the concentration *pathway* extending up to 2100, for which *integrated assessment models* produced corresponding *emission scenarios*. Extended concentration *pathways* describe extensions of the RCPs from 2100 to 2300 that were calculated using simple rules generated by stakeholder consultations, and do not represent fully consistent scenarios. Four RCPs produced from *integrated assessment models* were selected from the published literature and are used in the Fifth IPCC Assessment and are also used in this Assessment for comparison, spanning the range from approximately below 2°C warming to high (>4°C) warming best-estimates by the end of the 21st century: RCP2.6, RCP4.5 and RCP6.0, and RCP8.5.

- RCP2.6: One *pathway* where *radiative forcing* peaks at approximately 3 W m⁻² and then declines to be limited at 2.6 W m⁻² in 2100 (the corresponding Extended Concentration Pathway, or ECP, has constant *emissions* after 2100).
- RCP4.5 and RCP6.0: Two intermediate stabilisation *pathways* in which *radiative forcing* is limited at approximately 4.5 W m⁻² and 6.0 W m⁻² in 2100 (the corresponding ECPs have constant concentrations after 2150).
- RCP8.5: One high *pathway* which leads to >8.5 W m⁻² in 2100 (the corresponding ECP has constant *emissions* after 2100 until 2150 and constant concentrations after 2250).

Shared socio-economic pathways (SSPs)

Shared socio-economic pathways (SSPs) have been developed to complement the *Representative Concentration Pathways (RCPs)*. By design, the RCP *emission* and concentration *pathways* were stripped of their association with a certain socio-economic development. Different levels of *emissions* and *climate change* along the dimension of the RCPs can hence be explored against the backdrop of different *socio-economic development pathways (SSPs)* on the other dimension in a matrix. This integrative SSP-RCP framework is now widely used in the *climate impact* and *policy* analysis literature (see, e.g., <http://iconics-ssp.org>), where *climate projections* obtained under the RCP scenarios are analysed against the backdrop of various SSPs.

As several *emission* updates were due, a new set of *emission scenarios* was developed in conjunction with the SSPs. Hence, the abbreviation SSP is now used for two things: On the one hand SSP1, SSP2, ..., SSP5 is used to denote the five *socio-economic scenario* families. On the other hand, the abbreviations SSP1-1.9, SSP1-2.6, ..., SSP5-8.5 are used to denote the newly developed *emission scenarios* that are the result of an SSP implementation within an *integrated assessment model*. Those SSP scenarios are bare of *climate policy* assumption, but in combination with so-called shared *policy* assumptions (SPAs), various approximate *radiative forcing* levels of 1.9, 2.6, ..., or 8.5 W m⁻² are reached by the end of the century, respectively.

Sustainable development pathways (SDPs)

Trajectories aimed at attaining the *Sustainable Development Goals (SDGs)* in the short term and the goals of *sustainable development* in the long term. In the context of *climate change*, such *pathways*

denote trajectories that address social, environmental and economic dimensions of sustainable development, *adaptation* and *mitigation*, and *transformation*, in a generic sense or from a particular methodological perspective such as *integrated assessment models* and *scenario* simulations.

Peat

Soft, porous or compressed, sedentary deposit of which a substantial portion is partly decomposed plant material with high water content in the natural state (up to about 90%) (IPCC, 2013).

Peatlands

Peatlands are wetland *ecosystems* where soils are dominated by *peat*. In peatlands, *net primary production* exceeds organic matter decomposition as a result of waterlogged conditions, which leads to the *accumulation* of *peat*.

Pelagic

The *pelagic* zone consists of the entire water column of the open *ocean*. It is subdivided into the epipelagic zone (<200 m, the uppermost part of the *ocean* that receives enough sunlight to allow *photosynthesis*), the mesopelagic zone (200–1000 m depth) and the bathypelagic zone (>1000 m depth). The term *pelagic* can also refer to organisms that live in the *pelagic* zone.

Pelagos

Organisms large and small living in the *pelagic* zones. Includes *plankton* (small) and nekton (free swimming, large). See *Benthos*.

Percentiles

A partition value in a population distribution that a given percentage of the data values are below or equal to. The 50th percentile corresponds to the median of the population. Percentiles are often used to estimate the extremes of a distribution. For example, the 90th (10th) percentile may be used to refer to the threshold for the upper (lower) extremes.

Peri-urban areas

Dynamic transition zones that have intense interaction between rural and *urban* economies, activities, households and lifestyles. Neither fully rural or *urban* (following Seto et al., 2010).

Permafrost

Ground (soil or rock, and included ice and organic material) that remains at or below 0°C for at least two consecutive years (Harris et al., 1988). Note that *permafrost* is defined via temperature rather than ice content and, in some instances, may be ice-free.

Permafrost degradation

Decrease in the thickness and/or areal extent of *permafrost*.

Permafrost thaw

Progressive loss of ground ice in *permafrost*, usually due to input of heat. Thaw can occur over decades to centuries over the entire depth of *permafrost* ground, with *impacts* occurring while thaw progresses. During thaw, temperature fluctuations are subdued because energy is transferred by phase change between ice and water. After the transition from *permafrost* to non-*permafrost*, ground can be described as thawed.

pH

A dimensionless measure of the acidity of a solution given by its concentration of hydrogen ions (H^+). *pH* is measured on a logarithmic scale where $pH = -\log_{10}(H^+)$. Thus, a *pH* decrease of 1 unit corresponds to a 10-fold increase in the concentration of H^+ , or acidity.

Phenology

The relationship between biological phenomena that recur periodically (e.g., development stages, migration) especially related to *climate* and seasonal changes.

Photosynthesis

The production of carbohydrates in plants, algae and some bacteria using the energy of light. *Carbon dioxide* (CO_2) is used as the carbon source.

Planetary health

a concept based on the understanding that human health and human civilisation depend on ecosystem health and the wise stewardship of ecosystems.

Plankton

Free-floating organisms living in the upper layers of aquatic systems. Their distribution and migration are primarily determined by water currents. A distinction is made between phytoplankton, which depend on *photosynthesis* for their energy supply, and zooplankton, which feed on phytoplankton, other zooplankton and bacterioplankton.

Planned relocation (of humans)

A form of *human mobility* response in the face of *sea level rise* and related *impacts*. *Planned relocation* is typically initiated, supervised and implemented from national to local level and involves small communities and individual assets but may also involve large populations. Also termed resettlement, managed retreat or managed realignment.

Plasticity (biology)

Change in organismal trait values in response to an environmental cue and which does not require change in underlying DNA sequence.

Policies (for climate change mitigation and adaptation)

Strategies that enable actions to be undertaken to accelerate *adaptation* and *mitigation*. *Policies* include those developed by national and subnational public agencies, and with the private sector. *Policies* for *adaptation* and *mitigation* often take the form of economic incentives, regulatory instruments, and decision-making and engagement processes.

Political economy

The set of interlinked relationships between people, the State, society and markets as defined by law, politics, economics, customs and power that determine the outcome of trade and transactions and the distribution of wealth in a country or economy.

Polycentric governance

See *Governance*.

Potential evapotranspiration

The potential rate of water loss without any limits imposed by the water supply.

Poverty

A complex concept with several definitions stemming from different schools of thought. It can refer to material circumstances (such as need, pattern of deprivation or limited resources), economic conditions (such as standard of living, *inequality* or economic position) and/or social relationships (such as social class, dependency, exclusion, lack of basic security or lack of entitlement). See also *Poverty trap*.

Poverty trap

Poverty trap is understood differently across disciplines. In the social sciences, the concept, primarily employed at the individual, household or community level, describes a situation in which escaping *poverty* becomes impossible due to unproductive or inflexible resources. A *poverty trap* can also be seen as a critical minimum asset threshold, below which families are unable to successfully educate their children, build up their productive assets and get out of poverty. Extreme poverty is itself a *poverty trap* since poor persons lack the means to participate meaningfully in society. In economics, the term *poverty trap* is often used at national scales, referring to a self-perpetuating condition where an economy, caught in a vicious cycle, suffers from persistent underdevelopment (Matsuyama, 2008). Many proposed models of *poverty traps* are found in the literature.

Pre-industrial (period)

The multi-century period prior to the onset of large-scale industrial activity around 1750. The *reference period* 1850–1900 is used to approximate *pre-industrial global mean surface temperature* (GMST).

Precursors

Atmospheric compounds that are not *greenhouse gases* (GHGs) or *aerosols*, but that have an effect on GHG or *aerosol* concentrations by taking part in physical or chemical processes regulating their production or destruction rates.

Predictability

The extent to which future states of a system may be predicted based on knowledge of current and past states of the system. Because knowledge of the *climate system's* past and current states is generally imperfect, as are the models that utilise this knowledge to produce a *climate prediction*, and because the *climate system* is inherently nonlinear and chaotic, the *predictability* of the *climate system* is inherently limited. Even with arbitrarily accurate models and observations, there may still be limits to the *predictability* of such a nonlinear system (AMS, 2000).

Primary production

The synthesis of organic compounds by plants and microbes, on *land* or in the *ocean*, primarily by *photosynthesis* using light and *carbon dioxide* (CO_2) as *sources* of energy and carbon, respectively. It can also occur through chemosynthesis, using chemical energy, for example, in deep sea vents.

Net primary production (NPP)

The difference between how much CO₂ vegetation takes in during *photosynthesis* (gross *primary production*) minus how much CO₂ the plants release during *respiration* (IPBES, 2019, Global Assessment).

Procedural justice

See *Justice*.

Projection

A potential future evolution of a quantity or set of quantities, often computed with the aid of a *model*. Unlike predictions, *projections* are conditional on assumptions concerning, for example, future socio-economic and technological developments that may or may not be realised. See also *Pathways* and *Scenario*.

Proxy

A *proxy climate* indicator is a record that is interpreted, using physical and biophysical principles, to represent some combination of *climate*-related variations back in time. *Climate*-related data derived in this way are referred to as *proxy* data. Examples of *proxies* include *pollen analysis*, *tree ring* records, speleothems, characteristics of corals and various data derived from marine sediments and ice cores. *Proxy* data can be calibrated to provide quantitative *climate information*.

Radiative forcing

The change in the net, downward minus upward, radiative *flux* (expressed in W m⁻²) at the tropopause or top of *atmosphere* due to a change in an (external) *driver* of *climate change*, such as a change in the concentration of *carbon dioxide (CO₂)*, the concentration of volcanic *aerosols* or the output of the Sun. The traditional *radiative forcing* is computed with all tropospheric properties held fixed at their unperturbed values, and after allowing for stratospheric temperatures, if perturbed, to readjust to radiative-dynamical equilibrium. *Radiative forcing* is called instantaneous if no change in stratospheric temperature is accounted for. The *radiative forcing* once rapid adjustments are accounted for is termed the effective *radiative forcing*. *Radiative forcing* is not to be confused with cloud *radiative forcing*, which describes an unrelated measure of the *impact* of clouds on the radiative *flux* at the top of the *atmosphere*.

Reasons for Concern (RFCs)

Elements of a classification framework, first developed in the IPCC Third Assessment Report, which aims to facilitate judgements about what level of *climate change* may be dangerous (in the language of Article 2 of the UNFCCC) by aggregating *risks* from various sectors, considering *hazards*, *exposures*, vulnerabilities, capacities to adapt and the resulting *impacts*.

Reference period

A time period of interest, or a period over which some relevant statistics are calculated. A *reference period* can be used as a baseline period or as a comparison to a baseline period.

Reforestation

Conversion to *forest* of land that has previously contained *forests* but that has been converted to some other use. See also *Afforestation* and *Forest*.

[Note: For a discussion of the term *forest* and related terms such as *afforestation*, *reforestation* and *deforestation*, see the 2006 IPCC Guidelines for National Greenhouse Gas Inventories and their 2019 Refinement, and information provided by the United Nations Framework Convention on Climate Change (IPCC 2006, 2019; UNFCCC 2021a, 2021b)].

Refugium

A *refugium* is a geographic area where a population found safety from some threat to its existence, for example, *climate refugia* or glacial refugia (refuge from glaciations). See also *Climate refugium*.

Region

A *land* and/or *ocean* area characterised by specific geographical and/or climatological features. The *climate* of a *region* emerges from a multi-scale combination of its own features, remote influences from other *regions* and global *climate* conditions.

Regulation

A rule or order issued by governmental executive authorities or regulatory agencies and having the force of law. *Regulations* implement *policies* and are mostly specific for particular groups of people, legal entities or targeted activities. *Regulation* is also the act of designing and imposing rules or orders. Informational, transactional, administrative and political constraints in practice limit the regulator's capability for implementing preferred *policies*.

Relative humidity

The *relative humidity* specifies the ratio of actual water vapour pressure to that at saturation with respect to liquid water or ice at the same temperature.

Reporting

The process of formal reporting of assessment results to the UNFCCC, according to predetermined formats and according to established *standards*, especially the Intergovernmental Panel on Climate Change (IPCC) Guidelines and Good Practice Guidance (GPG) (UN REDD, 2009).

Representative Concentration Pathways (RCPs)

See *Pathways*.

Reservoir

A component or components of the *climate system* where a *greenhouse gas (GHG)* or a *precursor* of a *greenhouse gas* is stored (UNFCCC Article 1.7).

Residual risk

The *risk* related to *climate change impacts* that remains following *adaptation* and *mitigation* efforts. *Adaptation* actions can redistribute *risk* and *impacts*, with increased *risk* and *impacts* in some areas or populations, and decreased *risk* and *impacts* in others. See also *Loss and Damage, and losses and damages*.

Resilience

The capacity of interconnected social, economic and ecological systems to cope with a hazardous event, trend or disturbance, responding or reorganising in ways that maintain their essential function, identity

and structure. *Resilience* is a positive attribute when it maintains capacity for *adaptation*, learning and/or *transformation* (Arctic Council, 2016). See also *Hazard*, *Risk* and *Vulnerability*.

Resolution

In *climate models*, this term refers to the physical distance (metres or degrees) between each point on the grid used to compute the equations. Temporal *resolution* refers to the time step or time elapsed between each *model* computation of the equations.

Respiration

The process whereby living organisms convert organic matter to *carbon dioxide (CO₂)*, releasing energy and consuming molecular oxygen.

Restoration

In environmental context, *restoration* involves human interventions to assist the recovery of an *ecosystem* that has been previously degraded, damaged or destroyed.

Return period

An estimate of the average time interval between occurrences of an event (e.g., flood or extreme rainfall) of (or below/above) a defined size or intensity.

Risk

The potential for adverse consequences for human or ecological systems, recognising the diversity of values and objectives associated with such systems. In the context of *climate change*, *risks* can arise from potential *impacts* of *climate change* as well as human responses to *climate change*. Relevant adverse consequences include those on lives, *livelihoods*, *health* and *well-being*, economic, social and cultural assets and investments, *infrastructure*, services (including *ecosystem services*), *ecosystems* and species.

In the context of *climate change impacts*, *risks* result from dynamic interactions between *climate*-related *hazards* with the *exposure* and *vulnerability* of the affected human or ecological system to the *hazards*. *Hazards*, *exposure* and *vulnerability* may each be subject to *uncertainty* in terms of magnitude and *likelihood* of occurrence, and each may change over time and space due to socio-economic changes and human decision-making.

In the context of *climate change* responses, *risks* result from the potential for such responses not achieving the intended objective(s), or from potential *trade-offs* with, or negative side-effects on, other societal objectives, such as the *Sustainable Development Goals (SDGs)*. *Risks* can arise for example from *uncertainty* in the implementation, effectiveness or outcomes of *climate policy*, *climate*-related investments, technology development or adoption, and system *transitions*. See also *Hazard* and *Impacts*.

Compound risks {↑ Risk}

arise from the interaction of hazards, which may be characterised by single extreme events or multiple coincident or sequential events that interact with exposed systems or sectors.

Risk assessment

The qualitative and/or quantitative scientific estimation of *risks*. See also *Risk management* and *Risk perception*.

Risk management

Plans, actions, strategies or *policies* to reduce the *likelihood* and/or magnitude of adverse potential consequences, based on assessed or perceived *risks*.

Risk perception

The subjective judgement that people make about the characteristics and severity of a *risk*. See also *Risk assessment* and *Risk management*.

Risk transfer

The process of formally or informally shifting the financial consequences of particular *risks* from one party to another whereby a household, community, enterprise or state authority will obtain resources from the other party after a *disaster* occurs, in exchange for ongoing or compensatory social or financial benefits provided to that other party.

Runoff

The flow of water over the surface or through the subsurface, which typically originates from the part of liquid precipitation and/or snow/ice melt that does not evaporate, transpire or refreeze, and returns to water bodies.

Salt-water intrusion/encroachment

Displacement of fresh surface water or groundwater by the advance of salt water due to its greater density. This usually occurs in coastal and estuarine areas due to decreasing *land*-based influence (e.g., from reduced *runoff* or *groundwater recharge*, or from excessive water withdrawals from aquifers) or increasing marine influence (e.g., relative *sea level rise*).

Scenario

A plausible description of how the future may develop based on a coherent and internally consistent set of assumptions about key driving forces (e.g., rate of technological change (TC), prices) and relationships. Note that *scenarios* are neither predictions nor forecasts, but are used to provide a view of the implications of developments and actions. See also *Pathways*.

Baseline scenario

See *Reference scenario*.

Concentration scenario

A plausible representation of the future development of atmospheric concentrations of substances that are radiatively active (e.g., *greenhouse gases (GHGs)*, *aerosols*, tropospheric *ozone*), plus human-induced *land-cover changes* that can be radiatively active via *albedo* changes, and often used as input to a *climate model* to compute *climate projections*.

Emission scenario

A plausible representation of the future development of *emissions* of substances that are radiatively active (e.g., *greenhouse gases (GHGs)* or *aerosols*) based on a coherent and internally consistent set of assumptions about driving forces (such as demographic and socio-economic development, technological change, energy and *land use*) and their key relationships. *Concentration scenarios*, derived from *emission scenarios*, are often used as input to a *climate model* to compute *climate projections*.

Reference scenario

The *scenario* used as starting or reference point for a comparison between two or more *scenarios*.

[Note 1: In many types of *climate change* research, *reference scenarios* reflect specific assumptions about patterns of socio-economic development and may represent futures that assume no *climate policies* or specified *climate policies*, for example those in place or planned at the time a study is carried out. *Reference scenarios* may also represent futures with limited or no *climate impacts* or *adaptation*, to serve as a point of comparison for futures with *impacts* and *adaptation*. These are also referred to as *baseline scenarios* in the literature.

Note 2: *Reference scenarios* can also be *climate policy* or *impact scenarios*, which in that case are taken as a point of comparison to explore the implications of other features, for example, of delay, technological options, *policy* design and strategy or to explore the effects of additional *impacts* and *adaptation* beyond those represented in the *reference scenario*.

Note 3: The term Business-As-Usual *scenario* has been used to describe a *scenario* that assumes no additional policies beyond those currently in place and that patterns of socio-economic development are consistent with recent trends. The term is now used less frequently than in the past.

Note 4: In *climate change*, *attribution* or *impact attribution* research *reference scenarios* may refer to counterfactual historical *scenarios* assuming no *anthropogenic greenhouse gas emissions* (*climate change attribution*) or no *climate change* (*impact attribution*)

Socio-economic scenario

A *scenario* that describes a possible future in terms of population, *gross domestic product* (GDP), and other socio-economic factors relevant to understanding the implications of *climate change*.

Sea ice

Ice found at the sea surface that has originated from the freezing of seawater. *Sea ice* may be discontinuous pieces (ice floes) moved on the *ocean* surface by wind and currents (pack ice), or a motionless sheet attached to the *coast* (land-fast ice). *Sea ice* concentration is the fraction of the *ocean* covered by ice. *Sea ice* less than 1 year old is called first-year ice. Perennial ice is *sea ice* that survives at least one summer. It may be subdivided into second-year ice and multi-year ice, where multi-year ice has survived at least two summers.

Sea level change (sea level rise/sea level fall)

Change to the height of sea level, both globally and locally (relative *sea level change*) (at seasonal, annual or longer time scales) due to (1) a change in *ocean* volume as a result of a change in the mass of water in the *ocean* (e.g., due to melt of *glaciers* and *ice sheets*), (2) changes in *ocean* volume as a result of changes in *ocean* water density (e.g., expansion under warmer conditions), (3) changes in the shape of the *ocean* basins and changes in the Earth's gravitational and rotational fields and (4) local subsidence or uplift of the *land*. *Global mean sea level change* resulting from change in the mass of the *ocean* is called barystatic. The amount of barystatic *sea level change* due to the addition or removal of a mass of water is called its sea level equivalent (SLE). *Sea level changes*, both globally and locally, resulting from changes in water density are called steric. Density changes induced

by temperature changes only are called thermosteric, while density changes induced by salinity changes are called halosteric. Barystatic and steric *sea level changes* do not include the effect of changes in the shape of *ocean* basins induced by the change in the *ocean* mass and its distribution. See also *Extreme sea level* (ESL).

Sea surface temperature (SST)

The subsurface bulk temperature in the top few metres of the *ocean*, measured by ships, buoys and drifters. From ships, *measurements* of water samples in buckets were mostly switched in the 1940s to samples from engine intake water. Satellite *measurements* of skin temperature (uppermost layer; a fraction of a millimetre thick) in the infrared or the top centimetre or so in the microwave are also used, but must be adjusted to be compatible with the bulk temperature.

Semi-arid zone

Areas where vegetation growth is constrained by limited water availability, often with short growing seasons and high interannual variation in *primary production*. Annual precipitation ranges from 300 to 800 mm, depending on the occurrence of summer and winter rains.

Sendai Framework for Disaster Risk Reduction

The Sendai Framework for Disaster Risk Reduction 2015–2030 outlines seven clear targets and four priorities for action to prevent new, and to reduce existing, *disaster risks*. The voluntary, non-binding agreement recognises that the State has the primary role to reduce *disaster risk* but that responsibility should be shared with other stakeholders, including local government and the private sector. Its aim is to achieve 'substantial reduction of *disaster risk* and losses in lives, *livelihoods* and *health* and in the economic, physical, social, cultural and environmental assets of persons, businesses, communities and countries'.

Sensitivity

The degree to which a system or species is affected, either adversely or beneficially, by *climate variability* or *change*. The effect may be direct (e.g., a change in crop yield in response to a change in the mean, range, or variability of temperature) or indirect (e.g., damages caused by an increase in the frequency of coastal flooding due to *sea level rise*).

Sequestration

The process of storing carbon in a carbon pool. See also *Sink*.

Settlements

Places of concentrated human habitation. *Settlements* can range from isolated rural villages to *urban regions* with significant global influence. They can include formally planned and informal or illegal habitation and related *infrastructure*. See also *Cities*, *Urban* and *Urbanisation*.

Shared Socio-economic Pathways (SSPs)

See *Pathways*.

Shelf seas

Relatively shallow water covering the shelf of continents or around islands. The limit of *shelf seas* is conventionally considered as 200 m water depth at the continental shelf edge, where there is usually a steep slope to the deep *ocean* floor. During glacial periods, most *shelf seas* are lost

since they become *land* as the build-up of *ice sheets* caused a decrease of global sea level.

Sink

Any process, activity or mechanism which removes a *greenhouse gas*, an *aerosol* or a *precursor* of a *greenhouse gas* from the *atmosphere* (UNFCCC Article 1.8 (UNFCCC, 1992)). See also *Sequestration*.

Small Island Developing States (SIDS)

Small Island Developing States (SIDS), as recognised by the United Nations Office of the High Representative for the Least Developed Countries, Landlocked Developing Countries and Small Island Developing States (OHRLLS), are a distinct group of *developing countries* facing specific social, economic and environmental vulnerabilities (UN-OHRLLS, 2011). They were recognised as a special case for both their environment and their development at the Rio Earth Summit in Brazil in 1992. Fifty-eight countries and territories are presently classified as SIDS by the UN OHRLLS, with 38 being UN member states and 20 being Non-UN Members or Associate Members of the Regional Commissions (UN-OHRLLS, 2018).

Snow cover extent

The areal extent of snow-covered ground.

Snow water equivalent (SWE)

The depth of liquid water that would result if a mass of snow melted completely.

Social inclusion

A process of improving the terms of participation in society, particularly for people who are disadvantaged, through enhancing opportunities, access to resources and respect for rights (UN, DESA 2016).

Social infrastructure

See *Infrastructure*.

Social justice

See *Justice*.

Social learning

A process of social interaction through which people learn new behaviours, capacities, values and attitudes.

Social protection

In the context of development aid and *climate policy*, *social protection* usually describes public and private initiatives that provide income or consumption transfers to the poor, protect the vulnerable against *livelihood risks* and enhance the social status and rights of the marginalised, with the overall objective of reducing the economic and social *vulnerability* of poor, vulnerable and marginalised groups (Devereux and Sabates-Wheeler, 2004). In other contexts, *social protection* may be used synonymously with social *policy* and can be described as all public and private initiatives that provide access to services, such as *health*, education or housing, or income and consumption transfers to people. *Social protection policies* protect the poor and vulnerable against *livelihood risks* and enhance the social status and rights of the marginalised, as well as prevent vulnerable people from falling into *poverty*.

Social-ecological system

An integrated system that includes human societies and *ecosystems*, in which humans are part of nature. The functions of such a system arise from the interactions and interdependence of the social and ecological subsystems. The system's structure is characterised by reciprocal feedbacks, emphasising that humans must be seen as a part of, not apart from, nature (Arctic Council, 2016; Berkes and Folke, 1998).

Societal (social) transformation

See *Transformation*.

Socio-economic scenario

See *Scenarios*.

Socio-technical transitions

Where technological change is associated with social systems and the two are inextricably linked.

Soil erosion

The displacement of the soil by the action of water or wind. *Soil erosion* is a major process of *land degradation*.

Soil moisture

Water stored in the soil in liquid or frozen form. Root-zone *soil moisture* is of most relevance for plant activity.

Soil organic carbon

Carbon contained in *soil organic matter*.

Soil organic matter

The organic component of soil, comprising plant and animal residue at various stages of decomposition, and soil organisms.

Solar radiation modification (SRM)

Refers to a range of radiation modification measures not related to *greenhouse gas (GHG) mitigation* that seek to limit *global warming*. Most methods involve reducing the amount of incoming solar radiation reaching the surface, but others also act on the longwave radiation budget by reducing optical thickness and cloud lifetime.

Solution space

The set of biophysical, cultural, socio-economic and political-institutional dimensions within which opportunities and constraints determine why, how, when and who acts to reduce *climate risks*. Within these dimensions, there are 'hard' (unsurpassable) limits and 'soft' (surpassable) limits. The boundaries of the *solution space* are path dependent, contested and in constant flux (Haasnoot et. al. 2020).

Source

Any process or activity which releases a *greenhouse gas*, an *aerosol* or a *precursor* of a *greenhouse gas* into the *atmosphere* (UNFCCC Article 1.9). See also *Sink* and *Sequestration*.

Southern Ocean

The *ocean region* encircling Antarctica that connects the Atlantic, Indian and Pacific Oceans together, allowing inter-*ocean* exchange. This *region* is the main *source* of much of the deep water of the world's *ocean* and

also provides the primary return *pathway* for this deep water to the surface (Marshall and Speer, 2012; Toggweiler and Samuels, 1995). The drawing up of deep waters and the subsequent transport into the *ocean* interior has major consequences for the global heat, nutrient and carbon balances, as well as the Antarctic *cryosphere* and marine *ecosystems*.

Spatial and temporal scales

Climate may vary on a large range of *spatial and temporal scales*. *Spatial scales* may range from local (less than 100,000 km²), through regional (100,000 to 10 million km²) to continental (10–100 million km²). *Temporal scales* may range from seasonal to geological (up to hundreds of millions of years).

Standard

Set of rules or codes mandating or defining product performance (e.g., grades, dimensions, characteristics, test methods and rules for use). Product, technology or performance *standards* establish minimum requirements for affected products or technologies. *Standards* impose reductions in *greenhouse gas (GHG) emissions* associated with the manufacture or use of the products and/or application of the technology.

Storm surge

The temporary increase, at a particular locality, in the height of the sea due to extreme meteorological conditions (low atmospheric pressure and/or strong winds). The *storm surge* is defined as being the excess above the level expected from the tidal variation alone at that time and place. See also *Extreme sea level* and *Sea level change (sea level rise/sea level fall)*.

Storyline

A way of making sense of a situation or a series of events through the construction of a set of explanatory elements. Usually, it is built on logical or causal reasoning. In *climate* research, the term *storyline* is used both in connection to *scenarios* as related to a future trajectory of the *climate* and *human systems* and to a weather or *climate* event. In this context, *storylines* can be used to describe plural, conditional possible futures or explanations of a current situation, in contrast to single, definitive futures or explanations.

Stranded assets

Assets exposed to devaluations or conversion to 'liabilities' because of unanticipated changes in their initially expected revenues due to innovations and/or evolutions of the business context, including changes in public *regulations* at the domestic and international levels.

Stratification

Process of forming of layers of (*ocean*) water with different properties such as salinity, density and temperature that act as barriers to water mixing. The strengthening of near-surface *stratification* generally results in warmer surface waters, decreased oxygen levels in deeper water and intensification of *ocean acidification (OA)* in the upper *ocean*.

Streamflow

Water flow within a river channel, for example, expressed in m³ s⁻¹. A synonym for river discharge.

Stressors

Events and trends, often not *climate*-related, that have an important effect on the system exposed and can increase *vulnerability* to *climate*-related *risk*.

Sustainability

Involves ensuring the persistence of *natural* and *human systems*, implying the continuous functioning of *ecosystems*, the conservation of high *biodiversity*, the recycling of natural resources and, in the human sector, successful application of *justice* and *equity*.

Sustainable development (SD)

Development that meets the needs of the present without compromising the ability of future generations to meet their own needs (WCED, 1987) and balances social, economic and environmental concerns. See also *Development pathways* and *Sustainable Development Goals (SDGs)*.

Sustainable Development Goals (SDGs)

The 17 global goals for development for all countries established by the United Nations through a participatory process and elaborated in the 2030 Agenda for Sustainable Development, including ending *poverty* and hunger; ensuring *health* and *well-being*, education, gender *equality*, clean water and energy, and decent work; building and ensuring resilient and sustainable *infrastructure*, *cities* and consumption; reducing *inequalities*; protecting land and water *ecosystems*; promoting peace, *justice* and partnerships; and taking urgent action on *climate change*. See also *Development pathways* and *Sustainable development*.

Sustainable development pathways (SDPs)

See *Pathways*.

Sustainable forest management

The stewardship and use of *forests* and *forest* lands in a way, and at a rate, that maintains their *biodiversity*, productivity, regeneration capacity, vitality and potential to fulfil, now and in the future, relevant ecological, economic and social functions, at local, national and global levels, and that does not cause damage to other *ecosystems* (Forest Europe, 1993).

Sustainable land management

The stewardship and use of *land* resources, including soils, water, animals and plants, to meet changing human needs, while simultaneously ensuring the long-term productive potential of these resources and the maintenance of their environmental functions (adapted from WOCAT, undated).

Sympagic

Organisms and habitats related to the *sea ice*, analogous to *pelagic* (water column) or *benthic* (sea floor).

Teleconnection

Association between *climate* variables at widely separated, geographically fixed locations related to each other through physical processes and oceanic and/or atmospheric dynamical pathways. *Teleconnections* can be caused by several *climate* phenomena, such as Rossby wave-trains, mid-latitude jet and storm track displacements,

fluctuations of the Atlantic Meridional Overturning Circulation, fluctuations of the Walker circulation, etc. They can be initiated by modes of *climate variability*, thus providing the development of remote *climate anomalies* at various temporal lags.

Temperature overshoot

Exceedance of a specified *global warming* level, followed by a decline to or below that level during a specified period of time (e.g., before 2100). Sometimes the magnitude and *likelihood* of the overshoot is also characterized. The overshoot duration can vary from one *pathway* to the next but in most *overshoot pathways* in the literature and referred to as *overshoot pathways* in the AR6, the overshoot occurs over a period of at least one and up to several decades. See also *Pathways*

Tier

In the context of the IPCC Guidelines for National Greenhouse Gas Inventories, a tier represents a level of methodological complexity. Usually three tiers are provided. Tier 1 is the basic method, Tier 2 intermediate and Tier 3 most demanding in terms of complexity and data requirements. Tiers 2 and 3 are sometimes referred to as higher-tier methods and are generally considered to be more accurate (IPCC, 2019).

Tipping element

A component of the Earth system that is susceptible to a *tipping point*. See also *Abrupt climate change* and *Tipping point*.

Tipping point

A critical threshold beyond which a system reorganises, often abruptly and/or irreversibly. See also *Abrupt climate change*.

Trade-off

A competition between different objectives within a decision situation, where pursuing one objective will diminish achievement of other objective(s). A *trade-off* exists when a *policy* or measure aimed at one objective (e.g., reducing *GHG emissions*) reduces outcomes for other objective(s) (e.g., *biodiversity* conservation, *energy security*) due to adverse side effects, thereby potentially reducing the net benefit to society or the environment. See also *Adverse side-effect* and *Co-benefit*.

Transformation

A change in the fundamental attributes of *natural* and *human systems*.

Deliberate transformations

A profound shift towards *sustainability*, envisioned and intended by at least some societal actors, facilitated by changes in individual and collective values and behaviours, and a fairer balance of political, cultural and institutional power in society.

Societal (social) transformations

A change in the fundamental attributes of *human systems* advanced by societal actors

Transformational adaptation

See *Adaptation*.

Transformative change

A system-wide change that requires more than technological change through consideration of social and economic factors that, with technology, can bring about rapid change at scale.

Transition

The process of changing from one state or condition to another in a given period of time. *Transition* can occur in individuals, firms, *cities*, *regions* and nations, and can be based on incremental or *transformative change*.

Just transitions

A set of principles, processes and practices that aim to ensure that no people, workers, places, sectors, countries or *regions* are left behind in the transition from a high-carbon to a low-carbon economy. It stresses the need for targeted and proactive measures from governments, agencies and authorities to ensure that any negative social, environmental or economic *impacts* of economy-wide transitions are minimised, while benefits are maximised for those disproportionately affected. Key principles of *just transitions* include: respect and dignity for vulnerable groups; *fairness* in energy access and use, social dialogue and democratic consultation with relevant stakeholders; the creation of decent jobs; *social protection*; and rights at work. *Just transitions* could include *fairness* in energy, *land use* and *climate* planning and decision-making processes; economic diversification based on low-carbon investments; realistic training/retraining programs that lead to decent work; gender-specific *policies* that promote equitable outcomes; the fostering of international cooperation and coordinated multilateral actions; and the eradication of *poverty*. Lastly, *just transitions* may embody the redressing of past harms and perceived injustices (ILO 2015; UNFCCC 2016).

Tree line

The upper limit of tree growth in mountains or at high latitudes. It is more elevated or more poleward than the *forest line*.

Tropical cyclone

The general term for a strong, cyclonic-scale disturbance that originates over tropical *oceans*. Distinguished from weaker systems (often named tropical disturbances or depressions) by exceeding a threshold wind speed. A tropical storm is a *tropical cyclone* with one-minute average surface winds between 18 and 32 m s⁻¹. Beyond 32 m s⁻¹, a *tropical cyclone* is called a hurricane, typhoon or cyclone, depending on geographic location.

Tsunami

A wave, or train of waves, produced by a disturbance such as a submarine earthquake displacing the sea floor, a landslide, a volcanic eruption or an asteroid impact.

Tundra

A treeless *biome* characteristic of polar and alpine *regions*.

Uncertainty

A state of incomplete knowledge that can result from a lack of information or from disagreement about what is known or even knowable. It may

have many types of sources, from imprecision in the data to ambiguously defined concepts or terminology, incomplete understanding of critical processes or uncertain *projections* of *human behaviour*. *Uncertainty* can therefore be represented by quantitative measures (e.g., a probability density function) or by qualitative statements (e.g., reflecting the judgement of a team of experts) (Moss and Schneider, 2000; IPCC, 2004; Mastrandrea et al., 2010). See also *Agreement*, *Confidence* and *Likelihood*.

Deep uncertainty

A situation of *deep uncertainty* exists when experts or stakeholders do not know or cannot agree on: (1) appropriate conceptual models that describe relationships among key driving forces in a system, (2) the probability distributions used to represent *uncertainty* about key variables and parameters and/or (3) how to weigh and value desirable alternative outcomes (Lempert et al., 2003).

United Nations Framework Convention on Climate Change (UNFCCC)

The UNFCCC was adopted in May 1992 and opened for signature at the 1992 Earth Summit in Rio de Janeiro. It entered into force in March 1994 and as of May 2018 had 197 Parties (196 States and the European Union). The Convention's ultimate objective is the 'stabilisation of greenhouse gas concentrations in the atmosphere at a level that would prevent dangerous anthropogenic interference with the climate system'. The provisions of the Convention are pursued and implemented by two treaties: the Kyoto Protocol and the Paris Agreement.

Uptake

The transfer of substances (such as carbon) or energy (e.g., heat) from one compartment of a system to another; for example, in the Earth system from the *atmosphere* to the *ocean* or to the *land*. See also *Sequestration*, *Sink* and *Source*.

Upwelling region

A region of an *ocean* where cold, typically nutrient-rich waters well up from the deep *ocean*.

Urban

The categorisation of areas as "*urban*" by government statistical departments is generally based either on population size, population density, economic base, provision of services, or some combination of the above. *Urban systems* are networks and nodes of intensive interaction and exchange including capital, culture, and material objects. *Urban* areas exist on a continuum with rural areas and tend to exhibit higher levels of complexity, higher populations and population density, intensity of capital investment, and a preponderance of secondary (processing) and tertiary (service) sector industries. The extent and intensity of these features varies significantly within and between *urban* areas. *Urban* places and systems are open, with much movement and exchange between more rural areas as well as other *urban regions*. *Urban* areas can be globally interconnected, facilitating rapid flows between them, of capital investment, of ideas and culture, human migration, and disease. See also *City*, *City region*, *Urbanisation* and *Urban systems*.

Urban and peri-urban agriculture

The cultivation of crops and rearing of animals for food and other uses within and surrounding the boundaries of *cities*, including fisheries and forestry (EPRS, 2014).

Urban heat island (UHI)

The relative warmth of a *city* compared with surrounding rural areas, associated with heat trapping due to *land use*, the configuration and design of the built environment, including street layout and building size, the heat-absorbing properties of *urban* building materials, reduced ventilation, reduced greenery and water features, and domestic and industrial heat *emissions* generated directly from human activities.

Urbanisation

Urbanisation is a multi-dimensional process that involves at least three simultaneous changes: (1) *land-use change*: transformation of formerly rural *settlements* or natural land into *urban settlements*, (2) demographic change: a shift in the spatial distribution of a population from rural to *urban* areas and (3) *infrastructure* change: an increase in provision of *infrastructure* services including electricity, sanitation, etc. *Urbanisation* often includes changes in lifestyle, culture and behaviour, and thus alters the demographic, economic and social structure of both *urban* and rural areas (based on World Urbanization Prospects 2018; IPCC 2014; Stokes and Seto, 2019). See also *Settlements*, *Urban and Urban systems*.

Urban systems

Urban systems refer to two interconnected systems-- first, the comprehensive collections of *city* elements with multiple dimensions and characteristics: a) encompass physical, built, socio-economic-technical, political, and ecological subsystems; b) integrate social agent/constituency/processes with physical structure and processes; and c) exist within broader *spatial and temporal scales* and *governance* and institutional contexts; and second, the global system of *cities* and towns. See also *City region*, and *Urban*

Values and beliefs

Fundamental attitudes about what is important, good and right; strongly held principles or qualities intrinsically valuable or desirable, often enshrined in laws, traditions and religions. Examples include *human rights*, subsistence and equitable distribution of costs and benefits of *climate policies* (Hulme, 2009, 2018; Nakashima et al., 2012; UNFCCC, 1992; UN Universal Declaration of Human Rights, 1948).

Vector-borne disease

Illnesses caused by parasites, viruses and bacteria that are transmitted by various vectors (e.g., mosquitoes, sandflies, triatomine bugs, blackflies, ticks, tsetse flies, mites, snails and lice) (UNEP 2018).

Ventilation (ocean)

The exchange of *ocean* properties with the atmospheric surface layer such that property concentrations are brought closer to equilibrium values with the *atmosphere* (AMS, 2000), and the processes that propagate these properties into the *ocean* interior.

Vulnerability

The propensity or predisposition to be adversely affected. *Vulnerability* encompasses a variety of concepts and elements, including *sensitivity* or susceptibility to harm and lack of capacity to cope and adapt. See also *Exposure*, *Hazard* and *Risk*.

Vulnerability index

A metric characterising the *vulnerability* of a system. A *climate vulnerability index* is typically derived by combining, with or without weighting, several indicators assumed to represent *vulnerability*.

Water-borne diseases

Illnesses transmitted through contact with, or consumption of, unsafe or contaminated water (UNEP 2018).

Water security

The capacity of a population to safeguard sustainable access to adequate quantities of acceptable-quality water for sustaining *livelihoods*, human *well-being* and socio-economic development, for ensuring protection against water-borne pollution and water-related *disasters* and for preserving *ecosystems* in a climate of peace and political stability (UN-Water, 2013).

Water-use efficiency

Carbon gain by *photosynthesis* per unit of water lost by *evapotranspiration*. It can be expressed on a short-term basis as the ratio of photosynthetic carbon gain per unit transpirational water loss, or on a seasonal basis as the ratio of *net primary production* or agricultural yield to the amount of water used.

Weathering

The gradual removal of atmospheric CO₂ through dissolution of silicate and carbonate rocks. *Weathering* may involve physical processes (mechanical *weathering*) or chemical activity (chemical *weathering*).

Well-being

A state of existence that fulfils various human needs, including material living conditions and quality of life, as well as the ability to pursue one's goals, to thrive and to feel satisfied with one's life. *Ecosystem well-being* refers to the ability of *ecosystems* to maintain their diversity and quality.

Wetland

Land that is covered or saturated by water for all or part of the year (e.g., peatland).

References

- AMS, 2021: *Glossary of Meteorology*. American Meteorological Society (AMS), Boston, MA, USA, <http://glossary.ametsoc.org>.
- Arctic Council, 2016: *Arctic Resilience Report*. M. Carson and G. Peterson (eds). Stockholm Environment Institute and Stockholm Resilience Centre, Stockholm, <http://www.arctic-council.org/arr>.
- Berkes, F. and C. Folke, 1998: *Linking Social and Ecological Systems: Management Practices and Social Mechanisms for Building Resilience*. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. 459 pp.
- Campbell, A., V. Kapos, J.P.W. Scharlemann, P. Bubba, A. Chenery, L. Coad, B. Dickson, N. Doswald, M.S.I. Khan, F. Kershaw and M. Rashid, 2009: *Review of the Literature on the Links between Biodiversity and Climate Change: Impacts, Adaptation and Mitigation*. Technical Series No. 42. Secretariat of the Convention on Biological Diversity (CBD), Montreal. 124 pp.
- Carlisle, K. and R.L. Gruby, 2017: Polycentric systems of governance: a theoretical model for the commons. *Policy Stud. J.*, **0**, doi:10.1111/psj.12212.
- Cogley, J.G., R. Hock, L.A. Rasmussen, A.A. Arendt, A. Bauder, R.J. Braithwaite, P. Jansson, G. Kaser, M. Möller, L. Nicholson and M. Zemp, 2011: *Glossary of Glacier Mass Balance and Related Terms*. IHP-VII Technical Documents in Hydrology No. 86, IACS Contribution No. 2. UNESCO-IHP, Paris. 114 pp.
- Culwick, C. and K. Bobbins, 2016: *A Framework for a Green Infrastructure Planning Approach in the Gauteng City–Region*. GCRO Research Report, Vol. 4. Gauteng City–Region Observatory (GRCO), Johannesburg, South Africa. 127 pp.
- Díaz, S., U. Pascual, M. Stenseke, B. Martín-López, et al., 2018: Assessing nature's contributions to people. *Science*, **359**(6373), 270–272, doi:10.1126/science.aap8826.
- EPRS, 2014: *Urban and Peri-Urban Agriculture*. European Parliamentary Research Service. <https://epthinktank.eu/2014/06/18/urban-and-peri-urban-agriculture/>.
- FAO, 2001: Glossary. In: *The State of Food Insecurity in the World 2001*. Food and Agriculture Organisation of the United Nations (FAO), Rome, Italy, pp. 49–50.
- FAO, 2007: *Land Evaluation: towards a Revised Framework*. Land and Water Discussion Paper. Food and Agriculture Organisation of the United Nations (FAO), Rome, Italy.
- FAO, 2009: *Declaration of the World Summit on Food Security*. WSFS 2009/2. Food and Agriculture Organisation of the United Nations (FAO), Rome, Italy.
- FAO, 2013: *Food Waste Footprint: Impacts on Natural Resources. Summary Report*. Food and Agriculture Organization of the United Nations (FAO), Rome, Italy. 63 pp.
- FAO, 2015a: *Agroforestry*. Food and Agriculture Organization of the United Nations (FAO), <http://www.fao.org/forestry/agroforestry/80338/en/>.
- FAO, 2015b: *Food Waste*. Food and Agriculture Organization of the United Nations (FAO), <http://www.fao.org/platform-food-loss-waste/food-waste/definition/en/>.
- FAO, 2018: *Climate–Smart Agriculture*. Food and Agriculture Organization of the United Nations (FAO), www.fao.org/climate-smart-agriculture.
- Fung, A. and E.O. Wright (eds.), 2003: *Deepening Democracy: Institutional Innovations in Empowered Participatory Governance*. Verso, London, United Kingdom. 312 pp.
- Haasnoot, M., R. Biesbroek, J. Lawrence, et al., 2020: Defining the solution space to accelerate climate change adaptation. *Reg. Environ. Change*, **20**, 37, doi:10.1007/s10113-020-01623-8.
- Harris, S.A., H.M. French, J.A. Heginbottom, G.H. Johnston, B. Ladanyi, D.C. Sego and R.O. van Everdingen, 1988: *Glossary of Permafrost and Related Ground-Ice Terms*. Technical Memorandum No. 142. Permafrost Subcommittee, Committee on Geotechnical Research, National Research Council of Canada, <https://ipa.arcticportal.org/publications/glossary>.
- Hawkins, E. and R. Sutton, 2012: Time of emergence of climate signals. *Geophys. Res. Lett.*, **39**(1), doi:10.1029/2011GL050087
- Hewitt, C., S. Mason and D. Walland, 2012: The global framework for climate services. *Nat. Clim. Change*, **2**, 831–832, doi:10.1038/nclimate1745.
- Hoegh-Guldberg, O., D. Jacob, M. Taylor, M. Bindi, S. Brown, I. Camilloni, A. Diedhiou, R. Djalante, K.L. Ebi, F. Engelbrecht, J. Guiot, Y. Hijioka, S. Mehrotra, A. Payne, S.I. Seneviratne, A. Thomas, R. Warren and G. Zhou, 2018: Impacts of 1.5°C Global Warming on Natural and Human Systems. In: *Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty* [Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)]. (In Press).
- Hooghe, L. and G. Marks, 2003: Unraveling the central state, but how? Types of multi-level governance. *Am. Polit. Sci. Rev.*, **97**, 233–243.
- ICS, 2019: *Formal subdivision of the Holocene Series/Epoch*. International Commission on Stratigraphy (ICS), <http://www.stratigraphy.org/index.php/ics-news-and-meetings/125-formal-subdivision-of-the-holocene-series-epoch>.
- IOM, 2011: *Glossary on Migration* [Perruchoud, R. and J. Redpath-Cross(eds.)], 2nd edn. International Organization for Migration (IOM).
- IOM, 2018: *Key Migration Terms*. International Organization for Migration (IOM), www.iom.int/key-migration-terms.
- IPBES, 2018: *The IPBES assessment report on land degradation and restoration* [Montanarella, L., R. Scholes and A. Brainich(eds.)]. Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem services, Bonn, Germany, pp. 744.
- IPBES, 2019: *Glossary*. Secretariat of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem services, Bonn, Germany, <https://www.ipbes.net/glossary>.
- IPCC, 2003: *Definitions and Methodological Options to Inventory Emissions from Direct Human-Induced Degradation of Forests and Devegetation of Other Vegetation Types* [Penman, J., M. Gytarsky, T. Hiraishi, T. Krug, D. Kruger, R. Pipatti, L. Buendia, K. Miwa, T. Ngara, K. Tanabe, and F. Wagner (eds.)]. Institute for Global Environmental Strategies (IGES), Hayama, Kanagawa, Japan. 32 pp.
- IPCC, 2004: *IPCC Workshop on Describing Scientific Uncertainties in Climate Change to Support Analysis of Risk of Options. Workshop Report*. Intergovernmental Panel on Climate Change (IPCC), Geneva, Switzerland. 138 pp.
- IPCC, 2006: *IPCC Guidelines for National Greenhouse Gas Inventories* [H.S. Eggleston, L. Buendia, K. Miwa, T. Ngara, K. Tanabe (eds.)]. Institute for Global Environmental Strategies (IGES), Hayama, Kanagawa, Japan. 20 pp.
- IPCC, 2012a: *Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation. A Special Report of Working Groups I and II of the Intergovernmental Panel on Climate Change (IPCC)* [Field, C.B., V. Barros, T.F. Stocker, D. Qin, D.J. Dokken, K.L. Ebi, M.D. Mastrandrea, K.J. Mach, G.–K. Plattner, S.K. Allen, M. Tignor, and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. 582 pp.
- IPCC, 2012b: *Meeting Report of the Intergovernmental Panel on Climate Change Expert Meeting on Geoengineering*. IPCC Working Group III Technical Support Unit. Potsdam Institute for Climate Impact Research, Potsdam, Germany. 99 pp.
- IPCC, 2019: *2019 Refinement to the 2006 IPCC Guidelines for National Greenhouse Gas Inventories*. [Calvo Buendia, E., K. Tanabe, A. Kranjc, J. Baasansuren, M. Fukuda, S. Ngarize, A. Osako, Y. Pyrozhenko, P. Shermanau,

- and S. Federici (eds.)). Intergovernmental Panel on Climate Change (IPCC), Geneva, Switzerland.
- IPCC, 2021a: Annex IV: Modes of Variability [Cassou, C., A. Cherchi, Y. Kosaka (eds.)]. In: *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* [Masson-Delmotte, V., P. Zhai, A. Pirani, S. L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M. I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J.B.R. Matthews, T. K. Maycock, T. Waterfield, O. Yelekçi, R. Yu and B. Zhou (eds.)]. Cambridge University Press. In Press.
- IPCC, 2021b: Annex V: Monsoons [Cherchi, A., A. Turner (eds.)]. In: *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* [Masson-Delmotte, V., P. Zhai, A. Pirani, S. L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M. I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J.B.R. Matthews, T. K. Maycock, T. Waterfield, O. Yelekçi, R. Yu and B. Zhou (eds.)]. Cambridge University Press. In Press.
- ISO, 2014: *ISO 16559:2014(en) Solid Biofuels – Terminology, Definitions and Descriptions*. International Standards Organisation (ISO), <https://www.iso.org/obp/ui/#iso:std:iso:16559:ed-1:v1:en>.
- IUCN, 2016: *Defining Nature-based Solutions*. World Conservation Congress. WCC-2016-Res-069-EN.
- Jordan, A., D. Huitema, H. van Asselt and J. Forster, 2018: *Governing Climate Change: Polycentricity in Action?* Cambridge University Press.
- Kapos, V., J. Rhind, M. Edwards, M. Price and C. Ravilious, 2000: Developing a map of the world's mountain forests. In: *Forests in sustainable mountain development: a state of knowledge report for 2000* [Price, M. and N. Butt(eds.)], IUFRO [International Union of Forest Research Organizations] Research Series, Vol. 5, CAB International Publishing, Oxon, NY, pp. 4–19. doi:10.1079/9780851994468.0004.
- Karagulle, D., C. Frye, R. Sayre, S. Breyer, P. Aniello, R. Vaughan and D. Wright, 2017: Modeling global Hammond landform regions from 250-m elevation data. *Trans. GIS*, **21**(5), 1040–1060, doi:10.1111/tgis.12265.
- Körner, C., J. Paulsen and E. Spehn, 2011: A definition of mountains and their bioclimatic belts for global comparisons of biodiversity data. *Alp. Bot.*, **121**, 73–78, doi:10.1007/s00035-011-0094-4.
- Lempert, R.J., S.W. Popper and S.C. Bankes, 2003: *Shaping the next one hundred years: new methods for quantitative, long-term policy analysis*. RAND Corporation, Santa Monica, CA.
- MA, 2005: Appendix D: Glossary. In: *Ecosystems and Human Well-being: Current States and Trends. Findings of the Condition and Trends Working Group* [Hassan, R., R. Scholes and N. Ash(eds.)], Millennium Ecosystem Assessment (MA), Island Press, Washington DC, USA, pp. 893–900.
- Marshall, J. and K. Speer, 2012: Closure of the meridional over-turning circulation through Southern Ocean upwelling. *Nat. Geosci.*, **5**, 171–180, doi:10.1038/ngeo1391.
- Mastrandrea, M.D., et al., 2010: *Guidance Note for Lead Authors of the IPCC Fifth Assessment Report on Consistent Treatment of Uncertainties*. Intergovernmental Panel on Climate Change (IPCC), Geneva, Switzerland. 6 pp.
- Matthews, R., (ed.), 2018: Annex I: Glossary. In: *Global warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty*. [V. Masson-Delmotte, P. Zhai, H. O. Pörtner, D. Roberts, J. Shear, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J. B. R. Matthews, Y. Chen, X. Zhou, M. I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, T. Waterfield (eds.)].
- McDonald, T., J. Jonson and K.W. Dixon, 2016: National standards for the practice of ecological restoration in Australia. *Restor. Ecol.*, **24**(S1), S4–S32, doi:10.1111/rec.12359.
- McGinnis, M.D. and E. Ostrom, 2012: Reflections on Vincent Ostrom, public administration, and polycentricity. *Public Admin. Rev.*, **72**, 15–25, doi:10.1111/j.1540-6210.2011.02488.x.
- Mechler, R., L.M. Bouwer, T. Schinko, S. Surminski and J. Linnerooth-Bayer (eds.), 2018: *Loss and Damage from Climate Change: Concepts, Methods and Policy Options*. Springer International Publishing. 561 pp. Cham, Switzerland
- Moss, R.H. and S.H. Schneider, 2000: Uncertainties in the IPCC TAR: Recommendations to Lead Authors for More Consistent Assessment and Reporting. In: *Guidance Papers on the Cross Cutting Issues of the Third Assessment Report of the IPCC*. [Pachauri, R., T. Taniguchi, and K. Tanaka (eds.)]. Intergovernmental Panel on Climate Change (IPCC), Geneva, Switzerland, pp. 33–51.
- MRFCJ, 2018: *Principles of Climate Justice*. Mary Robinson Foundation For Climate Justice (MRFCJ), www.mrfcj.org/principles-of-climate-justice.
- NOAA, 2018: *What is a Benthic Habitat Map?* <https://oceanservice.noaa.gov/facts/benthic.html>. Accessed 2018. (from National Oceanic and Atmospheric Administration website).
- NOAA, 2019: *What is an Iceberg?* National Oceanic and Atmospheric Administration, <https://oceanservice.noaa.gov/facts/iceberg.html>. Accessed 2018.
- O'Neill, B.C., et al., 2014: A new scenario framework for climate change research: the concept of shared socioeconomic pathways. *Clim. Change*, **122**(3), 387–400, doi:10.1007/s10584-013-0905-2.
- O'Neill, B.C., et al., 2017: The roads ahead: narratives for shared socioeconomic pathways describing world futures in the 21st century. *Glob. Environ. Change*, **42**, 169–180, doi:10.1016/j.gloenvcha.2015.01.004.
- Ogallo, L.J. and N. Gbeckor-Kove, 1989: *Drought and desertification*. WCAP-7, WMO/TD-No. 286. World Meteorological Organization, Geneva.
- Ostrom, E., 2005: *Understanding Institutional Diversity*. Princeton University Press, Princeton, New Jersey.
- Paavola, J., 2007: Institutions and environmental governance: a reconceptualization. *Ecol. Econ.*, **63**, 93–103, doi:10.1016/j.ecolecon.2006.09.026.
- Park, S.E., et al., 2012: Informing adaptation responses to climate change through theories of transformation. *Glob. Environ. Change*, **22**(1), 115–126, doi:10.1016/j.gloenvcha.2011.10.003.
- Pescaroli and Alexander, 2018: A definition of cascading disasters and cascading effects: going beyond the “toppling dominos” metaphor. *GRF Davos Planet@ risk*, **3** (1. Special Issue on the 5th IDRC Davos 2014, March 2015) p. 58 - 67.
- Peters, B.G. and J. Pierre, 2001: Developments in intergovernmental relations: towards multi-level governance. *Policy Polit.*, **29**(2), 131–135, doi:10.1332/0305573012501251.
- Pörtner, H.-O., D.C. Roberts, V. Masson-Delmotte, P. Zhai, M. Tignor, E. Poloczanska, K. Mintenbeck, A. Alegria, M. Nicolai, A. Okem, J. Petzold, B. Rama and N.M. Weyer, 2019: *IPCC Special Report on the Ocean and Cryosphere in a Changing Climate*. In Press.
- Pongratz, J., et al., 2018: Models meet data: challenges and opportunities in implementing land management in Earth system models. *Glob. Change Biol.*, **24**(4), 1470–1487, doi:10.1111/gcb.13988.
- Riahi, K., et al., 2017: The shared socioeconomic pathways and their energy, land use, and greenhouse gas emissions implications: an overview. *Glob. Environ. Change*, **42**, 153–168, doi:10.1016/j.gloenvcha.2016.05.009.
- Sarmiento, H. and C. Tilly, 2018: Governance lessons from urban informality. *Polit. Gov.*, **6**(1), 199–202, doi:10.17645/pag.v6i1.1169.
- Sayre, R., C. Frye, D. Karagulle, J. Krauer, S. Breyer, P. Aniello, D. Wright, D. Payne, C. Adler, H. Warner, P. VanSistine and J. Cress, 2018: A new high-resolution map of world mountains and an Online tool for visualizing and comparing characterizations of global mountain distributions. *Mt. Res. Dev.*, **38**(3), 240–249, doi:10.1659/MRD-JOURNAL-D-17-00107.1.
- Seto, K.C., R. Sánchez-Rodríguez and M. Fragkias, 2010: The new geography of contemporary urbanization and the environment. *Annu. Rev. Environ. Resour.*, **35**, 167–194, doi:10.1146/annurev-environ-100809-125336.

- Steffen, W., et al., 2016: Stratigraphic and Earth system approaches to defining the Anthropocene. *Earth's Future*, 4(8), 324–345, doi:10.1002/2016EF000379.
- Stokes, E.C. and K. Seto, 2019: Characterizing and measuring urban landscapes for sustainability. *Environ. Res. Lett.*, 14(4), 45002, doi:10.1088/1748-9326/aafab8.
- Tåbara, J.D., J. Jäger, D. Mangalagiu and M. Grasso, 2018: Defining transformative climate science to address high-end climate change. *Reg. Environ. Change*, 1–12, doi:10.1007/s10113-018-1288-8.
- Termeer, C.J.A.M., A. Dewulf and G.R. Biesbroek, 2017: Transformational change: governance interventions for climate change adaptation from a continuous change perspective. *J. Environ. Plan. Manag.*, 60(4), 558–576, doi:10.1080/09640568.2016.1168288.
- Tilman, D., 2001: Functional Diversity. In: *Encyclopedia of Biodiversity* [Levin, S.A.(ed.)]. Academic Press, San Diego, CA, pp. 109–120.
- Toggweiler, J.R. and B. Samuels, 1995: Effect of drake passage on the global thermohaline circulation. *Deep Sea Res.*, 1(42), 477–500, doi:10.1016/0967-0637(95)00012-U.
- Türkeş, M., 1999: Vulnerability of Turkey to desertification with respect to precipitation and aridity conditions. *Turkish J. Eng. Environ. Sci.*, 23, 363–380.
- UN, 2015: *Transforming Our World: The 2030 Agenda for Sustainable Development*. A/RES/70/1. United Nations General Assembly (UNGA), New York, NY, USA, 35.
- UNCCD, 1994: *United Nations Convention to Combat Desertification in Countries Experiencing Serious Drought and/or Desertification, Particularly in Africa*. A/AC.241/27. United Nations General Assembly (UNGA), New York, NY, USA. 58 pp.
- UNEP, 2014: *The Health Adaptation Gap Report*. <https://www.unenvironment.org/resources/adaptation-gap-report-2014>.
- UNEP, 2018: *The Health Adaptation Gap Report*. <https://www.unenvironment.org/resources/adaptation-gap-report>.
- <http://unfccc.int/methods/lulucf/items/4129.php>.
- UNESCO, 2018: *Local and Indigenous Knowledge Systems*. United Nations Educational, Scientific and Cultural Organization (UNESCO), www.unesco.org/new/en/natural-sciences/priority-areas/links/related-information/what-is-local-and-indigenous-knowledge.
- UNFCCC, 1992: *United Nations Framework Convention on Climate Change*. FCCC/INFORMAL/84. United Nations Framework Convention on Climate Change (UNFCCC), UNFCCC. 24 pp.
- UNFCCC, 2013: *Reporting and accounting of LULUCF activities under the Kyoto Protocol*. United Nations Framework Convention on Climatic Change (UNFCCC), Bonn, Germany. (Retrieved from: <https://unfccc.int/topics/land-use/workstreams/land-use-land-use-change-and-forestry-lulucf/reporting-on-lulucf-activities-under-the-kyoto-protocol>).
- UNFCCC, 2021a: *Reporting and accounting of LULUCF activities under the Kyoto Protocol*. United Nations Framework Convention on Climate Change (UNFCCC), <https://unfccc.int/topics/landuse/workstreams/land-use-land-use-change-and-forestry-lulucf/reporting-and-accounting-of-lulucf-activities-under-the-kyoto-protocol>.
- UNFCCC, 2021b: *Reporting and review under the Paris Agreement*. United Nations Framework Convention on Climate Change (UNFCCC), <https://unfccc.int/process-and-meetings/transparency-and-reporting/reporting-and-review-under-the-paris-agreement>.
- UNGA, 2016: *Report of the Open-Ended Intergovernmental Expert Working Group on Indicators and Terminology Relating to Disaster Risk Reduction*. A/71/644. United Nations General Assembly (UNGA). 41 pp.
- UNISDR, 2009: *2009 UNISDR Terminology on Disaster Risk Reduction*. United Nations International Strategy for Disaster Reduction (UNISDR), Geneva, Switzerland. 30 pp.
- UNISDR, 2017: *Report of the Open-Ended Intergovernmental Expert Working Group on Indicators and Terminology Relating to Disaster Risk Reduction*. https://www.preventionweb.net/files/50683_oiewgreportenglish.pdf.
- United Nations, Department of Economic and Social Affairs, Population Division, 2019: *World Urbanization Prospects: The 2018 Revision*. ST/ESA/SER.A/420. United Nations, New York.
- UNOHCHR, 2018: *What Are Human Rights?* UN Office of the High Commissioner for Human Rights (UNOHCHR), www.ohchr.org/EN/Issues/Pages/whatarehumanrights.aspx.
- UN-OHRLS, 2011: *Small Island Developing States: Small Islands Big(ger) Stakes*. Office for the High Representative for the Least Developed Countries, Landlocked Developing Countries and Small Island Developing States (UN-OHRLS), New York, NY, USA. 32 pp.
- UN-OHRLS, 2018: *Small Island Developing States: Country profiles*. Office for the High Representative for the Least Developed Countries, Landlocked Developing Countries and Small Island Developing States (UN-OHRLS), <http://unohrls.org/about-sids/country-profiles>.
- UN-REDD, 2009: *Measurement, Assessment, Reporting and Verification (MARV): Issues and Options for REDD*. Draft Discussion Paper. United Nations Collaborative Programme on Reducing Emissions from Deforestation and Forest Degradation in Developing Countries (UN-REDD), Geneva, Switzerland. 12 pp.
- UN-Water, 2013: *What is Water Security? Infographic*. UN-Water, Geneva, Switzerland. www.unwater.org/publications/water-security-infographic.
- van Vuuren, D.P., J. Edmonds, M. Kainuma, et al., 2011: The representative concentration pathways: an overview. *Clim. Change*, 109, 5, doi:10.1007/s10584-011-0148-z.
- WCED, 1987: *Our Common Future*. World Commission on Environment and Development (WCED), Geneva, Switzerland, doi:10.2307/2621529. 400 pp.
- WHO, 2020: *Glossary of Health Emergency and Disaster Risk Management Terminology*. World Health Organization, Geneva. Licence: CC BY-NC-SA 3.0 IGO.
- Wiedmann, T. and J. Minx, 2008: A Definition of 'Carbon Footprint'. In: *Ecological Economics Research Trends: Chapter 1* [Pertsova, C.C.(ed.)]. Nova Science Publishers, Hauppauge NY, USA, pp. 1–11 (https://www.novapublishers.com/catalog/product_info.php?products_id=5999).
- WMO, 2019: *What Are Weather/Climate Services?* Global Framework for Climate Services, Geneva, Switzerland, https://www.wmo.int/gfcs/what_are_climate_weather_services.
- Williamson, O.E., 2000: The new institutional economics: taking stock, looking ahead. *J. Econ. Lit.*, 38, 595–613.
- Zscheischler, J., S. Westra, B.J. Hurk, S.I. Seneviratne, P.J. Ward, A. Pitman, A. AghaKouchak, D.N. Bresch, M. Leonard, T. Wahl and X. Zhang, 2018: Future climate risk from compound events. *Nat. Clim. Change*, 8, 469–477, doi:10.1038/s41558-018-0156-3.