

NOTES FOR AUTHORS

Proceedings of the Royal Society of Edinburgh: Section A is a general journal, and papers in all areas of mathematics will be considered. Papers to be considered for publication should be sent to the Publications Manager, The Royal Society of Edinburgh, 22 George Street, Edinburgh EH2 2PQ, Scotland.

A paper by more than one author must be submitted with a statement, signed by each author, to the effect that the paper in its entirety is approved by the joint authors and naming the author who will be responsible for correspondence with the Society.

Authors will receive fifty (50) offprints free of charge, this number to be shared between joint authors. Additional offprints may be obtained, in units of fifty, at a fixed scale of prices given on a form which will be attached to the proof.

Authors must prepare their papers as concisely as possible. Manuscripts should be submitted in triplicate, on single-sided A4 paper, double spaced with adequate margins. Authors are advised to retain a copy of their papers as the Society cannot accept responsibility for any loss.

Every paper must be accompanied by a Synopsis, in general not exceeding two hundred words, which will be printed in small type at the beginning of the paper.

References within the text should be indicated by bold numbers in square brackets, e.g. [2] or [3, p. 167]. References at end of text should be in alphabetical order, numbered sequentially.

Authors should ensure that punctuation carries through the mathematics in the proper manner. The use of hyphens should be consistent. In the text avoid such abbreviations as: iff, w.r.t. and thm.

Footnotes should be avoided. Headings should not be underlined. Every effort should be made to avoid complicated subscripts, superscripts, ranges of summation and integration. Replace $e^{(\dots)}$ by $\exp[\dots]$ if the expression in parenthesis is complicated. Use the prime ' or d/dx , but preferably not a dot, to denote ordinary differentiation. If possible use subscripts to denote partial differentiation of $\partial/\partial x$ etc. Bars reaching over several letters should be avoided: use $\sqrt{()}$ or the exponent $1/2$ for the square root.

Note that confusion very often arises between 1 (one) and *l* (ell); 0 (zero) and *O* (Capital oh); \circ (composition) and *o* (lower case oh); x and \times ; U and \cup ; c and \subset ; \in (belongs to) and ε (epsilon); \emptyset (empty set) and ϕ (phi); $;$ and comma $,$; prime ' and 1 ; K and κ ; p and ρ ; w and ω ; \sum (summation) and Σ (capital sigma); \prod (product) and Π (capital pi); v (lower case vee) and ν (Greek nu); a (lower case a) and α (Greek alpha); y (lower case y) and γ (Greek gamma). Please provide pencilled indicators in the margin where necessary. Where capitals and lower case of the same shape have to be printed, please indicate accordingly. Show italics by single underlining (except in the formulae which are set up normally in italics), bold face/Clarendon by wavy underlining and Greek by red underlining.

The statement of theorems, lemmas, et cetera, will be printed in italics and should be underlined. In definitions key words only should be in italics.

Equations should be indicated by numbers in parentheses in the right-hand margin.

Proofs of papers will be sent to the author. The cost of *authors' corrections in excess of five per cent* of the printers' charge for the setting of a particular paper will be charged to the author.

Copyright

© 1996 The Royal Society of Edinburgh

Except as otherwise permitted under the Copyright, Designs and Patents Act, 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publisher, or, in the case of reprographic reproduction, in accordance with the terms of a licence issued by the Copyright Licensing Agency. In particular, the Society permits the making of a single photocopy of an article from this issue (under Sections 29 and 38 of the Act) for an individual for the purposes of research or private study.

CONTENTS

CHANGFENG GUI	
On positive entire solutions of the elliptic equation $\Delta u + K(x)u^p = 0$ and its applications to Riemannian geometry	225
STEWART C. WELSH	
Open mappings and solvability of nonlinear equations in Banach space	239
ROBERT STEPHEN CANTRELL and CHRIS COSNER	
Practical persistence in ecological models via comparison methods	247
NAKO HAYASHI, KEIICHI KATO and TOHRU OZAWA	
Dilation method and smoothing effects of solutions to the Benjamin–Ono equation	273
DANIELA GIACHETTI, FRANCESCO LEONETTI and ROSANNA SCHIANCHI	
On the regularity of very weak minima	287
G. ALLAIRE and M. BRIANE	
Multiscale convergence and reiterated homogenisation	297
T. F. XIE and S. P. ZHOU	
L^1 -approximation of Fourier series of complex-valued functions	343
P. G. CASAZZA and H. JARCHOW	
Self-induced compactness in Banach spaces	355
ZHIPING LI	
A theorem on lower semicontinuity of integral functionals	363
A. S. HOLEVO	
Exponential formulae in quantum stochastic calculus	375
DONAL O'REGAN	
A fixed-point theorem for weakly condensing operators	391
VIVIAN HUTSON and KONSTANTIN MISCHAIKOW	
Singular limits for travelling waves for a pair of equations	399
CHRIS J. BUDD and VICTOR A. GALAKTIONOV	
Critical diffusion exponents for self-similar blow-up solutions of a quasi-linear parabolic equation with an exponential source	413
CAO DAO-MIN and ZHOU HUAN-SONG	
Multiple positive solutions of nonhomogeneous semilinear elliptic equations in \mathbb{R}^N	443