

E	di	to	ri	al	ls

The use of higher-dose antipsychotic medication. J. M. Kane
The case for establishing a register of ran-
domised controlled trials of mental health care. C. Adams and M. Gelder
Homosexual orientation. J. Bancroft
Psychiatry and war. M. P. Deahl, N. M. Earnshaw and N. Jones
What will be the psychiatric consequences of
the war in Rosnia? I S O'Rrian

Consensus Statement

The use of high-dose antipsychotic medication.

C. Thompson

Functional anatomy of obsessive-compulsive phenomena. P. K. McGuire, C. J. Bench,

Papers

C. D. Frith, I. M. Marks	, R. S. J. Frackowiak
and R. J. Dolan	
Obsessive-compulsive dis	sorder with and with-
out a chronic tic disord	
symptoms in 70 patients	. J. C. Holzer, W. K.
Goodman, C. J. McDo	ugle, L. Baer, B. K.
Boyarsky, J. F. Leckman	
Schizophrenia in the A	
munity. P. A. Sugarman	
Heritability of schizoph	
family history investiga	

Gureje, R. Bamidele and Y. A. Aderibigbe

 Malla and R. M. G. Norman Is there cognitive decline in schizophrenia? A cross-sectional study. T. M. Hyde, S. Nawroz, T. E. Goldberg, L. B. Bigelow, D. Strong, J. L. Ostrem, D. R. Weinberger and J. E. Kleinman Behavioural family management in schizophrenia. Outcome of a clinic-based intervention. E. T. Randolph, S. Eth, S. M. Glynn, G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy in adults with Down's syndrome. R. W. 		Prodromal symptoms in schizophrenia. A. K. Malla and R. M. G. Norman
cross-sectional study. T. M. Hyde, S. Nawroz, T. E. Goldberg, L. B. Bigelow, D. Strong, J. L. Ostrem, D. R. Weinberger and J. E. Kleinman Behavioural family management in schizophrenia. Outcome of a clinic-based intervention. E. T. Randolph, S. Eth, S. M. Glynn, G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	431	
Nawroz, T. E. Goldberg, L. B. Bigelow, D. Strong, J. L. Ostrem, D. R. Weinberger and J. E. Kleinman Behavioural family management in schizo- phrenia. Outcome of a clinic-based inter- vention. E. T. Randolph, S. Eth, S. M. Glynn, G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	151	
433 Strong, J. L. Ostrem, D. R. Weinberger and J. E. Kleinman Behavioural family management in schizo- phrenia. Outcome of a clinic-based inter- vention. E. T. Randolph, S. Eth, S. M. Glynn, G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
J. E. Kleinman Behavioural family management in schizophrenia. Outcome of a clinic-based intervention. E. T. Randolph, S. Eth, S. M. Glynn, G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	133	
Behavioural family management in schizophrenia. Outcome of a clinic-based intervention. E. T. Randolph, S. Eth, S. M. Glynn, G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
phrenia. Outcome of a clinic-based intervention. E. T. Randolph, S. Eth, S. M. Glynn, G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	437	
vention. E. T. Randolph, S. Eth, S. M. Glynn, G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	441	
G. G. Paz, G. B. Leong, A. L. Shaner, A. Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	441	
Strachan, W. Van Vort, J. I. Escobar and R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
R. P. Liberman Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	443	
Chromosomal aberrations and bipolar affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
448 affective disorder. N. Craddock and M. Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. 469 A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
Owen Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
Affective symptoms in women attending a menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	448	affective disorder. N. Craddock and M.
menopause clinic. A. G. Hay, J. Bancroft and E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		Owen
E. C. Johnstone Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		Affective symptoms in women attending a
Mild hypomania (the highs) can be a feature of the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		menopause clinic. A. G. Hay, J. Bancroft and
the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		E. C. Johnstone
the first postpartum week. Association with later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		Mild hypomania (the highs) can be a feature of
later depression. V. Glover, P. Liddle, A. Taylor, D. Adams and M. Sandler Semi-structured depression scale sensitive to change with treatment for use in the elderly. 469 A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy	459	
Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
Semi-structured depression scale sensitive to change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
change with treatment for use in the elderly. A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy		
 A. V. Ravindran, K. Welburn and J. R. M. Copeland Prevalence and associated features of epilepsy 		
Copeland 474 Prevalence and associated features of epilepsy	169	
474 Prevalence and associated features of epilepsy		
	174	
in addits with Down's syndrome. R. W.	114	
Malliokan O F D Shanks and D I		

Continued inside

Published by The Royal College of Psychiatrists

McClelland

ISSN 0007-1250

The British Journal of Psychiatry

April 1994, Volume 164, No. 4

Founded in 1853 as the Asylum Journal and known as the Journal of Mental Science from 1858 to 1963

Editor: Greg Wilkinson

Past Editors: Eliot Slater (1961-72), Edward H. Hare (1973-77), John L. Crammer (1978-83), Hugh L. Freeman (1984-93)

Senior Associate Editor

Alan Kerr (Newcastle upon Tyne)

Associate Editors

Dora Black (London), Sidney Crown (London), Julian Leff (London), Sir Martin Roth (Cambridge), Peter Tyrer (London)

Assistant Editors

Mohammed Abou-Saleh (Al-Ain, United Arab Emirates), German Berrios (Cambridge),
Patricia Casey (Dublin), John Cookson (London),
Tom Fahy (London), Anne Farmer (Cardiff),
Nicol Ferrier (Newcastle), William Fraser (Cardiff),
Alexander Kellam (Cardiff), Stuart Montgomery
(London), Ian Pullen (Edinburgh), Rosalind Ramsay
(London), Henry Rollin (London), Jan Scott
(Newcastle), George Stein (London),
Stephen Wilson (Oxford)

Corresponding Editors

Sidney Bloch (Australia), Patrice Boyer (France),
J. M. Caldas de Almeida (Portugal), Andrew Cheng
(Taiwan), Andrei Cristian (Romania),
E. L. Edelstein (Israel), Václav Filip
(Czech Republic), Heinz Katschnig (Austria),
Kenneth Kendler (USA), Arthur Kleinman (USA),
Harold Merskey (Canada), F. Lieh Mak
(Hong Kong), Jair Mari (Brazil), Paul Mullen
(Australia), Ahmed Okasha (Egypt),
Michele Tansella (Italy), Toma Tomov (Bulgaria),
John Tsiantis (Greece), J. L. Vázquez-Barquero
(Spain), Richard Warner (USA)

Staff

Dave Jago (Publications Manager), Ralph Footring (Scientific Editor), Samantha Jones (Assistant Scientific Editor), Judy Ashworth & Julia Burnside (Editorial Assistants)

US Mailing Information: The British Journal of Psychiatry is published monthly by The Royal College of Psychiatrists. Subscription price is \$295. Second class postage paid at Rahway, NJ. Postmaster send address corrections to The British Journal of Psychiatry, c/o Mercury Airfreight International Ltd Inc., 2323 Randolph Avenue, Avenel, New Jersey 07001.

® The paper used in this publication meets the minimum requirements of American National Standard for Information Sciences—Permanence of Paper for Printed Library Materials. ANSI Z39. 48–1984.

Typeset by Dobbie Typesetting Ltd, Tavistock and Henry Ling Ltd. Printed by Henry Ling Ltd, The Dorset Press, 23 High East Street, Dorchester, Dorset DT1 1HD

©1994 The Royal College of Psychiatrists

Contents continued from front cover

Short Papers

Prevalence of Australia antigen (HBsAg) in institutionalised patients with psychosis. S.	
Chaudhury, S. Chandra and M. Augustine	542
Hidden alcohol abuse among women. K.	
Seppä, K. Löf, D. Sinclair and P. Sillanaukee	544
Unipolar mania reconsidered: evidence from an elderly cohort. K. I. Shulman and M.	
Tohen	547
Induction of mania with selective serotonin re-uptake inhibitors and tricyclic antidepres-	
sants. M. Peet	549
Successful treatment of night terrors and somnambulism with paroxetine. A. R. Lillywhite,	
S. J. Wilson and D. J. Nutt	551
Sleep deprivation as a diagnostic instrument. C. J. Williams, J. D. I. Yeomans and A. K.	
C. J. Williams, J. D. I. Teomans and A. K. Coughlan	554
Three cases of Capgras' syndrome. S. J. Frazer	334
and J. M. Roberts	557
Koro: culture-bound disorder or universal	
symptom? R. A. Adeniran and J. R. Jones	559
Columns	
Correspondence	562
A hundred years ago. H. Rollin	567
Book reviews	568
American Journal of Psychiatry (contents)	574

The British Journal of Psychiatry is published monthly under the auspices of the Royal College of Psychiatrists. The BJP publishes original work in all fields of psychiatry. All communications, including manuscripts for publication, should be sent to The Editor, British Journal of Psychiatry, 17 Belgrave Square, London SW1X 8PG.

Two copies of the manuscript should be submitted and the author should retain a copy. Articles must be typed on one side of the paper only, double spaced with wide margins.

Full instructions to authors are given at the beginning of the January issue.

BASPCAN

British Association for the Study and Prevention of Child Abuse and Neglect 10 Priory Street, York YO1 1EZ, England Tel: 0904 613605 Fax: 0904 642239



Second National Congress

Theme:

'WORKING IN PARTNERSHIP'

A CHALLENGE TO ALL PROFESSIONALS

5-8 July 1994 Bristol University

Essential for all new and experienced professionals and anyone working with children and families in the following fields:

Social Work Probation Education Law

Voluntary Agencies
Medicine & Allied Professions

This is a unique opportunity to explore and debate these issues with top national and international experts, researchers and practitioners.

For details please contact: The National Office Administrator at above address. Closing date for applications 1 May 1994.

CHIEF, PSYCHIATRY SERVICE VACANCY

A senior, academically-oriented, board certified Psychiatrist is sought for the position of Chief, Psychiatry Service, VA Medical Center, Long Beach, CA. The Medical Center is a tertiary care medical center and is an integral part of the College of Medicine, University of California at Irvine. Candidates should have a strong background in Clinical Psychiatry, a significant record of research accomplishments, and possess demonstrated teaching and management skills. The successful candidate will qualify for academic appointment at the Associate or Full Professor level. U.S. Citizenship is required. The Department of Veterans Affairs is an equal opportunity employer. A letter of application along with a CV should be sent to Evelyne Mindes, M.D. (11A), Long Beach VA Medical Center, 5901 E. 7th Street, Long Beach, CA. 90822.

INSTITUTE OF PSYCHIATRY & THE BETHLEM ROYAL AND MAUDSLEY SPECIAL HEALTH AUTHORITY



Management Course For Senior Registrars

London, 16 - 19 May 1994

The course will cover all aspects of management training within the new NHS.

Topics will include:

Personal Management, Dealing with Trusts, Purchasers, Time Management and Negotiating Skills

The course will be run by Dr Helena Waters Course fee: £260 includes course materials, lunch & refreshments

FURTHER DETAILS AND APPLICATION FORMS FROM: Ms Lee Wilding, Short Courses Office, Institute of Psychiatry, De Crespigny Park, Denmark Hill, London SE5 8AF

UNIVERSITY OF LONDON

Tel: 071-919 3170 Fax: 071-703 5796.

INSTITUTE OF PSYCHIATRY

(in conjunction with the Bethlem Royal & Maudsley Hospitals)



Diploma in Family and Marital Therapy

Applications are invited for training in family and marital therapy leading to a Diploma in Family and Marital Therapy. This training will involve a full time placement of one year's duration. Clinical experience will be gained through honorary clinical attachments to clinical teams in the Bethlem Royal and Maudsley Hospitals (the Joint Hospital) and King's College Hospital. A wide range of clinical experience will be available, including work with families and couples, in child, adolescent and adult settings.

Successful applicants will be expected to take part in the other academic and clinical activities of the Joint Hospital, King's College Hospital and Institute of Psychiatry, as well as attending regular theoretical and clinical seminars specifically related to family therapy. Video-tape supervision and live supervision will be carried out and students will be expected to carry a clinical load of families and couples under supervision.

The course will be specifically addressed to students from psychiatry, social work and clinical psychology. Suitably qualified candidates from other disciplines may be considered.

Request for further information: (course details, dates, fees etc) should be sent to: Ms Dawn Mellors, Dept. of Psychotherapy, Institute of Psychiatry, Denmark Hill, London SE5 8AF.

Closing date 30 April 1994 (late applications may be

UNIVERSITY OF LONDON