

High level disinfection procedures are not performed properly 40–50% of the time – putting patients at risk of cross-infection.¹ The Slide-On™ EndoSheath[™] System is a sterile, latex-free barrier-sheath,² that has been clinically demonstrated to provide more reliable protection against virulent micro-organisms and viruses.¹ Simple to use,⁵ EndoSheath also helps reduce time-consuming and expensive downtime associated with high-level disinfection procedures, and exposure to potentially toxic high-level disinfectants.^{13,4} Call 1800 668 670 for further information.

EndoSheath[™] lettronic


References: 1. Alvarado C et al. Microbiologic assessment of disposable sterile endoscopic sheaths to replace high-level disinfection in reprocessing: A prospective clinical trial with nasopharygoscopes. Am J Infect Control 2009;37:408–413. 2.Slide-On" EndoSheath" System, Product Information. 3.Shields N. A survey of the costs of flexible endoscope cleaning and disinfection. Gastroenterology Nursing 1993;16(2):53–60. 4.Elackattu A et al. A Comparison of two methods for preventing cross-contamination when using flexible fiberoptic endoscopes in an otolaryngology clinic: disposable sterile sheaths versus immersion in germicidal liquid. Laryngoscope 2010 120:2410–2416. 5.Silberman H. Non-inflatable sterile sheath for the inflation of the flexible naspharyngolaryngoscope. Annals of Otology, Rhinology and Laryngology 2001;110(4):385–87. Meditronic Australasia Pty Ltd. ABN 47 001 162 661. 97 Waterloo Road, North Ryde NSW 2113, Australia. Phone: Ph: 61+ 2 (0):9857-9000 Toll Free (within Australia): 1800 668 670. www.meditronic.com.au. 06/11 Azure Advertising MED0008/HI.



Fusion[™]

ENT Navigation Solutions can change your surgical outcomes¹

Significantly improved patient quality-of-life outcomes¹



ed from Javer AR et al. 2006'A non-randomised prospective study evaluating the effectiveness of copic sinus surgery (ESS) with the use of computer assistance [image-guided surgery IIGS)] compare out, in 95 patients with chronic rhinosinusitis. A 31-item quality-of-life [Rhinosinusitis Outcome res Form (RSOM-31)] was given to patients prior to surgery and 6 months following surgery during a enrollment period.

Experience greater confidence in challenging surgical cases²

- perform more complete exploration of the paranasal sinuses, particularly when it comes to smaller cells occupying the crevices of the sinus cavities²
- approach difficult sphenoid sinus and ethmoid sinus anatomy with more surgical confidence using computer-guided dissection²
- approach frontal sinus anatomy with greater confidence, particularly in the presence of a false lateral terminal cell²

For further information please contact your local Medtronic EMI representative or contact customer service on 1800 668 670

References: 1. Javer AR et al. Journal of Otolaryngology 2006;35:373-9. 2. Fried MP et al. Laryngoscope 2008;118:1287-92.

Medtronic Australasia 97 Waterloo Road North Ryde NSW 2113 Australia www.medtronic.com.au Toll free: (AU): 1800 668 670 (NZ): 0800 724 669

FUSION

The Journal of Laryngology & Otology Australian Supplement

Editorial

 Global Perspectives: assessing the impact of new technology: AS Carney
 1

 Review Article
 2

 Salivary duct carcinoma: what is already known, and can we improve survival?: DTH Wee, PJ Bradley
 2

 Main Article
 2

 A virtual-reality subtotal tonsillectomy simulator: GS Ruthenbeck, SB Tan, AS Carney, KJ Reynolds
 8

 Clinical Record
 1

 A false aneurysm: D Mitchell, C Repanos
 14

Introduction

Content in the following section, and as listed below, was previously published in regular issues of *The Journal of Laryngology* & *Otology*.

As such, all content and associated bibliographic data (Volume and Issue numbers, page ranges, DOIs, and publication dates) remain unchanged in both print and electronic formats.

All citations should be to the original Volume and Issue of publication (see below list and individual paper details), and not to this Supplement.

Review Articles

Mudry A. The making of a career: Joseph Toynbee's first steps in otology. *J Laryngol Otol* 2012;**126**:2–7. http://dx.doi.org/10.1017/S0022215111002465

McManus LJ, Stringer MD, Dawes PJD. latrogenic injury of the chorda tympani: a systematic review. *J Laryngol Otol* 2012;**126**:8–14. http://dx.doi.org/10.1017/S0022215111002039

Rimmer J, Giddings CEB, Vaz F, Brooks J, Hopper C. Management of vascular complications of head and neck cancer. *J Laryngol Otol* 2012;**126**:111–115. http://dx.doi.org/10.1017/S0022215111002416

Risley J, Manna K, Jones NS. The role of embolisation in ENT: an update. *J Laryngol Otol* 2012;**126**:228–235. http://dx.doi.org/10.1017/S0022215111003148

Sylvester DC, Coatesworth AP. Antiplatelet therapy in ENT surgery: a review. *J Laryngol Otol* 2012;**126**: 331–336. http://dx.doi.org/10.1017/S0022215111003239

Main Articles

Martin TPC, Fox H, Ho E-C, Holder R, Walsh R, Irving RM. Facial nerve outcomes in functional vestibular schwannoma surgery: less than total tumour excision significantly improves results. *J Laryngol Otol* 2012;**126**:120–124. http://dx.doi.org/10.1017/S0022215111003124

Hosamani P, Ananth L, Medikeri SB. Comparative study of efficacy of graft placement with and without anterior tagging in type one tympanoplasty for mucosal-type chronic otitis media. *J Laryngol Otol* 2012;**126**:125–130. http://dx.doi.org/10.1017/S0022215111002659

Short Communication

Moore A, Vijendren A, Rajagopal R, Spraggs P. Optimising endoscopic stapling of pharyngeal pouches. *J Laryngol Otol* 2012;**126**:407–408. http://dx.doi.org/10.1017/S0022215111003392

Cover image: Brain MRI ©iStockphoto.com/Mark Herreid; Modern Hearing Aids ©iStockphoto.com/David Gunn

Cambridge Journals Online For further information about this journal please go to the journal website at journals.cambridge.org/jlo



Published for JLO (1984) Ltd by Cambridge University Press. Printed in Great Britain by Latimer Trend.

