

## OXOID ARE FIRST AGAIN

Tablets are one of the unique features of the Oxoid range. No other form is as convenient for preparing quantities of media in small units such as test tubes. Each tablet contains an exact pre-weighed quantity of material sufficient to make up 10 mls. of tubed medium. For preparing larger quantities without weighing, Oxoid also package many of their media in hermetically sealed, tropically tested sachets, pre-weighed to make up 500 mls. These are particularly useful in warm and humid climates where, in addition to being convenient, they eliminate waste due to caking and spoilage.

*For a manual containing details of the Oxoid range and for any other information you need, communicate with:*

**OXOID LIMITED, SOUTHWARK BRIDGE RD., LONDON S.E.1**


**OXOID**

**CULTURE MEDIA**

*for progressive laboratories*

# LEEC

## SMALL DRYING CABINET or Instrument Storage Cabinet



*. . . the bench model having a capacity of 17 cu. ft.*

This Small Drying Cabinet has the same superb finish in white stove enamel and the same characteristics of the popular large edition (37 cu. ft.). Its clean lines, smart appearance, and its performance make it a first choice for the hospital or laboratory.

The full-length toughened glass doors, mounted with chromium fittings, immediately reveal the contents—there will be no searching around for instruments or apparatus, there they will be immediately visible to the eye, either drying or waiting to be used.

The exterior measurements are 34 in. high  $\times$  40 in. wide  $\times$  24 in. deep

*Write to the makers for full details*

**LABORATORY & ELECTRICAL ENGINEERING COMPANY**

Private Road, No. 7, Colwick Estate, Nottingham

# The Journal of GENERAL MICROBIOLOGY

Editors: B. C. J. G. KNIGHT and A. F. B. STANDFAST

Vol. 40, No. 1

35s.

July 1965

- B. A. WHITTON. Extracellular products of blue-green algae.
- D. H. GRIFFIN. The interaction of hydrogen ion, carbon dioxide and potassium ion in controlling the formation of resistant sporangia in *Blastocladiella emersonii*.
- J. F. M. HOENIGER. Development of flagella by *Proteus mirabilis*.
- S. HOWARTH. Resistance to the bactericidal effect of ultraviolet radiation conferred on enterobacteria by the colicine factor *coll*.
- J. D. ORAM and B. REITER. Phage-associated lysins affecting group N and group D streptococci.
- D. L. MOULD, W. SMITH and A. McL. DAWSON. Centrifugation studies on the infectivities of cellular fractions derived from mouse brain infected with scrapie ('Suffolk strain').
- H. A. COLE and D. E. HUGHES. The enzymic activity of the outer shell of *Lactobacillus arabinosus*.
- R. WHITTENBURY. A study of some pediococci and their relationship to *Aerococcus viridans* and the enterococci.
- V. C. STANLEY and M. P. ENGLISH. Some effects of nystatin on the growth of four aspergillus species.
- G. A. J. AYLIFFE. Cephalosporinase and penicillinase activity of Gram-negative bacilli.
- F. LACROUTE, A. PIERARD, M. GRENSON and J. M. WIAME. The biosynthesis of carbamoyl phosphate in *Saccharomyces cerevisiae*.
- K. J. STEEL. Microbial identification.


Subscription 80s. per volume of 3 parts.

Orders should be sent to

**CAMBRIDGE UNIVERSITY PRESS**  
**BENTLEY HOUSE, 200 EUSTON ROAD**  
**LONDON, N.W.1**

# 37 cubic ft. Capacity

... that's the holding power of this  
**LARGE DRYING CABINET or Instrument Storage Cabinet**



## Superb

in every detail—  
this outsize in  
drying cabinets is  
finished in white  
stove enamel, mounted  
with chromium  
fittings, and full  
length 'see-all',  
toughened glass doors.  
It's just as good,  
just as strong and  
just as durable as  
it looks. It will  
give years of  
sterling service—  
as a drying cabinet  
and as a storage  
cabinet.

*Dimensions:*  
64" high × 46" wide  
× 24" deep.

*Write to the makers for full details*

**LEEC**

**LABORATORY & ELECTRICAL ENGINEERING COMPANY**  
**Private Road No. 7, Colwick Estate, Nottingham**

# CONTENTS

(All rights reserved)

	PAGE
HAMBLING, M. H. and DAVIS, PATRICIA M. Susceptibility of the LLC-MK <sub>2</sub> line of monkey kidney cells to human enteroviruses . . . . .	169
FENNER, F. and CHAPPLE, P. J. Evolutionary changes in myxoma virus in Britain. An examination of 222 naturally occurring strains obtained from 80 counties during the period October–November 1962 . . . . .	175
URQUHART, G. E. D., MOFFAT, MARGARET A. J., CALDER, MARGARET A. and CRUICKSHANK, GILLIAN M. An aetiological study of respiratory infection in children, Edinburgh City Hospital, 1961–1963 . . . . .	187
ELSTON, R. C. Estimating titres and their approximate standard errors in complement fixation tests . . . . .	201
O'REILLY, K. J., GORDON SMITH, C. E., MCMAHON, DOLORES A., WILSON, A. L. and ROBERTSON, J. M. Infection of sheep and monkeys with Langat virus: cross-protection against other viruses of the Russian spring–summer complex . . . . .	213
VETERINARY LABORATORY SERVICES AND PUBLIC HEALTH LABORATORY SERVICE. Salmonellae in cattle and their feedingstuffs, and the relation to human infection . . . . .	223
FULTHORPE, A. J. The influence of mineral carriers on the simultaneous active and passive immunization of guinea-pigs against tetanus . . . . .	243
TAYLOR, W. P. and PLOWRIGHT, W. Studies on the pathogenesis of rinderpest in experimental cattle. III. Proliferation of an attenuated strain in various tissues following subcutaneous inoculation . . . . .	263
HINUMA, YORIO, MURAI, YOSHIMICHI and NAKAO, TOORU. Two outbreaks of echovirus 14 infection: a possible interference with oral poliovirus vaccine and a probable association with aseptic meningitis . . . . .	277
SMITH, JOHN M. B. <i>Staphylococcus aureus</i> strains associated with the hedgehog, <i>Erinaceus europaeus</i> . . . . .	285
SMITH, JOHN M. B. and MARPLES, MARY J. Dermatophyte lesions in the hedgehog as a reservoir of penicillin-resistant staphylococci . . . . .	293
BUSVINE, J. R. Wire mesh screening for the exclusion of houseflies . . . . .	305

---

*The Journal of Hygiene* is issued in four parts to a volume.

Quotations can be given for back volumes on application.

Papers for publication should be sent to Dr R. M. Fry, Department of Pathology, Tennis Court Road, Cambridge. Other communications should be addressed to the University Printing House, Cambridge.

Papers forwarded to the Editor for publication are understood to be offered to *The Journal of Hygiene* alone, unless the contrary is stated.

Contributors receive twenty-five copies of their paper free. Additional copies, not exceeding two hundred (except in special cases), may be purchased; these should be ordered when the final proof is returned.

The subscription price is £4. 10s. per volume (post free), payable in advance; single numbers 30s. net. Subscriptions may be sent to any Bookseller, or to The Cambridge University Press, Bentley House, 200 Euston Road, London, N.W. 1.

The subscription price in the U.S.A. is \$17.50. Single parts \$5.00. Enquiries should be addressed to the American Branch of the Press at 32 East 57th Street, New York, N.Y. 10022.