## 17th BIENNIAL CANADIAN NEURO-ONCOLOGY MEETING

**JUNE 9 – 11, 2016** 

Thompson Hotel, 550 Wellington St W TORONTO • ONTARIO • CANADA

## **ABSTRACTS**





## **ORAL ABSTRACT PRESENTATIONS ~ Table of Contents**

## YOUNG INVESTIGATOR AWARDS

	M.A. Qazi	Modelling Therapy Resistance for the Identification of Treatment-Refractory Cell Population(s) in Human Glioblastoma	<b>S</b> 1
O. Cohen-Inbar	Recruitment of Immune Effector Cells against Glioblastoma-Multiforme by a MHC-Chlorotoxin Chimeric Protein	S1	
BRAIN META	ASTASES		
OS1-136	O. Cohen-Inbar	Time-Delayed Contrast Enhanced MRI Improves Detection of Brain Metastases: A Prospective Validation of Diagnostic Yield	<b>S</b> 1
OS2-166	M. Singh	A Novel Model of Human Lung-to-Brain Metastasis and its Application to the Identification of Essential Metastatic Regulatory Genes	S2
OS3-187	J. Detsky	Differentiating Radionecrosis from Tumor Progression Using IVIM perfusion Fraction in Brain Metastases Treated with Radiosurgery	S2
PEDIATRICS			
OS4-161	B. Manoranjan	Activated Wnt Signaling for the Therapeutic Targeting of Treatment-	S2
OS5-173	A. Delaidelli	Refractory Medulloblastoma Stem Cells Inhibition of eEF2K as a Novel Therapeutic Strategy in Neuroblastoma and Medulloblastoma	<b>S</b> 3
OS6-210	D. G. Munoz	Gliomas in Young Adults: Presence of Mutations in Histone Genes	<b>S</b> 3
GLIOMA			
OS7-145	W. Curry	Combination Immunotherapy for Glioma: Beyond PD 1 Inhibition	S4
OS8-150	T. T. Huang	Encouraging Survival with Toca 511 and Toca FC Compared to External Lomustine Control	S4
OS10-147	W. C. Sin	Tumor-Associated Astrocytes Promote Glioma Invasion via Cx43	S4
OS11-165	F. G. Davis	Brain Cancer Survival and Conditional Survival Rates in Canada (1992-2008)	S5
MENINGIOM	T <b>A</b>		
OS12-137	O. Cohen-Inbar	The Geriatric Scoring System (GSS) for Risk Stratification in Meningioma Patients as a Predictor of Outcome in Patients Treated With Radiosurgery	S5
OS13-175	P. Tonge	Genetic Profiling of Radiation Induced Meningiomas	S5
OS14-208	S. Karimi	The prognostic role of pre-operative complete blood count (CBC) in progression-free survival in patients with meningioma	S6
BRAIN META	ASTASES		
PS1-131	C. Tseng	Dosimetric feasibility of the hybrid magnetic resonance imaging (mri)- linac system for brain metastases	S6
PS1-140	O. Cohen-Inbar	The effect of timing of stereotactic radiosurgery treatment of melanoma brain metastases treated with ipilimumab	S6
PS1-159	A. Ghare	A case of intracranial metastases from renal pelvic carcinoma and review of literature	<b>S</b> 7
PS1-177	E. Le Rhun	Diagnosing and treating leptomeningeal metastasis across Europe: A web- based survey	S7
PS1-181	D.R. MacDonald	Dural Metastases from Breast Cancer: A Case Series	<b>S</b> 7
PS1-189	M. Ruschin	A Universal Predictive Model for Dose Fall-Off in MLC-Based Stereotactic Brain Radiosurgery	S8
QUALITY OF	LIFE		
PS1-125	G. Bauman	Assessment of Function and Quality of Life in a Phase II Multi- Institutional Clinical Trial of Fractionated Simultaneous In-Field Boost	<b>S</b> 8

		Radiotherapy for Patients with 1-2 Brain Metastases	
PS1-127	R. Cashman	A Mixed Method Study of a Peer Support Intervention for Newly Diagnosed Primary Brain Tumour Patients	<b>S</b> 8
PS1-160	M.N. Tsao	A Telephone Based Cognitive Assessment Tool for Brain Metastases Patients	<b>S</b> 9
PS1-163	C. Mueller	Engaging in Difficult Discussions with Neuro-Oncology Patients: A Case Conference Based Quality Improvement Initiative	<b>S</b> 9
PS1-188	I. Lax	Rehabilitation Consultation: An Integrated Model for Addressing Rehabilitation Concerns in the Primary Brain Tumor Population	<b>S</b> 9
PEDIATRICS			
PS1-158	R. Kaur	The Role of LIN28A in Neoplastic Transformation of Human Embryonic Stem Cells (hESCs)	S10
PS1-169	D. Bakhshinyan	Discovering the Treatment Refractory BTIC Population in Group 3 Medulloblastoma through Therapy Adapted Patient-Derived Human Mouse Xenograft (PDX) Model	S10
PS1-170	N. Garg	Bmi1 is a Therapeutic Target in Recurrent Childhood Medulloblastoma	S10
PS1-176	K.W. Wang	Where Have All the Fat Cells Gone? A Comparative Analysis of Adiposity Patterns in Childhood Brain Tumor Survivors and Non-Cancer Controls	S11
PS1-182	S. Thulasirajah	Epidemiology and Review of the Trends of Brain Tumors in Children under the Age of 3: A Report from the Canadian Pediatric Brain Tumour Consortium	S11
PS1-183	S. Patel	Recommendations for the Referral of Patients from Proton Beam Therapy, an Alberta Health Services Report: A Model for Canada?	S11
PS1-186	S. Patel	Needs Assessment for a Pediatric Proton Therapy Program in Canada	S12
PS1-218	Q. Jiang	Characterization of Ganglioglioma as a Neurodevelopmental Disorder: A Cast of Arrested Development?	S12
GLIOMA BASIC S	CIENCE		
D00 450			
PS2-153	B. Zhai	Dianhydrogalactitol (VAL-083) Treatment Causes Irreparable DNA Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in	S12
PS2-153 PS2-167	B. Zhai V.G. LeBlanc		S12 S13
PS2-167		Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes	S13
	V.G. LeBlanc	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager	
PS2-167 PS2-171	V.G. LeBlanc P. Vora	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager (BiTE) Antibody to Target Patient-Derived Glioblastoma Cells Hexokinase 2 Drives Radio-Resistance through ERK Signaling and	S13
PS2-167 PS2-171 PS2-172	V.G. LeBlanc P. Vora P. Vora	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager (BiTE) Antibody to Target Patient-Derived Glioblastoma Cells Hexokinase 2 Drives Radio-Resistance through ERK Signaling and Sensitizes Cells to Azole Compounds Brevican-Specific Peptides for the Development of Next-Generation	S13 S13 S13
PS2-167 PS2-171 PS2-172 PS2-174	V.G. LeBlanc P. Vora P. Vora S. Agnihotri	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager (BiTE) Antibody to Target Patient-Derived Glioblastoma Cells Hexokinase 2 Drives Radio-Resistance through ERK Signaling and Sensitizes Cells to Azole Compounds Brevican-Specific Peptides for the Development of Next-Generation Targeted Theranostics for High Grade Gliomas Bcl-2 Family Member Mcl-1 Expression is Reduced Under Hypoxia by the E3 Ligaze FBW7 Contributing to BNIP3 Induced Cell Death In	S13 S13 S13
PS2-167 PS2-171 PS2-172 PS2-174 PS2-178	V.G. LeBlanc P. Vora P. Vora S. Agnihotri C.F. Cho	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager (BiTE) Antibody to Target Patient-Derived Glioblastoma Cells Hexokinase 2 Drives Radio-Resistance through ERK Signaling and Sensitizes Cells to Azole Compounds Brevican-Specific Peptides for the Development of Next-Generation Targeted Theranostics for High Grade Gliomas Bcl-2 Family Member Mcl-1 Expression is Reduced Under Hypoxia by the E3 Ligaze FBW7 Contributing to BNIP3 Induced Cell Death In Glioma Cells DICER Governs Characteristics of Glioma Stem Cells and the Resulting	S13 S13 S13 S14
PS2-167 PS2-171 PS2-172 PS2-174 PS2-178 PS2-194	V.G. LeBlanc  P. Vora P. Vora S. Agnihotri C.F. Cho Y. Chen	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager (BiTE) Antibody to Target Patient-Derived Glioblastoma Cells Hexokinase 2 Drives Radio-Resistance through ERK Signaling and Sensitizes Cells to Azole Compounds Brevican-Specific Peptides for the Development of Next-Generation Targeted Theranostics for High Grade Gliomas Bcl-2 Family Member Mcl-1 Expression is Reduced Under Hypoxia by the E3 Ligaze FBW7 Contributing to BNIP3 Induced Cell Death In Glioma Cells DICER Governs Characteristics of Glioma Stem Cells and the Resulting Tumors in Xenograft Mouse Models of GBM Bone Marrow-Derived Mesenchymal Stem Cells-Mediated	\$13 \$13 \$13 \$14 \$14
PS2-167  PS2-171 PS2-172  PS2-174  PS2-178  PS2-194  PS2-197	V.G. LeBlanc  P. Vora P. Vora S. Agnihotri C.F. Cho Y. Chen  S. Mansouri	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager (BiTE) Antibody to Target Patient-Derived Glioblastoma Cells Hexokinase 2 Drives Radio-Resistance through ERK Signaling and Sensitizes Cells to Azole Compounds Brevican-Specific Peptides for the Development of Next-Generation Targeted Theranostics for High Grade Gliomas Bcl-2 Family Member Mcl-1 Expression is Reduced Under Hypoxia by the E3 Ligaze FBW7 Contributing to BNIP3 Induced Cell Death In Glioma Cells DICER Governs Characteristics of Glioma Stem Cells and the Resulting Tumors in Xenograft Mouse Models of GBM Bone Marrow-Derived Mesenchymal Stem Cells Reverse Ionizing	S13 S13 S14 S14 S14 S15
PS2-167  PS2-171 PS2-172  PS2-174  PS2-178  PS2-194  PS2-197  PS2-201	V.G. LeBlanc  P. Vora P. Vora S. Agnihotri C.F. Cho Y. Chen  S. Mansouri T. Zhao	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager (BiTE) Antibody to Target Patient-Derived Glioblastoma Cells Hexokinase 2 Drives Radio-Resistance through ERK Signaling and Sensitizes Cells to Azole Compounds Brevican-Specific Peptides for the Development of Next-Generation Targeted Theranostics for High Grade Gliomas Bcl-2 Family Member Mcl-1 Expression is Reduced Under Hypoxia by the E3 Ligaze FBW7 Contributing to BNIP3 Induced Cell Death In Glioma Cells DICER Governs Characteristics of Glioma Stem Cells and the Resulting Tumors in Xenograft Mouse Models of GBM Bone Marrow-Derived Mesenchymal Stem Cells-Mediated Radioresistance in Glioma Bone Marrow-Derived Mesenchymal Stem Cells Reverse Ionizing Radiation-Induced Active State of Endothelial Cells in Glioblastoma RXFP1 Promotes Temozolomide Chemoresistance by STAT3 Signaling	\$13 \$13 \$13 \$14 \$14 \$14 \$15
PS2-167  PS2-171 PS2-172  PS2-174  PS2-178  PS2-194  PS2-197  PS2-201  PS2-203	V.G. LeBlanc  P. Vora P. Vora S. Agnihotri C.F. Cho Y. Chen  S. Mansouri T. Zhao T. Zhao	Double-Strand Breaks, S/G2 Phase Cell-Cycle Arrest and Cell Death in Cancer Cells CIC Deficiency is Associated with Dysregulation of Genes Involved in Cell Adhesion and Developmental Processes  Bmi1 Identifies Treatment-Refractory Stem Cells in Human Glioblastoma Preclinical Validation of a Novel CD33/CD3 Bispecific T-Cell Engager (BiTE) Antibody to Target Patient-Derived Glioblastoma Cells Hexokinase 2 Drives Radio-Resistance through ERK Signaling and Sensitizes Cells to Azole Compounds Brevican-Specific Peptides for the Development of Next-Generation Targeted Theranostics for High Grade Gliomas Bcl-2 Family Member Mcl-1 Expression is Reduced Under Hypoxia by the E3 Ligaze FBW7 Contributing to BNIP3 Induced Cell Death In Glioma Cells DICER Governs Characteristics of Glioma Stem Cells and the Resulting Tumors in Xenograft Mouse Models of GBM Bone Marrow-Derived Mesenchymal Stem Cells-Mediated Radioresistance in Glioma Bone Marrow-Derived Mesenchymal Stem Cells Reverse Ionizing Radiation-Induced Active State of Endothelial Cells in Glioblastoma	\$13 \$13 \$13 \$14 \$14 \$14 \$15 \$15

PATHOLOGY			
PS2-195	R. Nejad	Integrating Molecular Workings into the World Health Organization (WHO) Classification of Tumours of the Central Nervous System: A Survey from the Neuro-Oncology Community	S16
PS2-205	A. Alamsahebpour	Application of Computer-Assisted Diagnostics for Immunohistochemistry Analysis of Gliomas	S16
IMAGING			
PS2-196	M.A. Morrison	Investigating the Spatial Agreement Between Pre-Operative Functional MRI and Intra-Operative Direct Cortical Stimulation	S17
GLIOMA CLINIC	AL		
PC3-151	G. Zadeh	Toca 5: A Phase 2/3 Randomized, Open-Label Study of Toca 511, a Retroviral Replicating Vector, Combined with Toca FC versus Standard of Care in Patients Undergoing Planned Resection for Recurrent Glioblastoma (GBM) or Anaplastic Astrocytoma (AA) (NCT02414165)	S17
PC3-152	W.M.H. Sayeed	Impact of Extent of Resection Upon Outcome in Newly Diagnosed Glioblastoma: A Study in the Molecular Era	S17
PC3-154	K.C. Shih	Phase I/II Study of VAL-083 in Patients with Recurrent Glioblastoma	S18
PC3-155	B.J. O'Brien	Phase II Study of Dianhydrogalactitol in Patients with MGMT- Unmethylated, Bevacizumab-Naïve Recurrent Glioblastoma	S18
PC3-164	J. Ross	Urban-Rural Residence and Brain Cancer Survival in Canada (1996-2008)	S18
PC3-179	P.P. San	Analysis of Glioblastoma Physical Characteristics in Patients Benefiting from Tumor Treating Electric Fields Therapy	S19
PC3-180	T.B. Nguyen	Is Conventional and Perfusion MRI Useful in Predicting Histopathology Defined Percentage of Recurrence in High Grade Gliomas	S19
PC3-190	E. Kosteniuk	Impact of Functional Magnetic Resonance Imaging on Clinical Decision Making and Outcomes in Patients with Low Grade Gliomas	S19
PC3-191	E. Kosteniuk	Assessment of Preoperative Functional MRI Measurement of Language Lateralisation in Brain Tumour Patients	S20
OTHER CLINICA	L		
PC3-128	M.C. Concepcion Sales	Clinical Profile and Treatment Outcomes of Patients with Primary CNS Lymphoma in a Tertiary Hospital in the Philippines: An Eight-Year Retrospective Review	S20
PC3-129	M.C. Concepcion Sales	Primary Intracranial Round Cell Sarcoma in an HIV Patient: A Case Report and a Review of Literature	S20
PC3-130	M.C. Concepcion Sales		S20
PC3-138	O. Cohen-Inbar	Stereotactic Radiosurgery for Intracranial Hemangiopericytomas – A Multicenter Study	S21
PC3-141	O. Cohen-Inbar	Long-Term Results of Stereotactic Radiosurgery for Skull Base Meningiomas	S21
PC3-142	O. Cohen-Inbar	Gamma Knife Radiosurgery in Patients with Persistent Acromegaly or Cushing's Disease: Long-Term Risk of Hypopituitarism	S22
PC3-157	D.R. MacDonald	Subependymal Giant Cell Astrocytoma (SEGA) in Adults without Tuberous Sclerosis	S22
PC3-216	A. Ghare	Presentation of Intradural Extramedullary Plasmacytoma with Intratumoral Hemorrhage: Case Report and Review of Literature	S22
PC3-219	R. Harrison	Evaluation of Delayed FDG-PET in Differentiating Progressive Disease from Pseudoprogression in Brain Tumors	S23