

Biology of Seaweeds

Levels of Organization

A. R. O. Chapman

By dealing in turn with cells, whole organisms, populations and communities, this clearly written text fills the need felt by many phycology lecturers for an organizational approach to algal biology, in place of the traditional texts that attempt to review the entire field systematically or by functional organization. The book concentrates on seaweed algae and emphasises ecological considerations to point out the unifying trends and concepts that are essential to a student's thorough understanding of the subject.

The first of the book's four main sections introduces organization in cells, including both cell structure and cell function. The second section studies organization in whole organisms with chapters on thallus structure, functioning of whole plants and reproduction. The third section covers organization in populations and population biology, and the final section covers organization in communities, specifically community structure and community interaction.

Paper £5.95

Recent titles in the 'Studies in Biology' series:

89 Life in Sandy Shores

A. E. Brafield

This book is a readable, informed, concise and up-to-date review of the ecology, physiology and behaviour of the animals of sandy and muddy shores. The author's approach, by which ecology and physiology are linked, reflects a productive modern trend in biology.

Boards £3.20 *Paper* £1.50

99 The Physiology of Diving in Man and Other Animals

H. V. Hempleman and A. P. M. Lockwood

Underwater science is becoming increasingly important, especially to countries with access to continental shelf resources, and studying the physiology involved in diving is proving to be theoretically and practically very rewarding.

This book presents an introductory account of how man, animals and birds have responded to the difficulties of combining their dependence upon airbreathing with an ability to remain underwater for prolonged periods.

Boards £3.50 *Paper* £1.60

106 Aquaculture

P. J. Reay

This book contains up-to-date information on the many different facets of aquaculture such as species and site selection, water quality, holding facility design, induced spawning, hatchery techniques, food and feeding, growth enhancement and disease control. The emphasis is on the UK and South Eastern Asia, but a wide variety of countries and aquaculture practices are mentioned and shellfish and other groups of organisms are covered in addition to teleosts.

The developments and problems in aquaculture are reviewed from the biological point of view, and the reader is guided through the rapidly increasing body of literature on the subject.

Paper £1.75



Edward Arnold

41 Bedford Square, London WC1B 3DQ

VOLUME 48 . NUMBER 2 . JUNE 1979

EDITORS: L. R. Taylor and J. M. Elliott

THE JOURNAL OF ANIMAL ECOLOGY

World-list abbreviation: *J. Anim. Ecol.*

CONTENTS

- H. N. Comins and M. P. Hassell.** The dynamics of optimally foraging predators and parasitoids
- Jeffrey K. Waage.** Foraging for patchily-distributed hosts by the parasitoid, *Nemeritis canescens*
- Judith Smallwood and David C. Culver.** Colony movements of some North American ants
- C. A. Mills, R. M. Anderson and P. J. Whitfield.** Density-dependent survival and reproduction within populations of the ectoparasitic digenean *Transversotrema patialense* on the fish host
- Robert Black.** Competition between intertidal limpets: an intrusive niche on a steep resource gradient
- Michael B. Usher.** Markovian approaches to ecological succession
- W. F. Humphreys.** Production and respiration in animal populations
- F. Russell Cole and George O. Batzli.** Nutrition and population dynamics of the prairie vole, *Microtus ochrogaster*, in central Illinois
- C. J. Hails and D. M. Bryant.** Reproductive energetics of a free-living bird
- David T. Horsley, Bruce M. Lynch, Jeremy J. D. Greenwood, Bernard Hardman and Susan Mosely.** Frequency-dependent selection by birds when the density of prey is high
- A. S. Woolthead and P. Calow.** Energy-partitioning strategies during egg production in semelparous and iteroparous triclads
- R. W. Edwards, J. W. Densem and P. A. Russell.** An assessment of the importance of temperature as a factor controlling the growth rate of brown trout in streams
- Marie Turner and Gary A. Polis.** Patterns of co-existence in a guild of raptorial spiders
- Janice A. Derr and Keith Ord.** Field estimates of insect colonization
- J. H. W. Gipps and P. A. Jewell.** Maintaining populations of bank voles, *Clethrionomys glareolus*, in large outdoor enclosures, and measuring the response of population variables to the castration of males
- A. G. Hildrew and J. M. Edington.** Factors facilitating the coexistence of hydropsychid caddis larvae (Trichoptera) in the same river system
- R. A. J. Taylor.** A simulation model of locust migratory behaviour
- Stephen Tapper.** The effect of fluctuating vole numbers (*Microtus agrestis*) on a population of weasels (*Mustela nivalis*) on farmland
- J. H. Lawton and P. W. Price.** Species richness of parasites on hosts: agromyzid flies on the British Umbelliferae
- Ian R. Swingland and C. M. Lessells.** The natural regulation of giant tortoise populations on Aldabra Atoll. Movement polymorphism, reproductive success and mortality
- D. M. Bryant.** Reproductive costs in the house martin (*Delichon urbica*)
- Review

The journal is published three times a year. The subscription price to non-members of the British Ecological Society is £35.00 (overseas, £40.00; U.S.A. and Canada \$105.00, including cost of airfreight) per volume. All back numbers are available. Enquiries and orders should be sent to the publishers.

BLACKWELL SCIENTIFIC PUBLICATIONS LTD

OSNEY MEAD, OXFORD OX2 0EL

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

THE ASSOCIATION was founded in 1884 to promote accurate researches leading to the advancement of zoological and botanical science and to an increase in our knowledge of the food, life, conditions and habits of British fishes. The work of the Association is controlled by a Council elected annually by its subscribing members.

Professor T. H. Huxley took the chair at the initial meeting held in the rooms of the Royal Society and was elected the first President. Among those present were Sir John Lubbock (afterwards Lord Avebury), Sir Joseph Hooker, Professor H. N. Moseley, Mr G. J. Romanes, and Sir E. Ray Lankester who, after Professor Huxley, was for many years president of the Association. It was decided to build a laboratory at Plymouth, where a rich and varied fauna is found.

The Plymouth Laboratory was opened in June 1888, and, since that date, considerable additions have been made to the buildings, including a library, lecture-hall, and extensive laboratory accommodation with up-to-date equipment. Additional sea-water reservoirs have also been built, and an aquarium, modernized in 1959, opened to the public.

Since its foundation the Association has been supported by subscriptions and donations from private members, universities, learned societies, the Fishmongers' Company and other public bodies. For some time past, however, the main financial support for the work of the Plymouth Laboratory has come from Government funds, and since 1965 the Laboratory has been grant-aided through the Natural Environment Research Council.

The Marine Biological Association, under the direction of its Council, undertakes research in all branches of marine science and the main results are published in this journal. Accounts of the laboratory and aquarium are to be found in Vol. 27 (p. 761), Vol. 39 (p. 391) and Vol. 43 (p. 281), and summaries of the activities and research of the Association are given annually in the Report of the Council in the November issue of the Journal.

The laboratory is open throughout the year and its work is carried out by a fully qualified research staff under the supervision of the Director. The names of the members of the staff will be found on the inner page of the front cover. Accommodation is available for British and foreign scientific workers who wish to carry out independent research in all branches of marine science. Arrangements are made for courses for advanced students, and marine animals and plants are supplied to educational institutions.

Work at sea is undertaken by three research vessels and by a motor boat, and these also collect the specimens required in the laboratory.

TERMS OF MEMBERSHIP

	£
Annual Members, receiving the Journal . . . per annum	10.00
Annual Members, without the Journal . . . per annum	2.00
Founders	100.00
Governors	500.00

Members of the Association have the following rights and privileges: they elect annually the Officers and Council; they are entitled to receive the Journal of the Association at a reduced rate; they are admitted to view the laboratory at Plymouth; they have the first claim to rent a place in the laboratory for research, with use of tanks, boats, etc; they have the privilege of occupying a table for one week in each year free of charge; and they have access to the books in the library at Plymouth during working hours.

The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscription paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax under Schedule E.

All correspondence should be addressed to the Director, The Laboratory, Citadel Hill, Plymouth, PL1 2PB.

CONTENTS

	PAGE
TURNER, M. F. Nutrition of some marine microalgae with special reference to vitamin requirements and utilization of nitrogen and carbon sources	535
WALTERS, J. M., CAIN, R. B., HIGGINS, I. J. and CORNER, E. D. S. Cell-free benzo[a]pyrene hydroxylase activity in marine zooplankton	553
BONNETT, R., HEAD, E. J. and HERRING, P. J. Porphyrin pigments of some deep-sea medusae	565
BARNETT, B. E., EDWARDS, S. C. and CRISP, D. J. A field study of settlement behaviour in <i>Balanus balanoides</i> and <i>Elminius modestus</i> (Cirripedia: Crustacea) in relation to competition between them	575
BARNETT, B. E. and CRISP, D. J. Laboratory studies of gregarious settlement in <i>Balanus balanoides</i> and <i>Elminius modestus</i> in relation to competition between these species	581
RAINBOW, P. S., FORD, M. P. and HEPPLEWHITE, I. Absence of gregarious settling behaviour by female cypris larvae of British parasitic rhizocephalan barnacles	591
GRUFFYDD, LL.D., BUDIMAN, A. and NOTT, J. A. The ultrastructure of the byssus and the byssus glands in <i>Chlamys varia</i> L. (Lamellibranchia)	597
TAYLOR, A. C. and VENN, T. J. Seasonal variation in weight and biochemical composition of the tissues of the queen scallop, <i>Chlamys opercularis</i> , from the Clyde Sea area	605
ROSS, D. M. A behaviour pattern in <i>Pagurus bernhardus</i> L. towards its symbiotic actinian <i>Calliactis parasitica</i> (Couch)	623
FEIGENBAUM, D. Predation on chaetognaths by typhlosolecid polychaetes: one explanation for headless specimens	631
GAGE, J. D. Mode of life and behaviour of <i>Montacuta phascolionis</i> , a bivalve commensal with the sipunculian <i>Phascolion strombi</i>	635
RIGLER, F. H. The export of phosphorus from Dartmoor catchments: a model to explain variations of phosphorus concentrations in streamwater	659
PINGREE, R. D. Baroclinic eddies bordering the Celtic Sea in late summer	689
PINGREE, R. D. and MADDOCK, L. Tidal flow around an island with a regularly sloping bottom topography	699
MOORE, G. C. The zonation of psammolittoral harpacticoid copepods around the Isle of Man	711
MOORE, G. C. The identification of faunal gradients and associations of meiobenthic copepods by multivariate analyses	725
CANDIA CARNEVALI, M. D. and FERRAGUTI, M. Structure and ultrastructure of muscles in the priapulid <i>Halicryptus spinulosus</i> : functional and phylogenetic remarks	737
ICELY, J. D. and NOTT, J. A. The general morphology and fine structure of the antennary gland of <i>Corophium volutator</i> (Amphipoda: Crustacea)	745
WARREN, L. M. <i>Mediomastus fragilis</i> Rasmussen (Polychaeta: Capitellidae), a species newly recorded from British waters	757
MILNER, N. J. Zinc concentrations in juvenile flatfish	761
POMPONI, S. A. Ultrastructure of cells associated with excavation of calcium carbonate substrates by boring sponges	777
POMPONI, S. A. Cytochemical studies of acid phosphatase in etching cells of boring sponges	785
ANDERSON, O. R., SPINDLER, M., BÉ, A. W. H. and HEMLEBEN, CH. Trophic activity of planktonic foraminifera	791
SHORT NOTES	
BONNY, A. D. Long-term observations on the intertidal lichen <i>Lichina pygmaea</i> Ag.	801
WRIGHT, W. G. and LINDBERG, D. R. A non-fatal method of sex determination for patellacean gastropods	803
ABSTRACTS OF MEMOIRS	805
BOOK NOTICES	809

© Copyright by the Marine Biological Association of the U.K. 1979

The subscription price of volume 59, 1979 of the Journal to non-members of the Association is £54.00 net a volume of four parts, post free, or US \$132.50 in U.S.A. and Canada, payable in advance. Single parts cost £16.00 (US \$40.00 in U.S.A. and Canada) plus postage. Subscriptions may be sent to any bookseller or to Cambridge University Press, P.O. Box 110, Cambridge CB2 3RL, or in the U.S.A. and Canada, to Cambridge University Press, 32 East 57th Street, New York, NY 10022.

CAMBRIDGE UNIVERSITY PRESS

THE PITT BUILDING, TRUMPINGTON STREET, CAMBRIDGE CB2 1RP

32 EAST 57TH STREET, NEW YORK, N.Y. 10022

Printed in Great Britain at the University Press, Cambridge