

VOL. 108. No. 453.

MARCH, 1962

# THE JOURNAL OF MENTAL SCIENCE

(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF  
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

London

H. K. LEWIS & CO. LTD

PUBLISHED SIX TIMES A YEAR

SINGLE COPIES £1 NET

ANNUAL SUBSCRIPTION £6 POST FREE

# JOURNAL OF MENTAL SCIENCE

(THE BRITISH JOURNAL OF PSYCHIATRY)

## EDITOR-IN-CHIEF

Eliot Slater

## CO-EDITORS

G. W. T. H. Fleming

Alexander Walk

## BOARD OF ASSESSORS

E. W. Anderson	*Denis Hill	D. A. Pond
A. A. Baker	J. Hoenig	Felix Post
R. F. Barbour	W. W. Kay	K. Rawnsley
John Bowlby	L. G. Kiloh	*W. Linford Rees
G. M. Carstairs	B. H. Kirman	*B. W. Richards
*L. C. Cook	Denis Leigh	Derek Richter
A. J. Coppen	*T. F. Main	J. A. Fraser Roberts
Valerie Cowie	Paul Mallinson	J. T. Robinson
L. Crome	V. Meyer	T. Ferguson Rodger
*Desmond Curran	*W. M. Millar	*Martin Roth
Peter Daniel	Louis Minski	Peter Sainsbury
D. Russell Davis	*A. B. Monro	William Sargent
H. V. Dicks	W. L. Neustatter	P. D. Scott
M. A. Falconer	Ian Oswald	Patrick Slater
*Richard Fox	G. Pampiglione	E. Stengel
R. K. Freudenberg	C. M. B. Pare	R. Ström-Olsen
J. M. Frisch	*M. Partridge	J. M. Tanner
Gerald Garmany	A. Spencer Paterson	F. Kräupl Taylor
T. C. N. Gibbens	Malcolm Piercy	R. F. Tredgold
J. G. Gibson	F. E. Pilkington	*W. Warren
Max Hamilton	John Pippard	J. K. Wing
G. R. Hargreaves	John Pollitt	

\*Also members of Journal Committee

*New Product Announcement*

WHAT IS EXCEPTIONAL ABOUT  
**TOLNATE?**



Attempts to find tranquillizers of lower toxicity have resulted in the development of more and more selective agents of this type. Safety has been bought at the expense of versatility.

'Tolnate' is unusual because it is both safe *and* versatile.

*How Versatile?*

'Tolnate' is a sedative-tranquillizer; it is also a potent antiemetic and it potentiates analgesics, anaesthetics and sedatives.

*How Safe?*

Trials so far have involved over 7,500 patients. There have been no reports of jaundice, agranulocytosis or other toxic effects due to 'Tolnate'. It does not cause allergic reactions and does not affect the extrapyramidal system.

*The uses of 'Tolnate'*

'Tolnate' has been used successfully in geriatrics, psychiatry and general medicine to sedate and tranquillize patients who are agitated, restless and aggressive. It is also valuable in surgery and obstetrics.

*Please write for full information*

**'TOLNATE' : SAFE AND VERSATILE**




SMITH KLINE & FRENCH LABORATORIES LTD  
*Welwyn Garden City, Herts*

'Tolnate' (brand of prothipendyl) is a trade mark. Brit. Pat. No. 806531

T:PA 202 (Col)

**for your epileptic patients**

**life can be normal with Trinuride**



Trinuride helps the epileptic to lead a life fully active in every way, mentally as well as physically. Trinuride is often more effective in controlling epileptic seizures—and is almost entirely free from the drowsiness so often caused by other forms of treatment. Indicated in all epileptic conditions, Trinuride is especially useful in cases of grand mal and temporal lobe epilepsy. When you prescribe Trinuride you know that your patients are not progressively sinking, year by year, into a state of meaningless lethargy.

Trinuride is Phenylethylacetylurea 0.200 G  
together with optimum amounts of  
Diphenyl hydantoin 0.040 G  
Phenobarbitone 0.015 G


## **Trinuride**

*tablets in containers of 100 and 500 (Dispensing pack)*

## **Bengue & Co Ltd**

Mount Pleasant      Wembley      Middlesex

**BG5**



for mild sedation  
with nutritional support

The debilitated patient, whether recovering from severe illness or operation or suffering from a chronic disease, is greatly benefited by the addition of nutritionally generous supplements of vitamins of the B complex and ascorbic acid. Such patients often need also mild sedation.

A combination of the necessary vitamins with a relatively low dose of phenobarbitone is now available as Tropenal.

# Tropenal

## INDICATIONS

- (1) Anxiety states with restlessness, especially associated with hypertension, alcoholic withdrawal or peptic ulcer.
- (2) Progressive illness in which insomnia is associated with a need for the greatest nutritional support—e.g. congestive heart disease, cachectic states.
- (3) During convalescence, to speed recovery by promoting good appetite and a quiet frame of mind associated with nutritional adequacy.
- (4) Insomnia not induced by pain.

## FORMULA

*Each tablet contains*

Aneurine hydrochloride B.P.	5 mg.
Riboflavine B.P.	5 mg.
Pyridoxine B.P.C.	2 mg.
Nicotinamide B.P.	15 mg.
Ascorbic Acid B.P.	50 mg.
Phenobarbitone B.P.	32 mg. ( $\frac{1}{2}$ gr.)

In designing the formula, it was necessary to bear in mind the known antagonism between barbiturates and the vitamins of the B complex, together with the theoretical possibility that the effects might cancel each other out. But preliminary trials have shown that on account of the varying speeds of action and other factors not fully understood, the combination is clinically effective.

## DOSAGE

One to two tablets daily.  
Tablets in packs of 100 and 500.  
For full details of prices and trade terms write for latest copy of the Vitamins Ltd. Price List.

## National Health Service

In no case is the cost of a V.L. preparation greater than, and in some it is less than, that of the official equivalent preparation. There is no official equivalent for some V.L. specialities.



**VITAMINS LIMITED**

(DEPT. AR.2.) UPPER MALL, LONDON W.6.

Convenient associations  
containing  
**'Largactil'**



for psychoneuroses,  
particularly anxiety and  
tension states, and as an  
adjuvant to psychotherapy.

*Each tablet contains*  
*Chlorpromazine Hydrochloride*  
*B.P. 25 mg. and*  
*Amylobarbitone B.P. 50 mg.*

for mild depression with  
anxiety, particularly when  
the patient is ambulant and  
must remain alert throughout  
his everyday activities.

*Each tablet contains*  
*Chlorpromazine Hydrochloride*  
*B.P. 25 mg. and*  
*Dexamphetamine Sulphate B.P. 5 mg.*

MANUFACTURED BY



MAY & BAKER LTD


M&B brand Medical Products

MA8828

Distributors: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

# DISIPAL (Regd.)

## ORPHENADRINE HYDROCHLORIDE



**1. Correction of Drug Induced Extra Pyramidal Symptoms**

**2. Parkinsonism**

**3. Senile and Presenile Depressions**

**4. Vertiginous and Post-Traumatic Dizziness**


MANUFACTURED AND DISTRIBUTED IN THE U.K. BY

**CAMDEN CHEMICAL CO. LTD**

**LONDON · WC1**

For N.V. KONINKLIJKE PHARMACEUTISCHE FABRIEKEN V H BROCADES · STHEEMAN AND PHARMACIA · AMSTERDAM · HOLLAND

U.K. Patent Nos. 607258 and 743495



Choice  
of Length  
and Depth

with *Lilly* **BARBITURATES**

'**SECONAL SODIUM**'\* — Short onset and duration  
Brand Quinalbarbitone Sodium

'**TUINAL**'\* — Short onset, medium duration  
Brand Quinalbarbitone Sodium  
and Sodium Amylobarbitone

'**SODIUM AMYTAL**'\* — Fairly short onset, medium duration  
Brand Sodium Amylobarbitone


'**AMYTAL**'\* — Medium onset, longer duration  
Brand Amylobarbitone

\* Trade Mark

ELI LILLY AND COMPANY LIMITED · BASINGSTOKE · ENGLAND



for the tense and anxious patient



**MODITEN**  
*Squibb Fluphenazine Dihydrochloride*

1 mg  
 once a day

for **EMOTIONAL  
 EQUILIBRIUM**

**SQUIBB**



*A Century of Experience Builds Faith*  
 'MODITEN' is a trademark

**E R SQUIBB & SONS LIMITED**

*Edwards Lane Speke Liverpool 24*

**DOSAGE:** 1 mg. daily. If necessary, the total daily dosage may be increased to 1 mg. b.i.d. or two 1 mg. tablets given as a single dose in patients with relatively severe symptoms who have had a trial at lower dosages. A daily dose in excess of 2 mg. is rarely necessary, and when employed should be used with caution.

**SUPPLY:** Coated 1 mg. and 0.25 mg. tablets, bottles of 25, 100 and 500. Also as an Elixir containing 0.5 mg. per cc.

Clinical experience over a number of years has proved 'Stelazine' to be a powerful and versatile antipsychotic agent. It is effective equally in hyperactive patients, and in apathetic, withdrawn cases. It achieves rapid relief of hallucinations in schizophrenia, alcoholism and delirium tremens.

'Stelazine' has been used very successfully to control behaviour disorders in many types of mentally defective patients. It can be given concurrently with ECT to allay apprehension and post-shock excitement, and to improve the prognosis in schizophrenic patients. 'Stelazine' restores awareness and insight in psychosis; it facilitates psychotherapy by making contact possible between patient and physician.

'Stelazine' is available as: Tablets of 5 mg. Ampoules of 1 mg. Concentrate (containing 10 mg./ml.) Also tablets of 1 mg. and sustained-release 'Spansule' capsules of 2 mg.

# Stelazine in psychoses

- \* **Acute and chronic schizophrenia**
- \* **Psychosis due to brain damage**
- \* **Alcoholism and delirium tremens**
- \* **Behaviour disorders in mental deficiency**



**Smith Kline & French Laboratories Ltd**  
Welwyn Garden City, Herts

'Stelazine' (brand of trifluoperazine) and 'Spansule' are trade marks  
Brit. Pat. Nos. 742007, 813861, 857547 SZ:PA72 (Col).

# STELAZINE

The yardstick in  
psychotropic drug therapy





**CAN'T  
FIND  
HIS  
LAND-  
LEGS**

Master Mariner, 42. Lost his command last year through failing eyesight. Physically in good shape (good appetite) but complains of increasing depression. Cheers up in company but feels 'very low' when alone, especially at end of day. Also has difficulty in getting to sleep. Unmarried—says the sea was his whole life and life ashore 'can't compare'.

**Treatment:  
Nardil**

## IN MILD TO MODERATE DEPRESSION

NARDIL is safe and is effective at low dosage levels. Toxic effects on blood or liver are extremely rare. NARDIL acts quickly. Response is usually seen within the first weeks or even days of treatment. NARDIL provides reliable treatment for depressives—often the problem patients of a busy practice.

Available in bottles of 100 and 500 sugar-coated tablets each containing 15 mg. phenelzine.

*Nardil is known in some countries as "Nardelzine" (trade mark).*




# NARDIL

Trade Mark

Brand of phenelzine

**IN GENERAL PRACTICE**

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE. TEL: EASTLEIGH 3131



for  
intractable  
psychoses

# 'Majeptil'

trade mark brand

THIOPROPERAZINE METHANESULPHONATE

for the management of acute and chronic  
schizophrenia, of all degrees and types and for acute mania  
and other states of excitation

Tablets of 1 mg., 5 mg., and 25 mg.

Ampoules of 1 ml. (7.5 mg.) of solution for injection




An **M&B** brand  
Medical Product

Manufactured by

**MAY & BAKER LTD**

MA8829

DISTRIBUTORS PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM



# Tofranil® Geigy

N-( $\gamma$ -Dimethylaminopropyl)  
-iminodibenzyl hydrochloride

**The specific  
thymoleptic  
for the treatment  
of depression**

**Geigy Pharmaceutical Company Ltd.,  
Wythenshawe, Manchester 23**



Ph. 178

## 'Mysoline' can open the window to a new world

**"... 'Mysoline' in general showed itself to be more active than phenytoin and phenobarbitone in controlling epileptic syndromes in children and returning them to normal."**

*Lattante (1958), 29, 522*

- \* *Wide range of activity* . . . strikingly successful in most forms of epilepsy.
- \* *Well tolerated* . . . no sedative or other side effects to interfere with normal schooling and recreation.
- \* *Beneficial effect* on condition and outlook . . . brings new-found confidence and increased sociability.

*Available in tablets of 0.25 G. and as a palatable oral suspension. Basic N.H.S. cost: 4/4d. for 30 tablets dispensed from packs of 1,000, and 5/8d. for 100 ml. of suspension.*

**Mysoline**—helps epileptics to lead normal happy lives

*Primidone B.P.*

TRADE MARK

IMPERIAL CHEMICAL INDUSTRIES LIMITED

PHARMACEUTICALS DIVISION  
WILMSLOW CHESHIRE



A British monoamine oxidase inhibitor

# DRAZINE

## FOR DEPRESSION

- only two 10 mg. doses a day
- stable response ● low toxicity
- rapid effect ● negligible side-effects

Each tablet of Drazine (phenoxypropazine) contains 5 mg. (1-Methyl-2-phenylethyl) hydrazine hydrogen maleate



Smith & Nephew Pharmaceuticals Limited

WELWYN GARDEN CITY · HERTFORDSHIRE





# Fentazin

PERPHENAZINE

calms | placates  
controls | relieves

2mg three times daily

Fentazin tablets contain 2 mg or 4 mg perphenazine.  
Bottles of 50 and 500.



Allen & Hanburys Ltd Bethnal Green London E2


'FENTAZIN' is a Trade mark

AH 212

# 'ECTONUSTIM'

## E.C.T. APPARATUS and CEREBRAL STIMULATOR

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

- ' ECTONUS' —E.C.T. apparatus
- ' ECTRON' —E.C.T. apparatus
- ' ECTRON' —Rubber Mouth Gag
- ' ECTRONOLYTE' —Electrolyte Powder

Write for full details to: **ECTRON LTD**  
 39 NORTON ROAD, LETCHWORTH, HERTS, ENGLAND  
 Telephone: LETCHWORTH 2124



# La Métairie

## NYON (Switzerland)


Lake of Geneva

*Private Nursing Home, Founded in 1857. Several villas in a large park*


### All types of modern Treatment for Mental & Nervous Diseases

Rest Cures - Psychotherapy  
 Biological Treatments - Chemotherapy

For further information: Apply to Dr. W. SEMADENI, Chief Doctor  
 Telephone 9.65.91



depressive  
illness



# Niamid<sup>†</sup>

brand of nialamide

specific treatment



Initially  
two 25 mg. tablets  
three times a day,  
to be reduced  
according to the  
requirements of the  
individual patient.  
Average  
maintenance dose  
75 mg. daily.

marketed in the United Kingdom by  
HARVEY PHARMACEUTICALS

# BARNWOOD HOUSE

## GLOUCESTER

A PRIVATE HOSPITAL (outside the National Health Service), for the CARE and TREATMENT of LADIES and GENTLEMEN suffering from NERVOUS and MENTAL DISORDERS. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Patients of both sexes are received for treatment. Special accommodation is also provided in a villa residence, which stands in its own grounds and is entirely separate from the main Hospital. All the most modern methods of treatment, including electric shock and prefrontal leucotomy, are used.

# HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

*For Terms etc., apply to*

**G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.**  
**Physician Superintendent**

TELEPHONE: No. 66207 GLOUCESTER

**the  
tranquilliser  
pure and simple ...**

“Melleril was superior to all other  
phenothiazines in its ability  
to bring about clinical improvement  
in florid and overactive schizophrenics  
with the minimum of side-effects . . .”

*J. ment. Sci. (1960) 106, 732*

“ . . . the most effective  
high dose phenothiazine available  
for the management of the psychoses.”


*J. ment. Sci. (1960) 106, 732*

**Melleril**

BY SANDOZ

Tablets: Thioridazine hydrochloride 10 mg. 25 mg. 50 mg. 100 mg.

Syrup: 25 mg. thioridazine base in 4 ml.



*Pont du Gard, Nîmes*

**... in mental and emotional disturbance**

## WYKE HOUSE, ISLEWORTH

**Tel. ISLeworth 7000**

A Private Home for the individual treatment and care of Nervous and Mental Illness and Alcoholism.

The number of patients is limited to twenty-five and all modern treatments are available. This well-known Home for Men and Women and the Aged stands in its own grounds of 15 acres, seven miles from Marble Arch.

*Further particulars from the Resident Physician*

*H. Pullar-Strecker,*

M.D.

## NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for informal patients and those admitted under the Mental Health Act. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy., with Assistant Psychiatrist. All modern treatments including psychotherapy. Central heating and running water in all rooms.

## SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Nursing Home, two miles from Bedford Station, for 48 patients of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

*Fees from 12 Guineas per week*

*For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER*

## CHISWICK HOUSE, MOSS LANE, PINNER, MIDDLESEX

Telephone Pinner 0234

Private Nursing Home for Nervous and Psychological Troubles, including Alcoholism and a certain number of long-term elderly cases.

All modern treatments. Forty patients of both sexes. Country house in six acres of grounds. Twelve miles north-west of London. Easily accessible from Baker Street to Pinner—22 minutes. Ten minutes walk from Pinner Station. Resident and visiting physicians.

Medical Director, Douglas Macaulay, M.D., D.P.M.

## INDEX TO ADVERTISERS

Allen & Hanbury Ltd.	xv
Bengue & Co. Ltd.	ii
Camden Chemical Co. Ltd.	v
Ectron Ltd.	xvi
Geigy Ltd.	xii
Harvey Pharmaceuticals	xvii
I.C.I. Ltd. Pharmaceuticals Division	xiii
Eli Lilly & Co. Ltd.	vi
Merck Sharp & Dohme Ltd.	xxiv
Pharmaceutical Specialities (May & Baker) Ltd.	iv and ix
Sandoz Products Ltd.	xix
G. D. Searle & Co. Ltd.	xxvi
Smith Kline & French Laboratories	i, viii, ix, xxii
Smith & Nephew Pharmaceuticals Ltd.	xiv
E. R. Squibb & Sons Ltd.	vii
Vitamins Ltd.	iii
William R. Warner & Co. Ltd.	x

### Nursing Homes:

Barnwood House, Gloucester	xviii
Chiswick House, Pinner	xx
Hume Towers, Bournemouth	xviii
La Metairie	xvi
Northumberland House	xx
Springfield House, Bedford	xx
Wyke House, Isleworth	xx

Enquiries regarding advertising in the

## JOURNAL OF MENTAL SCIENCE

should be addressed to:—

*Advertisement Manager*

**ALDRIDGE PRESS LTD**

**27 Chancery Lane London WC2**

Telephone: HOLborn 8655/6

Telegrams: Presreps, Holb. London



**Life in a New Town or a housing estate does not always come up to expectations. Distance lends enchantment to old haunts and familiar faces; the established way of life is often badly missed.**

A survey<sup>1</sup> has shown that the incidence of neurosis or acute anxiety in some new communities is considerably higher than the national average.

Typical cases have been treated with 'Amylozine',<sup>2</sup> a combination of trifluoperazine

('Stelazine') and amylobarbitone.

'Amylozine Spansule' sustained-release capsules were given to 100 patients suffering from anxiety states and depression; in 68, symptoms disappeared completely or there was a decided improvement. No side effects were seen.

1. *New Communities in Britain*. The National Council of Social Service, 1961.

2. *Med. Wld (Lond.)* (1961) 94, 520-3.

## **AMYLOZINE** for rapid response in psychoneurotic states marked by agitation and insomnia



**Smith Kline & French Laboratories Ltd** Welwyn Garden City, Herts

'Amylozine', 'Stelazine' and 'Spansule' are trade marks.

Brit. Pat. Nos. 742007, 813861, 857547

SAM: PA122



**THE JOURNAL OF MENTAL SCIENCE**  
(THE BRITISH JOURNAL OF PSYCHIATRY)

Communications on general editorial matters, including MSS. for publication, printed matter, and books for review should be sent to **The Editor-in-Chief, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1;** and those regarding Advertisements to **ALDRIDGE PRESS LTD., 27 Chancery Lane, London, W.C.2.**

Orders and communications to do with Reprints of articles should be sent direct to the printers, **Headley Brothers Ltd., The Invicta Press, Ashford, Kent.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

---

**THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION  
PUBLICATIONS**

From **MESSRS. H. K. LEWIS & Co. LTD.,**  
136 Gower Street, W.C.1

“**The Journal of Mental Science**” (The British Journal of Psychiatry). Published six times a year. Price 20/-. Postage extra.

From **MESSRS. J. & A. CHURCHILL, LTD.,**  
104 Gloucester Place, W.1

“**Recent Progress in Psychiatry.**” Vol. 2, 1950. Pp. 711. Price 50/-.  
Vol. 3, 1959. Pp. 404. Price 50/-.

From **MESSRS. BAILLIÈRE, TINDALL & COX,**  
8 Henrietta Street, W.C.2


“**Handbook for Mental Nurses.**” 8th edn. 1954. Price 21/-.

From **THE SECRETARY, 11 Chandos Street, W.1**

**The Charter and By-Laws of the Association.** Price 2/-. Postage 2½d.

“**Recent Progress in Psychiatry.**” Vol. 2, 1950 } (at special price to members of R.M.P.A.)  
Vol. 3, 1959 }

## Often two sides of the same coin



### depression and anxiety

Depression may frequently be associated with a strong anxiety component, and *vice versa*. Thus, in practice, the distinction is frequently blurred, and may escape even the most expert diagnosis. Difficulties in diagnosis have led to the misuse of tranquillisers—particularly their use in depression masked by anxiety. In such cases the underlying depression may be deepened. On the other hand the high failure rate of many antidepressants is due to their inability to control the concurrent anxiety. 'Tryptizol', a single compound, treats the depression and also the anxiety and agitation that commonly accompany it.

# TRYPTIZOL

AMITRIPTYLINE HYDROCHLORIDE

Regd.

**effectively treats depression and  
promptly relieves accompanying anxiety and tension**

References, abstracts of published papers, and detailed literature covering administration, precautions and side-effects, available on request. 'Tryptizol' (amitriptyline hydrochloride) is supplied as tablets, 25 mg. (yellow) and 10 mg. (blue); and as 'Tryptizol' Injection—10 ml. vials, each ml. containing 10 mg. amitriptyline hydrochloride.

Made in England by



**MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS**

## INSTRUCTIONS TO AUTHORS

1. **Articles** must be typed with double spacing on quarto paper leaving generous margins.

2. The **title** should be brief and to the point, so as to give a clear idea of the nature of the work when quoted by others.

3. Names of **authors** only appear under the title of the paper. Names, qualifications, present appointments and postal addresses should be given in full at the **end** of the article.

4. **Past studies** need not be discussed where this has been done adequately elsewhere.

5. **Case histories** cannot be published unless they are of exceptional interest, and then must be short and confined to essentials.

6. **Tables** may be typed in the ordinary way.

**Diagrams, drawings and graphs** for reproduction must be drawn in black ink on white paper with proper lettering; it is preferable to draw diagrams  $1\frac{1}{2}$  times larger than they are to be printed and on sheets not larger than quarto. If they have to be redrawn by the printer the cost, which may amount to several pounds, will be charged to the author. After printing, blocks are returned by the printers to the senior author.

7. **References** should be listed alphabetically at the end of the paper, the titles of journals being abbreviated as in the *World List of Scientific Publications*. Book titles are to be given with place of publication; as a rule titles of articles should not be quoted. For example:

1. ABEL-SMITH, B., and TITMUS, R. M. (1956). *The Cost of the National Health Service in England and Wales*. Cambridge.
2. ABERCROMBIE, P. K. (1960). *Brit. med. J.*, 2, 139.

If the number of references is small, and the author considers the titles of articles referred to are of interest, they may be quoted in the list of references. In this case all references to articles should be treated in the same way, and the titles of articles should be given without capitals, capitals being reserved for book titles.

In the body of the paper references should be by author and date; "Abercrombie (1960)". However in the case of review articles, with a large list of references and frequent quotation in the text, at the author's discretion the alternative method of reference by index number may be used.

Authors are expected to check the accuracy of all references in the MS. before submission. Corrections at a later stage are expensive and should be limited to printer's errors. A scrupulous re-check of the references should be made in the galley proof.

8. Passages intended for printing in small type should be so marked.

9. It is the author's duty to make himself clearly intelligible to the reader. In the assessment of papers great importance is attached to clarity of writing. It is usually wise to get the opinion of a colleague on writing and presentation before offering the paper for publication. Even experienced authors have blind spots for ambiguous or obscure passages. Great discretion is needed in the use of technicalities not generally understood among psychiatrists. Exponents of cybernetics, for example, must recall that the readers include those whose special training is in such a different field as psychotherapy; and *vice versa*.

10. Twenty reprints of each article are supplied free of charge; delivery instructions must be sent to the printers, Headley Brothers, Ashford, Kent. If authors require extra copies the orders must be sent direct to the printers at the time of passing the galley proofs.

*"The rapid action of haloperidol and its effectiveness enable us to consider it as a major neuroleptic, the introduction of which marks a very important step in the chemotherapy of psychoses."*  
*Presse Med., 68, 1353. (1960)*

**Serenace** *brand of haloperidol*

controls the turbulence of psychotic illness

*sets a new standard* Serenace is the first major advance in the treatment of psychotic illness since the introduction of the phenothiazines. A member of an entirely new class of compounds known as the butyrophenones, Serenace is chemically unrelated to any previous drug in this field. While proving more potent in the control of psychotic symptoms it has produced no known toxic effects on liver or bone marrow.

*potent antipsychotic agent* Controlled studies and routine clinical use have shown that Serenace is remarkably effective in the management of mania and agitation in schizophrenia controlling also other major symptoms of mental illness. Chronic psychotic patients who have failed to respond to other therapy often show striking improvement when Serenace is administered. They frequently become accessible to psychotherapy for the first time since the onset of their illness.

A Physicians' Reference Manual is available with full information on dosage and administration and a complete list of the literature that now numbers more than 100 publications.

*'Serenace' is a Registered Trade Mark* **G. D. Searle & Co. Ltd.** High Wycombe, Bucks

Gavin Healey MSIA

SR90/SR12