


hence the author has been unusually successful with his originals, presuming the plates represent in any way his average results ; and we may congratulate him on the production of a radiographic atlas which records excellent work and will be of very considerable service to practitioners in interpreting radiograms of their patients who are suffering from purulent sinusitis or mastoiditis.

P. Watson-Williams.

NEW INSTRUMENTS.

A SIMPLIFIED ASEPTIC MACKENZIE GUILLOTINE DEVISED BY MR. HUGH E. JONES, F.R.C.S.

In spite of the many modifications and improvements which have been



made from time to time in Mackenzie's guillotine, some of its defects have been retained in one or other pattern and some are common to all :

- (1) The difficulty of cleaning the groove and slot along which the blade passes.
- (2) The large number of parts, some of which were small, easily detached and easily lost.
- (3) The dependence of the instrument for its proper working upon two screws, the threads of which rapidly wore out, and the fact that these defects usually became manifest during an operation.

The writer has devised an instrument in which these defects have

been entirely eliminated. He is indebted to Messrs. Mayer and Meltzer for the great interest they have shown in the instrument and the pains they have taken to produce a really workmanlike tool.

The main points of the instrument may be summarised as follows:

(1) It consists of three separate parts instead of, as in most other patterns, six.

(2) There are no screws in it; the handle and turn-button which holds down the spring are permanently attached to the "bed-plate."

(3) The bed-plate has no grooves at the sides, or slot at the end, so that it can be cleaned perfectly in a few seconds.

(4) The spring and retaining sheath for the blade are in one piece, and, as the grooves are open, this part also can be cleaned in a few seconds.

(5) The handle is of an entirely new shape with a slight forward tilt and a forward curve at its extremity, giving great power of lateral pressure against the pillars of the fauces.¹

(6) The instrument can be taken to pieces and put together again in ten seconds by the watch.

(7) A nurse can thoroughly clean and polish the whole instrument, preparatory to sterilising or putting away, in three minutes.

(8) An extended trial shows that it is thoroughly efficient in its work, the blade being in perfect apposition to the "bed-plate," and held down by exactly the right amount of pressure applied in the right place.

BOOKS RECEIVED.

Handbuch der speciellen Chirurgie des Ohres und der Oberen Luftwege.

By Drs. L. Katz, H. Preysing, and F. Blumenfeld. With coloured plates. 1 Bd. Liefer: 1 and 3. Würzburg: Curt Kabitsch (A. Stuber's Verlag), 1911.

New and Non-Official Remedies, 1911.—Articles accepted by the Council on Pharmacy and Chemistry of the American Medical Association prior to January 1, 1911. Chicago: Press of the American Medical Association, 1911.

Diseases of the Nose, Throat, and Ear, Medical and Surgical. By William Lincoln Ballenger, M.D., Professor of Otology, etc., University of Illinois, etc. Third edition, revised and enlarged. Illustrated with 506 engravings and 22 plates. London: Henry Kimpton. Glasgow: Alexander Stenhouse, 1911.

¹ This handle has not been approved by all the users of the instrument, and trials are being made with other handles in order to discover the perfect universal handle.

Myxovirus
Fasciculi
Aerocele
Hypoglossa

INDEX TO VOLUME XXVI, 1911.

SUBJECTS.

| | PAGE |
|--|-------------------------|
| Abductor paralysis, <i>see</i> Cords, vocal. | |
| Acoustic nerve, <i>see</i> Auditory nerve. | |
| Adductor paralysis, <i>see</i> Cords, vocal. | |
| Adenoids (J. Symington) | 51 |
| — anaesthesia for removal of (F. Guyot, Lautmann, Rupprecht) | 614, 382, 544 |
| — and the hypophysis (Citelli) | 544 |
| — in school children (Macleod Yearsley) | 51 |
| — intra-nasal extension of (A. Meyer) | 437 |
| — operation for complications of (S. M. Bourack, Grossard and Kaufmann) | 495-544, 614, 383 |
| — respiratory re-education of (Labouré) | 614 |
| — with albuminuria, etc. (J. M. O'Meara) | 613 |
| Alæ nasi, collapse of, aetiology and operative cure of (M. Halle) | 348 |
| Alcohol intoxication, experimental (R. Bárány) | 652 |
| American Laryngological, Rhinological, and Otological Society | 101, 151, 271, 317, 653 |
| — — — — President's Address (Logan) | 101 |
| — — — Rhinological and Otological Society | 476, 536 |
| Anæsthesia, nasal reflex during (J. Blumfeld) | 493 |
| Antrostomy, nasal, burr for (S. Hastings) | 217 |
| Antrum, maxillary, anatomy of (J. P. Schaeffer) | 327 |
| — dentigerous cysts of (N. H. Pierce) | 272 |
| — disease of, unusual (J. P. Clark) | 50 |
| — empyema of, <i>see</i> Suppuration of. | |
| — local anaesthesia of (G. Baril) | 663 |
| — operation on, blocking of nasal duct (D. McKenzie) | 215 |
| — osteoma of (Phillip) | 483 |
| — radical operation on (W. L. Ballenger) | 153 |
| — simple growths of (Kahler) | 489 |
| — sarcoma of (H. J. Davis, O. Freer) | 34, 440 |
| — suppuration of, followed by sarcoma (H. J. Davis) | 34 |
| — suppuration of, in childhood (H. J. Davis) | 35 |
| — tooth in (H. Tilley) | 213 |
| Aphonia (F. F. Muecke, L. W. Pegler) | 217, 308 |
| — in a boy (W. J. Horne) | 217 |
| — recurrent (G. Cathcart) | 142 |
| Arseno-benzol, <i>see</i> Salvarsan. | |
| Arytænoid abscess, primary (Curtil) | 329 |
| Asthma, endoscopic treatment of (W. Freudenthal) | 537 |
| — nasal (Grossmann, Jay) | 269, 493 |
| — (P. Watson Williams) | 617 |
| Auditory nerve, action of salvarsan upon (O. Beck, Benario, Desneux and Dujardin, Gander and Guggenheim) | 317, 608, 499, 500, 501 |
| — — — acute posterior poliomyelitis affecting (J. R. Hunt) | 165 |
| — — — and multiple sclerosis (O. Beck) | 219 |
| — — — angio-neuritic paralysis of (M. Farquharson) | 47 |
| — — — tumour involving (Ürbantschitsch) | 609 |

Index.

| | PAGE |
|--|------------------------------|
| Austrian Otological Society | 154, 312, 608, 650 |
| Autokinesis interna and externa (von Stein) | 445 |
| Brain, complication of frontal sinusitis (J. S. Fraser, J. D. Lithgow) | 45 |
| — exposure of, through nasal sinuses, etc. (Onódi) | 435 |
| — topography of (Onódi) | 435 |
| — see also Frontal lobe, Temporo-sphenoidal lobe, etc. | |
| British Medical Association, Birmingham Meeting, July, 1911 | 561, 599, 626 <i>et seq.</i> |
| Bronchiectasis due to foreign body, removal (H. Tilley) | 211 |
| Bronchoscopy (P. Watson-Williams and A. J. M. Wright) | 525 |
| — for foreign bodies (H. Tilley, D. C. Green, Casselberry) 211, 276, 319, 525 | |
| — treatment of asthma by (W. Freudenthal) | 537 |
| Bronchus, foreign body removed from (H. Tilley) | 211 |
| Caloric tests of posterior canal (Cheatle and Jenkins) | 92 |
| Canals, semicircular, external, fistula of (Bondy, W. Milligan, L. Sewell) | 154, 90, 54 |
| — — — posterior, exposed (Cheatle and Jenkins) | 92 |
| — — — superior, fistula of (S. Scott) | 201 |
| Cancer, disappearance of, case of (R. H. Woods) | 495 |
| Carotid artery, internal, rupture of (F. Nuernberg) | 554 |
| Cerebellum, abscess of (Bárány, J. S. Barr, Ruttin, W. Milligan) | 313, 375, 314, 87, 88 |
| — — — (P. Dortu) | 669 |
| — — — secondary to labyrinthitis (J. S. Barr, Bárány) | 313, 375 |
| — — — function of, tests for (Bárány) | 444 |
| — — — relationship of, with vestibular apparatus (R. Bárány) | 393 |
| — — — topography of (Bárány) | 444 |
| — — — trauma of (Bárány) | 314 |
| Cerebro-spinal rhinorrhœa (M. Farquharson) | 47 |
| Cheek, tumour of, radium (Walters and Finzi) | 530 |
| Colon bacillus, infection of throat by (C. B. Faunce) | 494 |
| Common colds (Honeij) | 492 |
| Cords, vocal, <i>see also</i> Larynx. | |
| — — — abductor paralysis of, bilateral, tracheotomy (W. Downie) | 373 |
| — — — epithelioma of (C. W. Richardson) | 320 |
| — — — nodes of (T. S. Flatau) | 553 |
| — — — — — treatment by cautery (E. A. Peters, C. J. Koenig) | 41, 330 |
| — — — — — nystagmus of (W. G. Porter) | 44 |
| — — — — — paralysis of, recurrent (Broeckhaert, Levinstein) | 496, 547 |
| — — — — — in mitral stenosis (Fetterolf and Norris) | 552 |
| — — — — — pathological anatomy of (F. Blumenfeld) | 442 |
| — — — — — tuberculosis of (L. H. Pegler) | 137 |
| — — — — — tumour of (J. Donelan) | 140 |
| — — — — — ulceration of (E. C. Cathcart) | 85 |
| Deaf, education of the (J. Kerr Love) | 432 |
| — — — Welfare of the, Bureau for Promoting | 448 |
| Deaf Child, The (J. Kerr Love) (review) | 503 |
| Deafness after epidemic parotitis (L. Sewell) | 557 |
| — — — after salvarsan (O. Beck) | 650 |
| — — — diabetic (W. H. Merrill) | 616 |
| — — — for conversation, peculiar vestibular reaction (Neumann) | 159 |
| — — — from cicatricial occlusion of Eustachian tubes (D. R. Paterson) | 406 |
| — — — from intestinal toxæmia (A. L. Whitehead) | 415 |
| — — — test for, by noise machine (D. F. Shearer) | 553 |
| — — — typhoid (P. Manassi) | 111 |
| — — — unilateral, with vertigo (Dan McKenzie) | 95 |
| Dental cysts, pathology of (R. Hoffmann) | 550 |

| | PAGE |
|--|---------------|
| Diphtheria antitoxin, death following (S. F. McKeen) | 665 |
| carriers (A. G. Macdonald) | 384 |
| Diphtheritic paralysis (A. Love) | 665 |
| Ear and Throat Department, Royal Infirmary, Edinburgh, Reports for year 1909 | 57 |
| Ear, comparative anatomy of (W. J. Horne) | 409 |
| (F. H. Westmacott) | 416 |
| external, congenital tumours of (J. H. Evans) | 53 |
| erysipelas and abscess of (A. H. Cheatle) | 407 |
| exostosis of meatus (J. G. Connal) | 426 |
| injuries of (W. Milligan) | 258 |
| leprosy affecting (G. N. Biggs) | 414 |
| internal, <i>see also Labyrinth</i> . | |
| injuries of (C. A. Ballance) | 260 |
| suppuration of. <i>See Labyrinthitis</i> , purulent. | |
| surgery of, <i>see Labyrinthotomy</i> . | |
| middle, acute inflammation of (A. J. Weil) | 667 |
| catarrh of, chronic (M. Yearsley, H. Frey) (discussion) | 626, 633, 643 |
| chronic, adhesive processes of (M. Yearsley, H. Frey) (discussion) | 626, 633, 643 |
| disease of, prevention (A. Bardes) | 277 |
| exostosis of (A. Cheatle) | 93 |
| injuries of (W. Milligan, C. A. Ballance) | 258, 260 |
| neoplasm of (W. H. Kelson) | 204 |
| suppuration of, and nasal sinus suppuration (Coakley) | 328 |
| capsulated bacteria in (H. B. Graham) | 498 |
| from ozæna (Lannois and Jacod) | 331 |
| from <i>Streptococcus mucosus</i> (Ruttin) | 156 |
| meningitis (Ruttin) | 156 |
| Lactic acid for (Stepinski, Haskins) | 165, 498 |
| meningitis: recovery (L. Turner) | 49 |
| ossiculectomy for (H. Tod) | 109 |
| silver nitrate in (G. L. Richards) | 53 |
| vaccine treatment of (Kopetsky) | 164 |
| neurosis of (J. R. Page) | 390 |
| from eye-strain (Theobald) | 165 |
| symptoms in general diseases (J. J. Kyle) | 112 |
| Edinburgh Royal Infirmary, Ear and Throat Department, Reports for the year 1909 | 57 |
| Ehrlich-Hata Remedy, <i>see Salvarsan</i> . | |
| Emphysema, subcutaneous, of neck, after removal of tonsils (B. D. Parish) | 275 |
| Endoscopy, <i>see Bronchoscopy</i> , etc. | |
| Epiglottis, epithelioma of (N. Patterson) | 143 |
| Ethmoid, bony cyst of (J. A. Thompson) | 611 |
| <i>See also Turbinal, middle.</i> | |
| carcinoma of (J. S. Barr) | 376 |
| operation on; orbital cellulitis after (A. J. M. Wright) | 529 |
| paralysis of third nerve after (A. J. M. Wright) | 530 |
| sarcoma of, bilateral (W. Downie) | 372 |
| Ethmoiditis, non-suppurative (W. B. Chamberlain) | 50 |
| visual fields in (G. F. C. Wallis) | 252 |
| Eustachian tube, deafness from cicatricial occlusion of (D. R. Paterson) | 53 |
| development of (J. E. Frazer) | 53 |
| Extra-dural abscess from frontal sinusitis (J. S. Fraser) | 45 |
| from primary mastoiditis (Halász) | 498 |
| tracking into neck (H. J. Davis) | 199 |
| with speech disturbances (Rudloff) | 164 |
| Fauces, fibroma of (A. Bronner) | 36 |

Index.

| | PAGE |
|--|-----------------------|
| Fibrolysin in otology (M. Yearsley) | 225 |
| Fistula-symptom (R. Bárány) | 312 |
| Foreign bodies, <i>see under</i> Regions. | |
| French Society of Laryngology, Otology and Rhinology | 481 |
| Frontal bone, necrosis of (W. Downie) | 374 |
| Frontal lobe of brain, otitic abscess of (P. Watson-Williams) | 423 |
| Frontal sinus, <i>see</i> Sinus, frontal. | |
| Glossitis, chronic (P. Watson-Williams) | 529 |
| Halle, University Aural Clinic at | 204 |
| Hay-Fever and Paroxysmal Sneezing (Vaso-Motor Rhinitis) (Eugene S. Yonge) (review) | 223 |
| Hay-fever, prophylactic inoculation for (L. Noon) | 611 |
| Hearing after radical mastoid (C. M. Brown) | 447 |
| ——— effect of tobacco upon (H. O. Reik) | 390 |
| ——— of railway employees (V. Grazzi) | 668 |
| ——— physiology of (G. E. Shambaugh) | 387 |
| Hexamethylenamine, elimination of (Barton) | 278 |
| Hints for the General Practitioner in Rhinology and Laryngology (Johann Fein) (review) | 54 |
| Hungarian Society of Physicians, the Royal; Section—Rhino-Laryngology | 432 |
| Hypophysis, <i>see</i> Pituitary body. | |
| Influenza of nose and throat, recurrent (G. L. Goodale) | 105 |
| International Congress of Medicine at Budapest, Laryngological Section | 145, 268, 378, 488 |
| ——— ——— ——— ——— at London, 1913; Laryngological and Otological Sections; Officers | 487 |
| ——— Laryngo-Rhinological Congress, Third, at Berlin | 218, 280 |
| ——— Otological Congress, Ninth | 519 |
| Ionic medication (R. W. MacKenna) | 611 |
| JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY, THE | 113 |
| Jugular bulb, operations on (G. Tiefenthal) | 525 |
| ——— vein, internal, ligature; rupture of carotid (F. Nuernberg) | 554 |
| Labyrinth, <i>see also</i> Ear, internal. | |
| ——— effect of head-injury on (C. A. Ballance, Stenger) | 260, 110 |
| ——— fistula of (Barany, Bondy, W. Milligan, S. Scott, L. Sewell) | 312, 154, 90, 201, 54 |
| ——— necrosis of (F. H. Westmacott) | 416 |
| ——— semicircular canals of, <i>see</i> Canals, semicircular. | |
| ——— suppuration of (Dortu) | 669 |
| ——— ——— <i>see</i> Labyrinthitis, purulent. | |
| ——— surgery of (Alexander, S. J. Kopetzky) | 556, 498 |
| ——— syphilis of, in secondary stage (Hintze) | 616 |
| ——— salvarsan in (O. Beck) | 316, 317 |
| Labyrinthine vertigo, treated by operation (G. J. Jenkins) | 411 |
| Labyrinthitis, latent (J. Harper) | 553 |
| ——— pathology of (Max Görke) | 398 |
| ——— purulent (P. D. Kerrison) | 553 |
| ——— ——— and cerebellar abscess (J. S. Barr) | 375 |
| ——— ——— ——— recovery (Ruttin) | 314 |
| ——— fatal (J. S. Fraser) | 46 |
| ——— ——— operation (W. Milligan, L. Bondy) | 89, 154 |
| Labyrinthotomy (Bondy, W. Milligan, W. G. Porter) | 154, 88, 44 |
| Laryngeal nerve, superior, injection of alcohol into (L. Turner) | 48 |
| Laryngitis, chronic (W. Howarth) | 304 |
| ——— ——— treatment of (T. J. Faulder) | 42 |

| | P A G E |
|--|-------------------------|
| Laryngitis, typhoid (M. Paunz) | 433 |
| Laryngo-tracheal stenosis, treatment of (discussion) (V. Uchermann, etc.) | 145 |
| Laryngology, retrospect of | 12 |
| Laryngoscopy, direct (E. F. Ingals) | 536 |
| Larynx, <i>see also</i> Cords, vocal. | |
| — abscess of, primary (Curtis) | 329 |
| — cancer of (N. Patterson, L. H. Pegler, C. W. Richardson, P. Watson-Williams) | 143, 139, 320, 208, 526 |
| — pathology (F. Blumenfeld, E. Schmiegelow) | 442, 52 |
| — in early life (Marschick) | 489 |
| — operative treatment of (Koschier) | 546 |
| — party-wall of (L. H. Pegler) | 214 |
| — radium for (Molinié) | 486 |
| — slow evolution of (Moure) | 485 |
| — stenosis, complete, from (StClair Thomson) | 310 |
| — recurrence in glands, disappearance (R. H. Woods) | 495 |
| — thyrotomy (Fournié) | 218 |
| — comparative anatomy of (J. G. Wilson) | 103, 386 |
| — congenital malformation of (M. Farquharson) | 48 |
| — disease of; for diagnosis (A. J. Wright) | 78 |
| — epithelioma of, <i>see</i> Larynx, cancer of. | |
| — fibroma of (F. Tratman) | 667 |
| — foreign body in (H. Dencker) | 443 |
| — insufflator for (W. J. Horne) | 309 |
| — intubation of, conditions ten years after (B. R. Shurly) | 386 |
| — and tracheotomy (Citelli) | 441 |
| — and fixation of tubes (Bonain) | 486 |
| — instruments for (H. P. Mosher) | 152 |
| — lupus of (Kelson, J. Safranek) | 37, 434 |
| — myasthenia gravis affecting (S. Hastings) | 40 |
| — necrotic inflammation of (E. Oppikofer) | 667 |
| — neoplasms of (F. Powell) | 144 |
| — papilloma of (M. Farquharson, Dan McKenzie) | 48, 141 |
| — calcined magnesia for (R. Clauqué) | 386 |
| — long-continued (F. R. Packard) | 323 |
| — subglottic (W. Downie) | 373 |
| — unusual (Carter) | 442 |
| — paralysis of recurrent (Broeckhaert, Levinstein) | 496, 547 |
| — rigid resistances of (Scanes Spicer) | 25 |
| — stenosis of (Uchermann, Thost) | 145 |
| — complete, from epithelioma (StClair Thomson) | 310 |
| — laryngotomy for (Sieur and Rouvillois) | 484 |
| — syphilis of (H. Smith) | 321 |
| — salvarsan in (Avellis, Safranek, Gerber) | 501, 502 |
| — tuberculosis of (Jouty, L. H. Pegler) | 490, 137, 215 |
| — chronic (C. A. Parker) | 83 |
| — cure (C. Horsford) | 43 |
| — direct laryngoscopy for (Clauqué) | 486 |
| — dysphagia, injection of alcohol (Logan Turner) | 48 |
| — in a boy (W. J. Horne) | 309 |
| — regional anaesthesia in (Sieur and Rouvillois) | 615 |
| — simulated by foreign body (H. Dencker) | 443 |
| — treatment of (Dundas Grant, P. Watson-Williams, G. S. Hett, and discussion) | 561, 574, 582, 599 |
| — trichloroacetic acid in (K. Sytschow) | 615 |
| — ventricles of, "stripping," in horses (F. Hobday) | 205 |
| Lepperts, Dr., retirement of | 126 |
| Lehrbuch der Ohrenheilkunde, by Dr. Victor Urbantschitsch (review) | 56 |
| Leprosy affecting external ear, etc. (G. N. Biggs) | 414 |
| — nose (H. J. Davis) | 31 |

| | PAGE |
|---|--------------------|
| Lingual thyroid, <i>see</i> Thyroid gland, lingual. | |
| Lip, chancres of, epidemic (J. F. Schamberg) | 670 |
| Lucae, the late Professor (Dundas Grant) | 281 |
| Lumbar drainage in meningeal infection (Wicart) | 277 |
| Mackenzie tonsillotome, improved (H. E. Jones) | 335 |
| Mastoid bone, cholesteatomatous cavity in (F. H. Westmacott) | 416 |
| ——— diploëtic infantile; unilateral suppuration (A. H. Cheatle) | 408 |
| ——— operation (C. J. Heath) | 517 |
| ——— comparison of methods of (J. C. Beck) | 277 |
| ——— encouragement of healing after (Reik) | 332 |
| ——— partial (G. Mahu) | 1 |
| ——— radical, improved hearing after (J. Adam) | 377 |
| ——— influence upon hearing (C. M. Brown) | 447 |
| ——— technique of Thiersch graft (Welty) | 282 |
| ——— wire saw in (V. S. Sein) | 123 |
| ——— process, <i>see</i> Mastoid bone. | |
| ——— suppuration of, <i>see</i> Mastoiditis. | |
| Mastoiditis, acute, Bier's method in (G. C. Catheart) | 95 |
| ——— clinical and bacteriological study of (L. Turner and F. E. Reynolds) | 57 |
| ——— in infancy (G. Mathewson) | 54 |
| ——— intra-cranial complications of (L. Turner and F. E. Reynolds) | 57 |
| ——— primary (Halász) | 498 |
| ——— scarlatinal, extensive bone disease from (H. J. Davis) | 198 |
| Maxilla, superior, malformation of, unusual (H. Tilley) | 137 |
| Mediastinum, tumour of, death by asphyxia (Coakley) | 322 |
| "Medical Annual," The, 1910 (review) | 55 |
| ——— 1911 (review) | 332 |
| Membrana tympani, rupture of, in telephone operator (Veis) | 163 |
| Ménière's syndrome, treated by operation (G. J. Jenkins) | 411 |
| Meningitis from middle-ear suppuration (D. W. Drury) | 331 |
| ——— ——— recovery (E. Ruthin, Logan Turner) | 314, 49 |
| ——— ——— remarkable course (Ruttin) | 315 |
| ——— from mucosus otitis, delayed onset (Ruttin) | 156 |
| ——— lumbar drainage in (Wicart) | 277 |
| Mitral stenosis, recurrent paralysis in (Fetterolf and Norris) | 552 |
| Motor ear, influence of, on upper air-passages (D. B. Delavan) | 154 |
| Mouth, lupus erythematosus of mucous membrane of (L. Lack) | 217 |
| Multiple sclerosis affecting auditory nerve (O. Beck) | 219 |
| Mumps, deafness after (L. Sewell) | 557 |
| Myasthenia gravis with laryngeal symptoms (S. Hastings, A. B. Kelly) | 40, 425 |
| Nasal duct, <i>see</i> Naso-lacrimal duct. | |
| ——— obstruction, <i>see</i> Nose, obstruction of. | |
| Naso-lacrimal duct, window-resection of (West) | 328 |
| Naso-pharyngoscope (Holmes, Emerson) | 494 |
| Naso-pharynx, cancer of (C. F. Theisen) | 317 |
| ——— in girl, aged seventeen (T. Guthrie) | 449 |
| ——— catarrh of, chronic, bacteriology of (C. E. West) | 98 |
| ——— high frequency for (David) | 546 |
| ——— epithelioma of (E. Law) | 196 |
| ——— lympho-sarcoma of (C. F. Theisen) | 317 |
| ——— polypus of (H. J. Davis, M. Farquharson) | 36, 48 |
| ——— fibro-mucous (Moure) | 482 |
| ——— fibrous (W. B. Chamberlain, Walker Downie, W. H. Kelson, W. A. Wells) | 540, 372, 84, 539 |
| ——— syphilitic obliteration of (Dan McKenzie) | 216 |
| Nerves, cranial, action of salvarsan upon (Benario, etc.) | 499 <i>et seq.</i> |

| | PAGE |
|--|-----------------------------------|
| Nerves, cranial, in tabes dorsalis (W. Williams) | 559 |
| <i>See also</i> Vestibular apparatus. | |
| Neurasthenia, nasal phenomena of (C. P. Grayson) | 101 |
| Neuro-recurrence after salvarsan (Benario, Desneux and Dujardin H. Gander) | 499 <i>et seq.</i> |
| <i>See also</i> Vestibular apparatus. | |
| Nodes, singers', galvano-cautery for (E. A. Peters, C. J. Koenig) | 41, 330 |
| Nose and throat, diseases of the (StClair Thomson) (review) | 671 |
| cancer of (W. Stuart Low) | 50 |
| operative treatment of (Moure) | 490 |
| treatment of (J. Price Brown) | 325 |
| catarrh of, acute, <i>see</i> Rhinitis. | |
| circulation of, connection with dura and orbit (G. E. Shambaugh) | 105 |
| deformity of, treated by paraffin (W. Downie) | 371 |
| <i> </i> by transplanting costal cartilage (W. W. Carter, | |
| D. C. Greene) | 273, 441 |
| diseases of, injuries of the head and (Ziem) | 127 |
| <i> </i> intra-cranial complications of (Freudenthal, Onodi) | 379 |
| <i> </i> radium in (T. G. Ouston) | 505 |
| <i> </i> relation to tuberculosis (Faracci) | 491 |
| <i> </i> <i> </i> to oculo-orbital diseases (Baumgarten, Coffin, Cunningham, Frankenberger, StClair Thomson, Wallis) | 160, 272, 338, 439, 531, 242, 511 |
| <i> </i> influence of, on respiration (P. Watson-Williams) | 617 |
| <i> </i> irrigation for (Guthberlet) | 276 |
| <i> </i> lateral wall of, development of (J. P. Schaeffer) | 662 |
| <i> </i> leprosy of (H. J. Davis) | 31 |
| <i> </i> leukæmia causing abscesses of (Tunis) | 385 |
| <i> </i> lupus of, ionic medication for (R. W. MacKenna) | 611 |
| <i> </i> Rouge's operation for (M. Farquharson) | 47 |
| <i> </i> myxoma of (Hajek and Polyak) | 150 |
| <i> </i> neoplasm of (W. J. Horne) | 309 |
| <i> </i> neurasthenic phenomena in (C. P. Grayson) | 101 |
| <i> </i> obstruction of, effects (R. Palleine) | 549 |
| <i> </i> physiology of (J. Adam) | 288 |
| <i> </i> polypus of; choanal (Láng) | 492 |
| <i> </i> fibrous (Jacques and Bertemès) | 483 |
| <i> </i> from inferior turbinals (J. Adam) | 379 |
| <i> </i> malignant transformation of (H. J. Davis) | 34 |
| <i> </i> recurrent influenza affecting (G. L. Goodale) | 105 |
| <i> </i> reflex of, during anaesthesia (J. Blumfeld) | 493 |
| <i> </i> reflex neuroses of (W. S. Bryant) | 390 |
| <i> </i> sarcoma of, external operation (W. S. Syme) | 429 |
| <i> </i> septum of, deviations of (D. M. Officer) | 610 |
| <i> </i> papilloma of (H. Arrowsmith) | 440 |
| <i> </i> submucous resection of (Metzenbaum) | 440 |
| <i> </i> <i> </i> chisel for (H. Tilley) | 31 |
| <i> </i> <i> </i> instrument for (T. H. Pinder) | 168 |
| <i> </i> window-resection of (Fein) | 491 |
| <i> </i> speculum for, simple (Jas. Donelan) | 504 |
| <i> </i> stenosis of, dental treatment of (Brown, Black) | 328 |
| <i> </i> synechiæ of, iodo-thiosinamine for (E. Fabri) | 440 |
| <i> </i> <i> </i> treatment (Brindel) | 481 |
| <i> </i> surgery of (L. Löwe) | 662 |
| Nose, syphilis of (Lautmann) | 491 |
| <i> </i> salvarsan in (G. N. Biggs, Gerber, Safranek) | 414, 502 |
| <i> </i> syringobulbia affecting (A. B. Kelly) | 424 |
| <i> </i> Throat and Ear: A Manual of Diseases of (E. B. Gleason) (review) | 278 |
| <i> </i> <i> </i> The Diseases of the (W. L. Ballenger) (review) | 319 |
| <i> </i> tuberculosis of (W. Hill) | 145 |
| <i> </i> <i> </i> chronic (C. A. Parker) | 83 |

| | PAGE |
|--|---|
| Nose, vestibule of, primary chancre of (N. Patterson) | 144 |
| — retention cyst of (Logan Turner) | 48 |
| Nystagmus, vestibular, compensatory (E. Ruttin) | 609 |
| — explanation of (L. K. Guggenheim) | 388 |
| Ocular symptoms produced by nasal disease (E. Baumgarten, L. A. Coffin, H. H. B. Cunningham, StClair Thomson, O. Frankenberger, G. F. C. Wallis), (discussion) | 160, 612, 272, 388, 439, 531, 242, 511, 531 |
| Œsophago-gastroscope (W. Hill) | 82, 134, 525 |
| Œsophagoscope with expanding blades (W. Hill) | 82 |
| Œsophagoscopy, experiences (S. H. Large) | 330 |
| Œsophagus, cancer of (W. Hill, C. Watson-Williams) | 307, 143 |
| — radium in (C. Watson-Williams, C. Hope and N. S. Finzi) | 525 |
| — temporary cure (W. Hill) | 43 |
| — diverticula of (E. Mayer) | 319 |
| — foreign body in (N. Patterson) | 79 |
| — spasmoid stricture of (J. G. French) | 37 |
| Optic neuritis and ophthalmoplegia externa from sphenoidal disease (H. J. Davis) | 33 |
| — benefited by operation (H. Smith) | 653 |
| Orbital cellulitis after ethmoidal operation (A. J. M. Wright) | 529 |
| Ossiculectomy, value of (Hunter Tod) | 109 |
| Otic element of arctic whale (F. H. Westmacott) | 416 |
| Oto-laryngology, the teaching of (S. MacCuen Smith and discussion) | 658 |
| Otosclerosis (G. Brühl, O. Mayer) | 294, 496 |
| — histology of (O. Mayer) | 497 |
| — literature of (Froschels) | 388 |
| — pathology and situation of (G. Ferreri) | 109 |
| — traumatic (E. Ruttin) | 316 |
| Otology, retrospect of | 20 |
| Otorrhœa, <i>see</i> Ear, middle, suppuration of. | |
| Ouston (T. G.), obituary notice | 560 |
| Ovo-œsophago-gastric tube, permanent styletted (W. Hill) | 307 |
| Ozæna, <i>see</i> Rhinitis, atrophic. | |
| Palate, deficiency of, congenital (W. Downie) | 374 |
| — deformity of, with displaced pituitary body (A. Tweedie) | 80 |
| — endothelioma of, treated with radium (J. G. French) | 209 |
| — epithelial pearls of, and tumours (Di Colo) | 491 |
| — epithelioma (?) of (W. Stuart Low) | 83 |
| — soft adeno-carcinoma of (Cornet) | 384 |
| — — — paralysis of (W. S. Syme) | 431 |
| — — — perforation of (W. J. Horne) | 309 |
| — — — nystagmus of (W. G. Porter) | 44 |
| Paraffin, injection of, for nasal deformity (W. Downie) | 371 |
| Parotid, cystic adenoma of (W. Stuart-Low) | 82 |
| Pemphigus (W. Watson-Williams) | 528 |
| Periotic bones of fossil Cetacea (W. J. Horne) | 409 |
| Peritonsillar abscess, death from (S. W. Prowse) | 664 |
| — fatal (Thomson) | 326 |
| Pharyngitis, lateral (Schubiger) | 325 |
| Pharyngoscope, Hay's improved (H. Tilley) | 303 |
| Pharynx, cancer of (M. Farquharson, P. R. W. de Santi) | 47, 307 |
| — cancer of deep (W. Hill) | 44 |
| — — — removal (A. Evans) | 443 |
| — cancer, party-wall (C. Graham) | 77 |
| — — — surgery of (Castex) | 490 |
| — — — treated by radium (M. Farquharson, Scanes Spicer) | 47, 86 |
| — disease of, unique (Frese) | 665 |
| — neoplasm of (W. H. Kelson) | 213 |

| | PAGE |
|--|----------------------------|
| Pharynx, papilloma of (E. C. Cathcart) | 85 |
| —— pemphigus of (P. Watson-Williams) | 528 |
| —— reflex neuroses of (W. S. Bryant) | 390 |
| —— sporotrichosis of (Duvergie and Bain) | 438 |
| —— syphilis of, tertiary (P. Watson-Williams) | 529 |
| —— syphilitic stenosis (Ingersoll, Prota) | 273, 437 |
| —— ulceration of, extensive (L. H. Pegler) | 139 |
| —— —— from pyorrhœa (L. H. Pegler) | 214 |
| Phonation, centres for (Katzenstein) | 548 |
| Phonetics, <i>see also</i> Voice, the (Zwaardemaker and Boumann) | 545 |
| Pituitary body displaced with deformed palate (A. Tweedie) | 80 |
| —— —— neoplasms of, operation, intra-nasal route (N. H. Pierce) | 271 |
| —— —— surgery of (L. Löwe) | 662 |
| Poliomyelitis, epidemic (W. S. Bryant) | 275 |
| Pulmonary tuberculosis, treatment of (C. A. Bucklin) | 455 |
| Pyorrhœa alveolaris, vaccine treatment of (Williams) | 552 |
| Quinine and urea hydrochlorate as local anaesthetic (G. Fletcher Ingals) | |
| | 106, 278 |
| Quinsy, <i>see</i> Peritonsillar abscess. | |
| " Radiography of the Mastoid Process and of the Nasal Accessory Sinuses, Photographic Atlas of" (Joseph Beck) (review) | 334 |
| Radium for tumour of cheek (Walters and Finzi) | 530 |
| —— in diseases of the nose and throat (Freudenthal, T. G. Ouston) | 611, 505 |
| —— in endothelioma of palate (J. G. French) | 209 |
| —— in laryngeal cancer after thyrotomy (Molinié) | 486 |
| —— in œsophageal cancer (W. Hill, Finzi and Hope) | 43, 525 |
| —— in pharyngeal cancer (M. Farquharson) | 47 |
| Rectal feeding, value of (W. L. Brown) | 559 |
| Reflex neuroses of ear, nose, pharynx (W. S. Bryant, J. R. Page) | 390 |
| Remedies, a Practical Guide to the Newer (J. M. Fortescue Brickdale) (review) | 167 |
| —— New and Non-official, 1911 (review) | 448 |
| Reports for the year 1909 from the Ear and Throat Department of the Royal Infirmary, Edinburgh (A. Logan Turner) | 114 |
| Respiration, influence of upper air-tract on (P. Watson-Williams) | 617 |
| Retropharyngeal abscess, anaesthesia for (R. Gill) | 384 |
| Retropharynx, embryonic cysts of (Onódi) | 434 |
| Rhinitis, atrophic (J. Adam, J. S. Fraser, and F. E. Reynolds) | 377, 169 |
| —— —— and otitis media (Lannois and Jacod) | 331 |
| —— —— and respiratory gymnastics (M. Natier) | 324 |
| —— early stages of (Baumgarten) | 270 |
| —— —— treatment (Siems) | 487 |
| —— —— lactic acid for (Stepinski) | 165 |
| —— bacteriology of (W. Walter) | 50 |
| —— caseosa (M. W. Tapta) | 108 |
| —— of scarlet fever, bacterin treatment (Kolmer and Weston) | 662 |
| —— vaso-motor, <i>see</i> Rhinorrhœa, vaso-motor. | |
| Rhino-laryngology and general medicine (H. Arrowsmith) | 390 |
| Rhinology, retrospect of | 16 |
| Rhinorrhœa, cerebro-spinal (M. Farquharson) | 47 |
| —— vaso-motor (Mignon) | 482 |
| Rib, cartilage of, transplantation of, into nose (D. C. Greene) | 273 |
| "Roaring" in horses, operation for (F. Hobday) | 205 |
| Rosenmüller's fossa and the middle ear (M. Yearsley) | 331 |
| "Rouge's operation" for nasal lupus (M. Farquharson) | 47 |
| Royal Society of Medicine, Proceedings of the Laryngological Section | |
| | 25, 77, 134, 205, 303, 523 |
| —— —— —— —— Otological Section | 87, 196, 258, 406 |

Index.

| | PAGE |
|--|------------------------------|
| “ 606,” <i>see</i> Salvarsan. | |
| Salivary glands, diseases of (discussion) | 476 |
| Salvarsan (Benario, etc.) | 499 |
| deafness after (O. Beck) | 317, 608, 650 |
| syphilitic, improved by (O. Beck) | 316 |
| effect upon labyrinth (G. Alexander, Benario, etc.) | 389, 499 <i>et seq.</i> |
| in congenital syphilis (J. L. Bunch) | 503 |
| in diseases of larynx (G. Avellis) | 501 |
| in syphilis of nose (G. N. Biggs, Gerber, Safranek) | 414, 502 |
| instruments for injection of (Lieven) | 86 |
| Treatment of Syphilis by (review) | 112 |
| Scleroma, clinical aspect (Neumann) | 488 |
| distribution of (Irsaï Schrötter) | 488 |
| Scottish Otological and Laryngological Society | 44, 371, 424 |
| Sea-sickness, causation of (Bárány) | 157 |
| Semicircular canals, <i>see</i> Canals, semicircular, <i>and also</i> Vestibular apparatus. | |
| Semon Lectureship in Laryngology | 337 |
| Sir Felix, memorial to | 523 |
| Septum nasi, <i>see</i> Nose, septum of. | |
| Singer's nodes, <i>see</i> Cords, vocal. | |
| Sinus frontal, endothelioma of (N. Maclay) | 301 |
| intra-nasal drainage of (F. Ingals) | 379 |
| puncture of (Sieur and Rouvillois) | 438 |
| spongification of (Preysing) | 549 |
| suppuration of: acute: conjunctival œdema (A. J. M. Wright). | 530 |
| Killian's operation for (J. S. Fraser, R. Fullerton, W. S. Syme) | 47, 428, 430 |
| treatment of (J. S. Barr, J. Moore, Stuart-Low, StClair Thomson, Weil, P. Watson-Williams (discussion) | |
| 354, 355, 356, 357, 376, 380 | |
| with cerebral involvement (J. D. Lithgow) | 45 |
| Watson-Williams operation (Watson-Williams) | 526 |
| with extra-dural abscess (J. S. Fraser) | 45 |
| with necrosis of frontal bone (W. Downie) | 374 |
| surgery of (T. G. Gallaher) | 656 |
| lateral, thrombosis of (J. G. Connal, J. Kerr Love, W. C. Nourse, J. W. Wood) | 427, 426, 94, 253 |
| prostatic abscess (J. G. French) | 520 |
| sigmoid, <i>see</i> Sinus, lateral. | |
| sphenoidal, suppuration of, eye symptoms (H. J. Davis, G. F. C. Wallis) | 33, 242 |
| Sinuses, accessory, exostoses of (H. P. Mosher) | 152 |
| disease of, and ocular symptoms (Baumgarten, L. A. Coffin, Cunningham, Frankenberger, StClair Thomson, G. F. C. Wallis, Watson-Williams) | 160, 272, 242, 338, 439, 511 |
| suppuration of, and acute otitis media (Coakley) | 558, 328 |
| in scarlet fever (T. Hubbard) | 657 |
| brain, complications of (Onodi) | 379 |
| treatment of (Hajek) | 378 |
| vaccine treatment (Burkett and Meakins) | 163 |
| Sinusitis, anterior nasal visual fields in (G. F. C. Wallis) | 511 |
| Sixth cranial nerve, paralysis of, otitic (L. Leto) | 616 |
| Specialists, education of (C. M. Cobb) | 278 |
| Speziellen Chirurgie des Ohres, etc., Handbuch der (Drs. Katz, Preysing and Blumenfeld) (review) | 503 |
| Spheno-palatine ganglion, syndrome of neurosis of (G. Sluder) | 151 |
| Submucous resection, <i>see</i> Nose, septum of. | |
| Surdus in Search of his Hearing: An Exposure of Deafness Quacks (Evan Yellon) (review) | 223 |

| | PAGE |
|--|--------------------|
| Syphilis, Treatment of, by the Ehrlich-Hata Remedy (review) | 112 |
| ——— <i>see also</i> Salvarsan. | |
| Syringo-bulbia affecting nose, etc. (A. B. Kelly) | 424 |
| Syringomyelia (Schrötter) | 489 |
| Tabes dorsalis, cranial nerves in (W. Williams) | 559 |
| Teeth, the, and diseases of mucous membranes (W. K. Sibley) | 437 |
| Telangiectasis of mouth, etc. (J. Safranek) | 433 |
| Temporal bone, types of fracture of (A. H. Cheatle, G. J. Jenkins) | 267 |
| Temporal lobe, <i>see</i> Temporo-sphenoidal lobe. | |
| Temporo-sphenoidal lobe, abscess of, (Pommerehne) | 669 |
| ——— ——— ——— operation, patient twenty-four years after (T. Barr) | 371 |
| ——— ——— ——— with rare eye symptoms (Barck) | 497 |
| ——— ——— ——— and frontal lobe abscess (P. Watson-Williams) | 423 |
| ——— ——— ——— tumour of, misleading symptoms (Ruttin) | 609 |
| Thrombo-kinase, haemostatic (L. W. Strong) | 560 |
| Thyro-fissure, <i>see</i> Thyrotomy. | |
| Thyro-lingual cyst, removal of, acute thyroidism (H. J. Davis) | 33 |
| Thyroid cartilage, wounds of, cicatrisation of (Strazza) | 147 |
| ——— gland, diseases of, and the upper respiratory tract (R. S. Burt) | 558 |
| ——— suppuration of (I. Bahri) | 558 |
| ——— lingual (G. W. Badgerow, Bertein and Gellé) | 142, 550 |
| ——— (H. F. Smyth) | 666 |
| Thyrotomy, cicatrisation after (Strazza) | 147 |
| ——— for papilloma (F. R. Packard, W. Downie) | 323, 373 |
| Tobacco deafness (Reik) | 390 |
| Tongue, black (C. H. Knight) | 324 |
| Tonsil, cancer of, cured by operation (M. H. Richardson) | 665 |
| ——— sarcoma of, in a child (L. C. Cline) | 665 |
| Tonsils, enucleation of (J. S. Fraser) | 663 |
| ——— faacial, cancer of (P. R. W. de Santi) | 307 |
| ——— ——— primary (E. A. Peters) | 139 |
| ——— ——— galvano-cautery for (O. Levinstein) | 664 |
| ——— ——— cyst of (W. H. Kelson) | 309 |
| ——— ——— disease of, doubtful diagnosis (S. Hastings) | 137 |
| ——— ——— enucleation of, <i>see</i> Tonsillectomy. | |
| ——— ——— evisceration of (C. G. L. Wood) | 452 |
| ——— ——— improved Mackenzie guillotine for (H. E. Jones) | 335 |
| ——— ——— lympho-sarcoma of (C. F. Theisen) | 317 |
| ——— ——— operations on, choice of (G. A. Crockett) | 326 |
| ——— ——— removal of: emphysema of neck after (B. D. Parish) | 275 |
| ——— ——— followed by Basedow's disease (C. J. König) | 275 |
| ——— ——— tuberculosis of (C. Graham, F. Rose) | 136, 135 |
| ——— ——— ulceration of (L. H. Pegler) | 139 |
| ——— ——— wounds of, bacteriology (A. W. MacCoy) | 274 |
| ——— ——— pharyngeal, <i>see</i> Adenoids. | |
| Tonsillectomy (H. Arrowsmith, Blevgad, Freedman, K. Kofler) | 390, 326, 495, 325 |
| ——— ——— ——— ——— haemorrhage after (H. A. Barnes) | 274 |
| Tonsillitis due to <i>Bacillus coli</i> (C. B. Faunce) | 494 |
| Tonsillolith (C. A. Parker) | 36 |
| Trachea, fatal pressure on, by tumour (C. G. Coakley) | 322 |
| ——— ——— foreign body in (Clark and Richardson) | 276 |
| ——— ——— gumma of, death from (McCardie) | 329 |
| ——— ——— stenosis of, dilatation (P. Laurens) | 485 |
| Tracheo-bronchoscopy (S. H. Large) | 330 |
| Tracheo-laryngostomy for stenosis (W. Hill) | 304 |
| Trauma in relation to otology (discussion) | 258 |
| Treatment of Syphilis by the Ehrlich-Hata Remedy, The (Dr. J. Bressler) (review) | 112 |

Index.

| | PAGE |
|--|----------|
| Turbinal bone, middle: cyst of (H. Gaudier, P. Watson-Williams) | 493, 529 |
| Turbinated bodies and sinuses, function of (J. Adam) | 288 |
| — — — hypertrophy of, treated by electrolysis (M. Bresgen) | 268 |
| Tympanum, <i>see</i> Ear, middle. | |
| Typhoid deafness (P. Manasse) | 111 |
| — — — laryngitis (M. Paunz) | 433 |
| Urea-hydrochlorate and quinine as local anaesthetic (E. F. Ingals) | 106 |
| Uvula, pedunculated growth on (H. Tilley) | |
| Vaccine treatment (discussion) | 318 |
| — — — of accessory sinusitis (Burkett and Meakens) | 163 |
| — — — of middle-ear suppuration (Kopetsky) | 164 |
| — — — of pyorrhoea alveolaris (Williams) | 552 |
| — — — of scarlatinat rhinitis (Kolmer and Weston) | 662 |
| Vertigo, acute, case of (H. J. Davis) | 199 |
| — — — labyrinthine, non-infective, operation for (G. J. Jenkins) | 411 |
| — — — researches (von Stein) | 445 |
| — — — treated through Eustachian tube (E. M. Holmes) | 668 |
| Vestibular apparatus damaged by salvarsan (O. Beck) | 316, 317 |
| — — — effect of salvarsan upon (G. Alexander) | 389 |
| <i>See also</i> Neuro-recurrence. | |
| — — — hyper-activity of, in tumour (Urbantschitsch) | 609 |
| — — — relationship with cerebellum (R. Bárány) | 393 |
| Vestibular reactions, effects of removal of parts of brain upon (Bauer and Leidler) | 669 |
| — — — peculiar (Neumann) | 159 |
| — — — varying (E. Urbantschitsch) | 608 |
| <i>See also</i> Nystagmus, vestibular, and Canals, semicircular. | |
| Vision, impairment of, from intra-nasal disease (E. Baumgarten) | 160 |
| Visual fields in anterior nasal sinusitis (G. F. C. Wallis) | 511 |
| — — — in sphenoid and ethmoid sinusitis (G. F. C. Wallis) | 242 |
| <i>See also</i> Ocular symptoms, etc. | |
| Voice, The Abuse of the Singing and Speaking, etc. (E. J. Moure and E. Bouyer, Fils, (review)) | 279 |
| <i>See also</i> Phonetics. | |
| Wire saw in radical mastoid (V. S. Stein) | 123 |
| X-rays, <i>see</i> Radiography. | |

AUTHORS.

| | |
|--|-----|
| ADAM (James), atrophic rhinitis | 377 |
| — — — hearing after mastoid operation | 377 |
| — — — œdema of face | 377 |
| — — — polypi from inferior turbinates | 378 |
| — — — turbinal and sinus function | 288 |
| ALEXANDER (G.), labyrinth surgery | 556 |
| — — — salvarsan | 389 |
| ARROWSMITH (H.), septal papilloma | 440 |
| — — — tonsil enucleation | 390 |
| AVELLIS (Georg), salvarsan | 501 |
| BADGEROW (Geo. W.), lingual thyroid | 142 |
| BAHRI (Ismet), thyroiditis | 558 |
| BALLANCE (C. A.), injuries of ear | 260 |
| BALLINGER (W. L.), antrum operation | 153 |
| BÁRÁNY , alcohol intoxication | 652 |
| — — — (Robt.), cerebellar abscess | 313 |

| | PAGE |
|---|---------------|
| BÁRÁNY (Robt.), cerebellum and vestibular apparatus | 393 |
| labyrinth fistula | 327 |
| sea-sickness | 115 |
| tests for cerebellar function | 444 |
| trauma of cerebellum | 314 |
| BARCK, brain abscess | 497 |
| BARDES (A.), prevention of ear disease | 277 |
| BARIL (G.), regional anaesthesia | 663 |
| BARNES (H. A.), tonsillotomy | 274 |
| BARR (J. Stoddart), cerebellar abscess | 375 |
| ethmoidal cancer | 376 |
| frontal sinus operation | 376 |
| BARR (Thos.), temporo-sphenoidal abscess | 371 |
| BARTON, hexamethylenamine | 278 |
| BAUER (J.), and LEIDLER (R.), vestibular reflexes | 669 |
| BAUMGARTEN, early ozæna | 270 |
| BAUMGARTEN (E.), impairment of vision, etc. | 160, 612 |
| BECK (J. C.), mastoid operations | 217 |
| salivary glands | 478 |
| BECK (Oscar), deafness after salvarsan | 650 |
| multiple sclerosis | 219 |
| salvarsan | 316, 317, 608 |
| BERTEIN (P.), and GELLÉ (E.), lingual thyroids | 550 |
| BENARIO, neuro-recurrence after salvarsan | 499 |
| BIGGS (G. N.), leprosy | 414 |
| salvarsan | 414 |
| BLACK (N. M.), nasal stenosis | 328 |
| BLEGVAD, tonsillectomy | 326 |
| BLUMENFELD (Felix), laryngeal cancer | 442 |
| BLUMENFELD (J.), nasal reflex | 493 |
| BONAIN, intubation | 486 |
| BONDY, labyrinthitis | 154 |
| BOURACK, adenoid operations | 495, 544, 614 |
| BRESGEN (M.), electrolysis | 268 |
| BRINDEL, synechia of nose | 481 |
| BRONNER (Adolph), faucial fibroma | 36 |
| BROWN (Clayton M.), radical mastoid | 447 |
| BROWN (G. V. J.), maxillary readjustment | 328 |
| BROWN (W. Langdon), rectal feeding | 559 |
| BRÜHL (Gustave), otosclerosis | 294 |
| BRYANT (W. Sohier), epidemic poliomyelitis | 275 |
| reflex neuroses | 390 |
| BUCKLIN (C. A.), pulmonary tuberculosis, etc. | 455 |
| BUNCH (J. S.), salvarsan | 503 |
| BURKETT (H. S.), and MEAKINS (J. C.), vaccine treatment | 163 |
| BURT (Shurley R.), thyroid gland | 558 |
| CARTER (W. W.), laryngeal papilloma | 442 |
| transplantation of bone, etc. | 441 |
| CASSELBERRY (W. E.), bronchoscopy | 319 |
| CASTEX, pharyngeal cancer | 490 |
| CATHCART (E. C.), acute mastoiditis | 95 |
| papilloma of pharynx | 85 |
| recurrent aphonia | 142 |
| ulceration of vocal cord | 85 |
| CHAMBERLAIN (W. B.), naso-pharyngeal fibroma | 540 |
| non-suppurative ethmoiditis | 50 |
| CHEATLE (A. H.), diploëtic mastoids | 408 |
| erysipelas of external meatus | 407 |
| exostosis | 93 |
| fractures of temporal bone | 267 |

| | PAGE |
|--|----------|
| CHEATLE (A. H.), and JENKINS (G. J.), exposed posterior semicircular canal | 92 |
| CHIARI, ethmoidal fibroma | 151 |
| CITELLI, adenoids and the hypophysis | 544 |
| — intubation | 441 |
| CLAOUÉ (R.), papilloma of larynx | 386 |
| — laryngeal tuberculosis | 486 |
| CLARK (J. P.), maxillary antrum disease | 50 |
| — and RICHARDSON (O.), foreign body in trachea | 276 |
| CLINE (L. C.), sarcoma of tonsil | 665 |
| COAKLEY (C. G.) mediastinal tumour | 322 |
| — sinus suppuration, etc. | 328, 558 |
| COBB (C. M.), education of specialists | 278 |
| COLO (Di) palatal tumours | 491 |
| CONNAL (J. Galbraith), exostosis of ear | 426 |
| — lateral sinus thrombosis | 427 |
| COFFIN (L. A.), sinusitis and eye symptoms | 272 |
| CORNET, epithelioma of palate | 384 |
| CROCKETT (E. A.), tonsil operations | 326 |
| CUNNINGHAM (H. H.), nose and eye | 338 |
| CURTIL, arytenoid abscess | 329 |
| DAVID, high frequency | 546 |
| DAVIS (H. J.), extra-dural abscess | 199 |
| — mastoiditis | 198 |
| — maxillary antrum suppuration in childhood | 35 |
| — nasal leprosy | 31 |
| — naso-pharyngeal polypus | 36 |
| — sarcoma of antrum | 34, 145 |
| — thyro-lingual cyst | 33 |
| — vertigo | 199 |
| DE SANTI (P. R. W.), cancer of pharynx | 307 |
| DELAVAN (D. B.), motor-car | 154 |
| DENCKER (H.), foreign body in larynx | 443 |
| DESNEUX and DUJARDIN, neuro-recurrence after salvarsan | 500 |
| DONELAN (J.), nasal speculum | 504 |
| — swelling of vocal cord | 140 |
| DORTU (P.), cerebellar abscess | 669 |
| DOWNIE (Walker), bilateral abductor paralysis | 373 |
| — congenital deficiency of palate | 374 |
| DOWNIE (Walker), ethmoidal sarcoma | 372 |
| — naso-pharyngeal polypus | 372 |
| — necrosis of frontal bone | 374 |
| — paraffin injections | 371 |
| — subglottic papilloma | 373 |
| DUVERGIE (J.) and BAIN (A.), sporotrichosis | 438 |
| EVANS (Arthur), pharyngeal cancer | 443 |
| EVANS (J. Howell), congenital auricular tumours | 53 |
| FABRI (E.), iodo-thiosinamine | 440 |
| FARACCI, tuberculosis | 491 |
| FARQUHARSON (Malcolm), choanal polypus | 48 |
| — cerebro-spinal rhinorrhœa | 47 |
| — epithelioma of pharynx | 47 |
| — lupus of nose | 47 |
| — papilloma of larynx | 48 |
| — paralysis of acoustic nerve | 47 |
| FAULDER (T. Jefferson), chronic laryngitis | 42 |
| FAUNCE (C. B.), colon bacillus tonsillitis | 494 |
| FEIN, resection of septum | 491 |

| | PAGE |
|--|--|
| FERRERI (Gherardo), otosclerosis | 109 |
| FETTEROLF and NORRIS, recurrent paralysis | 552 |
| FINZI and HOPE (C. W. M.), oesophagoscopy and radium | 525 |
| FLATAU (T. S.), singers' nodes | 553 |
| FOURNIÈ, cancer of larynx | 218 |
| FRANKENBERGER (O.), ocular disturbances, etc. | 439 |
| FRASER (J. S.), enucleation of tonsils | 663 |
| — frontal sinusitis, extra-dural abscess | 45 |
| — Killian's operation | 47 |
| — purulent labyrinthitis | 46 |
| — and REYNOLDS (F. E.), ozæna | 169 |
| FRAZER (J. E.), development of Eustachian tube | 53 |
| FREEDMAN, tonsillectomy | 495 |
| FREER (O.), antral sarcoma | 440 |
| FRENCH (J. Gay), endothelioma of palate | 209 |
| — lateral sinus thrombosis | 520 |
| — œsophageal stricture | 37 |
| FRESE (Prof.), unique disease of mouth | 665 |
| FREUDENTHAL (Wolff), asthma | 537 |
| — intra-cranial complications | 379 |
| — radium | 611 |
| FREY, (H.), chronic adhesive processes of middle ear | 633 |
| FROESCHELS, otosclerosis | 388 |
| GALLAHER (T. G.), frontal sinus operation | 656 |
| GARDINER (W. T.), statistical tables | 114 |
| GAUDIER (H.), middle turbinal cyst | 493 |
| — and GUGGENHEIM (H.), salvarsan | 501 |
| GERBER, salvarsan | 502 |
| GILL (Richard), retro-pharyngeal abscess | 384 |
| GOODALE (J. L.), influenza | 105 |
| GÖRKE (Max), labyrinthitis | 398 |
| GRAHAM (Cecil), pharyngeal cancer | 77 |
| — tonsillar tuberculosis | 136 |
| GRAHAM (H. B.), acute otitis | 498 |
| GRANT (Dundas), laryngeal tuberculosis | 561 |
| — Prof. Lucae | 281 |
| — (reviews) | 54, 55, 56, 112, 167, 223, 278, 279, 332, 448, 503 |
| GRAYSON (C. P.), neurasthenia | 101 |
| GRAZZI (V.), hearing of railway employés | 668 |
| GREEN (D. Crosby), bronchoscopy | 276 |
| — transplantation of rib, etc. | 273 |
| GROSSARD and KAUFMANN, adenoidectomy | 383 |
| GROSSMANN, nasal asthma | 268 |
| GUGGENHEIM (L. K.), vestibular nystagmus | 388 |
| GUTBERLET (W.), nasal irrigator | 276 |
| GUTHRIE (Thos.), cancer of naso-pharynx | 449 |
| GUYOT (F.), anaesthesia for adenoids | 614 |
| HAJEK, sinus suppuration | 378 |
| — and POLYÁK, nasal myxoma | 150 |
| HALÁSZ (H.), extra-dural abscess | 498 |
| HALLE (Max), ala nasi | 348 |
| HARPER (Jas.), latent labyrinthitis | 553 |
| HASKIN (W. H.), suppuration of middle ear | 498 |
| HASTINGS (Somerville), burr for nasal antrostomy | 217 |
| — myasthenia gravis | 40 |
| — tonsillar disease | 137 |
| HEATH (C. J.), mastoid operation | 417 |
| HELD (R. Johnson), salivary glands | 476 |
| HETT (G. Seccombe), laryngeal tuberculosis | 582 |

Index.

| | PAGE |
|---|----------|
| HILL (Wm.), cancer of œsophagus | 43, 307 |
| — cancer of pharynx | 44 |
| — nasal tuberculosis | 145 |
| — œsophagoscope with expanding blades | 82 |
| — œsophago-gastroscopy | 82 |
| — tracheo-laryngostomy | 304 |
| — and HERSCHELL (G.), œsophago-gastroscopy | 525 |
| HINTZE (K.), labyrinth syphilis | 616 |
| HOBDAY (F.), ventricle-stripping, etc. | 205 |
| HOFFMANN (R.), maxillary cysts | 550 |
| HOLMES (E. M.), cure of vertigo | 668 |
| — naso-pharyngoscope | 494 |
| HONEIJ, common colds | 492 |
| HORNE (W. Jobson), aphonia | 217 |
| — fossil periotic bones | 409 |
| — insufflator | 309 |
| — neoplasm of nose | 309 |
| — perforation of soft palate | 309 |
| — tuberculosis of larynx | 309 |
| HORSFORD (C.), laryngeal tuberculosis | 43 |
| HOWARTH (Walter), chronic laryngitis | 304 |
| HUBBARD (Thos.), scarlatinal sinus suppuration | 657 |
| HUNT (J. Ramsay), poliomyelitis, etc. | 165 |
| INGALS (E. Fletcher), direct laryngoscope | 536 |
| — frontal sinusitis | 379 |
| — local anaesthesia | 106, 278 |
| INGERSOLL, syphilitic pharyngeal stenosis | 273 |
| IRSAI, scleroma | 488 |
| JACQUES and BERTEMÈS, fibrous polypus | 483 |
| JAY (Melville), asthma | 493 |
| JENKINS (G. J.), fractures of temporal bone | 267 |
| — Ménieré's syndrome, operation | 411 |
| — and CHEATLE (A. H.), exposed posterior semicircular canal | 92 |
| JONES (H. E.), tonsil guillotine | 335 |
| JOUTY, laryngeal tuberculosis | 490 |
| KAHLER, antral neoplasms | 489 |
| KATZENSTEIN, phonation centres | 548 |
| KEITH (Prof.), remarks on displaced pituitary | 80 |
| KELLY (A. Brown), myasthenia gravis | 425 |
| — syringobulbia | 424 |
| KELSON (W. H.), lupus of larynx | 37 |
| — neoplasm of pharynx | 213 |
| — neoplasm of tympanum | 204 |
| — polypus of naso-pharynx | 84 |
| — tonsillar cyst | 309 |
| KERRISON (Philip D.), purulent labyrinthitis | 553 |
| KNIGHT (C. H.), black tongue | 324 |
| KOENIG (C. J.), singers' nodes | 330 |
| — tonsillotomy, etc. | 275 |
| KOFFLER (Karl), tonsillectomy | 326 |
| KOLMER and WESTON, scarlatinal rhinitis | 662 |
| KOPETSKY (S. J.), labyrinth surgery | 498 |
| — vaccine therapy in otitis | 164 |
| KYLE (J. J.), ear symptoms in general disease | 112 |
| LABOURÉ (J.), adenoids | 614 |
| LACK (H. Lambert), lupus erythematosus of mouth | 217 |
| LÁNG, choanal polypus | 492 |

| | PAGE |
|---|----------|
| LANNOIS and JOCOD, ozænous otitis | 331 |
| LARGE (Seccord H.), tracheoscopy, etc. | 330 |
| LAUTMANN, adenoid operation | 382, 552 |
| — nasal syphilis | 491 |
| LAURENS (P.), tracheal stenosis | 485 |
| LAW (E.), epithelioma of naso-pharynx | 196 |
| LETO (L.), paralysis of sixth nerve | 616 |
| LEVINSTEIN (O.), chronic tonsillitis | 664 |
| — recurrent paralysis | 496 |
| LIEVEN, salvarsan | 86 |
| LITHGOW (J. D.), frontal sinusitis | 45 |
| LOGAN (J. E.), President's Address | 101 |
| LOVE (A.), diphtheritic paralysis | 665 |
| LOVE (J. Kerr), education of the deaf | 432 |
| — lateral sinus thrombosis | 426 |
| LÖWE (Ludwig), nasal surgery | 662 |
| MCCARDIE (W. J.), tracheal gumma | 329 |
| MACCOY (A. W.), tonsil operation | 274 |
| MACDONALD (A. G.), diphtheria carriers | 384 |
| MACKENNA (R. W.), ionic medication | 611 |
| McKEEN (S. F.), death following diphtheria antitoxin | 665 |
| McKENZIE (Dan), blocking of nasal duct | 215 |
| — laryngeal papilloma | 141 |
| — obliteration of naso-pharynx | 216 |
| — (review) | 223 |
| — unilateral deafness | 97 |
| MACLAY (Neil), endothelioma of frontal bone | 301 |
| MAHU (Georges), partial mastoid operation | 1 |
| MANASSE (P.), typhoid deafness | 111 |
| MARSCHICK, laryngeal cancer | 489 |
| MATHEWSON (G. H.), mastoiditis | 54 |
| MAYER (Emil), cesophageal diverticula | 319 |
| MAYER (O.), otosclerosis | 496 |
| MEAKINS (J. C.), and BURKETT (H. S.), vaccine treatment | 163 |
| MERRILL (W. H.), diabetic deafness | 616 |
| METZENBAUM (M.), submucous resection | 440 |
| MEYER (A.), adenoids | 437 |
| MILLIGAN (W.), cerebellar abscess | 87, 88 |
| — injuries of external and middle ear | 258 |
| — labyrinth fistula | 90 |
| — labyrinth operation | 89 |
| MIGNON, spasmodic rhinitis | 482 |
| MOORE (Irwin), frontal sinusitis | 355 |
| MOSHER (H. P.), intubation of larynx | 152 |
| — sinus exostosis | 152 |
| MOURE, cancer of nose | 490 |
| — laryngeal cancer | 485 |
| — naso-pharyngeal polypus | 483 |
| MOURET, dehiscences of ear, etc. | 458 |
| MUECKE (F. F.), aphonia | 217 |
| MYLES (Robert C.), salivary glands | 477 |
| NATIER (Marcel), ozæna | 324 |
| NEUMANN, deafness for conversation | 159 |
| — scleroma | 488 |
| NOON (L.), hay-fever | 611 |
| NOURSE (W. Chichele), lateral sinus thrombosis | 94 |
| NUERNBERG (F.), rupture of carotid | 554 |
| O'MEARA (J. M.), adenoids | 613 |

| | PAGE |
|--|----------|
| OFFICER (D. McM.), septal deviation | 610 |
| ONODI (A.), embryonic cysts | 434 |
| ——— exposure of brain, etc. | 435 |
| ——— intra-cranial complications | 379 |
| ——— recessus frontalis | 434 |
| OPPIKOFER (E.), gangrene of larynx, etc. | 667 |
| OUSTON (T. G.). radium | 505 |
| PACKARD (F. R.), laryngeal papilloma | 323 |
| PAGE (J. R.), reflex neuroses | 390 |
| PALLEINE (Robert), nasal obstruction | 549 |
| PARISH (B. D.), subcutaneous emphysema, etc. | 275 |
| PARKER (Chas. A.), tonsillolith | 36 |
| PATTERSON (Norman), epiglottic cancer | 143 |
| ——— denture in oesophagus | 79 |
| ——— nasal chancre | 142 |
| PAUNZ (M.), typhoid laryngitis | 433 |
| PEGLER (L. H.), aphonia in a boy | 308 |
| ——— cancer of larynx | 139 |
| ——— laryngeal tuberculosis | 137, 215 |
| ——— party-wall cancer | 214 |
| ——— pharyngeal ulceration | 139, 214 |
| PETERS (E. A.), nodules of vocal cord | 41 |
| ——— tonsillar cancer | 139 |
| PHILIP, osteoma of antrum | 483 |
| ——— dentigerous cyst | 272 |
| PIERCE (N. H.), surgery of pituitary | 271 |
| PINDER (T. H.), submucous resection | 168 |
| POMMEREHNE (F.), temporo-sphenoidal abscess | 669 |
| PORTER (W. G.), labyrinthotomy | 44 |
| ——— nystagmus of cord | 44 |
| POWELL (Fitzgerald), laryngeal neoplasm | 144 |
| PREYSING, spongification of frontal sinus | 549 |
| PRICE-BROWN (J.), cancer of nose, etc. | 325 |
| PROTA (G.), pharyngeal occlusion | 437 |
| PROWSE (S. W.), fatal quinsy | 664 |
| REIK (H. O.), mastoid operation | 332 |
| ——— tobacco | 390 |
| REYNOLDS (F. E.), and FRASER (J. S.), ozaena | 169 |
| ——— and TURNER (A. Logan), mastoid suppuration | 57 |
| RICHARDS (G. L.), silver nitrate in middle-ear suppuration | 53 |
| RICHARDSON (C. W.), epithelioma of larynx | 320 |
| RICHARDSON (M. H.), cancer of tonsil | 665 |
| ROSE (Frank), tuberculous tonsillitis | 135 |
| RUDLOFF (W.), extra-dural abscess | 164 |
| RUPPRECHT, tonsils and adenoids | 544 |
| RUTTIN (E.), labyrinthitis | 314 |
| ——— mucosus otitis | 156 |
| ——— —— meningitis | 156 |
| ——— otitic meningitis | 315 |
| ——— otosclerosis | 316 |
| ——— rotation nystagmus | 609 |
| ——— temporo-sphenoidal tumour | 609 |
| SAFRANEK (J.), laryngeal lupus | 434 |
| ——— telangiectasis | 433 |
| SCHAEFFER (J. P.), development of nose | 662 |
| ——— maxillary antrum | 327 |
| SCHAMBERG (J. F.), epidemic chancre of lip | 670 |
| SCHMIEGELOW (E.), laryngeal cancer | 52 |

| | PAGE |
|---|------|
| SCHRÖTTER, scleroma | 488 |
| — syringomyelia | 489 |
| SCHUBIGER, lateral pharyngitis | 325 |
| SCOTT (Sydney), fistula of labyrinth, etc. | 201 |
| SEWELL (Lindley), deafness from mumps | 557 |
| — labyrinth fistula | 54 |
| SHAMBAUGH (G. E.), blood-vessels of nose, etc. | 105 |
| — tone-perception | 387 |
| SHEARER (D. F.), noise machine | 553 |
| SHURLY (B. R.), intubation | 386 |
| SIBLEY (W. Knowsley), teeth, etc. | 437 |
| SIEMS, atrophic rhinitis | 487 |
| SIEUR and ROUVILLE, anaesthesia of larynx | 615 |
| — — frontal sinus | 438 |
| — — laryngostomy | 484 |
| SLUDER (G.), sphenopalatine ganglion | 151 |
| SMITH (Harmon), laryngeal syphilis | 321 |
| — optic neuritis | 653 |
| SMITH (S. MacCuen), teaching of oto-laryngology | 658 |
| SMYTH (H. F.), lingual thyroid | 666 |
| SPICER (Scanes), cancer of pharynx | 86 |
| — rigid resistances of larynx | 25 |
| STEIN (von), autokinesis, etc. | 445 |
| STEIN (V. Saxtorph), wire-saw | 123 |
| STENGER, trauma of internal ear | 110 |
| STEPINSKI, lactic acid | 165 |
| STRAZZA, wounds of thyroid cartilage | 147 |
| STRONG (L. W.), thrombo-kinase | 560 |
| STUART Low (W.), cancer of nose | 50 |
| — cystic adenoma of parotid | 82 |
| — epithelioma of palate | 83 |
| — frontal sinusitis | 356 |
| SYME (W. S.), anaesthesia of palate, etc. | 431 |
| — frontal sinus operation | 430 |
| — sarcoma of nose | 429 |
| SYTSCHOW (K.), laryngeal tuberculosis | 615 |
| TAPTAZ, M. W. (rhinitis caseosa) | 108 |
| THEISEN (C. F.), lympho-sarcoma of pharynx | 317 |
| THEOBALD (S.), reflex aural neuroses | 165 |
| THOMPSON (J. A.), bony ethmoidal cyst | 611 |
| THOMSON (J. J.), quinsy, fatal | 326 |
| THOMSON (StClair), frontal sinusitis | 354 |
| — laryngeal epithelioma, stenosis | 310 |
| — nose and eye | 531 |
| THOST, laryngeal stenosis | 146 |
| TIEFENTHAL, operation on jugular bulb | 555 |
| VILLEY (H.), bronchiectasis from foreign body | 211 |
| — bronchoscopy | 525 |
| — malformation of upper jaw | 137 |
| — nasal chisel | 31 |
| — pharyngoscope | 303 |
| — tooth in maxillary antrum | 213 |
| — uvular neoplasm | 303 |
| TOD (Hunter F.), ossiculectomy | 109 |
| TRATMAN (Frank), fibroma of larynx | 667 |
| TUNIS (J. P.), leukæmia, nasal abscesses | 385 |
| TURNER (Logan), laryngeal tuberculosis | 48 |
| — meningitis, recovery | 49 |
| — Reports of Ear and Throat Department | 114 |
| — review | 503 |