

## INDEX

\*Denotes new combination, †denotes a new species.

- Alectoria, the British species of, 89–97  
 — key, 90  
 \**Alectoria pubescens* var. *reticulata* (Wulf. apud Jacq.) Wade, 97  
 Alvin, K. L., 120  
 Anaptychia, key to species, 131–132  
 Anaptychia and Physcia, the British, 126–144  
*Aspicilia calcarea*, 98, 99  
*A. caesiocinerea*, 151
- Biatora immersa*, 98, 99  
*B. tornöensis*, 113  
*Biatorella monasteriensis*, 153–154  
*Bilimbia epixanthoidea*, 271  
 Book reviews, 118, 277–280  
 Brightman, F. H., 104–108, 119, 203–206  
*Buellia griseovirens*, 146  
*B. verruculosa*, 167
- Caloplaca aurantia*, 98–100  
*C. citrina*, 99  
*C. murorum*, 268  
*C. xantholyta*, 99  
*Candelariella vitellina*, 104, 105  
*Cavernularia hultenii*, 113, 178–183  
*C. lophyrea*, 179  
*Cetraria islandica* var. *islandica*, 40  
 — var. *maculata*, 40  
 — var. *tenuifolia*, 40  
 Chagford, field meeting at, 115–118  
 Cladonia, the British species of the genus, 3–20  
 — key, 6–19  
*C. cariosa*, 155  
*C. carneola*, 31–32  
*C. deformis*, 31  
*C. fimbriata*, 31  
*C. furcata*, 32  
 — key to complex in Britain, 33–34  
*C. major*, 33–34  
*C. pocillum*, 32, 155  
*C. rangiformis*, 32  
 — var. *foliacea*, 102  
*C. strepsilis*, 156  
*C. subrangiformis*, 32  
*C. symphyocarpia*, 114, 155–156  
 Collection and preservation of lichens, notes on, 41–45  
 Collema, the British species of, 21–29  
 — list of species, 21–22  
 — key to British species, 22–27  
*Collema tenax*, key to the varieties of, 27  
 Crustaceous ground lichens, a soil binder for, 87–88  
*Diploicia canescens*, 99  
 Dolgellau, field meeting at, 269–274  
 Duncan, Miss U. K., 111–112, 267–268
- Editorial, 1, 125  
 Essex records, 120  
 Ewenny Downs, Glamorganshire, the lichens of, 97–103
- Germination, and spore discharge, observations in *Peltigera praetextata* (Flk.) Vain., 109–111  
 Gilbert, J. L., 84–85  
 Gongylia in the British Isles, 242–246  
 Growth, lichen, some factors influencing in towns, 104–108  
*Gyrophora hirsuta*, 39–40  
*G. vellea*, 40
- Haematomma elatinum*, 158–160  
 Hale, M. E. jun., 266–267  
*Hypogymnia alpicola*, 29–30  
*H. encausta*, 29–30
- Ivemev-Cooke, R. B., 97–103
- James, P. W., 39–40, 41–45, 113–114, 120, 145–158, 269–274, 277–280  
 Jones, R. J., 119
- Kershaw, K. A., 184–203, 251–265  
 Key to Alectoria, 90  
 — Anaptychia, 131–132  
 — Cladonia, 6–19  
 — *Cladonia furcata* complex in Britain, 33–34  
 — Collema, 22–27  
 — *Collema tenax*, varieties of, 27  
 — *Lecanora expallens* complex in Britain, 35–36  
 — Physcia, 133–140  
 — Ramalina, 230–231  
 — Stereocaulon, 186–189  
 — Umbilicaria, 254–256  
 — *U. cylindrica* (L.) Del., to the main forms of, 256  
 — Usnea, to the British species, and to related non-British species, 60–72
- Laundon, J. R., 31–38, 158–168, 206  
*Lecanora andrewii*, 111–112, 150  
*L. campestris*, 146  
*L. chlorophaeoides*, 148

- L. chloropolia*, 34–36, 146  
*L. coilocarpa*, 146  
*L. confusa*, 35  
*L. conizaeoides*, 105, 206  
*L. dispersa*, 104, 105, 112  
*L. expallens*, 35  
 — key to complex, 35–36  
*L. fugiens*, 112, 114, 147–150  
*L. gangaleoides*, 146  
*L. impudens*, 113, 145  
*L. intricata* var. *soralifera*, 160–162  
*L. laevis*, 36–37  
*L. polytropa*, 162  
*Lecidea albocoerulescens* var. *smaragdula*, 152  
*L. elaeochroma*, 163  
*L. humosa*, 166–167  
*L. hydrophila*, 151–153  
*L. kochiana*, 151  
*L. lapicida*, 151  
 \**L. limitata* var. *soralifera* (Erichs.)  
 Laundon, 162–164  
*L. mersata*, 152  
 †*L. oligotropa* Laundon, 164–167  
*L. olivacea*, 163  
*L. parasema*, 163  
*L. stigmatea*, 113  
*L. tesellata*, 151  
*L. uliginosa*, 165–167  
*Lepraria chlorina*, 86  
*Letharia vulpina*, 114  
 Lichens, angiocarpous, notes on in the  
 British Isles I, 145–158  
 — new to the British flora I, II, 31–38,  
 158–168  
 — notes on the collection and preser-  
 vation, 41–45  
 — pyrenocarpous I, II, 169–178, 242–  
 250  
*Lobaria amplissima* (Hoffm.) Schreb.,  
 the occurrence of in tropical  
 America, 266–267  
*L. quercizans*, 266  
 Lyndhurst, field meeting at, 275–276  
  
 Meetings, field, at Chagford, 115–118  
 — — Dolgellau, 268–274  
 — — Flatford, 119, 203–206  
 — — Lyndhurst, 275–276  
 Members, list of, 46–48, 121–124  
 — new, back cover, Pt. 4, 5  
*Microglaena muscorum*, 114, 175–177  
 Murray, James, obituary, 280  
  
 Obituary, James Murray, 280  
 — Walter Watson, 207–208  
*Ochrolechia androgyna*, 34  
*O. subviridis*, 37  
  
*Parmelia disjuncta*, 115  
*P. glomellifera*, 84–85  
*P. isidiotyla*, 85  
*P. saxatilis*, 103  
 Pd, stable solution, 88  
 — and Bd, toxicity of, 120  
  
*Peltigera polydactyla* (Neck.) Hoffm., the  
 physiology of, 209–226  
*P. praetextata* (Flk.) Vain., observations  
 on spore discharge and germination  
 in, 109–112  
*Pertusaria coccodes*, 37  
*P. globulifera* var. *corallina*, 37  
 Physcia, key to species, 133–140  
*P. adscendens*, 105  
 Physciae and Anaptychiae, the British,  
 126–144  
 Physiology of *Peltigera polydactyla*  
 (Neck.) Hoffm., 209–226  
 Placidopsis, 114  
*P. custnani*, 177–178  
*Placynthium caesitium*, 157  
*P. tantaleum*, 156–157  
*P. tremniacum*, 272  
*Polyblastia albidia*, 172–174  
*P. allobata*, 174–175  
*P. terrestris*, 249–250  
*P. verrucosa* (Ach.) Lönnr. new to the  
 British Isles, 246–248  
*Porina ahlesiana*, 271  
*P. guentheri*, 114  
 Preservation, and collection of lichens,  
 notes on, 41–45  
 Primal AC-55, 87  
*Pseudocyphellaria mougeotiana* var.  
*aurigera*, 114  
*Psora lurida*, 99  
 Pyrenocarpous lichens I, II, 169–178,  
 242–250  
  
 Ramalina, the genus in the British Isles,  
 226–241  
 — key to species, 230–231  
*R. baltica*, 113  
 †*R. fraxinea* var. *pellucida* Wade, 233  
 \**R. siliquosa* var. *gracilescens* (Cromb.)  
 Wade, 239  
 \* — var. *scopulorum* f. *cornuta* (Ach.)  
 Wade, 238  
 \* — f. *incrassata* (Nyl.) Wade,  
 239  
 \* — f. *tuberculosa* (Oliv.) Wade,  
 239  
 \* — var. *siliquosa* f. *cornuta* (Harm.)  
 Wade, 238  
 \* — f. *crassa* (Nyl.) Wade, 238  
 \* — f. *rugosa* (Oliv.) Wade, 238  
*R. subgeniculata*, 113  
 Ranwell, D. S., 275–276  
 Records, new British, 113–114  
 Rhizocarpon, 120  
*R. atlanticum*, 155  
*R. constrictum*, 154–155  
*R. obscuratum*, 168  
*R. orphinum*, 167–168  
  
 Scott, G. D., 88, 109–111  
 Shetland Islands, a visit to, 267–268  
 Smith, D. C., 209–226  
 Soil binder of crustaceous lichens, 87–88  
 Sowter, F. J., 118, 207–208  
 Spore discharge and germination in *Pelti-  
 gera praetextata* (Flk.) Vain., obser-  
 vations on, 109–111

- Squamaria crassa*, 99  
*S. muralis*, 104  
 Stereocaulon, the genus in the British Isles, 184-203  
 — key to species, 186-189  
*Sticta sinuosa*, 160  
 Swinscow, T. D. V., 29-30, 115-118, 120, 169-178, 179-183, 242-250
- Tallis, J. H., 3-20, 49-83, 86-87  
*Thrombium thelostomum*, 169
- Umbilicaria, the genus in the British Isles, 251-265  
 — key, 254-256  
*U. cylindrica* (L.) Del., key to main forms of, 256
- Usnea, the British species of the genus, 49-83  
 — key to the British species and to related non-British species, 60-72  
*U. articulata* ssp. *mediterranea*, 87  
*U. dasypoga*, 87  
*U. mollis*, 87  
*U. pendulina*, 86-87
- Verrucariaceae, 120  
*Verrucaria nigrescens*, 98, 100  
*V. psammophila*, 171-172, 250  
*V. sphinctrina*, 98, 99
- Wade, A. E., 21-29, 40, 87-88, 89-97, 126-144, 226-241  
 Watson, Walter, obituary, 207-208  
 Wistmans Wood, 117-118

## BRITISH LICHEN SOCIETY

### NEW MEMBERS

- Bartholomew, A., 17, Ersham Road, Hailsham, Sussex.  
Drew, E. A., 26, Hatherleigh Gardens, Potters Bar, Middlesex.  
Evans, Miss E. H., Department of Botany, University College of North Wales, Memorial Buildings, Bangor, Caerns.  
Finch, R., 175 Harold Road, Hastings, Sussex.  
Hall, I. B., Southmead Cottage, Burley Lodge, Burley, Ringwood, Hants.  
Hall, J. B., 20, Wimborne Road, Bournemouth, Hants.  
Hirshon, Jordon, Department of Botany, Rutgers University, New Brunswick, New Jersey, U.S.A.  
Ing, E. G., N.D.H., 19, Laity Road, Troon, Camborne, Cornwall.  
Kok, Mrs. A., Little Meadow House, Totnes, Devon.  
Laundon, Mrs. R. J., 14, Victory Avenue, Morden, Surrey (F.M.).  
LeBlanc, Dr. Brother Fabius, S.C., Department of Biology, University of Ottawa, Ottawa, Ontario, Canada.  
Magnusson, Dr. A. H., Fyradalersgatan 26, Goteborg, S.V., Sweden.  
Martin, Mrs. A., Quiraing, 13, Mill Street, Bishop's Stortford, Herts. (F.M.).  
Nordin, Ingvar, Institute of Systematic Botany, University of Uppsala, Uppsala 1, Sweden.  
Ratcliffe, Denis, Ph.D., Department of Botany, Royal Botanic Garden, Edinburgh.  
Seaward, M. R. D., B.Sc., Llyndon, St. Helens Road, Brigg, Lincs.  
National Museum of Ireland (Office of the Director), Dublin, Eire.  
Statsbiblioteket, Aarhus, Denmark.  
Universitetsbiblioteket, Uppsala, Sweden.  
University of California Library, Acquisitions Department, Riverside, Cal., U.S.A.  
Wilson, Miss I. M., Ph.D., Department of Botany, University College of Wales, Penglais, Aberystwyth, Cardiganshire.

## CONTENTS

	PAGE
The Physiology of <i>Peltigera polydactyla</i> (Neck.) Hoffm. By D. C. SMITH .. .. .	209
The Genus <i>Ramalina</i> in the British Isles. By A. E. WADE	226
Pyrenocarpous Lichens: 2. By T. D. V. SWINSCOW ..	242
The Genus <i>Umbilicaria</i> in the British Isles. By KENNETH A. KERSHAW .. .. .	251
The Occurrence of <i>Lobaria amplissima</i> (Hoffm.) Schreb. in Tropical America. By MASON E. HALE, Jr. ..	266
Field and Study Notes .. .. .	267
Field Meeting at Dolgellau .. .. .	269
Field Meeting at Lyndhurst .. .. .	275
Book Reviews .. .. .	277
Obituary .. .. .	280
Index .. .. .	282