

INFECTION CONTROL^{AND}

HOSPITAL EPIDEMIOLOGY

Volume 10, Number 11 • November 1989

EDITORIAL

HIV Transmission, Healthcare Workers and Media Hype

Jack T. Stapleton, MD

ORIGINAL ARTICLES

Regulation of Topical Antimicrobials: History, Status and Future Perspective

Mary K. Bruch, MS; Elaine Larson, PhD, RN, FAAN

The High Rate of Blood Donor Exposure for Critically Ill Neonates

Leigh G. Donowitz, MD; Ronald B. Turner, MD; Mary Ann M. Searcy, RN;
Naomi L.C. Luban, MD; J. Owen Hendley, MD

Pseudoepidemic of *Rhodotorula rubra* in Patients Undergoing Fiberoptic Bronchoscopy

Karen K. Hoffmann, MS, RN; David J. Weber, MD, MPH;
William A. Rutala, PhD, MPH

Evaluation of a New Method of Detection of Nosocomial Infection in the Pediatric Intensive Care Unit: The Infection Control Sentinel Sheet System

E.L. Ford-Jones, MD; C.M. Mindorff, RN; E. Pollock, MD; R. Milner, MIS;
D. Bohn, MD; J. Edmonds, MD; G. Barker, MD; R. Gold, MD

The Official Journal of The Society of Hospital Epidemiologists of America

Time
spent
in the O.R.
shouldn't be
hazardous
duty.



Your staff is exposed to infectious fluids and waste every day. It's part of the job.

That's why Baxter Operating Room Division offers a complete line of products and services designed to protect both staff and patient.

Products like our Medi-Vac® suction canister system. Our Jackson-Pratt® closed wound drainage system, and Pour-Safe™ exudate disposal bags. All are designed for safe collection, retention and disposal of infectious waste.


In addition, Convertors® poly-reinforced impervious gowns, and drapes with fluid collection pouches help protect staff and patient during fluid-intense procedures. Iso•Bac® absorbent reinforcement in our drapes prevents strike-through and reduces pathogenic growth.

For staff safety and reduction of disposal costs, we also supply training videos and seminars on segregation and minimization of infectious waste.

What we're doing to make the O.R. safe is considerable. But then, consider that the Operating Room Division is made up of three of the most well-known names in the business: Convertors/Custom Sterile, Pharmaseal™ Surgical and V. Mueller.™ Together,

we're uniquely qualified to help you with any clinical or business issues you face.

To find out more about how we're taking the hazard out of hazardous duty, contact your local Baxter Operating Room Division sales representative, or write Baxter Healthcare Corporation, Operating Room Division, 1500 Waukegan Rd., McGaw Park, IL 60085.



Operating Room Division

Baxter

Recommended by all major scope manufacturers

Sporicidin®

Requires No Heat

Compare for 100% TUBERCULOCIDAL ACTIVITY

	Temperature	Immersion Time	Dilution	Reuse Life
Sporicidin® (EPA Reg. No. 8383-5)	68°F and above (True Room Temperature)	10 Minutes	1:16	30 Days
CIDEX® (EPA Reg. No. 7078-1)	77°F Requires Heat	45 Minutes	Full Strength	14 Days

100% Hospital Level
Disinfection for
instruments and
equipment in the
O.R. and
respiratory therapy



Note: Because of confusion created in the marketplace, EPA issued this letter to reaffirm the label claims of Sporicidin.

"Sporicidin is currently registered with EPA as a cold sterilizing solution and concentrated disinfectant, (for endoscopes, respiratory equipment, etc.), based on test results from EPA prescribed tests for such products... at this use dilution (1:16), the product is effective against bacteria, pathogenic fungi, tubercle bacillus and viruses (those specifically tested) in 10 minutes at 20°C/68°F and above."

EPA letter 11/22/88

Sporicidin®
INTERNATIONAL

12000 Old Georgetown Road • Rockville, MD 20852

For Information: 1-800-424-3733

"All Sporicidin disinfectant products kill HIV-1 (AIDS virus) on pre-cleaned environmental surfaces." (EPA accepted on 2/6/89)

INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY

EDITORIAL	HIV Transmission, Healthcare Workers and Media Hype Jack T. Stapleton, MD	503
ORIGINAL ARTICLES	Regulation of Topical Antimicrobials: History, Status and Future Perspective Mary K. Bruch, MS; Elaine Larson, PhD, RN, FAAN	505
	The High Rate of Blood Donor Exposure for Critically Ill Neonates Leigh G. Donowitz, MD; Ronald B. Turner, MD; Mary Ann M. Searcy, RN; Naomi L.C. Luban, MD; J. Owen Hendley, MD	509
	Pseudoepidemic of <i>Rhodotorula rubra</i> in Patients Undergoing Fiberoptic Bronchoscopy Karen K. Hoffmann, MS, RN; David J. Weber, MD, MPH; William A. Rutala, PhD, MPH	511
	Evaluation of a New Method of Detection of Nosocomial Infection in the Pediatric Intensive Care Unit: The Infection Control Sentinel Sheet System E.L. Ford-Jones, MD; C.M. Mindorff, RN; E. Pollock, MD; R. Milner, MIS; D. Bohn, MD; J. Edmonds, MD; G. Barker, MD; R. Gold, MD	515
SPECIAL SECTIONS	Decision Analysis Outcome Measurements in Decision Analysis: Life Versus Quality of Life Mary D. Nettleman, MD	521
	Product Commentary Evaluation of Rigid Container Systems for Sterilization Peggy Ryan, RN	525
	Readers' Forum An Early Historical Perspective on the FDA's Regulation of OTC Drugs Mary K. Bruch, MS; Elaine Larson, PhD, RN, FAAN	527
DEPARTMENTS	Information for Authors	496
	Calendar of Events	531
	Letters to the Editor	500
	Classified Marketplace	532
	<i>SHEA Newsletter</i>	529

The ideas and opinions expressed by contributing authors do not necessarily reflect those of the editors or publisher.

Publisher: Infection Control and Hospital Epidemiology (ISSN-0899-623X) is published monthly by SLACK Incorporated, 6900 Grove Road, Thorofare, New Jersey 08086 Telephone, (609) 848-1000.

Copyright 1989; All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

Subscriptions: Requests should be addressed to the publisher (except Japan) In Japan, contact Woodbell Incorporated, 4-22-11, Kitakasai, Edogawaku, Tokyo 134. Japan Subscription rates in the US and possessions Individual One year—\$50 00; Two years—\$85 00. Three years—\$115.00 Institutional One year—\$60 00; Two years—\$100 00; Three years—\$140 00; Canada: \$15.00 additional each year; all other countries \$25 00 additional each year Single copies of current issues may be obtained for \$7 00. United States and possessions; \$13.00 all other countries

Reprints: All requests to reprint or use material published herein should be addressed to Lester J Robeson, SLACK Incorporated, 6900 Grove Road, Thorofare, NJ 08066 For reprint orders and prices, contact Joanne Patterson at (609) 848-1000. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by SLACK Incorporated, provided that the base fee of \$1 00 per copy plus \$15 per page is paid directly to Copyright Clearance Center, 27 Congress Street, Salem, MA 01970 This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotional purposes, or for creating new collective works.

Change of address: Notice should be sent to the publisher six weeks in advance of effective date Include old and new addresses with zip codes The Publisher cannot accept responsibility for undelivered copies Second-class postage is paid at Thorofare, New Jersey 08086, and additional entry points Postmaster: Send address changes to SLACK Incorporated, 6900 Grove Road, Thorofare, NJ 08086

As of Volume 1, Number 1, INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY is listed in *Index Medicus*, *Current Contents—Clinical Practice*, *Hospital Literature Index*, and *Cumulative Index to Nursing and Allied Health Literature*