Index of Subjects

Small roman numerals refer to pages in Abstracts of Communications read at Meetings for Original Communications of The Nutrition Society.

Entries marked with an asterisk (*) are those printed only by title.

Abomasal contents, proteolytic activity before and at different times after milk feed, young calf (Henschel *et al.*) xl

Abomasum, proteolysis of cow's and synthetic milk in, young calf (Henschel et al.) xli

Abortion, diseases causing, and milk losses (Leech) 20

Acetic acid production in rumen, effect of stage of growth of rye-grass, grazed or eaten indoors, cow (Bath & Rook) xv

Activity see also under Exercise and Walking

Activity, appetite, obesity and hypothalamic lesions, rat (Kennedy) 58

Activity, food intake and calorie balance, man (Kennedy) 58

Activity, food intake and obesity, man (Kennedy) 58

Adipose tissue see also under Tissue(s)

Adipose tissue, metabolic, reactions (Chalmers) 68 Adipose tissue metabolism, and calorie balance (Chalmers) 68

Adipose tissue, plasma fatty acids from, as energy source, man (Chalmers) 68

Adrenal(s) see under Endocrine system

Adrenaline, effect on free fatty-acid content of plasma (Chalmers) 68

Advertising and food habits, Britain (Pyke) 46

Africa, direct and indirect methods for increasing food supplies and reducing wastage due to pests, plant diseases and climate in underdeveloped areas (Aylward) 112

Africa, malnutrition, high mortality rate and quantitative and qualitative inadequacy of food supplies in underdeveloped areas (Aylward) 112

African, adult and child, changes in buccal mucosa as screening test for malnutrition (Squires) xix

Age and calorie balance, man (Fryer) xlvii

Age and calorie balance, man (Durnin) 52

Alanine see under Amino acids

Amama dietary supplement and milk-powder supplement compared, weight gain, Nigerian infant (Cuthbertson) 122

Amama, a protein-rich dietary supplement for young child, commercial development, manufacture and distribution, Nigeria (Cuthbertson) 122

Amino acids see also under Lysine and Methionine Amino acid administration after carbohydrate meal, and loss of liver glycogen, rat (Munro et al.) xxvi

Amylase see under Carbohydrase(s)

Animal(s) see also under Bitch, Calf, Cattle, Chick, Chicken, Cow, Ewe, Fowl, Guinea-pig, Hen, Insect(s), Lamb, Livestock, Nematode(s), Pup, Rabbit, Rat, Steer and Toad

Animal diseases, and loss of animal food, man (Leech) 20

Animal protein, daily intake, bus driver and conductor compared, London (Bramwell) 30

Animal and vegetable fats, relative value in nutrition (Aaes-Jørgensen) 156, (Cook) 140, (Crossley) 143, (Frazer) 138, (Oliver) 169, (Siller & Bolton) 163, (Sinclair) 149

Aorta, atherosclerotic lesions in, and butter, beef fat, maize oil or arachis oil as dietary fat with and without cholesterol, rabbit (Howard & Gresham) xxxviii

Aortic lesions, blood cholesterol level, and saturation of dietary fat, fowl (Siller & Bolton) 163

Appetite, activity, obesity and hypothalamic lesions, rat (Kennedy) 58

Appetite and changes in food habits, pregnant woman (Taggart) 35

Appetite and energy expenditure, man (Edholm) 71

Appetite, regulation, and calorie balance, man (Durnin) 52

Arachis oil, butter, beef fat or maize oil as dietary fat, with and without cholesterol, and atherosclerotic lesions in arteries, plasma and liver cholesterol content, lipids in plasma, liver and spleen, absence of thrombosis, rabbit (Howard & Gresham) xxxviii

Arachis oil and butter compared, production of atherosclerosis and thrombosis, rat (Howard & Gresham) iv

Ascaris infection see under Disease(s), animal

Ascorbic acid, and thiamine requirement, and coprophagy, rat (Morgan & Yudkin) x

Ataxia, nerve-tissue lesions and copper and molybdenum content of liver, lamb (Fell et al.) xxvii

Atherosclerosis see also under Atherosclerotic lesions and Disease(s)

Atherosclerosis and dietary fats, man (Oliver) 169 Atherosclerosis and dietary fats, rabbit (Howard & Gresham) xxxviii

Atherosclerosis, experimental, and fatty-acid composition of natural and synthetic dietary fat, rat (Howard & Gresham) iv

Atherosclerosis production, butter and arachis oil compared, rat (Howard & Gresham) iv

Atherosclerotic lesions distribution, fowl fed exclusively on eggs (Siller & Bolton) 163
Atherosclerotic lesions, ischaemic heart disease and plasma lipid pattern, man (Oliver) 169
Avian tuberculosis see under Disease(s), animal

Baby see also under Child and Infant

Baby, newborn, oxygen consumption, basal metabolic rate and environmental temperature (Widdowson) 83

Baby, newborn, respiratory quotient, and calories obtained from carbohydrate and fat stores at different times after birth (Widdowson) 83

Baby, week-old, breast- or bottle-fed, and adult compared, calorie balance (Widdowson) 83

Back fat, peroxide value on low-fat diet with and without α-tocopherol supplement, weanling pig (Leat) iii

Bacteria from rumen liquor, products of in vitro fermentation of pectin by, sheep (Howard) xxix

Bacterial infection see under Disease(s), animal

Balance see also under Metabolism

Balance, calorie, man (Chalmers) 68, (Durnin) 52, (Edholm) 71, (Greene) 64, (Kennedy) 58, (Thomson & Hytten) 76, (Widdowson) 83

Ballistic bomb calorimeter, method of calculating fat content of diets from calorie value determined with (Pellett) xlv

Banana(s) see under Crop(s)

Basal metabolic rate, oxygen consumption and environmental temperature, newborn baby (Widdowson) 83

Basal metabolic rate and tabulation of energy expenditure, man (Durnin) 52

Bean(s) see also under Crop(s)

Bean aphid see also under Insect(s)

Bean aphid, beans infested with, yield per acre, and date of sowing, weather, treatment with insecticide (Way) 5

Bean(s) infested with bean aphid, yield per acre, and date of sowing, weather, treatment with insecticide (Way) 5

Beef fat, maize oil, arachis oil or butter as dietary fat, with and without cholesterol, and atherosclerotic lesions in arteries, plasma and liver cholesterol content, lipids in plasma, liver and spleen, absence of thrombosis, rabbit (Howard & Gresham) xxxviii

Biochemistry of fats (Cook) 140

Biological value see under Nutritive value and Protein value

Biscuit(s) see under Food(s)

Bitch, growing, effect of dietary protein-calorie deficiency on nervous system of offspring (Heard et al.) 1

Blackquarter see under Disease(s), animal

Bladder stones, primary, nutritional significance; observations in India (Andersen) xliv

Blight, effects on potato plants; incidence in different parts of England and Wales; time of stoppage of growth of haulm and reduction in yield; effects of preventive spraying and weather conditions (Large) 15

Blight, losses of potatoes from, with and without preventive spraying, England and Wales, 1947-56, 1958, 1959 (Large) 15

Blood see also under Plasma

Blood cholesterol level, aortic lesions, and saturation of dietary fat, fowl (Siller & Bolton) 163

Blood cholesterol level, and cholesterol intake and protein content of diet, fowl (Siller & Bolton) 163

Blood cholesterol level, coronary heart disease, and saturated or unsaturated dietary fats, man (Oliver) 169

Blood, lipid content, and coagulability, and dietary fat (Sinclair) 149

Blood plasma, distribution of fatty acids in lipid fractions, man (Cook) 140

Blood sugar loss, and administration of casein or amino acids after carbohydrate meal, rat (Munro et al.) xxvi

Blood, uptake of intravenously injected ⁴⁵Ca and ⁸⁹Sr, pregnant sheep (Jones *et al.*) xxxiv

Blood vitamin D content in spring, summer, autumn, clipped or unclipped sheep (Quarterman et al.) xxviii

Body composition and age, man (Fryer) xlvii Body, specific gravity, water content, elderly man (Fryer) xlvii

Body-weight changes and calorie intake and expenditure during exercise on calorie-deficient diet and during subsequent rest on *ad lib.* diet, young man (Edholm) 71

Body-weight changes, relation to skinfold thickness changes, pregnant woman (Taggart) xxx

Body-weight and climate, man (Edholm) 71

Body-weight, daily variation, and calorie balance, man (Durnin) 52

Body-weight, daily variation, young man (Edholm)

Body-weight gain, effect of cellulose, glucose or sorbitol added to carbohydrate-free diet, rat (Morgan & Yudkin) x

Body-weight gain, effect of removal of thyroid, rat (Greene) 64

Body-weight gain, lack of effect of carnitine, rat (Bender & Adams) xxiv

Body-weight gain on low-fat diet with and without tocopherol supplement, weanling pig (Leat) iii

Body-weight gain on normal diet or on roughagefree diet with and without sodium bicarbonate, steer (Preston et al.) xlii

Body-weight gain with or without Amama dietary supplement or with milk-powder supplement, Nigerian infant (Cuthbertson) 122

Body-weight gained during pregnancy, distribution, woman (Thomson & Hytten) 76

35

Bone(s), growth and mineralization, and dietary protein deficiency, young pig (Stewart & Platt) xlvi

Bowel oedema see under Disease(s), animal

Boy see under Child and Schoolchild

Brain see under Nerve tissue and Nervous system

Braxy see under Disease(s), animal

Bread see also under Food(s)

Bread, white, fat absorption during frying, effect of thickness of slice, type and temperature of fat (Jamieson *et al.*) xxii

Britain see also under United Kingdom

Britain, effects on food habits of industrialization, food legislation, advertising, employment of women (Pyke) 46

Britain, expenditure on main food groups, 1936-7, 1951-2, 1954-5, 1958-9 (Hollingsworth) 25 Britain, food habits in (Andross) 40, (Bramwell) 30, (Hollingsworth) 25, (Pyke) 46, (Taggart)

Britain, postwar, changing pattern of food consumption (Hollingsworth) 25

Bronchitis, parasitic see under Diseasc(s), animal Brussels sprouts see also under Crop(s)

Brussels sprouts, calculated annual losses due to cabbage aphid, with and without treatment, England and Wales, 1946~55 (Way) 5

Buccal mucosa, changes in, as screening test for malnutrition, African adult and child (Squires) xix

Butter see also under Fat(s) and Food(s)

Butter and arachis oil compared, production of atherosclerosis and thrombosis, rat (Howard & Gresham) iv

Butter, beef fat, maize oil or arachis oil as dietary fat, with and without cholesterol, and atherosclerotic lesions in arteries, plasma and liver cholesterol content, lipids in plasma, liver and splcen, absence of thrombosis, rabbit (Howard & Gresham) xxxviii

Butyric acid production in rumen, effect of stage of growth of rye-grass, grazed or eaten indoors, cow (Bath & Rook) xv

Cabbage aphid see also under Insect(s)

Cabbage aphid, calculated annual losses of brussels sprouts due to, with and without treatment, England and Wales, 1946–55 (Way) 5

Caecum, enlarged, and thiamine requirement, rat (Morgan & Yudkin) x

Calciferol see under Vitamin D

Calcium see also under Nutrient(s)

Calcium, apparent digestibility, and unavailablecarbohydrate content of diet, young man (Southgate) iii

Calcium-45 and strontium-89 metabolism, pregnant ewe (Jones et al.) xxxiv

Calf see also under Cattle

Calf, newborn, protection from enzootic muscular dystrophy by selenium; prophylactic effect of selenium and tocopherol compared (Blaxter et al.) vi

Calf, young, abomasal proteolysis of cow's and synthetic milk (Henschel et al.) xli

Calf, young, proteolytic activity of abomasal contents before and at different times after milk feed (Henschel *et al.*) xl

Calorie(s) see also under Energy

Calorie(s) available per head from total food supply, 1958, and contribution of various foods to total, Pakistan (Maqsood Ali) 105

Calorie balance, and adipose-tissue metabolism (Chalmers) 68

Calorie balance, and age, climate, exercise, regulation of appetite, body-weight variations, calorie losses in faeces and urine, man (Durnin) 52

Calorie balance, breast- or bottle-fed week-old baby and adult compared (Widdowson) 83

Calorie balance determination, sources of error (Edholm) 71

Calorie balance and endocrine system, man (Greene) 64

Calorie balance and food intake and activity, man (Kennedy) 58

Caloric balance, man (Chalmers) 68, (Durnin) 52, (Edholm) 71, (Greene) 64, (Kennedy) 58, (Thomson & Hytten) 76, (Widdowson) 83

Calorie balance, mechanism of control (Kennedy) 58

Calorie concentration, diets differing in, choice between, normal and hyperphagic rat (Khairy et al.) xxxix

Calorie contribution to daily requirement, 'concentrated' and canned liquid varieties of soup, man (McLachlan) i

Calorie(s), daily intake, contribution of various foods to, bus driver and conductor compared, London (Bramwell) 30

Calorie(s), daily intake in different areas and comparison with recommended allowance, Indian (Halder) 95

Calorie(s) derived from various foods, Iraq, Middle East, U.K. and U.S.A. compared (Frankul) 102

Calorie(s) intake by animals held at constant weight on restricted stock diet or ad lib. low-protein diet, difference unaccounted for by specific dynamic action of food, body composition or activity, energy content of faeces and urine, pig, rat (Fryer et al.) xlix

Calorie intake and climate, man (Edholm) 71

Calorie intake, effect on protein value of diet (Miller & Payne) xlviii

Calorie intake and expenditure and weight changes during exercise on calorie-deficient diet and during subsequent rest on *ad lib*. diet, young man (Edholm) 71 Calorie(s), lack of correlation between daily intake and expenditure, correlation between weekly intake and expenditure, young man (Edholm) 71

Calorie losses, faecal and urinary, and calorie balance, man (Durnin) 52

Calorie(s) obtained from carbohydrate and fat stores at different times after birth, newborn baby (Widdowson) 83

Calorie(s) obtained daily from various foods, Turkey (Köksal) 99

Calorie and protein dietary deficiencies, young child, Ghana (Orraca-Tetteh) 109

Calorie requirement, total additional, at different stages of pregnancy, woman (Thomson & Hytten) 76

Calorie requirements and storage of protein and fat, increased metabolism, changes in activity during pregnancy, woman (Thomson & Hytten) 76

Calorie(s) supplied by animal and vegetable dietary fats (Sinclair) 149

Calorie value, haggis (Miller et al.) xxxii

Calorie value of total food supplies, Iraq (Frankul)

Calorie value of various foods, cost in relation to, Nigeria (Cuthbertson) 122

Calorific value, 'concentrated' and canned liquid varieties of soup compared (McLachlan) i

Canning of food, and food habits, Britain (Pyke) 46

Canned foods, and postwar changes in British food habits; contribution to energy and nutrient content of British diet, 1954, 1958 (Hollingsworth) 25

Carbohydrase(s) secretion before, at, and at different times after birth, guinea-pig (Henschel & Porter) xxiii

Carbohydrate see also under Cellulose, Glucose, Nutrient(s), Sugar(s) and Starch

Carbohydrate, amount in low-calorie diet, and ketogenic acitivity of urine, man (Chalmers) 68

Carbohydrate, apparent digestibility, and unavailable-carbohydrate content of diet, young man (Southgate) iii

Carbohydrate, available, in contents of different parts of gut, adult fowl (Bolton) xxv

Carbohydrate, daily intake, bus driver and conductor compared, London (Bramwell) 30

Carbohydrate and fat stores, calories obtained from, at different times after birth, newborn baby (Widdowson) 83

Carbohydrate intake, and liver lipid content and composition, rabbit (Macdonald) xxv

Carbohydrate, unavailable, content of diet, and availability of energy, young man (Durnin) ii

Carbohydrate, unavailable, content of diet, and availability of nutrients, young man (Durnin) ii, (Southgate) iii

Carnitine, lack of effect on protein biosynthesis and growth, rat (Bender & Adams) xxiv

Carnitine, physiological function (Bender) xxiv

Casein see also under Protein

Casein given through abomasum or rumen fistula, utilization as source of energy, sheep (Martin & Blaxter) vii

Cassava see under Food(s)

Cattle see also under Calf, Cow and Steer

Cattle losses due to disease, Great Britain, Northern Ireland (Leech) 20

Caudate nucleus see under Nerve tissue

Cell(s), spinal cord, changes on protein-deficient diet, pig (Platt et al.) xviii

Cellulose(s) see also under Carbohydrate

Cellulose, glucose or sorbitol added to carbohydrate-free diet, effect on weight gain, rat (Morgan & Yudkin) x

Cellulose, and thiamine requirement, and coprophagy, rat (Morgan & Yudkin) x

Cereal(s) see under Food(s)

Cheese see under Food(s)

Chick see also under Fowl

Chick, growing, protein supplements for, evaluation of, equation relating supplementary value to dietary level (Miller) xliii

Chick(s) losses due to disease, Great Britain (Leech) 20

Chicken, broiler, staining of flesh with bone marrow after freezing, lack of effect of diet, degree of bone calcification, sex (Hocken) xxii

Child see also under Baby, Infant and Schoolchild Child, African, changes in buccal mucosa as screening test for malnutrition (Squires) xix

Child, dietary protein deficiency and malnutrition, Pakistan (Magsood Ali) 105

Child with kwashiorkor, low concentration of copper in liver and hair, absence of copper from liver fat (Macdonald & Warren) xxxvi

Child, Nigerian, method of rearing, and protein malnutrition (Cuthbertson) 122

Child, Turkish, prevalence of malnutrition (Köksal) 99

Child, young, Ghanaian, calorie and protein dietary deficiencies, malnutrition and high mortality rate (Orraca-Tetteh) 109

Child, young, Indian, protein malnutrition and inadequate diet (Halder) 95

Child, young, Nigerian, mortality rate from various diseases (Cuthbertson) 122

Cholesterol added to diet with butter, beef fat, maize oil or arachis oil, and atherosclerosis, rabbit (Howard & Gresham) xxxviii

Cholesterol content of liver and plasma, and butter, beef fat, maize oil or arachis oil as dietary fat with and without cholesterol, rabbit (Howard & Gresham) xxxviii

Cholesterol level of blood, aortic lesions and saturation of dietary fat, fowl (Siller & Bolton) 163

Cholesterol level, blood, and cholesterol intake and protein content of diet, fowl (Siller & Bolton) 163 Cholesterol level, blood, coronary heart disease, and saturated or unsaturated dietary fats, man (Oliver) 169

Cholesterol level, plasma, abnormal, reduction, and ischaemic heart disease, man (Oliver) 169 Chymotrypsin see under Protease(s)

Cis and trans configuration, fatty acids, nutritive value (Aaes-Jørgensen) 156, (Crossley) 143, (Sinclair) 149

Citrus crops see under Crop(s)

Clipping, effect on blood vitamin D content in spring, summer, autumn, sheep (Quarterman et al.) xxviii

Climate see also under Temperature

Climate and calorie balance, man (Durnin) 52

Climate, food wastage due to, African underdeveloped areas (Aylward) 112

Coagulability, blood, and dietary fat (Sinclair) 149

Coccidiosis see under Disease(s), animal

Cock see under Fowl

Coconut(s) see under Crop(s)

Coffee see under Food(s)

Cooking see under Frying

Copper deficiency, conditioned, and nerve-tissue degeneration, lamb (Fell et al.) xxvii

Copper, low concentration in liver and hair, absence from liver fat, child with kwashiorkor (Macdonald & Warren) xxxvi

Copper and molybdenum contents of liver, ataxia and nerve-tissue lesions, lamb (Fell et al.)

Coprophagy, prevalence demonstrated by vitamin B_{12} activity of stomach contents, rat (Morgan *et al.*) ix

Coprophagy, and thiamine requirement, rat (Morgan & Yudkin) x

Coronary artery, atherosclerotic lesions in, and butter, beef fat, maize oil or arachis oil as dietary fat with and without cholesterol, rabbit (Howard & Gresham) xxxviii

Cow see also under Cattle

Cow, volatile fatty-acid production in rumen, effect of stage of growth of rye-grass, grazed or eaten indoors (Bath & Rook) xv

Cow, voluntary intake of oat straw, and time spent eating and ruminating, effect of infusion into rumen of urea with or without sucrose (Campling & Freer) xvi

Creatinine, urinary excretion, elderly man (Fryer)

Crop(s) see also under Grain(s)

Crop(s), injury by nematodes, mechanism; degree of injury and number of nematodes; methods of control (Jones) 1

Crop(s), losses caused by insects (Way) 5

Crop(s), stored, losses caused by insect pests, quantitative and qualitative (Herford) 11

Cyanocobalamin see under Vitamin B₁₂

Date(s) see under Food(s)

Deficiency see also under Calorie(s), Copper, Malnutrition, Manganese, Potassium, Protein and Undernutrition

Deficiency diseases and dietary pattern, Iraq (Frankul) 102

Dehydrated foods and postwar changes in British food habits; contribution to energy and nutrient content of British diet, 1954, 1958 (Hollingsworth) 25

Diarrhoea, bacillary white see under Disease(s), animal

Diet(s), fat content, method of calculation from calorie value determined in ballistic bomb calorimeter; values compared with those found by analysis (Pellett) xlv

Diet, Pakistani, effect on protein value of addition of dehydrated meat or fish (Maqsood Ali) 105

Diet and primary bladder stones, India (Andersen) xliv

Diet(s), Turkish, protein value, effect of season and method of distribution among family (Köksal) 99

Diet(s), typical Ghanaian, protein value, effect of various supplements (Orraca-Tetteh) 109

Diet, unavailable-carbohydrate content, and availability of nutrients, young man (Durnin) ii, (Southgate) iii

Diet, weighed-, survey, individual, technique (Marr) xxxix

Dietary pattern, bus driver and conductor compared, London (Bramwell) 30

Dietary pattern and deficiency diseases, Iraq (Frankul) 102

Dietary pattern and social class, pregnant woman (Taggart) 35

Dietary survey, bus driver and conductor, London (Bramwell) 30

Disease(s) see also under Ataxia, Atherosclerosis, Kwashiorkor, Muscular dystrophy, Rickets and Thrombosis

Disease(s), animal, and loss of animal food, man (Leech) 20

Disease, and fatty acids in dietary fats, man (Sinclair) 149

Disease, plant, food wastage due to, African underdeveloped areas (Aylward) 112

Disease(s) of potatoes, and reduction in yield (Large) 15

Disease(s), various, mortality rate from, young child, Nigeria (Cuthbertson) 122

Dog see under Bitch and Pup

Duodenum see under Gut

Dystokia see under Disease(s), animal

Eelworm see under Nematode(s)

Egg(s) see also under Food(s)

Egg(s), fowl fed exclusively on, distribution of atherosclerotic lesions (Siller & Bolton) 163
Egg peritonitis see under Disease(s), animal

- Egg production, effect of addition of methionine, lysine or both to diet with poor-quality ground-nut meal, hen (Davidson *et al.*) xxxv
- Endocrine system, calorie balance and obesity, man (Greene) 64
- Energy see also under Calorie(s)
- Energy, availability, in diet, and unavailablecarbohydrate content of diet, young man (Durnin) ii
- Energy content of British postwar diet, increase; contribution of canned, frozen and dehydrated foods, 1954, 1958 (Hollingsworth) 25
- Energy expenditure and appetite, man (Edholm)
- *Energy expenditure and food intake, elderly man in heavy or light engineering (Blake & Durnin) xxxii
- Energy expenditure, suggested plan of tabulation (Durnin) 52
- Energy expenditure in walking on the level or on gradient at different speeds, sheep on maintenance or twice maintenance level of feeding (Clapperton) xxxi
- Energy, food, metabolizable, net availability for maintenance and fat production at maintenance or twice maintenance level of feeding on same food, steer and sheep compared (Blaxter & Wainman) xxxiii
- Energy production from casein given through abomasal or rumen fistula, sheep (Martin & Blaxter) vii
- Energy source, plasma fatty acids from adipose tissue as, man (Chalmers) 68
- Energy, unavailable, in 'normal' diets with different amounts of roughage, man, woman (Durnin) 52
- Enzyme(s) see under Carbohydrase(s), Pepsin, Protease(s) and Rennin
- Escherichia coli infections see under Disease(s), animal
- Ewe, pregnant, ⁴⁵Ca and ⁸⁹Sr metabolism (Jones et al.) xxxiv
- Exercise see also under Activity and Walking
- Exercise and calorie balance, man (Durnin) 52 Exercise, calorie intake and expenditure and weight changes during, on calorie-deficient diet and during subsequent rest on ad lib. diet, young man (Edholm) 71
- Excretion, urinary and faecal, of calories, breastor bottle-fed week-old baby and adult compared (Widdowson) 83
- Faeces, calorie losses in, breast- or bottle-fed week-old baby and adult compared (Widdowson) 83
- Faeces, food energy losses in, steer and sheep compared at maintenance or twice maintenance level of feeding on same food (Blaxter & Wainman) xxxiii
- Faeces, uptake of intravenously injected ⁴⁵Ca and ⁸⁹Sr, pregnant ewe (Jones *et al.*) xxxiv

- Fat(s) see also under Arachis oil, Beef fat, Butter, Food(s), Lipid(s), Maize oil, Nutrient(s), Oil(s) and Olive oil
- Fat absorption by white bread during frying, effect of thickness of slice, type and temperature of fat (Jamieson *et al.*) xxii
- Fat(s), animal and vegetable, dietary, vitamins and calories supplied by (Sinclair) 149
- Fat(s), animal and vegetable, fatty-acid composition compared (Crossley) 143
- Fat(s), animal and vegetable, glycerides in, differences in structure (Crossley) 143
- Fat(s), animal and vegetable, some chemical characteristics, fatty-acid contents (Sinclair)
- Fat(s), animal and vegetable, relative value in nutrition (Aaes-Jørgensen) 156, (Cook) 140, (Crossley) 143, (Frazer) 138, (Oliver) 169, (Siller & Bolton) 163, (Sinclair) 149
- Fat(s), animal and vegetable, sterol and vitamin E contents (Crossley) 143
- Fat, apparent digestibility, and unavailablecarbohydrate content of diet, young man (Southgate) iii
- Fat(s), biochemistry and metabolism (Cook) 140 Fat, body content, effect of removal of thyroid, rat (Greene) 64
- Fat and carbohydrate stores, calories obtained from, at different times after birth, newborn baby (Widdowson) 83
- Fat(s), changes due to industrial processing (Crossley) 143
- Fat(s), consumption in U.K., 1957; distribution between animal, marine and vegetable, 1900–1957 (Crossley) 143
- Fat content of diets, method of calculation from calorie value determined in ballistic bomb calorimeter; values compared with those found by analysis (Pellett) xlv
- Fat, daily intake, bus driver and conductor compared, London (Bramwell) 30
- Fat deposition during pregnancy, woman (Taggart) xxx
- Fat(s), dietary, and atherosclerosis, man (Oliver) 169
- Fat, dietary and atherosclerosis, rabbit (Howard & Gresham) xxxviii
- Fat(s), dietary, factors that complicate study of effect on body (Frazer) 138
- Fat(s), dietary, fatty acids in, and disease, man (Sinclair) 149
- Fat(s), dietary, and lipid content and coagulability of blood (Sinclair) 149
- Fat(s), dietary, saturated and unsaturated, blood cholesterol level, and coronary heart disease, man (Oliver) 169
- Fat, dietary, saturation, and blood cholesterol level and aortic lesions, fowl (Siller & Bolton) 163
- Fat, digestibility coefficient, and unavailablecarbohydrate content of diet, young man (Southgate) iii

Fat, human depot, component fatty acids (Crossley) 143

Fat, liver, absence of copper from, child with kwashiorkor (Macdonald & Warren) xxxvi

Fat, liver and back, peroxide values on low-fat diet with and without α-tocopherol supplement, weanling pig (Leat) iii

Fat, localization, and posterior pituitary, rabbit, rat (Greene) 64

Fat(s), natural and synthetic, dietary, fatty-acid composition, and experimental atherosclerosis or thrombosis, rat (Howard & Gresham) iv

Fat, saturated or unsaturated, added to cholesterol-supplemented diet, effect on hypercholesterolaemia, fowl (Siller & Bolton) 163

Fat storage and its calorie cost during pregnancy, woman (Thomson & Hytten) 76

Fatty acid see also under Acetic, Butyric, Linoleic, Propionic and Valeric

Fatty acids in animal and vegetable fats (Sinclair)
149

Fatty acid composition of animal and vegetable fats compared (Crossley) 143

Fatty acid composition of natural or synthetic dietary fat, and experimental atherosclerosis or thrombosis, rat (Howard & Gresham) iv

Fatty acids in dietary fats, and disease, man (Sinclair) 149

Fatty acids, distribution in lipid fractions of plasma, man (Cook) 140

Fatty acids, essential, content of marine and vegetable oils, hydrogenation and nutritive value (Aaes-Jørgensen) 156, (Sinclair) 149

Fatty acids, essential, requirement assessed by measuring trienoic: tetraenoic acid ratio in heart, liver or plasma, pig (Leat) xvi

Fatty acids, free, content in plasma, effect of adrenaline, noradrenaline, insulin, glucose (Chalmers) 68

Fatty acids, free, content in stored groundnuts, increase caused by insect pests (Herford) 11

Fatty acids in heart, liver or plasma, trienoic: tetraenoic acid ratio, and linoleic-acid content of diet, pig (Leat) xvi

Fatty acids, metabolism, and pituitary hormones (Chalmers) 68

Fatty acids, plasma, from adipose tissue as energy source, man (Chalmers) 68

Fatty acids, polyunsaturated isomers in nutrition (Aaes-Jørgensen) 156, (Sinclair) 149

Feeding-stuff(s) for livestock, method of balancing (Tomkins) xi

Fish see also under Food(s)

Fish consumption, varying estimates, Pakistan (Corran) 128

Fish, dehydrated, added to Pakistani diet, effect on protein value (Maqsood Ali) 105

Fish treated by modern or traditional Ghanaian methods, protein value (Orraca-Tetteh) 109

Fishing industry, importance of development as a source of protein foods, Pakistan (Corran) 128

Flavour appraisal, and sight, touch, sound, smell, temperature (Andross) 40

Flavour loss, and loss of essential oils in cooking (Andross) 40

Flavour, physiological and chemical aspects (Andross) 40

Flavour testing methods, panel, ranking, scoring (Andross) 40

Flesh, staining with bone marrow after freezing, lack of effect of diet, degree of bone calcification, sex, broiler chicken (Hocken) xxii
Flour see under Food(s)

Foetus, uptake of ⁴⁵Ca and ⁸⁹Sr intravenously injected into pregnant ewe (Jones et al.) xxxiv

Food(s) see also under Amama, Brussels sprouts, Bean(s), Butter, Cabbage, Casein, Cellulose, Crop(s), Diet(s), Fat(s), Feeding-stuff(s), Fish, Flavour, Grain(s), Gram(s), Groundnut(s), Haggis, Kushik, Meat, Milk, 'Multipurpose', Nut(s), Oat(s), Orange juice, Potato(es), Pulse(s), Rice, Soup(s), Soya-bean(s), Sugarbeet, Wheat and Yogurt

Food absorption from gut, fowl (Bolton) xxv Food, animal, for man, losses caused by diseases (Leech) 20

Food(s), canned, frozen and dehydrated, and postwar changes in British food habits; contribution to energy and nutrient content of British diet, 1954, 1958 (Hollingsworth) 25

Food consumption, changing pattern in postwar Britain (Hollingsworth) 25

Food consumption and efficiency of conversion on normal diet or on roughage-free diet with and without sodium bicarbonate, steer (Preston et al.) xlii

Food consumption on low-fat diet with and without α-tocopherol supplement, weanling pig (Leat) iii

Food, direct and indirect methods for increasing supplies and reducing wastage due to pests, diseases and climate in African underdeveloped areas (Aylward) 112

Food groups, main, expenditure on, Britain, 1936-7, 1951-2, 1954-5, 1958-9 (Hollingsworth) 25

Food habits in Britain (Andross) 40, (Bramwell) 30, (Hollingsworth) 25, (Pyke) 46, (Taggart) 35

Food habits, changes in, and appetite, nausea, vomiting, cravings and aversions, dietary education, pregnant woman (Taggart) 35

Food habits in different regions, Ghana (Orraca-Tetteh) 109

Food habits, effects of industrialization, food legislation, advertising, employment of women, Britain (Pyke) 46

Food habits, shift-timing and number of meals, railway worker, Britain (Pyke) 46

Food intake, activity and calorie balance, man (Kennedy) 58

Food intake, activity and obesity, man (Kennedy)

- *Food intake and energy expenditure, elderly man in heavy or light engineering (Blake & Durnin) xxxii
- Food(s), laboratory, freeze-dryer for (Payne et al.) xii
- Food legislation and food habits, Britain (Pyke) 46
 Food losses in field and store (Herford) 11,
 (Jones) 1, (Large) 15, (Leech) 20, (Way) 5
 Food 'multipurpose', Indian modification

Food, 'multipurpose', Indian modification (Wokes) 117

Food preservation and processing, small-scale unit for, and reduction of wastage in African underdeveloped areas (Aylward) 112

Food, same, given at maintenance or twice maintenance level, net availability for maintenance and fat production of metabolizable energy, steer and sheep compared (Blaxter & Wainman) xxxiii

Food science and technology and campaign against malnutrition (Aykroyd) 91, (Aylward) 112, (Corran) 128, (Cuthbertson) 122, (Frankul) 102, (Halder) 95, (Köksal) 99, (Maqsood Ali) 105, (Orraca-Tetteh) 109, (Platt) 93, (Wilson) 133, (Wokes) 117

Food supplies, attempts to increase, need for accurate information on food consumption and for trained food scientists, importance of developing fishing industry, Pakistan (Corran) 128

Food supplies, calorie value, Iraq (Frankul) 102 Food supplies, inadequate, malnutrition in underdeveloped countries and suggested remedies: introduction (Platt) 93, India (Halder) 95, Turkey (Köksal) 99, Iraq (Frankul) 102, Pakistan (Maqsood Ali) 105, Ghana (Orraca-Tetteh) 109

Food supplies and malnutrition, importance of better preservation and storage, control of pests, trained personnel to plan food policies (Platt) 93

Food supplies, quantitative and qualitative inadequacy, and malnutrition and high mortality rate in African underdeveloped areas (Aylward)

Food, typical Pakistani diets and meals, protein value (Maqsood Ali) 105

Food(s), various, amounts available per head, 1958, and their calorie and protein contribution to diet, Pakistan (Maqsood Ali) 105

Food(s), various, contribution to daily intake of calories, bus driver and conductor compared, London (Bramwell) 30

Food(s), various, contribution to protein in Indian diet (Wokes) 117

Food(s), various, cost in relation to weight, calorie value and protein value, Nigeria (Cuthbertson) 122

Food(s), various, daily consumption and calorie content, Turkey (Köksal) 99

Food(s), various, daily intake pre- and post-war, and social class, pregnant woman (Taggart) 35

Food(s), various, percentage of calories obtained from, Iraq, Middle East, U.K. and U.S.A. compared (Frankul) 102

Foot-and-mouth disease see under Disease(s), animal

Fowl, adult, absorption of food from gut; moisture, crude protein and available carbohydrate, contents of different parts of gut (Bolton) xxv

Fowl on cholesterol-supplemented diet, effect on hypercholesterolaemia of addition of saturated or unsaturated fat to diet (Siller & Bolton) 163

Fowl fed exclusively on eggs, distribution of atherosclerotic lesions (Siller & Bolton) 163

Fowl, cholesterol intake, protein content of diet, and blood cholesterol level (Siller & Bolton) 163

Fowl, saturation of dietary fat, and blood cholesterol level and aortic lesions (Siller & Bolton) 163

Freeze-dryer, laboratory, for foods (Payne et al.) xii

Freezing of foods, and food habits, Britain (Pyke) 46

Freezing, staining of flesh with bone marrow due to, lack of effect of diet, degree of bone calcification, sex, broiler chicken (Hocken) xxii

Frozen foods, and changes in British postwar food habits; contribution to energy and nutrient content of British diet, 1954, 1958 (Hollingsworth) 25

Fruit(s) see under Food(s)

Frying, effect of thickness of slice, type and temperature of fat on fat absorption by white bread (Jamieson *et al.*) xxii

Fungus diseases see under Blight and Scab

Gastric mucosa, toad, acid secretion, lack of effect of carnitine (Bender) xxiv

Ghana, food habits in different regions, seasonal effects and nutritional status (Orraca-Tetteh)

Ghana, inadequate food supplies, malnutrition and suggested remedies (Orraca-Tetteh) 109

Ghana, protein value of typical diets, effect of various supplements (Orraca-Tetteh) 109 Girl see under Child and Schoolchild

Gland see under Endocrine system, Pituitary and Thyroid

Glucose utilization and age, normal and proteindeficient pig (Heard et al.) xx

Glucose, effect on free fatty-acid content of plasma (Chalmers) 68

Glucose, sorbitol or cellulose added to carbohydrate-free diet, effect on weight gain, rat (Morgan & Yudkin) x

Glutamic acid see under Amino acids

Glyceride(s) in animal and vegetable fats, differences in structure (Crossley) 143

Glycine see under Amino acids

Glycogen, liver loss, and administration of casein or amino acids after carbohydrate meal, rat (Munro et al.) xxvi

Glycogen, liver, loss, and administration of glycine, rat made diabetic with alloxan (Munro et al.) xxvi

Glycogen, muscle content, lack of effect of administration of casein or amino acids after carbohydrate meal, rat (Munro et al.) xxvi

Gonad(s) see under Endocrine system

Grain(s) see also under Crop(s)

Grain(s), stored, heat production in, and insect pests, method of control (Herford) 11

Grass tetany see under Disease(s), animal

Groundnut sour as basis for commercially

Groundnut flour as basis for commercially manufactured protein-rich dietary supplement for young child, Nigeria (Cuthbertson) 122

Groundnut flour for human consumption, production in Nigeria (Cuthbertson) 122

Groundnut meal, poor-quality, in diet, effect on egg production of addition of methionine, lysine or both, hen (Davidson et al.) xxxv

Groundnut(s), stored, increase in free fatty-acid content caused by insect pests (Herford) 11 Growth, bones, and dietary protein deficiency,

young pig (Stewart & Platt) xlvi Guinea-pig, secretion of proteases and carbohydrases before, at, and at different times after birth (Henschel & Porter) xxiii

Gut, food abosrption from; moisture, crude protein and available carbohydrate in contents of different parts, adult fowl (Bolton) xxv

Habit(s), food see also under Food habits Habit(s), food, in Britain (Andross) 40, (Bramwell) 30, (Hollingsworth) 25, (Pyke) 46, (Taggart) 35

Haggis, alone or with methionine supplement, net protein utilization value (Miller et al.) xxxii Haggis, nutrient content (Miller et al.) xxxii

Hair, low concentration of copper in, child with kwashiorkor (Macdonald & Warren) xxxvi

Heart disease, coronary, blood cholesterol level, and saturated or unsaturated dietary fats, man (Oliver) 169

Heart disease, ischaemic see also under Disease(s) Heart disease, ischaemic, atherosclerotic lesions and plasma lipid pattern, man (Oliver) 169

Heart disease, ischaemic, and reduction of abnormal plasma cholesterol level, man (Oliver) 169

Heart, trienoic: tetraenoic acid ratio in, and linoleic-acid content of diet, pig (Leat) xvi

Heat production in stored grains, and insect pests; method of control (Herford) 11

Hen see also under Fowl

Hen, effect on egg production of addition of methionine, lysine or both to diet with poorquality groundnut meal (Davidson et al.) xxxv

Herbage see under Rye-grass

Human depot fat, component fatty acids (Crossley) 143

Human milk, quantity and quality of proteins assessed by tests with rats accustomed to high-lactose diet; comparison with cow's milk (Platt & Miller) viii

Hydatid cysts see under Disease(s), animal

Hydrogenation, partial, of oils, underlying chemical reactions and suggested mechanism (Aaes-Jørgensen) 156

Hypercholesterolaemia, effect of addition of saturated or unsaturated fat to cholesterol-supplemented diet, fowl (Siller & Bolton) 163

Hypercholesterolaemia and ischaemic heart disease, man (Oliver) 169

Hypomagnesaemia see under Disease(s), animal Hypothalamic lesions, and activity, appetite, obesity, rat (Kennedy) 58

Hypothalamus lesion, effect on choice between diets differing in caloric concentration, rat (Khairy et al.) xxxix

Hypothalamus, other parts of nervous system, and obesity (Kennedy) 58

India, dietary protein deficiency, suggested remedies (Wokes) 117

India, inadequate food supplies, malnutrition and suggested remedies (Halder) 95

India, intake of total and animal protein, comparison with U.K. and U.S.A. (Halder) 95

India, total, animal, and plant protein intake per head, 1954, and contribution of various foods to total (Wokes) 117

India, observations on occurrence of primary bladder stones; incidence and age, sex, diet (Andersen) xliv

India, protein malnutrition and inadequate diet, pregnant and lactating woman, infant, young child (Halder) 95

Indian, daily intake in different areas of calories, total and animal protein, and comparison with recommended allowances (Halder) 95

Indian modification, 'multipurpose' food (Wokes)

Industrialization and food habits, Britain (Pyke) 46

Infant see also under Baby and Child

Infant feeding practices, Ghana (Orraca-Tetteh)
109

Infant feeding practices, Turkey (Köksal) 99
Infant, Indian, weaned, protein malnutrition treated with vegetable milk (Wokes) 117

Infant, Nigerian, weight gain with or without Amama dietary supplement or with milkpowder supplement (Cuthbertson) 122

Infant('s) proprietary food, Turkish, with milkpowder supplement, and wheat gruel with yogurt, dried egg or dried meat supplement compared, protein value (Köksal) 99 Insect(s) see also under Bean aphid and Cabbage aphid

Insect(s), crop losses caused by (Way) 5

Insect pests and heat production in stored grains method of control (Herford) 11

Insect pests, increase in free fatty-acid content of stored groundnuts (Herford) 11

Insect pests, losses in stored crops caused by, quantitative and qualitative (Herford) 11

Insecticide treatment of beans infested with bean aphid, date of sowing, weather and yield per acre (Way) 5

Insecticide treatment of crops, cost of spraying and value of crop saved under different farming conditions (Way) 5

Insecticide treatment of crops, frequent spraying and development of resistent strains of pest; lack of specificity of spray and destruction of beneficial insects; danger of toxicity for man, animals, plants (Way) 5

Insulin, effect on free fatty-acid content of plasma (Chalmers) 68

Insulin, response to, and age, normal and protein-deficient pig (Heard et al.) xx

Intestine see under Gut

Iodine added to dietary salt, and thyroid enlargement, schoolboy, schoolgirl, Britain (Kilpatrick et al.) xxxvii

Iodine value see under Saturation

Iraq, calorie value of total food supplies, dietary pattern, deficiency diseases (Frankul) 102

Iraq, inadequate food supplies, malnutrition and suggested remedies (Frankul) 102

Iraq, Middle East, U.K. and U.S.A. compared, percentage of calories derived from various foods (Frankul) 102

Iron see under Nutrient(s)

Johne's disease see under Disease(s), animal Joint-ill see under Disease(s), animal

Ketogenic activity of urine on 1000 kcal diets with different amounts of carbohydrate, man (Chalmers) 68

Kushik added to poor Iraqi meal, effect on protein value (Frankul) 102

Kushik, preparation by villagers, moisture, protein, fat, thiamine, riboflavin, nicotinic acid and vitamin B₁₂ contents, protein value, good storage qualities, Iraq (Frankul) 102

Kwashiorkor see also under Protein malnutrition Kwashiorkor, child with, low copper concentration in liver and hair, absence of copper from liver fat (Macdonald & Warren) xxxvi

Lactase see under Carbohydrase(s)

Lactating woman, dietary protein deficiency, and malnutrition of child, Pakistan (Maqsood Ali) 105 Lactating woman, Indian, protein malnutrition and inadequate diet (Halder) 95

Lamb, copper and molybdenum contents of liver, ataxia and nerve-tissue lesions (Fell et al.) xxvii

Lamb, growing, malocclusion of incisor teeth associated with rickets, curative effect of phosphorus and vitamin D dietary supplements (McRoberts) xxxvii

Leaf roll see under Virus diseases

Leave(s) as potential source of dietary protein, India (Wokes) 117

Legislation, food, and food habits, Britain (Pyke) 46

Legume(s) see under Food(s) and Pulse(s)

Linoleic acid content of diet, and trienoic:tetraenoic acid ratio in heart, liver, plasma, pig (Leat) xvi

Lipid(s) see also under Fat(s) and Oil(s)

Lipid content of plasma, liver and spleen, and butter, beef fat, maize oil or arachis oil as dietary fat with and without cholesterol, rabbit (Howard & Gresham) xxxviii

Lipid(s), distribution in body tissues, man (Cook) 140

Lipid, liver, content and composition, and daily carbohydrate intake, rabbit (Macdonald) xxv

Lipid metabolism, interrelationships, effect of diet, man (Cook) 140

Lipid pattern, plasma, atherosclerotic lesions and ischaemic heart disease, man (Oliver) 169

Liver see also under Tissue(s)

Liver, cholesterol and lipid contents, and butter, beef fat, maize oil or arachis oil as dietary fat, with and without cholesterol, rabbit (Howard & Gresham) xxxviii

Liver copper and molybdenum contents, ataxia and nerve-tissue lesions, lamb (Fell et al.) xxvii

Liver fat, peroxide value on low-fat diet with and without α-tocopherol supplement, weanling pig (Leat) iii

Liver-fluke infestation see under Disease(s), animal Liver glycogen loss, and administration of casein or amino acids after carbohydrate meal, rat (Munro et al.) xxvi

Liver glycogen loss, and administration of glycine, rat made diabetic with alloxan (Munro et al.) xxvi

Liver lipid content and composition, and daily carbohydrate intake, rabbit (Macdonald) xxv

Liver, low concentration of copper in, absence of copper from fat, child with kwashiorkor (Macdonald & Warren) xxxvi

Liver, trienoic: tetraenoic acid ratio in, and linoleic-acid content of diet, pig (Leat) xvi

Livestock, method of balancing feeding-stuffs (Tomkins) xi

Lucerne see under Crop(s)

Lysine, with or without methionine, added to diet with poor-quality groundnut meal, effect on egg production, hen (Davidson et al.) xxxv

Maize see also under Crop(s) and Food(s)

Maize oil, butter, beef fat or arachis oil as dietary fat, with and without cholesterol, and atherosclerotic lesions in arteries, plasma and liver cholesterol content, lipids in plasma, liver and spleen, absence of thrombosis, rabbit (Howard & Gresham) xxxviii

Malnutrition see also under Deficiency, Kwashiorkor and Undernutrition

Malnutrition, campaign against, and food science and technology (Aykroyd) 91, (Aylward) 112, (Corran) 128, (Cuthbertson) 122, (Frankul) 102, (Halder) 95, (Köksal) 99, (Maqsood Ali) 105, (Orraca-Tetteh) 109, (Platt) 93, (Wilson) 133, (Wokes) 117

Malnutrition, changes in buccal mucosa as screening test for, African adult and child (Squires) xix

Malnutrition and dietary protein deficiency of mother and child, Pakistan (Maqsood Ali) 105 Malnutrition and food consumption, lack of accurate information, Pakistan (Corran) 128

Malnutrition, high mortality rate and quantitative and qualitative inadequacy of food supplies in African underdeveloped areas (Aylward) 112

Malnutrition and inadequate food supplies in underdeveloped countries, and suggested remedies: introduction (Platt) 93, India (Halder) 95, Turkey (Köksal) 99, Iraq (Frankul) 102, Pakistan (Maqsood Ali) 105, Ghana (Orraca-Tetteh) 109

Malnutrition, prevalence, child, Turkey (Köksal)

Malnutrition, prevalence in underdeveloped countries, causes, preventive measures, importance of food research (Aykroyd) 91

Malnutrition, prevention, importance of better food preservation and storage, control of pests, trained personnel to plan food policies (Platt) 93

Malnutrition, protein, and inadequate diet, pregnant and lactating woman, infant, young child, India (Halder) 95

Malnutrition, protein, and method of rearing, Nigerian child (Cuthbertson) 122

Malnutrition, protein, treated with vegetable milk, weaned Indian infant (Wokes) 117

Maltase see under Carbohydrase(s)

Man see also under Baby, Child, Ghanaian, Human, Indian, Infant, Schoolchild and Woman

Man, adult, and breast- or bottle-fed week-old baby compared, calorie balance (Widdowson) 83

Man, African, changes in buccal mucosa as screening test for malnutrition (Squires) xix

Man, animal protein supplies in different parts of the world (Wokes) 117

Magnesium, apparent digestibility, and unavailable-carbohydrate content of diet, young man (Southgate) iii

Man, appetite and energy expenditure (Edholm)

Man, body composition and age (Fryer) xlvii

Man, British, food habits (Andross) 40, (Bramwell) 30, (Hollingsworth) 25, (Pyke) 46, (Taggart) 35

Man, bus driver and conductor compared, height, weight, dietary pattern, daily intake of calories, protein, fat and carbohydrate, contribution of various foods to calorie intake, London (Bramwell) 30

Man, calorie balance (Chalmers) 68, (Durnin) 52, (Edholm) 71, (Greene) 64, (Kennedy) 58, (Thomson & Hytten) 76, (Widdowson) 83

Man, calorie balance, and age, climate, exercise, regulation of appetite, body-weight variations, calorie losses in faeces and urine (Durnin) 52

Man, climate and calorie intake, body-weight (Edholm) 71

Man, dietary fats and atherosclerosis (Oliver) 169 Man, disease, and fatty acids in dietary fats (Sinclair) 149

Man, food intake, activity and calorie balance (Kennedy) 58

*Man, elderly, in heavy or light engineering, food intake and energy expenditure (Blake & Durnin) xxxii

Man, elderly, body specific gravity and water content, basal oxygen consumption, urinary creatinine excretion (Fryer) xlvii

Man, endocrine system, calorie balance and obesity (Greene) 64

Man, ketogenic activity of urine on 1000 kcal diets with different amounts of carbohydrate (Chalmers) 68

Man, metabolism of fat (Cook) 140

Man, nutritional significance of primary bladder stones (Andersen) xliv

Man, obesity, food intake and activity (Kennedy) 58

Man, plasma fatty acids from adipose tissue as energy source (Chalmers) 68

Man, plasma lipid pattern, atherosclerotic lesions and ischaemic heart disease (Oliver) 169

Man, railway worker, British, shift-timing and number of meals (Pyke) 46

Man, reduction of abnormal plasma cholesterol level, and ischaemic heart disease (Oliver) 169

Man, saturated or unsaturated dietary fats and blood cholesterol level and coronary heart disease (Oliver) 169

Man, technique for individual weighed-diet survey (Marr) xxxix

Man, unavailable energy in 'normal' diets with different amounts of roughage (Durnin) 52

Man, young, calorie intake and expenditure and weight changes during exercise on calorie-deficient diet and during subsequent rest on ad lib. diet (Edholm) 71

Man, young, daily variation in body-weight (Edholm) 71

Man, young, lack of correlation between daily calorie intake and expenditure, correlation between weekly intake and expenditure (Edholm) 71

Man, young, unavailable-carbohydrate content of diet, and availability of nutrients (Durnin) ii, (Southgate) iii

Manganese deficiency of soil, and reduction in potato yield (Large) 15

Marasmus see under Protein malnutrition Margarine see under Fat(s) and Food(s)

Mastitis cas under Disease(s) animal

Mastitis see under Disease(s), animal

Maturation, delayed, and protein deficiency, pig (Heard et al.) xx

Meat see also under Food(s)

Meat, dehydrated, added to Pakistani diet, effect on protein value (Maqsood Ali) 105

Melon see under Food(s)

Metabolism see also under Balance

Metabolism, ⁴⁵Ca and ⁸⁹Sr, pregnant ewe (Jones *et al.*) xxxiv

Metabolism of fat, man (Cook) 140

Methane, food energy losses as, steer and sheep compared at maintenance or twice maintenance level of feeding on same food (Blaxter & Wainman) xxxiii

Methionine, with or without lysine, effect on egg production of addition to diet with poorquality groundnut meal, hen (Davidson et al.) xxxv

Milk see also under Food(s)

Milk consumption and social class, pregnant woman (Taggart) 35

Milk, cow's and synthetic, compared, proteolysis in abomasum, young calf (Henschel *et al.*) xli Milk fever *see under* Disease(s), animal

Milk, human, quantity and quality of protein assessed by tests with rats accustomed to high-lactose diet; comparison with cow's milk (Platt & Miller) viii

Milk losses caused by diseases of cattle (Leech) 20 Milk, sheep's, uptake of intravenously injected ⁴⁵Ca and ⁸⁹Sr (Jones *et al.*) xxxiv

Milk, vegetable, as dietary supplement, and protein malnutrition, weaned Indian infant (Wokes) 117

Mineral(s) see under Calcium, Copper, Manganese, Molybdenum, Phosphorus, Potassium and Selenium

Mineralization of bones, and dietary protein deficiency, young pig (Stewart & Platt) xlvi Moisture see also under Water

Moisture content of kushik (Frankul) 102

Moisture in contents of different parts of gut, adult fowl (Bolton) xxv

Molybdenum and copper contents of liver, ataxia and nerve-tissue lesions, lamb (Fell et al.) xxvii

Mortality rate, malnutrition and quantitative and qualitative inadequacy of food supplies in African underdeveloped areas (Aylward) 112

Mortality rate and malnutrition, young child, Ghana (Orraca-Tetteh) 109 Mortality rate from various diseases, young child, Nigeria (Cuthbertson) 122

Mucosa, buccal, changes in, as screening test for malnutrition, African adult and child (Squires) xix

Muscle see also under Tissue(s)

Muscle glycogen content, lack of effect of administration of casein or amino acids after carbohydrate meal, rat (Munro et al.) xxvi

Muscular dystrophy, enzootic, protection from, by selenium; prophylactic effect of selenium and tocopherol compared, newborn calf (Blaxter et al.) vi

Nematode injury to crops, mechanism; degree of injury and number of nematodes; methods of control (Jones) 1

Nematode(s), life cycle, different types, environmental conditions favourable to growth (Jones)

Nerve tissue see also under Tissue(s)

Nerve tissue lesions, ataxia and copper and molybdenum contents of liver, lamb (Fell *et al.*) xxvii

Nervous system, effect of protein-calorie deficiency of mother's diet, pup (Heard et al.) 1

Net protein utilization, traditional dishes made with pulses (Miller) xxvi

Nicotinic acid see under Nutrient(s) and Vitamin(s) Nigeria, commercial development, manufacture and distribution of a protein-rich dietary supplement (Amama) for young child (Cuthbertson) 122

Nigeria, cost of various foods in relation to weight, calorie value and protein value (Cuthbertson) 122

Nigeria, mortality rate from various diseases, young child (Cuthbertson) 122

Nigeria, production of groundnut flour for human consumption (Cuthbertson) 122

Nigerian child, method of rearing, and protein malnutrition (Cuthbertson) 122

Nigerian infant, weight gain with or without Amama dietary supplement or with milkpowder supplement (Cuthbertson) 122

Nitrogen see also under Nutrient(s) and Protein Nitrogen, digestibility coefficient, and unavailable-carbohydrate content of diet, young man (Southgate) iii

Noradrenaline, effect on free fatty-acid content of plasma (Chalmers) 68

Nut(s) see also under Food(s) and Groundnut(s) Nut(s) as potential source of dietary protein, India (Wokes) 117

Nutrient(s), availability in diet, and unavailablecarbohydrate content of diet, young man (Durnin) ii, (Southgate) iii

Nutrient(s) content of British postwar diet, improvement; contribution of canned, frozen and dehydrated foods, 1954, 1958 (Hollingsworth) 25

Nutrient(s) content of haggis (Miller et al.) xxxii Nutrition, campaign for betterment, place of social research (Wilson) 133

Nutrition, relative value of animal and vegetable fats (Aaes-Jørgensen) 156, (Cook) 140, (Crossley) 143, (Frazer) 138, (Oliver) 169, (Siller & Bolton) 163, (Sinclair) 149

Nutritional research and change, social and cultural aspects and problems (Wilson) 133 Nutritive value see also under Protein value

Nutritive value, fatty acids, cis and trans configuration (Aaes-Jørgensen) 156, (Crossley) 143, (Sinclair) 149

Nutritive value and hydrogenation, marine and vegetable oils (Aaes-Jørgensen) 156, (Sinclair) 149

Nutritive value, traditional dishes made with pulses (Miller) xxvi

Oat(s) see under Crop(s)

Oat straw see under Straw

Obesity, activity, appetite and hypothalamic lesions, rat (Kennedy) 58

Obesity and endocrine system, man (Greene) 64 Obesity, food intake and activity, man (Kennedy) 58

Oil(s) see also under Arachis, Fat(s), Food(s), Maize and Olive

Oil(s), essential, loss in cooking, and loss of flavour (Andross) 40

Oil(s), marine and vegetable, essential fatty-acid content, hydrogenation and nutritive value (Aaes-Jørgensen) 156, (Sinclair) 149

Oil(s), partial hydrogenation, underlying chemical reactions and suggested mechanism (Aaes-Jørgensen) 156

Olive oil administration after carbohydrate meal, lack of effect on liver glycogen, rat (Munro et al.) xxvi

Onion(s) see under Crop(s)

Orange juice see under Vitamin concentrates Oxygen consumption, basal, elderly man (Fryer)

oxygen consumption, basal, elderly man (Fryer)
xlvii
Oxygen consumption, basal metabolic rate and

Oxygen consumption, basal metabolic rate and environmental temperature, newborn baby (Widdowson) 83

Paddy see under Crop(s)

Pakistan, amounts of various foods available per head, 1958, and their calorie and protein contribution to diet (Magsood Ali) 105

Pakistan, attempts to increase food supplies, need for accurate information on food consumption and for trained food scientists, importance of developing fishing industry (Corran) 128

Pakistan, dietary protein deficiency, child, pregnant and lactating woman (Maqsood Ali) 105

Pakistan, inadequate food supplies, malnutrition and suggested remedies (Maqsood Ali) 105 Pakistan, protein value of typical diets and meals (Magsood Ali) 105

Pakistan, varying estimates of fish consumption (Corran) 128

Pakistani diet, effect on protein value of addition of dehydrated meat or fish (Maqsood Ali) 105 Parasitic infection see under Disease(s), animal Pea(s) see under Crop(s)

Pectin, products of in vitro fermentation by bacteria from rumen liquor, sheep (Howard)

Pentosan(s) see under Carbohydrate

Pepper see under Crop(s)

Pepsin see also under Protease(s)

Pepsin activity of abomasal contents before and at different times after milk feed, young calf (Henschel et al.) xl

Peritonitis, egg see under Disease(s), animal

Pest(s), food wastage due to, African underdeveloped areas (Aylward) 112

Pest(s), losses of food due to, and malnutrition (Platt) 93

Pest(s), plant see under Bean aphid, Cabbage aphid, Insect(s) and Nematode(s)

Phosphorus, apparent digestibility, and unavailable-carbohydrate content of diet, young man (Southgate) iii

Pica and pregnancy, woman (Taggart) 35

Pig, changes in spinal-cord cells on proteindeficient diet (Platt et al.) xviii

Pig, essential fatty-acid requirement assessed by measuring trienoic: tetraenoic acid ratio in heart, liver or plasma (Leat) xvi

Pig(s) held at constant weight on restricted stock diet or ad lib. low-protein diet, difference in calorie intake unaccounted for by specific dynamic action of food, body composition or activity, energy content of faeces and urine (Fryer et al.) xlix

Pig(s), losses due to disease, England and Wales, Northern Ireland (Leech) 20

Pig, protein-deficient, delayed maturation shown by response to intravenously injected insulin or glucose (Heard *et al.*) xx

Pig, weanling, food consumption, weight gain, peroxide values of liver and back fat on low-fat diet with and without α-tocopherol supplement (Leat) iii

Pig, young, dietary protein deficiency, and bone growth and mineralization (Stewart & Platt) xlvi

Pituitary see also under Endocrine system

Pituitary hormones and fatty-acid metabolism (Chalmers) 68

Pituitary, posterior, and localization of fat, rabbit, rat (Greene) 64

Plant diseases, food wastage due to, African underdeveloped areas (Aylward) 112

Plant proteins as potential source of dietary protein, India (Wokes) 117

Plantain see under Food(s)

Plasma see also under Blood

Plasma cholesterol level, abnormal, reduction, and ischaemic heart disease, man (Oliver) 169

Plasma, cholesterol and lipid contents, and butter, beef fat, maize oil or arachis oil as dietary fat with and without cholesterol, rabbit (Howard & Gresham) xxxviii

Plasma fatty acids from adipose tissue as energy source, man (Chalmers) 68

Plasma content of free fatty acids, effect of adrenaline, noradrenaline, insulin, glucose (Chalmers) 68

Plasma lipid pattern and atherosclerotic lesions and ischaemic heart disease, man (Oliver) 169

Plasma, trienoic: tetraenoic acid ratio in, and linoleic-acid content of diet, pig (Leat) xvi

Polyunsaturated fatty acid isomers in nutrition (Aaes-Jørgensen) 156, (Sinclair) 149

Potato(es) see also under Crop(s) and Food(s)

Potato crop, losses due to disease (Large) 15

Potassium, apparent digestibility, and unavailablecarbohydrate content of diet, young man (Southgate) iii

Potassium deficiency of soil, and reduction in potato yield (Large) 15

Poultry see under Chick, Chicken, Food(s), Fowl and Hen

Pregnancy, changes in food habits, and appetite, nausea, vomiting, cravings and aversions, dietary education, woman (Taggart) 35

Pregnancy, distribution of weight gain during, woman (Thomson & Hytten) 76

Pregnancy, social class, and dietary pattern, daily intake of various foods pre- and post-war, consumption of milk and vitamin concentrates, woman (Taggart) 35

Pregnancy, storage of protein and fat, increased metabolism, changes in activity, and calorie requirements, woman (Thomson & Hytten) 76

Pregnancy, total additional calorie requirement at different stages, woman (Thomson & Hytten) 76

Pregnancy toxaemia see under Disease(s), animal Pregnant woman, dietary protein deficiency, and malnutrition of child, Pakistan (Maqsood Ali) 105

Pregnant woman, Indian, protein malnutrition and inadequate diet (Halder) 95

Pregnant woman, skinfold thickness at different sites; relation between skinfold thickness changes and body-weight changes (Taggart) xxx

Processing see also under Canning, Freezing and Hydrogenation

Processing, food, small-scale units for, and reduction of wastage in African underdeveloped areas (Aylward) 112

Processing, industrial, effects on fats (Crossley)
143

Processing of tropical crops for human consumption (Aylward) 112

Propionic acid production in rumen, effect of stage of growth of rye-grass, grazed or eaten indoors, cow (Bath & Rook) xv

Protease(s) secretion before, at, and at different times after birth, guinea-pig (Henschel & Porter) xxiii

Protein see also under Amino acids, Casein, Nitrogen and Nutrient(s)

Protein administration after carbohydrate meal, and loss of liver glycogen, rat (Munro et al.) xxvi

Protein, animal, supplies in different parts of the world (Wokes) 117

Protein available per head from total food supply, 1958, and contribution of various foods to total, Pakistan (Maqsood Ali) 105

Protein biosynthesis, lack of effect of carnitine, rat (Bender & Adams) xxiv

Protein calorie deficiency of mother's diet, effect on nervous system, pup (Heard et al.) 1

Protein and calorie dietary deficiencies, young child, Ghana (Orraca-Tetteh) 109

Protein content of diet, cholesterol intake, and blood cholesterol level, fowl (Siller & Bolton) 163

Protein content, total and utilizable, haggis (Miller et al.) xxxii

Protein content and value of traditional dishes made with pulses (Miller) xxvi

Protein, crude, in contents of different parts of gut, adult fowl (Bolton) xxv

Protein deficiency and changes in cells of spinal cord, pig (Platt et al.) xviii

Protein deficiency and delayed maturation, pig (Heard et al.) xx

Protein deficiency, dietary, and bone growth and mineralization, young pig (Stewart & Platt) xlvi

Protein deficiency, dietary, child, pregnant and lactating woman, Pakistan (Maqsood Ali) 105

Protein deficiency, dietary, suggested remedies, India (Wokes) 117

Protein deficiency treated with commercially manufactured protein-rich dietary supplement, young child, Nigeria (Cuthbertson) 122

Protein foods see also under Amama

Protein foods, importance of developing fishing industry as source of, Pakistan (Corran) 128

Protein malnutrition see also under Kwashiorkor

Protein malnutrition and inadequate diet, pregnant woman, infant, young child, India (Halder) 95

Protein malnutrition, and method of rearing, Nigerian child (Cuthbertson) 122

Protein malnutrition treated with vegetable milk, weaned Indian infant (Wokes) 117

Protein, net utilization value, haggis alone or with methionine supplement (Miller et al.) xxxii

Protein(s), plant, as potential source of dietary protein, India (Wokes) 117

Protein, quantity and quality in human milk assessed by tests with rats accustomed to highlactose diet; comparison with cow's milk (Platt & Miller) viii

Protein storage and its calorie cost during pregnancy, woman (Thomson & Hytten) 76

Protein supplements for growing chick, evaluation of, equation relating supplementary value to dietary level (Miller) xliii

Protein, total and animal, daily intake, bus driver and conductor compared, London (Bramwell) 30

Protein, total and animal, daily intake in different areas and comparison with recommended allowances, man, India (Halder) 95

Protein, total and animal, intake, comparison between India and U.K. and U.S.A. (Halder) 95

Protein, total, animal and plant, intake per head, 1954, and contribution of various foods to total, India (Wokes) 117

Protein value of diet, effect of calorie intake (Miller & Payne) xlviii

Protein value, infant's Turkish proprietary food with milk-powder supplement, and wheat gruel with yogurt, dried egg or dried meat supplement compared (Köksal) 99

Protein value of kushik (Frankul) 102

Protein value of Pakistani diet, effect of addition of dehydrated meat or fish (Magsood Ali) 105

Protein value of poor Iraqi meal, effect of addition of kushik (Frankul) 102

Protein value of Turkish diets, effect of season and method of distribution among family (Köksal) 99

Protein value of typical Ghanaian diets, effect of various supplements (Orraca-Tetteh) 109

Protein value of typical Pakistani diets and meals (Maqsood Ali) 105

Protein value of various foods, cost in relation to, Nigeria (Cuthbertson) 122

Proteolysis of cow's and synthetic milk in abomasum, young calf (Henschel et al.) xli

Proteolytic activity of abomasal contents before and at different times after milk feed, young calf (Henschel *et al.*) xl

Pudding(s) see under Food(s)

Pulpy-kidney disease see under Disease(s), animal Pulse(s) see also under Food(s)

Pulse(s) as potential source of dietary protein, India (Wokes) 117

Pulse(s), traditional dishes made with, protein content and value, net protein utilization (Miller) xxvi

Pup, effect on nervous system of protein-calorie deficiency of mother's diet (Heard et al.) 1

Pyridoxine see under Nutrient(s)

Rabbit, butter, beef fat, maize oil or arachis oil as dietary fat, with and without cholesterol, and atherosclerotic lesions in arteries, plasma and liver cholesterol content, lipids in plasma, liver and spleen, absence of thrombosis (Howard & Gresham) xxxviii

Rabbit, liver lipid content and composition, and daily carbohydrate intake (Macdonald) xxv

Rabbit, posterior pituitary and localization of fat (Greene) 64

Rat, effect on glycogen content of liver and muscle and sugar content of blood of administration of casein or amino acids or olive oil after carbohydrate meal (Munro et al.) xxvi

Rat, effect of removal of thyroid on weight gain and fat content (Greene) 64

Rat, effect on weight gain of cellulose, glucose or sorbitol added to carbohydrate-free diet (Morgan & Yudkin) x

Rat, enlarged caecum and thiamine requirement (Morgan & Yudkin) x

Rat, fatty-acid composition of natural or synthetic dietary fat, and experimental atherosclerosis or thrombosis (Howard & Gresham) iv

Rat(s) held at constant weight on restricted stock diet or ad lib. low-protein diet, difference in calorie intake unaccounted for by specific dynamic action of food, body composition or activity, energy content of urine and faeces (Fryer et al.) xlix

Rat, hypothalamic lesions and activity, appetite, obesity (Kennedy) 58

Rat made diabetic with alloxan, administration of glycine, and loss of liver glycogen (Munro et al.) xxvi

Rat, normal and hyperphagic, choice between diets differing in calorie concentration (Khairy et al.) xxxix

Rat, posterior pituitary and localization of fat (Greene) 64

Rat, production of atherosclerosis or thrombosis, butter and arachis oil compared (Howard & Gresham) iv

Rat, protein biosynthesis and growth, lack of effect of carnitine (Bender & Adams) xxiv

Rat, thiamine requirement, and ascorbic acid, cellulose, coprophagy (Morgan & Yudkin) x

Rat, vitamin B₁₂ activity of stomach contents, in demonstration of prevalence of coprophagy (Morgan *et al.*) ix

Rennin activity of abomasal contents before and at different times after milk feed, young calf (Henschel et al.) xl

Respiratory quotient, and calories obtained from carbohydrate and fat stores at different times after birth, newborn baby (Widdowson) 83

Riboflavin see under Nutrient(s) and Vitamin(s)

Rice see also under Food(s)

Rice, stored, loss in thiamine content caused by insect pests (Herford) 11

Rickets, malocclusion of incisor teeth associated with, curative effect of phosphorus and vitamin D supplements, growing lamb (McRoberts) xxxvii

Roughage see also under Carbohydrate, unavailable Roughage-free diet with and without sodium bicarbonate, and weight gain, food consumption and efficiency of conversion, steer (Preston et al.) xlii

Rumen liquor bacteria, products of in vitro fermentation of pectin by, sheep (Howard) xxix

Rumen, urea with or without sucrose infused into, effect on voluntary intake of oat straw and time spent eating and ruminating, cow (Campling & Freer) xvi

Rumen, volatile fatty-acid production in, effect of stage of growth of rye-grass, grazed or eaten indoors, cow (Bath & Rook) xv

Rugose mosaic see under Virus diseases

Rye-grass, grazed or eaten indoors, effect of stage of growth on volatile fatty-acid production in rumen, cow (Bath & Rook) xv

Saturation of dietary fat, and blood cholesterol level, aortic lesions, fowl (Siller & Bolton) 163
Saturation of dietary fat, and blood cholesterol level and coronary heart disease, man (Oliver) 169

Saturation of fatty acids in animal and vegetable fats (Crossley) 143

Scab, common, effects on potato plants; incidence and rainfall, England and Wales, 1952-9 (Large) 15

Schoolchild, boy and girl, iodized dietary salt and thyroid enlargement, Britain (Kilpatrick et al.) xxxvii

Schoolchild, thyroid activity, and hypoplasia of dental enamel (Hughes & Wilson) v

Season, effect on blood vitamin D content, clipped or unclipped sheep (Quarterman et al.) xxviii

Season, effect on diet, Ghana (Orraca-Tetteh) 109 Season, effect on Turkish diets (Köksal) 99

Selenium and tocopherol compared, protection against enzootic muscular dystrophy, newborn calf (Blaxter et al.) vi

Serum see under Blood

Sex and primary bladder stones, India (Andersen)

Shearing see under Clipping

Sheep see also under Ewe and Lamb

Sheep, clipped or unclipped, blood vitamin D content in spring, summer, autumn (Quarterman et al.) xxviii

Sheep, losses due to disease, England and Wales, Northern Ireland (Leech) 20

Sheep on maintenance or twice maintenance level of feeding, energy expenditure in walking on the level or on gradient at different speeds (Clapperton) xxxi Sheep rumen liquor, bacteria from, products of in vitro fermentation of pectin by (Howard) xxix

Sheep and steer compared, net availability for maintenance and fat production of metabolizable energy of same food given at maintenance or twice maintenance level (Blaxter & Wainman) xxxiii

Sheep, utilization as source of energy of casein given through abomasal or rumen fistula (Martin & Blaxter) vii

Sight and flavour appraisal (Andross) 40

Skinfold thickness changes, relation to bodyweight changes, pregnant woman (Taggart) xxx Skinfold thickness at different sites at different times during pregnancy, woman (Taggart) xxx Smell and flavour appraisal (Andross) 40

Social class and dietary pattern, daily intake of various foods pre- and post-war, consumption of milk and vitamin concentrates, pregnant woman (Taggart) 35

Social research, place in campaign for better nutrition (Wilson) 133

Sodium bicarbonate added to roughage-free diet, and weight gain, food consumption and efficiency of conversion, steer (Preston et al.) xlii Soil deficiencies and reduction in potato yield (Large) 15

Sorghum see under Crop(s)

Sound and flavour appraisal (Andross) 40

Soup see also under Food(s)

Soup(s), 'concentrated' and canned liquid varieties compared, calorific value, contribution to daily calorie requirement, man (MacLachlan) i

Sorbitol, cellulose or glucose added to carbohydrate-free diet, effect on weight gain, rat (Morgan & Yudkin) x

Soya-bean(s) see also under Crop(s)

Soya-bean(s) as potential source of dietary protein, India (Wokes) 117

Specific gravity, body, elderly man (Fryer) xlvii Spinal cord see also under Nerve tissue

Spinal cord, changes in cells, protein-deficient diet, pig (Platt et al.) xviii

Spleen, lipid content, and butter, beef fat, maize oil or arachis oil as dietary fat with cholesterol, rabbit (Howard & Gresham) xxxviii

Spraying, and prevention of potato diseases (Large) 15

Starch see also under Carbohydrate

Starch, apparent digestibility, and unavailablecarbohydrate content of diet, young man (Southgate) iii

Steer see also under Cattle

Steer and sheep compared, net availability for maintenance and fat production of metabolizable energy of same food given at maintenance or twice maintenance level (Blaxter & Wainman) xxxiii

Steer, weight gain, food consumption and efficiency of conversion on normal diet or on roughage-free diet with and without sodium bicarbonate (Preston et al.) xlii

Sterol(s) in animal and vegetable fats (Crossley)
143

Stone(s), primary, bladder, nutritional significance; observations in India (Andersen) xliv Storage, crops in, quantitative and qualitative

losses caused by insect pests (Herford) 11

Storage, food losses in (Herford) 11

Storage, food, small-scale units for, and reduction of wastage in African underdeveloped areas (Aylward) 112

Straw, oat, voluntary intake, and time spent eating and ruminating, effect of infusion into rumen of urea with or without sucrose, cow (Campling & Freer) xvi

Strontium-89 and calcium-45 metabolism, pregnant ewe (Jones et al.) xxxiv

Sucrase see under Carbohydrase(s)

Sucrose see under Carbohydrate

Sugar(s) see also under Food(s) and Glucose

Sugar(s), apparent digestibility, and unavailablecarbohydrate content of diet, young man (Southgate) iii

Sugar, blood, loss, and administration of casein or amino acids after carbohydrate meal, rat (Munro et al.) xxvi

Sugar-beet see also under Crop(s)

Sugar-beet, calculated annual losses due to yellows virus, Great Britain, 1946-58 (Way) 5

Survey, dietary, bus driver and conductor, London (Bramwell) 30

Survey, weighed-diet, individual, technique (Marr) xxxix

Swine fever see under Disease(s), animal

Taste see under Flavour

Technology, food science, and campaign against malnutrition (Aykroyd) 91, (Aylward) 112, (Corran) 128, (Cuthbertson) 122, (Frankul) 102, (Halder) 95, (Köksal) 99, (Maqsood Ali) 105, (Orraca-Tetteh) 109, (Platt) 93, (Wilson) 133, (Wokes) 117

Temperature, environmental see also under Climate

Temperature, environmental, oxygen consumption and basal metabolic rate, newborn baby (Widdowson) 83

Temperature and flavour appraisal (Andross) 40 Thiamine see also under Nutrient(s) and Vitamin(s) Thiamine content of stored rice, loss caused by insect pests (Herford) 11

Thiamine requirement, and ascorbic acid, cellulose, coprophagy, rat (Morgan & Yudkin) x Thiamine requirement and enlarged caecum, rat (Morgan & Yudkin) x

Thrombosis, absence, on diet with butter, beef fat, maize oil or arachis oil, with and without cholesterol, rabbit (Howard & Gresham) xxxviii

Thrombosis, experimental, and fatty-acid composition of natural or synthetic dietary fat, rat (Howard & Gresham) iv

Thrombosis production, butter and arachis oil compared, rat (Howard & Gresham) iv

Thyroid see also under Endocrine system

Thyroid activity, and hypoplasia of dental enamel, schoolchild (Hughes & Wilson) v

Thyroid enlargement, and iodized dietary salt, schoolboy, schoolgirl, Britain (Kilpatrick et al.)

Thyroid removal, effect on weight gain and fat content, rat (Greene) 64

Tissue(s), body, distribution of lipids, man (Cook)

Toad gastric mucosa, lack of effect of carnitine on acid secretion (Bender & Adams) xxiv

Tobacco see under Crop(s)

Tocopherol see also under Vitamin E

Tocopherol and selenium compared, protection against enzootic muscular dystrophy, newborn calf (Blaxter et al.) vi

α-Tocopherol supplement to low-fat diet, and food consumption, weight gain, peroxide values of liver and back fat, weanling pig (Leat)

Tomato(es) see under Crop(s)

Tooth, enamel, hypoplasia, and thyroid activity, schoolchild (Hughes & Wilson) v

Tooth, incisor, malocclusion associated with rickets, curative effect of phosphorus and vitamin D dietary supplements, growing lamb (McRoberts) xxxvii

Touch and flavour appraisal (Andross) 40

Toxaemia, pregnancy see under Disease(s), animal Trans and cis configuration, fatty acids, nutritive value (Aaes-Jørgensen) 156, (Crossley) 143, (Sinclair) 149

Triglyceride(s), effects of hydrogenation (Aaes-Jørgensen) 156, (Sinclair) 149

Trypsin see under Protease(s)

Tuberculosis see under Disease(s), animal

Tumour(s) see under Disease(s), animal

Turkey, daily consumption and calorie content of various foods (Köksal) 99

Turkey, inadequate food supplies, malnutrition and suggested remedies (Köksal) 99

Turkey, infant feeding practices (Köksal) 99

Turkey, protein value of infant's proprietary food with milk-powder supplement and of wheat gruel, alone or with yogurt, dried egg or dried meat supplement compared (Köksal) 99

Undernutrition see also under Malnutrition United Kingdom, consumption of fats, 1957; distribution between animal, marine and vegetable, 1900–1957 (Crossley) 143

Urea, with or without sucrose, infused into rumen, effect on voluntary intake of oat straw and time spent eating and ruminating, cow (Campling & Freer) xvi

Urine, calorie losses in, breast- or bottle-fed week-old baby and adult compared (Widdowson) 83

Urine, creatinine excretion in, elderly man (Fryer) xlvii

Urine, food energy losses in, steer and sheep compared at maintenance or twice maintenance level of feeding on same food (Blaxter & Wainman) xxxiii

Urine, ketogenic activity, with 1000 kcal diets with different amounts of carbohydrate, man (Chalmers) 68

Urine, uptake of intravenously injected ⁴⁵Ca and ⁸⁹Sr, pregnant sheep (Jones *et al.*) xxxiv

Valeric acid production in rumen, effect of stage of growth of rye-grass, grazed or eaten indoors, cow (Bath & Rook) xv

Vegetable(s) see also under Food(s)

Vegetable and animal fats in nutrition, relative value (Aaes-Jørgensen) 156, (Cook) 140, (Crossley) 143, (Frazer) 138, (Oliver) 169, (Siller & Bolton) 163, (Sinclair) 149

Vegetable milk as dietary supplement, and protein malnutrition, weaned Indian infant (Wokes) 117

Virus diseases, effects on potato plants; reduction in yield; prevention by introduction of virusfree seed (Large) 15

Virus yellows see under Virus diseases and Yellows virus

Vitamin(s) see also under Ascorbic acid, Thiamine, Tocopherol, Vitamin B₁₂, Vitamin D and Vitamin E

Vitamin concentrates, consumption, and social class, pregnant woman (Taggart) 35

Vitamin(s), content of kushik (Frankul) 102

Vitamin(s) supplied by animal and vegetable dietary fats (Sinclair) 149

Vitamin A see under Nutrient(s) and Vitamin(s) Vitamin B₁₂ see also under Vitamin(s)

Vitamin B₁₂ activity of stomach contents, in demonstration of prevalence of coprophagy, rat (Morgan *et al.*) ix

Vitamin C see under Ascorbic acid

Vitamin D see also under Vitamin(s)

Vitamin D content of blood in spring, summer, autumn, clipped or unclipped sheep (Quarterman et al.) xxviii

Vitamin E see under Tocopherol and Vitamin(s) Vitamin K see under Vitamin(s)

Walking on the level or on gradient at different speeds, energy expenditure, sheep on maintenance or twice maintenance level of feeding (Clapperton) xxxi

Wastage of food due to pests, plant diseases and climate in African underdeveloped areas (Aylward) 112

Water see also under Moisture

Water content, body, elderly man (Fryer) xlvii Weight see under Body-weight

Wheat gruel as infant's food, protein value alone or with yogurt, dried egg or dried meat supplement, Turkey (Köksal) 99

Wheat-yogurt mixture see under Kushik

Woman, distribution of weight gained at different stages of pregnancy (Thomson & Hytten) 76

Woman, pregnant, changes in food habits, and appetite, nausea, vomiting, cravings and aversions, dietary education (Taggart) 35

Woman, pregnant and lactating, dietary protein deficiency, and malnutrition of child, Pakistan (Magsood Ali) 105

Woman, pregnant and lactating, Indian, protein malnutrition and inadequate diet (Halder) 95

Woman, pregnant, skinfold thickness at different sites; relation between skinfold changes and body-weight changes (Taggart) xxx

Woman, pregnant, social class, and dietary pattern, daily intake of various foods pre- and post-war, consumption of milk and vitamin concentrates (Taggart) 35

Woman, storage of protein and fat, increased metabolism, changes in activity and calorie requirements during pregnancy (Thomson & Hytten) 76

Woman, total additional calorie requirement at different stages of pregnancy (Thomson & Hytten) 76

Woman, unavailable energy in 'normal' diets with different amounts of roughage (Durnin) 52

Yam see under Food(s)

Yellows virus see also under Virus diseases Yellows virus, calculated annual losses of sugarbeet due to, Great Britain, 1946-58 (Way) 5 Yogurt-wheat mixture see under Kushik