


At the Forefront of Psychiatric Research



EDITORIAL COMMITTEE

Editor

Wagner H. Bridger, M.D.
Department of Psychiatry, Medical
College of Pennsylvania at Eastern
Pennsylvania Psychiatric Institute,
Philadelphia, Pennsylvania 19129

Founding Editor

Joseph Wortis
State University of New York
Stony Brook, New York

Associate Editors

Helmut Beckmann
Floyd E. Bloom
Samuel B. Guze

Assistant Editor

Richard C. Josiassen

Members

Enoch Callaway III
Regina C. Casper
Arnold J. Friedhoff

Ex Officio

David L. Dunner
John F. Greden
A. John Rush

Send all orders to the New York address.
Send sample copy requests to:

in North America
Elsevier Science Inc.
PO Box 882
New York, NY 10159

outside North America
Elsevier Science B.V.
PO Box 211, 1000 AE Amsterdam
The Netherlands

*For faster service, call or fax today to place
your order:*

Tel. No.: (212) 633-3950

Fax No.: (212) 633-3990

Biological Psychiatry

Biological Psychiatry, the official publication of the Society of Biological Psychiatry, provides complete coverage of the entire spectrum of psychiatric research. Demanding rigorous experimental standards, the journal presents major clinical, behavioral, epidemiological, and normative studies in all subdisciplines relevant to psychiatry, including pathology, physiology, pharmacology, electroencephalography, biochemistry, and genetics.

Readers of **Biological Psychiatry** will find original research in the form of full-length articles and brief reports, as well as review articles on areas of current interest, a theoretically oriented "comments" section, case reports, correspondence, "news and notes," and editorials.

Biological Psychiatry continues to be ranked among the top ten most frequently cited psychiatry periodicals. Because today's research will ultimately have far-reaching implications for clinical practice, it is essential reading for practitioners as well as researchers.

Biological Psychiatry is abstracted/indexed in: *Beck Medical Information, Biological Abstracts, Chemical Abstracts, Current Contents, Excerpta Medica, Index Medicus, Inpharma, Mental Health Abstracts, Psychological Abstracts, Referativnyi Zhurnal, Reference Update, Science Citation Index, and Selected List of Tables of Contents of Psychiatric Periodicals.*

1994 Subscription Information

ISSN 0006-3223

Volumes 35-36 (24 issues)

Institutional Rate: \$845.00


Personal Rate: \$422.00

In-Training Rate: \$69.00

Subscribers outside the U.S., please add \$95.00 for postage and handling.



EUROPEAN PSYCHIATRY



THE JOURNAL OF THE ASSOCIATION OF EUROPEAN PSYCHIATRISTS

As from 1991, *European Psychiatry* has been the official journal of the Association of European Psychiatrists (AEP). Six times a year, papers are published in the fields of psychopathology, therapeutics, clinical and basic research. All papers are peer-reviewed by at least two eminent specialists.

Each issue includes:

- Original articles
- Short communications
- Editorials
- Review articles
- Letters to the Editor
- Conference calendar

Abstracted/Index in

Biological Abstracts,
CNRS/Pascal, Excerpta Medica,
Psychological Abstracts

Editors

C Ballus, *Barcelona*
JD Guelfi, *Paris*
H Heimann, *Tübingen*
R Murray, *London*

Co-Editors

M Maj, *Naples*
CB Pull, *Luxembourg*
M Ackenheil, *Munich*
P Bech, *Copenhagen*

Deputy Editors

P Boyer, *Paris*
Y Lecrubier, *Paris*

**FREE SAMPLE COPIES
AVAILABLE**

Subscription information

1994 - Vol 9 in 6 issues
ISSN 0924-9338
France: FF 1380
EU (for organisations or firms
with registration number) and
outside EU: FF 1580* (US \$ 287)
EU (for individuals): FF 1613
Air delivery included.
* The French franc price is definitive.

Submission of manuscripts

should be made to one of the editors indicated above. Addresses of the Editors and Instructions to Authors are available upon request at the secretariat of the Journal (*European Psychiatry*, Hôpital de la Salpêtrière, Pavillon Clérambault, 47, bd de l'Hôpital, 75651 Paris Cedex 13, France).

■ 5 receiving centres ■ 25 free reprints ■ No page or submission charges

A special rate is available to the Members of the Association of European Psychiatrists who should apply directly to the headquarters: Clinique psychiatrique, CHU, 1 place de l'Hôpital, 67091 Strasbourg Cedex, France.

ORDER FORM

Please send your order to the Paris address (or to your usual supplier):



EDITIONS SCIENTIFIQUES

ELSEVIER

29, rue Buffon, 75005 Paris, France

For further information and/or free sample copy, please write to either the French or USA address.

Elsevier Science Publishing Co, Inc
655 Avenue of Americas
New York, NY 10010, USA

A MEMBER OF THE REED ELSEVIER GROUP

- Please enter my 1994 subscription to *European Psychiatry*.
France: FF 1380. EU (for organisations or firms, please indicate registration No _____) and
outside EU: FF 1580 (US \$ 287). EU (for individuals) FF 1613
- Please send me a free sample copy
- Please find my check enclosed
- Please debit my credit card (VISA only)

No _____

Expires _____

Signature: _____

- Please send me an invoice

NAME _____

ADDRESS _____

CITY/STATE/POSTAL CODE _____

International Society of Psychoneuroendocrinology

25th Congress

Seattle, Washington, USA
14-18 August 1994

Chairman Murray A. Raskind

Co-Chair Elaine R. Peskind

Conference Coordinator Kirsten Rohde

President Charles B. Nemeroff

Local Organizing Committee

Akira Horita

Daniel M. Dorsa

Richard C. Veith

Dorcas J. Dobie

Donna Devine

Marie Walters

Scientific Advisory Board

Luciano Angelucci, *Italy*

Robert Dantzer, *France*

Daniel M. Dorsa, *USA*

Cindy Ehlers, *USA*

Caleb Finch, *USA*

Willem Gispen, *The Netherlands*

Florian Holsboer, *Germany*

Michael Meaney, *Canada*

Masahiko Mikuni, *Japan*

Robert Sapolsky, *USA*

Trey Sunderland, *USA*

Program Information

Plenary lectures, symposia, free communications, and poster sessions will be presented on the psychoneuroendocrinology of development, aging and dementia, as well as other topics.

Selected areas of interest include:

1. Neuroendocrine and neurotrophic influences on multiple aspects of neuronal development, aging, degeneration, and regeneration.
2. Neuroendocrine aspects of behavioral disorders including Alzheimer's disease, schizophrenia, and affective disorders.
3. Psychopharmacologic and neuroendocrine strategies for therapeutic interventions in Alzheimer's disease and other late life behavioral disorders.
4. Molecular aspects of hormonal and psychopharmacologic effects on behavior.

The official language of the 25th Congress is English.

Investigators also are encouraged to submit abstracts of studies in all areas of psychoneuroendocrinology for presentation as free communications and posters.

These areas include studies relevant to hormonal and neuroendocrine aspects of schizophrenia, affective disorders, anxiety disorders, personality disorders, eating disorders, addictions, sexual dysfunction, and other behavioral syndromes.

They also include studies of hormonal and neuroendocrine aspects of stress, immune function, reproductive function, learning, memory, sleep and appetite.

If you are interested in participating in this meeting, please complete and mail the attached form, and we will add your name to our mailing list.

For additional information contact:

Kirsten Rohde, Conference Coordinator,

Department of Psychiatry and Behavioral Sciences, RP-10, University of Washington, School of Medicine,
Seattle, Washington 98195, USA

Telephone: 206 764 2713

Fax: 206 764 2569

Name _____

Address _____

City _____ State _____

Country _____ Zip code _____

NE3A42



TRAITEMENT DE L'INHIBITION
ET DU BLOCAGE DU COMPORTEMENT

PRAZINIL

CARPIPRAMINE

Forme et présentation : Etui de 24 comprimés sécables doses à 50 mg de caripramine (DCI) base sous forme de dichlorhydrate monohydrate. **Propriétés :** Psychotrope désinhibiteur. **Indications :** • Inhibition au cours des états anxieux. • Les psychoses schizophréniques à symptomatologie déficitaire, qu'il s'agisse de psychoses déficitaires d'emblée (forme hebephéniques, schizophrénies simples) ou de déficit progressif survenant au cours de l'évolution des psychoses chroniques. **Contre-indications :** • Troubles de la conduction et du rythme cardiaque. • Ne pas associer aux IMAO : respecter un délai de 15 jours après l'arrêt d'un traitement comportant ce type de médicament. • Affections hépatiques et rénales sévères. • Grossesse : chez une espèce animale, l'expérimentation met en évidence à très forte dose une embryotoxicité. Dans l'espèce humaine, le risque n'est pas connu ; par conséquent, par mesure de prudence, éviter de prescrire pendant la grossesse. • L'allaitement est déconseillé pendant le traitement. • Effets sur la capacité de conduire des véhicules ou d'utiliser des machines. **Précautions d'emploi :** • Surveillance en début de traitement (psychique et somatique) notamment chez les patients avec risque suicidaire. • Surveillance renforcée chez les épileptiques. • Surveillance particulière en cas d'anesthésie générale. • A utiliser avec précautions en cas d'affection cardio-vasculaire grave, d'insuffisance rénale et/ou hépatique. **Interactions médicamenteuses :** Association déconseillée avec l'alcool. **Associations à prendre en compte :** • Antihypertenseurs : effet antihypertenseur et risque d'hypotension orthostatique majorés. Captopril et Enalapril : effet antihypertenseur et risque d'hypertension orthostatique majorés. • Autres dépresseurs du système nerveux central : majoration de la dépression centrale pouvant avoir des conséquences importantes, notamment en cas de conduite automobile ou d'utilisation de machines. **Effets indésirables :** • Quelques cas de difficultés d'endormissement ont été rapportés. • Possibilité d'hypotension orthostatique (en particulier chez le sujet âgé). • Très rares cas de galactorrhée et d'aménorrhée. **Mode d'emploi et posologie :** • 1 à 4 comprimés par jour, la posologie moyenne étant de 3 comprimés par jour en 2 ou 3 prises. • L'activité du Prazinil se manifeste, en général, entre le 7^e et le 15^e jour. **Surdosage :** En cas de surdosage massif : procéder à l'évacuation rapide du produit ingéré, hospitaliser le patient en milieu spécialisé. Il n'existe pas d'antidote spécifique. Liste I. A.M.M. 320 437.0 (1976). **Prix :** 62,10 F (24 comprimés). Remboursé Sécurité Sociale à 65 %.

Laboratoires Pierre Fabre - Pierre Fabre Médicament



PRAZINIL
PRAZINIL
PRAZINIL
CARPIPRAMINE
PIERRE FABRE

Cet étui contient un gramme deux cents milligrammes (1,2 g) de caripramine. A conserver à l'abri de la lumière. Composition : dichlorhydrate de caripramine monohydrate, quantité exprimée en caripramine base cinquante milligrammes (50 mg). Excipients q.s.p. 1 comprimé pelliculé sécable. Indications, contre indications, posologie, précautions d'emploi, effets indésirables, mode d'emploi : voir notice intérieure.

Actualité de la Détresse : Les tourments de l'humeur



DEPAMIDE

VALPROMIDE

La Réponse CLIN DIPHAC
au service de votre présent



DEPAMIDE VALPROMIDE - FORME ET PRÉSENTATION : Boîte de 30 comprimés enrobés gastrorésistants dosés à 300 mg de valpromide. PROPRIÉTÉS : Anticonvulsivant. Sédatif. INDICATIONS : Traitement adjuvant dans les épilepsies avec manifestations psychiatriques. Proposé dans : - La prévention des rechutes chez les malades atteints de psychose maniacodépressive et présentant une contre-indication à l'emploi du lithium. - Les états d'agressivité d'origines diverses. PRECAUTIONS D'EMPLOI : - Surveillance particulière chez les vieillards et chez les sujets atteints d'affections organiques graves. - Potentialisation des effets de l'alcool. L'absorption de boissons alcoolisées pendant le traitement est donc formellement déconseillée. Grossesse : pas de données précises à ce jour concernant DEPAMIDE. Ce dernier se transformant en grande partie en acide valproïque, des moyens contraceptifs efficaces sont indiqués pendant la durée du traitement. Si une grossesse est envisagée ou si une grossesse est en cours, peser à nouveau l'indication du traitement. Surveillance anténatale. INTERACTIONS MEDICAMENTEUSES : - Potentialisation des effets d'autres psychotropes, psycholeptiques ou antidépresseurs. Surtout à doses élevées. - Risque d'asthénie ou de somnolence en cas d'adjonction aux barbituriques ou à d'autres médications dépressives du SNC. - Association déconseillée avec la carbamazépine. EFFETS INDESIRABLES : Le plus souvent, en association avec d'autres psychotropes : manifestations sédatives, hypnotiques, confusionnelles et quelquefois confusio-oniriques. Le valpromide ayant pour métabolite actif l'acide valproïque, les effets indésirables observés avec le valproate de sodium (Dépakine) sont susceptibles de survenir lors de traitements par Dépamide. La survenue d'hépatopathies est exceptionnelle. Néanmoins, l'apparition soudaine de signes généraux (malaise, nausées, vomissements, somnolence...) doit faire évoquer le diagnostic et pratiquer un contrôle biologique des fonctions hépatiques (taux de prothrombine notamment). MODE D'EMPLOI ET POSOLOGIE : Les doses quotidiennes conseillées chez l'adulte en fonction des indications sont : - dans les troubles thyroïdiens : Accès maniaques : posologie initiale : 4 à 6 comprimés, traitement d'entretien : 2 à 4 comprimés. Etats dépressifs : posologie initiale : 1 à 3 comprimés, traitement d'entretien : 2 à 4 comprimés. - dans le traitement adjuvant des épilepsies avec manifestations psychiatriques, états agressifs : en moyenne 2 à 6 comprimés. Répartir les doses en 2 prises, matin et soir, de préférence au cours des repas. Mise en route du traitement : - si DEPAMIDE est prescrit seul, les doses utiles peuvent être administrées d'emblée ou par paliers ascendants de 2 à 3 jours. - s'il s'agit d'un malade déjà en traitement et recevant d'autres psychotropes, il convient d'introduire DEPAMIDE progressivement pour atteindre la dose optimale en deux semaines environ, et de réduire simultanément peu à peu la posologie des psychotropes associés pour la ramener à la moitié ou même au tiers des doses initiales. Coût du traitement journalier : 1,51 à 9,06 F. SURDOSAGE : Coma calme plus ou moins profond avec hypotonie musculaire, hyporeflexie, myosis, diminution de l'autonomie respiratoire. LISTE II A.M.M. 320 706.1 Mis sur le marché en 1980 sous forme de comprimés (1^{re} mise sur le marché en 1971 sous forme de gélules). TITULAIRE DE L'A.M.M. : Laboratoires Sanofi Pharma. PRIX : 45,30 F. Remb. Soc. à 65% - Collectivités. Pour une information plus détaillée, consulter le dictionnaire des spécialités.

Département Clin Diphac 94258 GENTILLY Cedex. Tél. : (1) 40.73.40.73.

sanofi  Winthrop