Vol. LXII. No. 1

The Journal of Laryngology and Otology

EDITED BY WALTER HOWARTH

WITH THE ASSISTANCE OF W. M. MOLLISON

Contents

SOME OBSERVATIONS ON THE FUNDAMENTALS OF ALLERGY

TREATMENT OF OTOGENIC BLOOD STREAM SEPSIS

Some Observations on Bone Conduction following the Fenestration Operation

CLINICAL RECORDS-

A CASE OF OSTEOMYELITIS OF THE FRONTAL BONE, TREATED BY PENICILLIN SOME ANATOMICAL POINTS IN THE FENESTRATION OPERATION

TETTES' PROCEEDINGS-ROYAL SOCIETY OF MEDICINE-SECTION C LARVNGOLOGY

ABSTRACTS-

The Ear The Nose The Nasopharyn THE LARVNX THE BRONCHI THE ŒSOPHAGUS

London

Headley Brothers 109 Kingsway, W.C.2

Monthly, 4/- net post free

Annual Subscriptions 40/- net

ps///doi.org/10.1017/50022215100008586 Published online by Cambridge University Press

R. R. Woods

I. A. HARPMAN

DAVID HARLEY

WILLIAM MCKENZIE

M. HARTY

ADVERTISEMENTS

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY WALTER HOWARTH

ASSISTED BY W. M. MOLLISON

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter added.

4. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

3. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.


7. The Annual Subscription commencing with the January issue is Two Pounds sterling, post free, and is payable in advance.

8. Single copies, both of the present and the previous series, are on sale at Four Shillings each.


9. All Subscriptions, advertising and business communications should be sent to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2.

United States of America

Orders for this Journal may be sent either through a local bookseller, or to Messrs. G. E. STECHERT & Co., 31-33 East 10th Street, New York, or may be sent direct to the Publishers, HEADLEY BROTHERS, 109 Kingsway, London, W.C.2, England.




Please mention The Journal of Laryngology when replying to advertisements



PRESCRIBE THE EASY EFFECTIVE METHOD

When spraying, the patient can hold his head in a natural position, yet the solution spreads throughout the nasal cavity, assuring thorough treatment. Effective dropper-application, on the other hand, requires a complicated posture technique which patients are apt to neglect in home treatment.



 These illustrations, which are based on X-ray research, clearly demonstrate the advantages of the atomizer as compared with the dropper
 The AEROGRAPH Co., Ltd., Lower Sydenham, London, S.E.26 Sole Distributors of DeVilbiss Products in the United Kingdom. Telephones: Sydenham 6060-8 Lines.

cvs-225

NOW READY

THE ACOUSTIC METHOD

For the Training of the Deaf and Hard-of-Hearing Child

By MAX A. GOLDSTEIN, M.D., LL.D.

This Volume contains 244 pages; 50 illustrations

Textile Leather (Waterproof) Binding

\$3.00 Postage Prepaid

Twelve chapters, including Evolution of the Acoustic Method — Definition and Principles of the Acoustic Method — The Practice of the Acoustic Method — The Pupil: (1) The Deaf Child; (2) The Hard-of-Hearing Child; (3) The Pre-School Deaf Child — The Teacher — Case Recording — Tests of Hearing — Audiometers — The Audiogram — Hearing Aids — Tactile Training — Anatomy of the Ear.

Published by THE LARYNGOSCOPE PRESS640 South KingshighwaySt. Louis, Mo.

OTITIS MEDIA



DECONGESTION OSMOSIS WITH REMEDIAL ANALGESIA

DECONGESTION SUCCESSFULLY ACHIEVED by the addition of Ephedrine Sulphate which acting in synergy with the other ingredients produces shrinkage of the mucosa, promotes drainage from the middle ear and a rapid control of pain. The bactericidal constituents of Auralgicin cover a wide range of micro-organisms including those likely to be present in otitis media, thus avoiding the danger of masking.



 Phenazonum
 0.050 g.
 Papaveretum
 0.025 g.


 EPHEDRINE SULPH.
 0.01 g.
 Chlorbutol
 0.010 g.

 Pot.
 Hydroxyquinolin
 Sulph.
 0.001

 Glycer ad 1 ml.
 Glycer ad 1 ml.
 Glycer ad 1 ml.

FOR EXTERNAL APPLICATION

BENGER'S LTD., HOLMES CHAPEL, CHESHIRE



PANTOSTAT. Universal apparatus, complete with stand and accessories for 200-240 volts A.C.

oper. SWIVEL CHAIR and INSTRUMENTS (Oto-Rhino-Laryng.)

Apply: Box No. 106, 109 Kingsway, London, W.C.2

For Advertisement space in this Journal apply to: HEADLEY BROTHERS, 109 Kingsway, London, W.C.2

CONTENTS

| | PAGE |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| Some Observations on the Fundamentals of Allergy. David Harley (London) | I |
| TREATMENT OF OTOGENIC BLOOD STREAM SEPSIS. J. A. Harpman (Warwick) | II |
| Some Observations on Bone Conduction following the Fenestration Operation. R. R. Woods (Dublin) . | 22 |
| Clinical Records | |
| A Case of Osteomyelitis of the Frontal Bone, treated by Penicillin. William McKenzie (London) | 33 |
| Some Anatomical Points in the Fenestration Operation. M. Harty (Cambridge) | 36 |
| Societies' Proceedings | |
| Royal Society of Medicine—Section of Laryngology | 39 |
| Abstracts— | |
| Far | 48 |
| Appraisal of Fenestration Operation. Kenneth M. Day; Effect of Obliteration of the Endolymphatic Sac and Duct in the Monkey. J. R. Lindsay; Histologic Observations on the Healing of Labyrintine Fistullas in Monkeys. J. R. Lindsay; Tympanosympathectomy: A Surgical Technic for the Relief of Tinnitus Aurium. Julius Lempert; Ménière's Syndrome: The Basic Fault? Miles Atkinson; Correlations of Hearing Tests. Barnard C. Trowbridge; Indications for the Fenestration Operation. Howard P. House; Friedlaender's Bacillus Meningitis Secondary to Ottitis Media: A Report of a Case with Recovery and a Review of the Literature. Alexander D. Ghiselin and Robert B. Robertson; Pressure Treatment of Allergic Sinusitis. J. Mathews Robison; Otic Complications of Streptomycin Therapy: A Preliminary Report. Edmund P. Fowler, M.D., and Ewing Seligman, M.D.; On a Case of Otogenous Sinus Thrombosis with Thrombosis of the Facial Veins. N. Hibler; On the Course of Labyrinthitis in X-ray Pictures. O. Novotny; Investigations on the Pneumatization of the Temporal Bone after Mastoidectomy in Early Childhood. E. Ruckensteiner and F. R. Prietzel; On the Origin of New Bone Formation in the Scala Tympani of the Basal Coil of the Cochlea in Otosclerosis. O. Mayer; Surgical Opening of the Top of the Pyramid, completely avoiding the Middle Ear. N. Hibler; Acute and Chronic Scarlatina Otitis. Eino Vaheri. | |
| Nose | 55 |
| Modern Treatment of Chronic Sinusitis. Leland G. Hunnicutt, M.D. | |
| Nasopharynx . Irradiation of Hyperplastic Lymphoid Tissue in the Nasopharynx. Samuel J. Crowe, M.D. and Edward M. Walzl, M.D. | 56 |
| Larynx . Keratosis of the Larynx. Louis H. Clerf, M.D.; Surgical Treatment for Car- cinoma of the Larynx. Simon Jesburg, M.D.; Roentgen Therapy in Cancer of the Larynx. Maurice Lenz, M.D.; Sarcoma of the Larynx. Louis H. Clerf. | 56 |
| Bronchi | 59 |
| Œsophagus Œsophageal Leiomyoma. Paul W. Schafer, M.D. and C. Frederick Kittle, M.D.; Supervoltage Roentgen Therapy of Carcinoma of the Esophagus. Franz Buschke, M.D. and Simeon T. Cantrill, M.D.; (1) Razor Blade in Esophagus: Transthoracic Removal. T. Holmes Sellors. (2) Tooth Plate Impacted in Gullet for Filteen Years: Removal by Transthoracic Œsophagotomy. G. Gray Turner. | 59 |
| Miscellaneous . A Study of the Attitudinal Reflexes of Magnus and de Kleijn in Thalamic Man. Hugh O'Neill; Pedicled Pericranial Grafts for the Repair of Dural Tears in the Anterior Fossa of the Skull. Arthur D. Ecker; The value of Endotracheal Intubation. Richard Foreger, M.D.; Treatment of Tuberculosis with Strepto- mycin: A Summary of One Hundred Cases. H. Corwin Hinshaw, M.D., Ph.D., William H. Feldman, D.V.M. and Karl H. P. Feretze, M.D.; On Intratracheal Thypoid. O. Pendl. | 61 |