GENETICAL RESEARCH

EDITORIAL BOARD C. H. WADDINGTON (*Chairman*) CHARLOTTE AUERBACH J. R. S. FINCHAM W. HAYES MARY F. LYON R. RILEY A. ROBERTSON

> EXECUTIVE EDITOR E. C. R. REEVE assistant executive editor

> > J. O. BISHOP

Volume 14. 1969



CAMBRIDGE AT THE UNIVERSITY PRESS 1969

PUBLISHED BY

THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS

Bentley House, 200 Euston Road, London, N.W. 1 American Branch: 32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Printing House, Cambridge

CONTENTS

No. 1 (August 1969)

CHARLESWORTH, DEBORAH. Small, inherited differences in blood glucose	
levels in mice	page 1
IYER, S. S. and BHASKARAN, K. A lethal factor in a strain of Vibrio El Tor	9
Kvelland, Ingerid. The effect of homozygous deletions upon heterozygote formation in bacteriophage T4D	13
PASZEWSKI, A. and PRAZMO, W. The bearing of mutant and cross specificity on the pattern of intragenic recombination	33
ENOMOTO, MASATOSHI and YAMAGUCHI, SHIGERU. Different frequencies of cotransduction of $motC$ and $H1$ in Salmonella	45
LIFSCHYTZ, ELIEZER and FALK, RAPHAEL. The action of the gene prune (pn) in Drosophila melanogaster	53
NGA, B. H. and ROPER, J. A. A system generating spontaneous intra- chromosomal changes at mitosis in Aspergillus nidulans	63
BEVAN, E. A. and SOMERS, J. M. Somatic segregation of the killer (k) and neutral (n) cytoplasmic genetic determinants in yeast	71
COOKE, MARYLYN and MEYNELL, ELINOR. Chromosomal transfer mediated by depressed R factors in F ⁻ Escherichia coli K 12	79
ENOMOTO, MASATOSHI. A method for isolating paralysed (mot-) mutants from non-flagellated cells of Salmonella	89
MCLAREN, ANNE and TAIT, ANDREW. Cytoplasmic isocitrate dehydro- genase variation within the C3H inbred strain	93

No. 2 (October 1969)

AYALA, FRANCISCO J. Genetic polymorphism and interspecific competitive ability in <i>Drosophila</i>	95
LOUTIT, J. S. Investigation of the mating system of <i>Pseudomonas aeruginosa</i> strain 1, V. The effect of <i>N</i> -methyl- N' -nitro- N -nitrosoguanidine on a donor strain	103
GREEN, MICHAEL H. L., DONCH, JOHN, CHUNG, YOUNG S. and GREENBERG, JOSEPH. Effect of inhibition of DNA synthesis on u.v. sensitive Bs strains of <i>Escherichia coli</i>	111

Contents

McBRIDE, A. C. and GOWANS, C. S. The induction of gene mutation and chromosome aberration in <i>Chlamydomonas eugametos</i> by a phenylalanine	
analog page	121
ROPER, J. A. and NGA, B. H. Mitotic non-conformity in Aspergillus nidulans: the production of hypodiploid and hypohaploid nuclei	127
LAKHOTIA, S. C. and MUKHERJEE, A. S. Chromosomal basis of dosage com- pensation in <i>Drosophila</i> . I. Cellular autonomy of hyperactivity of the male X-chromosome in salivary glands and sex differentiation	137
FRANKLIN, NAOMI C. and DOVE, WILLIAMS F. Genetic evidence for restriction targets in the DNA of phages λ and ϕ 80	151
GREEN, MICHAEL H. L., GREENBERG, JOSEPH and DONCH, JOHN. Effect of a recA gene on cell division and capsular polysaccharide production in a lon strain of <i>Escherichia coli</i>	159
LYON, MARY F. and MEREDITH, R. <i>Muted</i> , a new mutant affecting coat colour and otoliths of the mouse, and its position in linkage group XIV	163
No. 3 (December 1969)	
CANNINGS, C. The study of multiallelic genetic systems by matrix methods	167
LEWIS, L. A. Correlated meiotic and mitotic maps in Aspergillus amstelodami	185
DAY, A. W. and JONES, J. K. Sexual and parasexual analysis of Ustilago violacea	195
CATTANACH, B. M., POLLARD, C. E. and PEREZ, J. N. Controlling elements in the mouse X-chromosome. I. Interaction with the X-linked genes	223
COCK, A. G. Genetical studies on growth and form in the fowl. 2. The complexity of changes in skeletal proportions produced by selection	237
ZOUROS, E. and KRIMBAS, C. B. The genetics of <i>Dacus oleae</i> . III. Amount of variation at two esterase loci in a Greek population	249
HARWOOD, J. H. and SMITH, DAVID H. Phenotypic suppression by strepto- mycin-adenylate and bluensomycin-adenylate	259
AYLING, P. D. Methionine suppressors in <i>Aspergillus nidulans</i> : their genetics and behaviour in heterokaryons and diploids	275
HERTMAN, I. M. Survival, DNA-breakdown and induction of prophage lambda in a <i>Escherichia coli</i> K12 recAuvrB double mutant	291

MEYNELL, ELINOR and COOKE, MARYLYN. Repressor-minus and operatorconstitutive de-repressed mutants of F-like R factors: their effect on chromosomal transfer by HfrC 309

~ · ·	
Contents	

FRYDMAN, ANNA and MEYNELL, ELINOR. Interactions between de-represse F-like R factors and wild type Colicin B factors: superinfection immunity and repressor susceptibility	
HARWOOD, J. H., JANJIGIAN, J. and SMITH, D. H. A method for selectin streptomycin-sensitive mutants of R factors which adenylate strepto- mycin	0
FINLAYSON, J. S., HUDSON, D. M. and ARMSTRONG, B. L. Location of th	ne
Mup-a locus on mouse linage group VIII	329
GORODENSKI, STANLEY, A. The genetics of three polymorphic larval colou	ır
forms of <i>Chlosyne lacinia</i> (Lepidoptera, Nymphalidae)	333
CARLSON, PETER S. Production of auxotrophic mutants in ferns	337
BEALE, G. H. A note on the inheritance of erythromycin-resistance i	n
Paramecium aurelia	341
STARLING, DAVID. Complementation tests on closely linked flagellar gene	es
in Chlamydomonas reinhardii	343

v

PLATES should only be included where absolutely essential. They should be supplied as unmounted glossy prints; any lettering to be inserted on them is best indicated on a separate sketch. Please do not damage prints by writing heavily on their backs or by using paper clips.

DIAGRAMS should be about twice the size of the finished block, and the thickness of lines and size of points determined accordingly. They must be drawn in Indian ink on white Bristol Board or tracing linen; graph paper ruled in pale blue (but not other colours) is also acceptable. Lettering should be lightly inserted in soft pencil only, so that the printer can put in the finished lettering.

Legends to illustrations must be given on a separate sheet of paper. Each illustration must have the name of the author and figure number pencilled on the back. Plates and diagrams should be numbered separately and their position indicated on the typescript. It will hasten refereeing if a photograph of each diagram can be supplied with the carbon copy of the paper.

TABLES should each be typed on a separate sheet of paper and their approximate positions in the text indicated on the typescript. Each table should be numbered and carry an appropriate title. The table should be designed, whenever possible, to be printed in the normal orientation of the text. The data should be grouped so as to make the use of rules unnecessary. Vertical rules, in particular, are expensive to print, and will only be included at the Editor's discretion.

FOOTNOTES should be avoided where possible. They can often be incorporated into the text, in parentheses.

SYMBOLS. Italic letters should generally be adopted for both gene symbols and quantities in mathematical formulae. Bold letters add to printing costs, and should only be used where they are necessary to avoid confusion.

SPELLING should follow the Concise Oxford Dictionary.

REFERENCES should follow the normal usage in the journal. In the list of references at the end of the paper, titles of periodicals should be abbreviated according to the World List of Scientific Periodicals (fourth edition).

PROOFS. Two sets of single-sided page proofs, together with the typescript, of each paper will be sent to the author. The printers' marked proof should be returned after correction to the Executive Editor. Excessive alterations, other than corrections of printers' errors, may be disallowed or charged to the author. Correction should be made using the symbols in British Standard 1219: 1958, or its shortened version B.S. 1219C: 1958.

OFFPRINTS. Fifty offprints of each paper, including short papers, are provided free of charge. Additional offprints may be ordered on the form sent out with proofs, provided this is returned within seven days of receipt.

GENETICAL RESEARCH

VOLUME 14, NUMBER 3, DECEMBER 1969

CONTENTS

CANNINGS, C. The study of multiallelic genetic system by matrix methods page	167
LEWIS, L. A. Correlated meiotic and mitotic maps in Aspergillus amstelodami	185
DAY, A. W. and JONES, J. K. Sexual and parasexual analysis of Ustilago violacea	195
CATTANACH, B. M., POLLARD, C. E. and PEREZ, J. N. Controlling elements in the mouse X-chromosome. I. Interaction with the X-linked genes	223
COCK, A. G. Genetical studies on growth and form in the fowl. 2. The complexity of changes in skeletal proportions produced by selection	237
ZOUROS, E. and KRIMBAS, C. B. The genetics of Dacus oleae. Amount of variation at two esterase loci in a Greek population	249
HARWOOD, J. H. and SMITH, DAVID H. Phenotypic suppression by streptomycin- adenylate and bluensomycin-adenylate	259
AYLING, P. D. Methionine suppressors in Aspergillus nidulans: their genetics and behaviour in heterokaryons and diploids	275
HERTMAN, I. M. Survival, DNA-breakdown and induction of prophage lamda in a Escherichia coli K 12 recA uvrB double mutant	291
MEYNELL, ELINOR and COOKE, MARYLYN. Repressor-minus and operator-con- stitutive de-repressed mutants of F-like R factors: their effect on chromosomal transfer by HfrC	309
FRYDMAN, ANNA and MEYNELL, ELINOR. Interactions between de-repressed F-like R factors and wild type Colicin B factors: superinfection immunity and repressor susceptibility	315
HARWOOD, J. H., JANJIGIAN, J. and SMITH, D. H. A method for selecting strepto- mycin-sensitive mutants of R factors which adenylate streptomycin	323
FINLAYSON, J. S., HUDSON, D. M. and ARMSTRONG, B. L. Location of the Mup-a locus on mouse linkage group VIII	329
GOBODENSKI, STANLEY A. The genetics of three polymorphic larval colour forms of Chlosyne lacinia (Lepidoptera, Nymphalidae)	333
CARLSON, PETER S. Production of auxotrophic mutants in ferns	337
BEALE, G. H. A note of the inheritance of erythromycin-resistance in Paramecium aurelia	341
STARLING, DAVID. Complementation tests on closely linked flagellar genes in Chlamydomonas reinhardii	343
Index of subjects and authors	349