

LASER AND PARTICLE BEAMS

Pulse Power, High Energy Densities, Hot Dense Matter, and Warm Dense Matter

INSTRUCTIONS FOR AUTHORS

AIMS AND SCOPE

Laser and Particle Beams is an international journal that covers the generation, and the interaction with matter, of high intensity laser and particle beams. It also covers the physics of systems with high energy densities. Specific fields of interest include nuclear fusion, especially inertial confinement, magnetic confinement, diagnostics, material treatment, laboratory astrophysics, plasmas and spectroscopy at extreme conditions, physical properties of hot dense matter and intense particle beams and optical (laser) beams from the microwave to the X-ray region. The exploration of these fields and their new physics, including nonlinear and nonclassical phenomena, should find a forum in this journal.

As well as publishing original articles, the journal also publishes occasional review articles, surveys of research at particular laboratories and reviews of recent books.

ORIGINALITY AND COPYRIGHT

To be considered for publication in *Laser and Particle Beams* a manuscript cannot have been published previously, nor can it be under review for publication elsewhere. Papers with multiple authors are reviewed with the assumption that all authors have approved the submitted manuscript and concur in its submission to *Laser and Particle Beams*. A Transfer of Copyright Agreement must be executed before an article can be published. Government authors whose articles were created in the course of their employment must so certify in lieu of copyright transfer. Authors are responsible for obtaining written permission from the copyright owners to reprint any previously published material included in their article.

MANUSCRIPT SUBMISSION AND REVIEW

Manuscripts must be written in English. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favorable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, an Associate Editor, or the Editor at:

Dieter H.H. Hoffmann
Technical University Darmstadt Radiation
and Nuclear Physics
Schlossgartenstrasse 9
64289 Darmstadt, Germany
phone: +49 (0) 6159-71 2694
fax: +49 (0) 6159-71 2888
E-mail: LPB-editor@gsi.de

An original and two copies should be submitted with the author's full postal address, phone, fax, and email address, position and affiliations. Authors are urged to send in their final manuscripts on disks as well as hard copy. The manuscript can be submitted on disk in Microsoft Word (MAC or IBM) or in any form of TeX. This increases the speed at which the manuscript can be prepared for publication (typeset). Saving your document in any other format will not be helpful to the typesetter. (You may email the manuscript and figures to our office, and if I can download it, I will save it on disk for you.)

MANUSCRIPT PREPARATION AND STYLE

Paper should be type in *double* spacing throughout, including tables, footnotes, references and legends to tables and figures. One side of the paper, only, should be used and there should be a margin of at least 2.5 cm all around. The position of tables and figures should be clearly indicated, in sequence, in the text. Tables, footnotes and legends to figures should be typed separately. Where it is essential for clear cross-referencing, particularly in mathematically-orientated material, paragraphs and subparagraphs may be numbered, and the decimal system should be used, i.e. 1.1.1., 1.1.2., etc. A short running title of not more than 40 characters (including spaces) should be indicated if the full title is longer than this. The name of the laboratory where the work has been carried out should be indicated on the title page and the full postal address for the despatch of proofs and offprints should be included on a separate page. Minor corrections to the manuscript may be

typed or neatly printed in ink; retyping is required for significant changes. Numbers should be spelled out when they occur at the beginning of a sentence; use Arabic numerals elsewhere.

MANUSCRIPT ELEMENTS AND ORDER

Unless there are obvious and compelling reasons for variation (e.g. review articles, Symposium Reports), manuscripts should be organized as follows:

Title page. This is page 1. The title should be concise, informative, and free of abbreviations, chemical formulae, technical jargon, and esoteric terms. This page should include (a) the article's full title, (b) names and affiliations of all authors, (c) the name, mailing address, and telephone number of the corresponding author, (d) the address for reprint requests if different from that of the corresponding author; (e) a short title of 50 characters or less, and (f) a list of the number of manuscript pages, number of tables, and number of figures.

Abstract and keywords page. This is page 2 and should include (a) the article's full title, (b) an abstract of no more than 300 words, and (c) up to 5 keywords or phrases that reflect the content and major thrust of the article. The abstract should give a succinct account of the objective, methods, results, and significance of the subject matter.

Introduction. This section begins on page 3 and should clearly state the objective of the research in the context of previous work bearing directly on the subject. An extensive review of the literature is not usually appropriate.

Citations in text. Customary abbreviations will be accepted and the authors are recommended to employ *Système Internationale (SI/metric)* units. Special and unusual symbols should be clearly identified, especially if handwritten. Spell out acronyms at first use, but use only acronyms thereafter. All equipment supplies and products stated in the article should have the manufacturer name and location identified at first mention.

Tables. Tables should be numbered consecutively with Arabic numerals and each should be typed double-spaced on a separate sheet. All tables are to be grouped together after the references. A short explanatory title and column headings should make the table intelligible without reference to the text. All tables must be cited and their approximate positions indicated in the text.

Figures and legends. Figures should be supplied no larger than 8×10^4 (approx. 200×250 mm) and must be camera-ready. Explanation and keys should, as far as possible, be placed in the legends. Photographs for halftone reproduction must be a white glossy paper. Figures should be composed to occupy a single column (8.3 cm) or two columns (17 cm) after reduction. Diagrams and illustrations must have a professional appearance and be typed or drawn with sharp, black lettering to permit reduction. To assure legibility, letters, numbers, and symbols on figures should have a minimum height of 1 mm when reduced. Figures should be separate and not incorporated into the text copy.

Artwork should normally be in black and white; if authors have color figures, the publisher will provide a price quotation for the additional production costs. All figures must be identified on the back with the short title of the paper, figure number, and figure orientation (top or bottom). Preferably, figures should be mounted on heavy sheets of the same size as the manuscript. Two complete sets of figures should be carefully packaged in protective envelopes, one to accompany each copy of the manuscript. Each figure must be cited and its approximate position clearly indicated within the text.

Figures must be numbered consecutively with Arabic numerals and be accompanied by a descriptive caption typed double-spaced on a separate sheet. The captions, collected at the end of the manuscript, should concisely describe the figure and identify any symbols and/or calibration bars.

References. Entries should be listed alphabetically by lead author at the end of the paper. All authors' names should be included, followed by the year of publication, the full title of the journal, volume, issue number, and inclusive page

numbers. For books, the full title should be given, followed by the editors, volume number (if any), page numbers, publisher and place of publication. Citations in the text should read: Brown and Smith (1973), but (Brown & Smith, 1973). Where there are more than two authors the citation should read: Brown et al. (1973). The conventional Brown (1973a), Brown (1973b) should be used where more than one paper by the author(s) has appeared in the same year. Brief examples:

Journal

BRUNEL, F. (1987). Not-so-resonant, resonant absorption. *Phys. Rev. Lett.* **59**, 52–55.

Magazine

SEGRE, M.A. & PITTS, B.D. (1992, Sept.). Physics of Laser Plasma Interactions. *Fusion Energy* **A13**, 98–109.

Chapter in an Edited Book

LANGDON, C.D., FRAY, E. & GLENN, J. (1993). Plasma equilibrium in a magnetic field. In *Reviews of Plasma Physics* (Gold, H. and Yen, S., Eds.), Vol. 2, pp. 45–78. New York: Elsevier.

Entire Book

ARNOLD, C.D., FRAY, E. & GLENN, J. (1993). *Physics of Gravitating Systems* (Gray, H. and Quinn, S., Eds.). New York: John Wiley & Sons.

Proceedings

CLIFFE, K.A., KOBINE, J.J. & MULLN, T. (1992). The role of anomalous modes in the Taylor flow problem. *Proc. Roy. Soc. London A* **439**, 341–357.

Proceedings with Publisher Noted

MITTAL, S. & FRAY, F. (1989). Laser driven instabilities in nuclear plasmas. *Proc. Eleventh Int. Joint Conf. of Laser Produced Plasmas*, pp. 1395–1401. Los Altos, CA: Morgan Kaufmann.

Report

BIRNEY, A.J. & HALL, M.M. (1981). Early identification of flaws in Machine Design. Report No. 81–1501. Cambridge, MA: Massachusetts Institute of Technology.

Thesis

LEE, M.C. & RIEDEL, J.D. (1991). *Shock generation in a realistic equation of state model*. PhD Thesis. Stanford, CA: Stanford University Press.

The alphabetical list of references begins a new page, and must be typed double-spaced. Each in-text citation must have a corresponding reference and vice versa. List works by different authors who are cited within the same parentheses in chronological order, beginning with the earlier work. Journal titles should not be abbreviated. Only published articles and articles in press should appear in this list. Responsibility for the accuracy of references cited lies with the authors.

Author biographies. Brief author biographies will be printed at the end of each book review; they should not exceed 100 words for each author.

COPYEDITING AND PAGE PROOFS

The publisher reserves the right to copyedit manuscripts to conform to the style of *Laser and Particle Beams*. The corresponding author will receive page proofs for final proof-reading. No rewriting of the final accepted manuscript is permitted at the proof stage, and substantial changes may be charged to the authors.

OFFPRINTS

The corresponding author will receive 25 free article offprints. A form will accompany the page proofs allowing orders for complete copies of the issue and for the purchase of additional offprints. Offprint requirements of all coauthors should be included on this form. Orders received after issue printing will be subject to a 50% reprint surcharge.

- A. KASPERCZUK, T. PISARCZYK, J. BADZIAK, 497 Interaction of two plasma jets produced successively from Cu target
S. BORODZIUK, T. CHODUKOWSKI, P. PARYS,
J. ULLSCHMIED, E. KROUSKY, K. MASEK,
M. PFEIFER, K. ROHLENA, J. SKALA,
AND P. PISARCZYK
- R. Z. XIAO, X. W. ZHANG, L. J. ZHANG, 505 Efficient generation of multi-gigawatt power by a klystron-like relativistic
backward wave oscillator
X. Z. LI, L. G. ZHANG, W. SONG, Y. M. HU,
J. SUN, S. F. HUO, C. H. CHEN, Q. Y. ZHANG,
AND G. Z. LIU
- N. RENARD-LE GALLOUDEC AND E. D'HUMIERES 513 New micro-cones targets can efficiently produce higher energy and lower
divergence particle beams

LASER AND PARTICLE BEAMS

Pulse Power, High Energy Densities, Hot Dense Matter, and Warm Dense Matter

Volume 28

September 2010

Number 3

CONTENTS

- A. S. CHUVATIN, A. A. KIM, 361 Design criteria and validation of a vacuum load current multiplier on a
V. A. KOKSHENEV, B. M. KOVALCHUK, mega-ampere microsecond inductive storage generator
F. LASSALLE, H. CALAMY, AND M. KRISHNAN
- A. N. STARODUB, N. G. BORISENKO, 371 Aerogel foil plasma: Forward scattering, back scattering, and transmission
A. A. FRONYA, YU. A. MERKULIEV, of laser radiation
M. V. OSIPOV, V. N. PUZYREV, A. T. SAHAKYAN,
B. L. VASIN, AND O. F. YAKUSHEV
- QIANG ZHANG, CHENGWEI YUAN, AND LIE LIU 377 Design of a dual-band power combining architecture for high-power
microwave applications
- AJAI KUMAR, SONY GEORGE, R. K. SINGH, 387 Influence of laser beam intensity profile on propagation dynamics of
AND V. P. N. NAMPOORI laser-blow-off plasma plume
- S. A. PIKUZ, JR., O. V. CHEFONOV, S. V. GASILOV, 393 Micro-radiography with laser plasma X-ray source operating in air atmosphere
P. S. KOMAROV, A. V. OVCHINNIKOV,
I. YU. SKOBELEV, S. YU. ASHITKOV,
M. V. AGRANAT, A. ZIGLER, AND A. YA. FAENOV
- GUANG-YUE HU, BAIFEI SHEN, AN-LE LEI, 399 Transition-Cherenkov radiation of terahertz generated by super-luminous
RU-XIN LI, AND ZHI-ZHAN XU ionization front in femtosecond laser filament
- ASHEEL KUMAR, BINOD K. PANDEY, 409 Charged particle acceleration by electron Bernstein wave in a plasma channel
AND V. K. TRIPATHI
- JUNJIE XU, YONGLI YU, AND BIN ZENG 415 Extension of harmonic cut-off in a waveform controlled laser field by
prolonging the recombining period
- KE LAN, PEIJUN GU, GUOLI REN, XIN LI, 421 An initial design of hohlraum driven by a shaped laser pulse
CHANGSHU WU, WENYI HUO,
DONGXIAN LAI, AND XIAN-TU HE
- J. P. XIN, X. P. ZHU, AND M. K. LEI 429 Significance of time-of-flight ion energy spectrum on energy deposition
into matter by high-intensity pulsed ion beam
- IRINA N. ZAVESTOVSKAYA 437 Laser-assisted metal surface micro- and nanostructurization
- XINJING CAI, XIAOBIN ZOU, XINXIN WANG, 443 Over-volted breakdown and recovery of short nitrogen spark gaps
LIMING WANG, ZHICHENG GUAN,
AND WEIHUA JIANG
- T. DZELZAINIS, G. NERSISYAN, D. RILEY, 451 The TARANIS laser: A multi-Terawatt system for laser-plasma investigations
L. ROMAGNANI, H. AHMED,
A. BIGONGIARI, M. BORGHESI, D. DORIA,
B. DROMEY, M. MAKITA, S. WHITE, S. KAR,
D. MARLOW, B. RAMAKRISHNA, G. SARRI,
M. ZAKA-UL-ISLAM, M. ZEPF AND
C. L. S. LEWIS
- S. HÜLLER AND A. PORZIO 463 Order statistics and extreme properties of spatially smoothed laser beams in
laser-plasma interaction
- A. SHARMA AND I. KOURAKIS 479 Spatial evolution of a q -Gaussian laser beam in relativistic plasma
- ANTOINE BRET 491 Collisional and collisionless beam plasma instabilities

continued in inside back cover

Cambridge Journals Online

For further information about this journal please
go to the journal website at:
journals.cambridge.org/lpb



Mixed Sources

Product group from well-managed
forests, controlled sources and
recycled wood or fiber
www.fsc.org Cert no. SW-COC-002828
© 1996 Forest Stewardship Council



CAMBRIDGE
UNIVERSITY PRESS