Index

Compiled by Linda English. Page numbers for the main references in the book are shown in **bold type**.

A		
abortion 145, 224	effects on person and family 193,	anticholinergic medication 52
acamprosate 59	199	antidepressant medication 52,
active listening 22	harmful drinking 191	134, 135
activity schedule 92	hazardous/risky drinking 191	cost and efficacy 315
addiction see dependence	health workers 28	medically unexplained symptoms
adolescents 6, 229-230, 233,	homeless people 296	168, 169, 175
242-243	how to deal with problem	primary health care 274
depression 16, 242–243, 263	194–198	SSRIs 141, 147, 148, 153, 156, 163
distress 263-265	insomnia 176	165, 175
eating disorders 164	medications 59, 198	traumatic events 216
school 289–294, 300	physical health problem 34, 167	antiepileptic medication 52, 160,
suicide 139, 263, 264, 293	in pregnancy 145, 193–194, 287	162–163, 274
aggressive behaviour 126-129	prevention 299–300	antihistamines, sedating 52
causes 126	referral for out-patient	antipsychotic medication 34, 45,
children 255	assessment 45	52, 131–132, 137
elderly people 149, 151	relationship problems 304	cost and efficacy 315
how to deal with problem	skills to stay sober or control	depot medication 62
126–129	drinking 196–198	medication for side-effects of 52,
AIDS see HIV/AIDS	suicide 139, 140	316
alcohol, medications interacting	three stages to overcome problem	postnatal psychosis 148
with 316	195–196	primary health care 274
alcohol abuse or dependence	tolerance 192	anxiety disorders 8-9, 168
9-10 , 17, 19, 191-199	what is problem drinking	breathing 167
abstinence 196	191–192	insomnia 176
adolescents 293	when to suspect a drinking	medication 174–175
aggressive behaviour 126, 127,	problem 193	prisoners 298
128	why people drink too much 193	schools 292
binge drinking 191	withdrawal syndrome 10, 123,	worrying 79-83, 168, 169,
CAGE questions 194	191–192, 193, 196, 298	170–175
controlled drinking 195, 196–198	women 193–194	worrying about physical health
counselling 63,86	Alcoholics Anonymous (AA) 196	168, 169
dependence 191–192	amitriptyline 315	assessment 25, 29–36
drinking urges or 'craving' 198	anger control 86-88	diagnosis 32–33, 35
with drug abuse 201, 207	anorexia nervosa (anorexia)	interview 31–32
	163-165	person refusing to talk 33

physical complaints 33-34 pregnancy and childbirth stress 280-281 questions 30-31, 32 problems 144-149 case notes 25, 273 referral for assessment 43-45 seizures 159-163 causes of mental health problems screening 30-31 wants to harm themselves 16-17 special situations 33-34 139-143 child abuse 251-255 on telephone 34 behavioural symptoms ('doing' difficulties at school 243, 294 time to talk 29-30, 32 symptoms) 6, 8-9 emotional abuse and neglect 234, what to look for 32 **benzodiazepines** 52, 153, 174-251, 256 attention-deficit hyperactivity 175, 177, 216, 228, 274, 316 how children are affected 251 disorder (ADHD) 45,51, bereavement 130, 139, 226-228, how to deal with problem 247-250 277 252-255 how to deal with problem abnormal 226, 228 intellectual disability 234 247-249 carers 281 mental health problems as adult important problem 247 counselling 84, 228 methylphenidate 249 how does person react 226 physical abuse 251, 253, 256 school 292, 294 how to deal with problem sexual abuse 182, 251, 252, 253 why some children are 226-228 when to suspect abuse 251–252 hyperactive 247 loss of baby 276 why abuse occurs 251 autism 15, 238-239, 242 refugees 284 childbirth 136, 144-149, 287-288 binge eating 164–165 how to deal with problems bipolar disorder 13, 130, 135-138 146-149 after childbirth 145, 147, 148 importance of women's mental antidepressant treatment 134 health 146 bed-wetting 16, 259-262 causes 136 intellectual disability 232 behaviour chart 261 counselling 67 children 6, 15-16, 34, 229-266 buzzer alarms 261 how to deal with problem 'bad' behaviour **255–259** causes 259 136-138 bed-wetting **259–262** daytime wetting 259, 261-262 medication 45, 62, 316 caution with medications 316 how to deal with problem relapse prevention 62, 137 child soldiers 284 259-262 'blues' after childbirth 145, communication difficulties medication 261 147-148 238-242 traumatic events 215, 216 body mass index (BMI) 164 difficult childhood 16, 133 befriending 102-103, 135 brain disorder 128, 129 difficulties with studies 242-246 behavioural disorder in children as cause 4, 16, 123 epidemic conversion symptoms 255-259 or conversion disorder 187, 189 how to deal with problem elderly 277 general approach 229-230 256-259 breastfeeding 148, 287, 288 intellectual disability 15, 183, parental discipline 256, 258 breathing 167 187, 193–194, 218, **230–238** when misbehaviour is health breathing exercises 75 key milestones in development problem 255-256 bulimia nervosa (bulimia) 230, 232 why children behave badly 256 163-165 school 289-294 behavioural problems 123-144 **bullying** 290–291, 298 soiling clothes **262** aggressive behaviour 126–129 buprenorphine 58-59 stimulation 288-289 confusion 123-125 street children 296-297 depression 133-135 symptom checklists for diagnosis eating behaviour 163–165 elderly person 149-155 C traumatic events 215, 216 emergencies 111 **CAGE questions** 194 unable to sit still 247-250 hearing voices 129-132 cannabis 11, 201, 293 see also adolescents; child abuse mood swings 135–138 carbamazepine 162, 316 cigarette smoking 11, 182, carers 280-282 obsessive-compulsive disorder 208-211 155-158 helping 281-282 clomipramine 156 odd beliefs 129-132 mental health of 281 clonidine 59 promoting mental health of 281 clozapine 45, 57-58

cocaine 11, 200, 201, 202	giving reassurance 63	on drugs see drug abuse and
cognitive symptoms ('thinking'	group 66	dependence
symptoms) 6, 8–9	homeless people 296	on prescription medications see
common mental disorders 6, 7-9,	how much is needed 66–67	prescription medications,
17, 51, 274	identify and address problems 65	dependence on
see also anxiety; depression	individual 66	depot medications 62
communication difficulties in	internet-based 273	depression 8, 19, 133–135, 277
children 238-242	mothers 275–276	adolescents 16, 242–243, 263
causes 238–239	motivating for change 88–90, 165,	bereavement 228
how to deal with problem	195	bipolar disorder 13, 133, 134
239-242 communication skills	prisoners 299 problem-solving 70–74, 81,	bulimia 164
in family 100	83–84, 99	causes 133 counselling 63, 77, 134, 135
health worker 21–25	•	elderly people 149, 152, 153
relationship problems 84, 305	providing an explanation 63–65 psychological first aid 69–70	homeless people 296
community platforms,	refugees 285–286	how to deal with problem
integration of mental health	relationship problems 83–86	133–135
into 283–310	relaxation exercises 74–76	insomnia 176
conduct disorder 16, 243, 292, 298	review, encourage and support	postnatal depression 7, 63, 145,
confidentiality 23	65	146–147, 148
confusion (delirium) 6, 14-15,	schools 293	prisoners 298
123-125	self-help 66	refugees 284
aggressive behaviour 126, 128	specific symptoms and problems	schools 292
causes 34, 123	67–69	sexual problems 181, 182
elderly people 149, 150, 152	thinking healthy 79–83	suicide risk 133, 134, 135, 139,
how to deal with problem	traumatic events 216	140
124–125	cultural factors 17-18, 146	tiredness 167
odd beliefs and hearing voices		words used to describe it 17
130, 132		see also antidepressant
physical examination 124	D	medication
conversion disorder (sudden loss	date rape drugs 201	desmopressin 261
of body function) 187–190	deafness 238–239, 240, 243,	developmental disabilities 4, 15,
causes 187–188	244-250	16, 45, 242, 294, 306
epidemic occurs 188	death 4	see also intellectual disability
how to deal with problem	of loved one see bereavement	developmental milestones 230,
188–190	see also suicide	232
when to suspect mental health problem 188	decision support systems, tablet-	dhat syndrome 181 diagnosis 5,60
core skills for mental health care	based 273	assessment 32–33
21-28	delirium see confusion	classification system 344
communication skills 21–25	delusions (odd beliefs) 129–132	dementia 151, 152
for health worker 25–27	dementia 14-15, 16, 19, 150-155	symptom checklists 35, 266
seek professional help 27–28	abnormal memory problems 150	disabilities 3, 4, 229
counselling 37, 38, 42, 62–90	affects family 150–151	disasters 214, 215–216, 283
anger control 86–88	how to deal with problem 151–155	disorders 4
approach and culture 18		children 15-16 , 229
bereavement 228	importance of diagnosis 151 odd beliefs and hearing voices	definition 3
challenges 67, 70, 74, 79, 82–83,	130	distress
85–86, 88, 90	referral for out-patient	adolescents 263–265
face-to-face 66	assessment 45	children 15, 34, 229
general principles 63–69	when to suspect 150	conversion seizures 159
getting active 77–79	dependence	definition 3
giving hope 65	on alcohol see alcohol abuse and	emergencies 111
	dependence	who people turn to 18

words used to describe it 17 see also alcohol abuse or fits see seizures disulfiram 59 dependence; prescription 5C model of integration 271-272, documentation 25, 273 medications; tobacco use 278, 279-280 'doing' symptoms (behavioural drug treatment see medications symptoms) 6, 8-9 dyslexia 243-244, 245 domestic violence 216-222 G how to deal with problem gambling habit 11, 211-212, 213 218-221 Ε **Gap Action Programme (mhGAP)** how to identify 218 eating disorders 163-165 **Intervention Guide** 52 how women present to health ecstasy 200 gender 307-309 workers 217 elderly people 276-277 genetic disorders 16-17, 136, 232, reasons for 217-218 confusion 149, 150, 152 233, 234, 289 working with violent men 222 'getting active' approach 77-79, dementia see dementia **Down syndrome** 232, 234, 289 depression 149, 152, 153 180 drinking problem see alcohol disturbed behaviour 34. 149-155 glossary 17, 346-350 abuse or dependence grief 84, 226-228, 281 loneliness 143, 277, 307 drug abuse or dependence 7, sexual problems 182, 183 see also bereavement **10-11**, 17, 32, 51, **199-205** electroconvulsive therapy (ECT) gynaecological health 275 aggressive behaviour 127, 128 135 casual use 199 electronic medical records 273 children and adolescents 243. emergencies 111-122 256, 293 emotional abuse and neglect of habit problems 6, 9-11, 191-213 dependence 200 children 234, 251, 256 hallucinations 6, 12, 123, 126, drugs abused 200-201 emotional distress see distress 129-132 drugs which cause hallucinations emotional symptoms ('feeling' hallucinatory drugs 200-201 200-201 **symptoms) 5**, 6, 8–9 haloperidol 153, 163, 315 drugs which depress brain 200 epilepsy 6, 16, 159-163 headaches 9, 167 drugs which stimulate brain 200 antiepileptic medication 52, 160, health care platforms, effects on person 202 162-163, 274 integration of mental health emergencies 111 how to deal with problem into 271-282 harmful use 200 159 - 163barriers to integration 272 health worker 28 referral for out-patient care of chronic diseases 276-278 homeless people 296 assessment 45 carers 280-282 how drugs are used 201–202 seen as mental health problem 5C model of integration 271-272, how to deal with problem 278, 279-280 203-205 types of seizure 159 HIV/AIDS care 278-280 injecting drugs 202 exercise 42 primary health care 274 intoxication 204 reproductive and maternal health medications to manage opioid care 274-276 dependence 58-59 using technology 273 party drugs 201 faith healers 286 health workers poverty 306 family core skills for mental health care in pregnancy 145 alcohol abuse or dependence 21-28 prevention 299-300 193, 199 mental health problems and 4-5 prisoners 298 children and 229, 230, 235–236 safety issues **25**, 31, 126 relapse 204, 205 support for 97-102 hearing impairment 238-239, schools 293 talk to in assessment 32 240, 243, 244-245 suicide 139 treatment and 42-43, 60 hearing voices 6, 12, 126, 129-132 traditional use 199, 201 fatigue see tiredness **heroin** 200, 202, 204, 205 when to suspect abuse 203 HIV/AIDS 14, 137, 153, 225, fatigue, chronic 178 why drugs are used 202–203 fear 170-175 278-280 why users seek help 203 'feeling' symptoms (emotional homeless people 296-297 withdrawal syndrome 199, 200, **symptoms) 5**, 6, 8–9 homosexuality 186 204, 298

numanitarian settings 283-286	L	rape and sexual assault 222-225
human rights 302–303	learning disabilities, specific 15,	sexual problems 181–182,
hyperactivity in childhood 16, 45,	243	184–185
242, 247–250	lithium 148, 316	menstrual complaints 275
	lofexidine 59	mental health
	loneliness 85, 135, 143, 277, 307	actions for 41
I	loss of loved one see	definition 3–4
ICD-10 classification (World	bereavement	of health worker 26–28
Health Organization) 6	LSD (acid) 200–201	integration of 271–310
'imagining' symptoms		mental health problems
(perceptual symptoms) see		causes 16-17
hallucinations	M	chronic diseases and 271,
imipramine 261	mania ('high' mood) 13, 19,	276-278
impotence 181, 184–185, 193	135-138	cultural factors 17–18
information for person and	after childbirth 145, 147	experiences of people with 18–19
family 41, 99, 100	aggression 126	features 5-6
injecting drug abuse 202, 206, 207	rate of talking 32	human rights 302–303
injections 62	risk of antidepressants 134	introduction to 3–20
insomnia 176-178	sexual problems 187	prevention 299–300
causes 176	sleep 176	promoting rights of people with
effects 176	masturbation 183, 184	300-303
how to deal with problem	maternal health care 274-276	psychiatric terms for 344–345
176–178	medical illness see physical	in schools 292–293
when to use sleeping pills 177	illness	severity 4
intellectual disability 15, 218,	medications 38, 51-62, 315-339	types of 6–16
230–238 , 262	alcohol dependence 59, 198	why health workers need to be
causes 193-194, 232	anxiety disorders 174–175	concerned 4–5
communication difficulties	as cause 17, 123, 133, 176, 182	mental health promotion
238–239	cautions 316	advocating social change
definition 230	children 316	305–307
developmental milestones 230,	cost 62 , 315–316	schools 289–290
232	efficacy 315–316	for women 308–309
how is child affected 232	if person does not improve 60	workplace 295
how to deal with problem	injections 62	mental health services 5, 45
233–238	non-availability 272	mental hospitals 45, 302
learning difficulties 242, 243, 246	quick reference guide 316	methadone 58
medication not indicated 235	refugees 286	methamphetamine (crystal
mild 230, 235, 239, 243, 246	refusal of 59–60	meth) 200, 201
moderate 233, 235	sedative 25, 52, 249, 316	methylphenidate 57, 249
neglect and abuse 234	side-effects 40, 60–62 , 123, 168,	miscarriage 145
severe 233, 235	315, 316	mobile phone, use of 273
sexual problems 183, 187	when to use them 51	mood stabilisers 52, 134, 137, 148
what parents can do 235–236	which ones to use 52	mood swings see bipolar disorder
when to suspect 232–233	see also specific medications and	motivating for change 88-90, 165
internet 273	types of medication	195
internet addiction 213	memory problems	muscle relaxation 75
	conversion disorder 188	mutism, selective 238–239, 241
	see also dementia	
V	men	
K	domestic violence 216–222	N
khat 200	gender and mental health 309	naltrexone 59
	male rape 223, 224	negative thoughts 79-83
	parenting 276	.

nicotine replacement therapy (NRT) 210 nortriptyline 315

O observation 23 obsessive-compulsive disorder (OCD) 13, 155-158 compulsions 155, 156

how to deal with problem 156

obsessions 155, 156, 164 odd beliefs (delusions) 129-132 older people see elderly people opioids 58-59, 205-208 opium 11, 58-59, 200, 204

Ρ

pain 124, 167–168, 176, 277
during sexual intercourse 182,185
painkillers 205–208
panic attacks 9, 18, 167, 170–175
parenting 235, 258, 276, 288–289
party drugs 201
perceptual symptoms see
hallucinations
phenobarbitone 162
phobias 9, 18, 170–175
physical abuse of children 251, 253, 256

physical activity 42 physical examination 124, 168, 179, 224, 225, 253

physical illness 5, 38, 165 assessment 33–34

care of chronic diseases **276–278**

as cause 17
causing confusion 123
causing dementia 153
causing insomnia 176
causing tiredness 178–179
from alcohol 193
from drug abuse 202, 204
from tobacco use 209

with pain 168 poverty 306

suicide 139

physical illness, medically unexplained 9, 167-190

how relevant to mental health 167–168 how to deal with problem 168–170 when to suspect are related to mental health 168

physical symptoms 4, **5**, 8–9, 167–190

postnatal 'blues' 145, 147-148 postnatal depression 7, 63, 145,

146–147, 148

post-traumatic stress disorder (PTSD) 7-8, 9, 215, 284

poverty 93–94, 139, 193, 305–306 pregnancy 144–149, 232, 286–287

domestic violence 218 drinking during 145, 193–194, 287 loss of baby 145 medication during 316 mood stabilisers 137 planned 276 rape 224

premature ejaculation 181, 185 prescription medications, dependence on 205-208

how to deal with problem 207–208 when to suspect dependence 206 why people become dependent

prevention 299-300 primary health care 274 prisoners 297-299 problem-solving in counselling 70-74, 81, 83-84, 99 professional relationships 24 psychiatric terms 344-345 psychoses (severe mental

disorders) 5, 6, 11-13, 17, 19, 32, 51, 124, 139 adolescents 293 after childbirth 145, 147, 148-149 aggressive behaviour 126, 127 cannabis 11 care of chronic diseases 277 counselling 64, 67, 86 drug psychoses 130 elderly people 150

homeless people 296 odd beliefs and hearing voices 130, 131, 132

poverty 306 primary health care 274 prisoners 298 referral for out-patient

assessment 45 skills for independent living 93

suicide 139 see also antipsychotic medication; bipolar disorder; mania; schizophrenia

Q questions

in assessment 30–31, 32 'golden questions' 30–31, 32 open-ended 22

R

rape and sexual assault 222-225

date rape 223
emergency contraception 224
how people react 223
how to deal with problem
224–225
male rape 223, 224
physical examination 224, 225
post-exposure prophylaxis for
sexually transmitted infections
225

why people rape 223–224 recovery 92–93, 99–100 referral to specialist 43–47 refugees 283–286 relationship problems 139,

lationship problems 139, 303-305

counselling **83–86**helping rebuild 304–305
separation 305
sexual problems and 181, 184, 303–304
why relationships break down 303–304

relaxation exercises 74-76, 174 religious beliefs 18, 23, 39 remedial education 245 reproductive health care 274-276

resources

in local area **340–343** used in book **351–352** restlessness 32, 134, 247, 248 restraint 128–129 risperidone 315

S	problem sexual behaviour 183,	life events 16
safety issues 25, 31, 126	233	strategies to deal with 41-42
same-sex relationships 186, 217	relationship break down 303–304	sudden loss of body function 187
schizophrenia 12, 104	in same-sex relationships 186	189
schools 289-294	in women 182, 184, 185	substance use see drug abuse or
'buddy' system 290	side-effects of medication 40,	dependence
bullying 290–291	60–62 , 123, 168, 315, 316	suicide 4, 16, 139-143
circle time 291	sleeping pills 11, 52, 176, 177 , 201,	adolescents 139, 263, 264, 293
counselling 293	205–208 , 228	bereavement through 227
drop-outs 293–294	sleep problems 176-178, 193,	depression 133, 134, 135, 139,
health-promoting school 289–290	214, 216	140
for homeless children 297	smoking	feelings in health worker 27
improving school environment	of other drugs 201	how to deal with problem
290	of tobacco 11, 182, 201, 208–211	139–142
life skills programme 290, 292, 308	social factors 5, 17, 39, 60 social interventions 38, 91–105	loneliness 143 men 309
	befriending 102–103, 135	
mental health problems 292–293 prevention 300	in bipolar disorder 137	odd beliefs and hearing voices 131, 132
school studies, problems with	challenges 93, 96, 102, 105	prisoners 298
242–246	family support 97–102	questions about 22
causes 242–243	general principles 91	reasons for 144
how to deal with problem	improving functioning and skills	repeated attempts 140, 142–143
243–246	91–93	support groups 27, 103–105
seizures 159–163, 232	improving skills for social	alcohol dependence 196, 199
childhood 159	situations 94–96	definition and when to use them
conversion 159, 160, 188	poverty 93–94	103
emergencies 111	response to stigma and	how they work 103-104
or faint 160	discrimination 96–97, 103	internet-based 273
generalised 159, 160, 162	support groups 103–105	refugees 285
how to deal with problem	social isolation 85, 135, 143	setting one up 104–105
159–163	soiling clothes 262	symptoms
partial 159, 160	solvents, inhalation of 201, 202	checklists for diagnosis 35, 266
types of 159	somatic symptoms see physical	counselling 63, 67–69
selective mutism 238-239, 241	symptoms	medically unexplained 9,
self-care 32, 41-42	specialists 272, 316, 344	167-190
self-harming behaviours 16,	referral to 43–47	physical 4, 5 , 8–9, 167–190
139-143 , 293, 298	specific learning disabilities 15,	types 5–6
sertraline 147, 148	243	
severe mental disorders see	speech 32, 127	
psychoses	'speed' (amphetamine) 11, 200	Т
sexual abuse of children 182, 251,	spirits, belief in 17-18, 130	tele-medicine 273
252, 253	squeeze technique 185	telephone assessments 34
sexual assault 222–225	SSRI antidepressants 141, 147,	thinking healthy 79–83
sexual intercourse, pain during	148, 153, 156, 163, 165, 175 stammering or stuttering	'thinking' symptoms (cognitive
182, 185 sexually transmitted infections	238-239, 240-241	symptoms) 6 , 8–9
193, 217, 224, 225, 251	stigma and discrimination 5,	thinking too much 17, 79-83,
see also HIV/AIDS	96-97 , 279, 295-296, 300	133-135
sexual problems 181–187	stimulant drugs 200	tiredness 9, 167, 178-181
how to deal with problem	street children 296–297	causes 178
183–186	stress	how to deal with problem
intellectual disability 183, 186	carers 280–281	179–180
loss of interest 181, 182, 185	causes depression 133	not same as laziness 179
in men 181–182, 184–185	in health worker 27 , 272	sexual problems 181, 182 tonics or vitamins 180
		COLLICS OF ALCHHILIS TOO

when to suspect a mental health problem 178–179

tobacco use 11, 182, 201, 208–211
how to deal with problem 210–211
prevention 299–300
when to ask about 209
why dangerous 208–209
traditional healers 18, 39, 286
traumatic events 214–216
disasters 214
effects on health 214–215

effects on health 214–215 how to deal with problem 215–216 humanitarian settings and integration of mental health 283–286 personal trauma 214

personal trauma 214 victims of violence 215 war or terrorism 214

war or terrorism 214

treatment 4, 5, 37–106

follow up actively 43

general approach 37–48

goal-setting and tracking progress
40–41

longer-term care 39–40

person at centre of care 39

planning care 105

refer to specialist 43–47

self-care support 41–42

set goals and track progress

SMART goals 40–41 social factors 39

40-41

team work 43
treat whole person 38
who do people turn to 18
work with families 42–43
see also counselling;
medications; social
interventions
tricyclic antidepressants 141,
147, 156, 315

U urinary tract infections 251, 259, 260

valproate 162, 316
violence
aggressive behaviour 126–129,
149, 151, 255
alcohol related 193, 194
domestic violence 216–222
physical abuse of children 251,
253, 256
prisoners 297–298
rape and sexual assault 222–225
refugees 284
relationship break down 303
why some victims have mental
health problems 215
vision assessment 244

W war and terrorism 214, 215-216, witchcraft, belief in 17-18 withdrawal syndromes alcohol 10, 123, 191-192, 193, 196, 298 drugs 199, 200, 204, 298 prescription medications 206, prisoners 298 sleeping pills 176 women 34, 141 alcohol problem 193-194 domestic violence 216-222 eating disorders 164 gender and mental health 308 promoting mental health for 308-309 reproductive and maternal health care 274-276 sexual problems 182, 184, 185 see also childbirth; pregnancy workplace, mental health in 294-296 worrying 79-83, 168, 169,

Z Z medications 177

170-175