

THE
**JOURNAL OF LARYNGOLOGY,
 RHINOLOGY, AND OTOTOLOGY:**

A RECORD OF CURRENT LITERATURE

RELATING TO


THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by

ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.

A SAFE JUNKER'S INHALER

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T.,
 Anæsthetist, Sussex County Hospital, and 2nd Eastern
 General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

Rigby's Chloroform Inhaler complete in case	£3 8s. 3d.
Rigby's Chloroform Bottle only	£1 5s. 0d.

GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 1910.



Gold Medal Allahabad 1910.

**Manufactured by
 DOWN BROS., LTD.,**

**Surgical Instrument Makers,
 21 & 23, ST. THOMAS'S ST., LONDON, S.E.
 (opposite Guy's Hospital.)**

Telegrams:
 "DOWN, LONDON."

Telephone:
 Hop. 4400 (4 Lines)

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

LISTERINE

*A safe, non-poisonous, unirritating
antiseptic solution*

LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhoea occurring in infants and adults.

LISTERINE literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY.

Founded in 1887 by **MORELL MACKENZIE** and **NORRIS WOLFENDEN**.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D., Col. G.A.M.C. (Montreal).	J. MACINTYRE, M.B., C.M. (Glasgow).
A. BROWN-KELLY, D.Sc., M.D. (Glasgow).	Sir W. MILLIGAN, M.D., M.Ch. (Manchester).
A. CHEATLE, F.R.C.S. (Pres. Otol. Sect. Internat. Cong.).	Sir StCLAIR THOMSON, M.D., F.R.C.S. (London).
J. DONELAN, M.B. (London).	HERBERT TILLEY, M.D., F.R.C.S. (London).
(Pres. Laryng. Sect. R.S.M.)	LOGAN TURNER, M.D. (Edinburgh).
DUNDAS GRANT, M.A., M.D., F.R.C.S. (London).	P. WATSON-WILLIAMS, M.D. (Bristol).
WILLIAM HILL, M.D. (London).	MAGLEOD YEARSLEY, F.R.C.S. (London).
HUGH E. JONES, M.R.C.S. (Liverpool).	
(Pres. Otol. Sect. R.S.M.)	

EDITOR:

DAN MCKENZIE, M.D., F.R.C.S.E. (London),

ABSTRACTS EDITOR:

W. D. HARMER, M.C.(Cantab.), **M.B., F.R.C.S.**(London).

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (*Glasgow*), **BRADY** (*Sydney, N.S.W.*),
JOHN DARLING (*Edinburgh*), **J. K. MILNE DICKIE** (*Edinburgh*),
DONELAN (*London*), **CLAYTON FOX** (*London*), **J. S. FRASER** (*Edinburgh*),
PERRY GOLDSMITH (*Toronto*), **THOS. GUTHRIE** (*Liverpool*), **A. HUTCHISON** (*Brighton*),
J. D. LITHGOW (*Edinburgh*), **A. MCCALL** (*Bournemouth*),
CHICHELE NOURSE (*London*),
KNOWLES RENSHAW (*Manchester*), **ARCHER RYLAND** (*London*),
LINDLEY SEWELL (*Manchester*), **ALEX. R. TWEEDIE** (*Nottingham*),
C. E. WEST (*London*), **G. HAROLD L. WHALE** (*London*),
WRIGHT (*Bristol*), and **WYLIE** (*London*).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (*London*), **DRS. J. BARR** (*Glasgow*),
GRAZZI (*Florence*), **A. BROWN KELLY** (*Glasgow*),
E. LAW (*London*), **HOLGER MYGIND** (*Copenhagen*), **D. PATERSON** (*Cardiff*),
URBAN PRITCHARD (*London*), **F. A. ROSE** (*London*), **A. SANDFORD** (*Cork*),
SENDZIAK (*Warsaw*), **H. TILLEY** (*London*), **RAYMOND VEREL** (*Aberdeen*),
E. WAGGETT (*London*), **SIR R. WOODS** (*Dublin*).

CONTRIBUTORS TO THIS NUMBER.

MR. T. H. C. BENIANS.	DR. J. S. FRASER.	MR. ARCHER RYLAND.
MR. CHARLES H. HAYTON.	CAPT. J. K. MILNE-DICKIE.	PROF. A. STEFANINI.
MR. JOHN F. O'MALLEY.	MR. MACLEOD YEARSLEY.	DR. P. WATSON-WILLIAMS.

CONTENTS.

Special Articles—	PAGE
A Method of Treating Atrophic Rhinitis with Ozæna based on an Alteration in Composition and Reaction of the Substrate on which the Bacterial Ferments are Acting.—T. H. C. BENIANS AND CHARLES H. HAYTON	325
Gunshot Wounds of the Nasal Accessory Sinuses.—JOHN F. O'MALLEY	333
The Aqueduct of Fallopius and Facial Paralysis (<i>Continued from p. 300</i>).—DAN MCKENZIE	336
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE—	
LARYNGOLOGICAL SECTION.—Communications by H. DELF GILLIES, W. KELSEY FRY, G. S. HETT	344
Abstracts—	
PHARYNX.—A New Instrument for Tonsillectomy	349
NOSE.—Dislocation of the Inferior Turbinate in the Treatment of Nasal Obstruction.—On the Infective Origin of Ozæna.—Bacteriological and Clinical Aspects of Infection of the Accessory Sinuses.—Anaphylaxis due to Pollen Protein: Results of Treatment.—The Blood-Clot Dressing in Frontal Sinus Surgery.—Report of a Case of Meningitis following Operation on the Middle Turbinate, with Autopsy Findings, showing an Old Perforation of the Cribriform Plate of the Ethmoid	349
LARYNX.—The Ætiology of Speech Defects.—Stenosis of the Larynx and Trachea following Diphtheria.—Stereoscopic Photography of the Larynx	353
EAR.—The Pathology of Middle-ear Tuberculosis.—Violent Lesion of the Ear with Fracture of the Petrous and Paralysis of the Facial Nerve; Operation; Rapid Recovery of Function of the Nerve Resulting from Decompression.—Cured Otitic Meningitis (Sixteen Personal Observations).—Plastic Surgical Treatment of Stenoses and Cicatricial Atresia of the Auditory Meatus.—Plastic Operation for Stenosis of External Auditory Meatus.—Syndrome of Foramen Lacerum Posterius	357
BRONCHI AND ŒSOPHAGUS.—A Manikin for Practice of Bronchoscopy and Œsophagoscopy.—Denture in Trachea.—Digestion of the Œsophagus as a Cause of Post-operative Hæmatemesis	360
TRACHEA AND BRONCHI.—Tooth impacted in a Secondary Bronchus of the Left Lung; Removal by Tracheotomy and Lower Bronchoscopy after Two Unsuccessful Attempts by Upper Bronchoscopy	361
MISCELLANEOUS.—Syphilis in the Blacks of Africa.—A Case of Syndrome of the Foramen Lacerum Posterius.—Syndrome of Posterior Cranial Nerves	362
Lists of Original Papers	363
Review—	
Tumours of the Nervus Acusticus and the Syndrome of the Cerebello-pontile Angle.—HARVEY CUSHING	364
Correspondence	369
Obituary	371
Notes and Queries	372
Book Received	372