



VOL. VII.—1893.

THE JOURNAL  
OF  
LARYNGOLOGY,  
RHINOLOGY, AND OTOTOLOGY;

*AN ANALYTICAL RECORD OF CURRENT LITERATURE RELATING TO  
THE THROAT, NOSE, AND EAR.*

EDITED BY

R. NORRIS WOLFENDEN, M.D. Cantab.,  
JOHN MACINTYRE, M.B. Glasgow,

AND

DUNDAS GRANT, M.A., M.D., F.R.C.S. Eng.,

WITH THE ASSISTANCE OF

Dr. BARCLAY J. BARON (Bristol).      Dr. SANDFORD (Cork).

And with the co-operation of

DR. RICARDO BOTEY (BARCELONA)  
DR. BRYSON DELAVAN (NEW YORK)  
DR. DRAISPUL (ST. PETERSBURG)  
PROF. GUYE (AMSTERDAM)  
DR. MIDDLEMASS HUNT (LIVERPOOL)  
DR. VALERIUS IDELSON (BERNE)  
DR. JOAL (PARIS)  
DR. KARWOWSKI (WARSAW)  
DR. JOHN N. MACKENZIE (BALTIMORE)  
DR. GRAZZI (FLORENCE)  
DR. SANDFORD (CORK)  
DR. LUBET-BARBON (PARIS)

DR. G. W. MAJOR (MONTREAL)  
PROF. MASSEI (NAPLES)  
DR. W. ROBERTSON (NEWCASTLE-ON-TYNE)  
DR. J. MICHAEL (HAMBURG)  
DR. HOLGER MYGIND (COPENHAGEN)  
DR. PORTER (ST. LOUIS)  
DR. SAJOUS (PHILADELPHIA)  
DR. SENDZIAK (WARSAW)  
PROF. RAMON DE LA SOTA (SEVILLE)  
DR. HICQUET (BRUSSELS)  
DR. MILLIGAN (MANCHESTER)  
DR. LICHTWITZ (BORDEAUX)

**Published Monthly.**

LONDON:  
F. J. REBMAN,  
Albion Chambers, 11, Adam Street, Strand.

PHILADELPHIA, PA.:  
THE F. A. DAVIS COMPANY,  
1914-16, Cherry Street.

ENTERED AT STATIONERS' HALL.



# CONTENTS.

**Original Articles.—**

- 1. Fatal Case of Acute Oedema Glottidis. Dr. H. MONTGOMERIE. Page 213.
- 2. Empyema of the Maxillary Sinus. Dr. MOREAU BROWN. Page 214.

**Annotation.—**Acromegaly.

Page 221.

**Diphtheria, Therapeutics, &c.**—Cocaine Insufflator, *Killian*—Antipyrin as a Local Anæsthetic, *Neumann*—The Value of Sprays in the Treatment of Catarrhal Affections of the Air Passages, *Rice*—Intubation, *Brück, Taub, Rosenberg*—A Case of Scarlatina and Diphtheria, *Friedlander*—The Diphtheria Bacillus, *C. Fraenkel*—Treatment of Diphtheria, *Escherich, Schönlank, Spencer*—Intubation in Whooping Cough, *Cassel, Nolden*. Pages 224 to 228.

**Mouth, Tongue, Oesophagus.**—Chancres of the Lip, *Bulkley, Cadell*—Cancrum Oris, *Cousins*—Neuroses of the Mouth and Tongue, *Bernhardt*—Idiopathic Inflammation of the Tongue, *McCulloch*—Meningocele, *Leub*—Mycosis, *Colin*—Rheumatic Tonsillitis, *Mules*—Lympho-Sarcoma of Tonsil, *Johann*—Tonsillotomy, *MacKenzie*—Injections in Tonsillar Disease, *Randnitz*—Oesophagostomy, *Loew*—Malformations of the Oesophagus, *Tait*—Gastrogenital Diverticula, *Mintz, Reichmann*—Retrograde Dilatation of Oesophagus, *Sturrock, Taylor*—Gastrogenital Stricture and Gastrostomy, *Park*. Pages 228 to 234.

**Nose and Naso-Pharynx.**—Anterior Rhinoscopy, *Wagner*—Common Affections of the Nose, *Shield*—Headache in Nasal Disease, *Meymann*—Prognosis in Hay Fever, *Macdonald*—Fibromata of Nasal Fossæ, *Stoker*—Arrest of Hemorrhage, *Sunder*—Ozæna, *Haring*—Occlusion of Nares by Webs, *Mayer*—Occlusion of a Nostril by a Bony Plate, *Mayer*—Antral Disease, *McCaskey*—Empyema of Accessory Cavities, *Scheinmann*—The Relation of Nasal Disease to Asthma and Scrofula, *Beckmann*—Manual Extraction of a large Fibrous Naso-Pharyngeal Polypus, *Lasfal*—Naso-Pharyngeal Disease, *Bronner*—Treatment of Lupus of the Face, *Bruce Clarke*—Tumours of the Orbit and Neighbouring Cavities, *Bull*. Pages 234 to 238.

**Larynx.**—Apparatus or Photography, *Musehold*—Complications and Sequelæ of Measles, *Brothers*—Laryngoscopic Results in Traumatic Neuroses, *Holz*—Carbolic Acid Poisoning, *Langerhans*—Syphilis of Lungs, Larynx, and Trachea, *Foxwell*—Foreign Body in the Larynx, *Williams*—Pachydermia Laryngis, *Kuttner, McBride*—The Surgery of the Respiratory Passages, *Photiades and Lardy*—Primary Chondritis of the Larynx, *Mayer*. Pages 239 to 242.

**Thyroid Gland, Neck, &c.**—Morbus Basedowii, *Homen, Determeyer, Guttmann*—Operation for Goitre, *Bode*—Struma Congenita, *Kofer*—Struma Retro-Pharyngealis, *Wolffler*—Struma and Compression and Perforation of the Trachea, *Meyer*—Thyroidectomy, *Marsh*—Extirpation of Goitre, *Wolf*—Endothoracic Goitre, *Braun*—Destruction of Peripheral Nerves in Cachexia Strumipriva, *Langhans*—Myxœdema, *Laache, Fernichren, Kreusselin*—Lymph Cysts, *Frank*—Fistula Colli Congenita, *Saunders*. Pages 243 to 246.

**Ear.**—Functional Examination of the Normal Ear, *Siebenmann*—Examination in Pure Catarrh of the Eustachian Tubes, *Siebenmann*—Continuous Tone-Range, *Leold*—Mastoid Operation, *Milligan, Gruber*—Squamous Epithelioma of the External Ear, *Crawford*. Pages 246 to 250.

**Reviews.**—*Rethi*, Neuroses of Mobility of the Soft Palate—*Schnitzler*, Clinical Atlas of Laryngology and Rhinology. Page 250.

**Clinical Lecture on Diphtheria.** A. JACOBI.


Page 251.

## GUIDE TO ADVERTISEMENTS.

	PAGE		PAGE
Allen & Hanburys.....	ix., xiii.	IVINS .....	vi.
Balcomb .....	iv.	Lambert Pharmaceutical Co. ....	ii.
Bullock & Co. ....	iii.	Mayer & Metzler .....	iii.
Burroughs, Wellcome & Co. ....	x., xiii.	Parke, Davis & Co. ....	vi.
Central London Throat Hospital .....	xiv.	Rebman .....	iv., vii., viii.
Christy & Co. ....	iv.	Simsky .....	vi.
Godfrey & Cooke .....	iv.	Willows, Francis & Butler .....	iii.
Ingram & Royle .....	v.		


# RESPIRATORY THERAPEUTICS.

## THE B., W. & CO. PAROLEINE ATOMISER.



For the Throat.

The B., W. & Co. Post-Nasal Paroleine Atomiser,  
5s. 2d. each.



For the Nose.

The B., W. & Co. Naso-Pharyngeal  
Paroleine Atomiser, 3s. 5d. each.

THESE ATOMISERS are strongly made, do not easily get out of order, the valves may be taken out to clean, the rubber does not become hard and crack, and any part can be had separately. By means of these Atomisers the solution can be thoroughly applied to the mucous lining of the nares and pharynx. The oil is pleasantly soothing, and is free from all objections such as might be raised against olive or almond oils, since the PAROLEINE cannot become rancid, and is absolutely without any oily flavour. Dr. MACNAUGHTON JONES ("Subjective Noises in the Head and Ears") recommends a solution of menthol in PAROLEINE for the treatment of acute and chronic rhinitis, and says the Atomisers of BURROUGHS & WELLCOME may be used to apply the solution in the form of a fine spray to the nose and throat. The same author has also designed an excellent little pocket **Oro-Nasal Menthol Inhaler (B. & W.)**, which is extensively employed in treating *ozæna*, hay asthma, and hypertrophy of the nasal mucous membrane. It is invaluable also in laryngeal cough, pharyngitis, and spasmodic asthma. The Case contains, besides the Inhaler, a solution of Menthol, and a camel-hair brush for applying the medicament direct to the mucous membranes of the naso-pharynx. The Case complete may be conveniently carried in the pocket.

*The Journal of Laryngology and Rhinology* says: "This instrument has delighted us. We have so often asked for a spray that would throw a fine vapour of an ointment or oily basis; and those which are offered are anything but satisfactory. The spray before us meets all our wants. No laryngologist's table will be complete without one of these beautiful sprays."—December, 1890.

## PAROLEINE.

**Action and Uses.**—PAROLEINE is a perfectly colourless, tasteless, and odourless fatty paraffin oil, absolutely neutral in reaction. This oil is extensively employed by laryngologists as a solvent for essential oils and stearoptenes, &c., for application in the form of vapour by means of the **Paroleine Naso-Pharyngeal, Post-Nasal, and Laryngeal Atomisers** to the lining mucous membrane of the respiratory tract.

Mr. LENNIX BROWNE employs a similar solution in naso-pharyngeal catarrh, acute and chronic rhinitis, &c. This author, in his work "Noises in the Head and Ears," says: "PAROLEINE is preferable to olive oils used in nasal treatment, as, for example—Menthol, 1 in 7; Pinol, 1 in 9; Eucalyptia, 1 in 9; Iodoform, 1 in 60; Carbolic Acid, 1 in 19; Camphor, 1 in 4. The **Nasal Atomisers** of the same firm (BURROUGHS, WELLCOME & Co.) may be used to apply these oils, in the form of a fine spray, either to the nose or throat."

PAROLEINE supplied to the Medical Profession in 4-oz. and 1-lb. Bottles, at 9d. & 2s. each.

## PINOL.

PINOL, the oil or essence distilled from the needle of the *Pinus Pumilio*, a small shrub growing just below the snow-line of the Alps, is distinguished from the common pine oils prepared from the larger pines of lower altitudes by its delicate and permanent fragrance, the amount of hydrogen-peroxide it generates, and its superior medicinal properties. The hygienic value of air laden with exhalations from the pines is known to all, and more especially for the phthical and rheumatic. It is warmly recommended in catarrh, influenza, aphonia, *ozæna*, tonsillitis and other throat troubles, chronic bronchitis, bronchorrhœa, consumption, rheumatism, gout, lumbago, sciatica, genito-urinary affections and diseases of the skin. It is considered excellent for those troubled with purulent expectoration. PINOL may also be used in a steam or spray apparatus, as a gargle (freely diluted), for fumigation, and as an embrocation and lotion. Fumigations of PINOL take precedence for pertussis. The drug may be given internally as well as applied externally. The dose for internal administration is three drops on a lump of sugar.

PINOL supplied to the Medical Profession in  $\frac{1}{2}$ -oz. and 1-oz. Bottles, at 1s. 3d. & 2s. each.

BURROUGHS, WELLCOME & CO., Snow Hill Buildings, LONDON, E.C.