

The Journal of Laryngology and Otology

EDITED BY
G. H. BATEMAN

ASSISTANT EDITOR
LIONEL TAYLOR

Contents

RESEARCH IN OTOTOLOGY—ONE HUNDRED YEARS AFTER HELMHOLTZ	F. C. ORMEROD
IRRADIATION OF THE EAR	WILFRED LEACH
ON THE TEMPORARY EFFECT OF INDUSTRIAL NOISE ON THE HEARING AT 4,000 c/s OF STAPEDECTO- MIZED EARS	K. FERRIS
THRESHOLD TESTING OF VESTIBULAR FUNCTION	F. L. DITTRICH and T. J. WILMOT
COLLAPSE OF THE EAR CANAL DURING ROUTINE AUDIOMETRY	JAMES E. CRESTON
CHILD BRONCHOSCOPY IN IRAQ	DAOUD S. ALI
MYIASIS OF THE TRACHEOSTOMY WOUND	M. L. BHATIA and K. DUTTA
CLINICAL RECORDS—	
EXTERNAL RUPTURE OF A LATERAL VENTRICLE THROUGH AN OTOGENIC TEMPORAL LOBE ABSCESS	G. H. de HANSON and J. D. K. DAWES
CEREBELLAR CYST PLUS ATTIC SUPPURATION	S. K. GHOSH
HEARING DISORDERS IN SECONDARY ANÆMIA	A. YASSIN and M. TAHA
A CASE OF CARCINOMA OF MIDDLE EAR TREATED WITH CYTOTOXIC PERFUSION	N. H. MAHINDRAKAR
GENERAL NOTES	

London
Headley Brothers
109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15

Monthly, 12/6 net post free

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR

LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) *J. Laryng.*, 65, 33. Abbreviations of Journals should follow the style recommended in *World Medical Periodicals*, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, *Journal of Laryngology*, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this *Journal* may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2, England.

© *Journal of Laryngology and Otology*, 1965

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

CONTENTS

	PAGE
RESEARCH IN OTOLOGY—ONE HUNDRED YEARS AFTER HELMHOLTZ. F. C. Ormerod (London)	845
IRRADIATION OF THE EAR. Wilfred Leach (London)	870
ON THE TEMPORARY EFFECT OF INDUSTRIAL NOISE ON THE HEARING AT 4,000 C/S OF STAPEDECTOMIZED EARS. K. Ferris (London)	881
THRESHOLD TESTING OF VESTIBULAR FUNCTION. F. L. Dittrich and T. J. Wilmot (Omagh, Northern Ireland)	888
COLLAPSE OF THE EAR CANAL DURING ROUTINE AUDIOMETRY. James E. Creston (U.S.A.)	893
CHILD BRONCHOSCOPY IN IRAQ. Daoud S. Ali (Baghdad)	902
MYIASIS OF THE TRACHEOSTOMY WOUND. M. L. Bhatia and K. Dutta (Lucknow, India)	907
CLINICAL RECORDS—	
EXTERNAL RUPTURE OF A LATERAL VENTRICLE THROUGH AN OTOGENIC TEMPORAL LOBE ABSCESS. G. H. de G. Hanson and J. D. K. Dawes (Newcastle upon Tyne)	912
CEREBELLAR CYST PLUS ATTIC SUPPURATION. S. K. Ghosh (Liverpool)	915
HEARING DISORDERS IN SECONDARY ANÆMIA. A. Yassin and M. Taha (Cairo)	917
A CASE OF CARCINOMA OF MIDDLE EAR TREATED WITH CYTOTOXIC PERFUSION. N. H. Mahindrakar (London)	921
GENERAL NOTES	926



Staphylococci

cannot live with



Orbenin

Orbenin is recommended for the immediate treatment of all Hospital Staphylococcal infections

Orbenin, an oral penicillin stable to penicillinase, is bactericidal to resistant and sensitive staphylococci




Orbenin (regd.) (cloxacillin sodium) is a product of British research at

Beecham Research Laboratories

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



In cases of PERCEPTIVE DEAFNESS whenever a Hearing Aid is indicated let your patients test the MULTITONE PERCEPTOR

A New small Post-Aural Aid of British design and manufacture. The unique Multitone method of mounting the microphone at the top of the unit in an acoustic chamber facing *forward* produces direct **FRONTAL RECEPTION** of astonishingly wide frequency response.



Frequency Response 500 - 5000 cps. Maximum Amplification (at 3000 cps) 46 dB. Maximum power output (1000 cps) 120 dB.

Arrangements can be made for your patients to test the Perceptor without charge or obligation. For information please contact




MULTITONE ELECTRIC CO LTD · 12-20 UNDERWOOD STREET
LONDON N1 · TELEPHONE: CLERKENWELL 8022

CRC 60

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

BÉKÉSY ACCESSORY




For the very first time a fully automatic unit is being made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer. This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer. It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to :

ALFRED PETERS & SONS LIMITED
51 GELL STREET, SHEFFIELD 3

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



Triominic

for oral relief of
rhinorrhoea and
nasal congestion

Formula per
Timed-Release Tablet
Phenylpropanolamine-HCl 50 mg.
Mepyramine maleate B.P. 25 mg.
Pheniramine maleate 25 mg.
Part 1 S7

Formula per 4 ml. Syrup
Phenylpropanolamine-HCl 12.5 mg.
Mepyramine maleate B.P. 6.25 mg.
Pheniramine maleate 6.25 mg.
[4 ml. (1 teaspoonful) = $\frac{1}{4}$ Tablet]
Part 1 S7

Triotussic

for colds
complicated
by cough

Formula per
Timed-Release Tablet
'Triominic' 25 mg.
Noscapine B.P. 20 mg.
Terpin hydrate B.P.C. 90 mg.
Paracetamol B.P. 160 mg.
Part 1 S7

Formula per 4 ml. Suspension
'Triominic' 25 mg.
Noscapine B.P. 20 mg.
Terpin hydrate B.P.C. 90 mg.
Paracetamol B.P. 160 mg.
[4 ml. (1 teaspoonful) = $\frac{1}{4}$ Tablet]
Part 1 S7

Triogesic

for relief of
painful sinus and
otitic congestion

Formula per Tablet
'Triominic' 25 mg.
Paracetamol B.P. 500 mg.
Part 1 S7


Formula per 5 ml. Elixir
'Triominic' 6 mg.
Paracetamol B.P. 125 mg.
Alcohol (95%) 0.5 ml.
Part 1 S7

Literature and samples gladly sent on request

M431C

A. WANDER LIMITED • 42 UPPER GROSVENOR ST • LONDON W.1

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

DOWN S*presents*

**E.N.T. CONSULTANT'S
EXAMINATION TABLE**

fitted with

Suction Unit

Cautery and Light

Drug Cabinet

"Chiron Lamp"

DOWN BROS. AND MAYER & PHELPS LTD
CHURCH PATH, MITCHAM, SURREY, ENGLAND

Showrooms
32 New Cavendish Street
London, W.1
England

In Canada
410 Dundas Street West
Toronto, 2B
Canada

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

ONLY AMPLIVOX
 provides a
complete audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.



Clinical Audiometers


with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



Industrial Audiometry
 Speech Audiometers
 Speech Training Equipment
 Loop Amplifiers, etc.



PLUS An efficient and speedy **calibration service**

please write for technical literature to meet your needs


AMPLIVOX

HEARING ADVISORY SERVICE LTD.

80 New Bond Street, London, W.1. Tel: HYDe Park 9888

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Carl Zeiss Twin Lamp



The twin-lamp provides:
 a) bright illumination for relatively small areas,
 b) deep illumination into body cavities,
 and has many applications for general surgery, ophthalmology, gynaecology, otology, etc., in operating theatres and clinics.

It has many useful features:
 High luminous intensity from two separate lamps.
 Simple focusing.
 Simple adjustment of height and direction.
 Continuous operation even when changing one bulb.
 Alternative arm lengths: 700mm or 1200mm.
 Built-in transformer, giving two voltages for normal and intense operation.
 Foot switch for on/off, normal/high voltage.
 Wide range of filters available.
 Full details from the sole UK Zeiss Agents:
 Degenhardt & Co Ltd
 Carl Zeiss House,
 20/22 Mortimer Street, London W1
 Langham 6097 (9 lines)



The greatest name in optics

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

If you have a patient who
cannot smell a rose...

the remedy may be

Otrivine[®]
C I B A

gentle nasal decongestant
exceptionally prolonged effect
rebound hyperaemia is not a problem

Otrivine is xylometazoline hydrochloride

3 forms	N.H.S. Price
Adult Drops 0.1% ½ fl. oz.	3/4
Adult Spray 0.1% ½ fl. oz.	3/4
Paediatric Drops 0.05% 10ml. (with special safety dropper)	3/0

'FRAGRANT CLOUD'


From early summer until the first hint of the autumn frosts, these coral-red flowers will float a cloud of fragrance throughout your garden. 'Fragrant Cloud' is a rare combination, it has healthy, vigorous growth, well shaped, free-flowering blooms, and, as its name implies, a heady, intoxicating scent. It's no wonder that 'Fragrant Cloud' was the only rose, out of 249 entries, to win the coveted Gold Medal of the National Rose Society.

® denotes registered trade mark. Regd. user CIBA LABORATORIES LIMITED · HORSHAM · SUSSEX 3 5

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

Elliott—UniBristol

ULTRASONIC SURGICAL THERAPY EQUIPMENT



PROBE—2mm. diameter beam produced by micro-cone concentrator gives precisely controlled energy pattern ■ Incorporates saline irrigation tube ■ Built-in thermistor thermometer monitors saline temperature ■ Finished in stainless steel and sealed for autoclave sterilisation

GENERATOR—Output variable—(meter indicates in Acoustic Watts/cm²)
 ■ Nominal frequency 3Mc/s (tuning facility provided)
 ■ Incorporates 60-minute manual re-set timing clock

ACOUSTIC BALANCE—an acoustic radiation balance is provided for calibration of energy output

The Elliott-UniBristol Ultrasonic equipment is based on a design due to the Physics Department of the United Bristol Hospitals and developed in conjunction with the surgeons of the ENT Department

E LLIOTT MEDICAL AUTOMATION LTD

Medical Equipment Division
 97 Maidstone Road, Rochester, Kent
 Chatham 4/54482

EA A Member of the Elliott-Automation Group

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

TEXTBOOK OF PRACTICAL AUDIOMETRY**Bernhard Langenbeck****8os. net**

Translated by Francis Bauer, M.D., F.R.C.S.(Ed.), D.L.O.

This book deals with the art of audiometry and its diagnostic possibilities. This is a translation from the third German edition which had been completely revised and enlarged. In particular, new observations on congenital notches and senile deterioration of hearing had been added, the sections on sound feeling and its thresholds had been revised and a chapter added on audiometry in children.

The examination methods have proved their value in routine and sustained clinical use. The book will be a suitable introduction for the beginner and a textbook for the postgraduate and advanced student.

DISEASES OF THE EAR**S. R. Mawson, M.B., F.R.C.S., D.L.O.****10os. net**

'This is the first British textbook on diseases of the ear for at least twenty years. It is a modern work in every sense, describing all the important facets of otology in a brisk and lucid style.' *The Lancet*.

EDWARD ARNOLD

41 MADDOX STREET, LONDON, W.1.

THE LARYNGOSCOPE

A Monthly Journal
devoted to the disease of
EAR, NOSE AND THROAT

*Official organ for the American Laryngological
Rhinological and Otological Society*

Price \$18.00 per year Canada \$19.00 per year
Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D.
EDITOR

**517 SOUTH EUCLID AVENUE
SAINT LOUIS MO. 63110.**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements

In Urinary Tract Infections the references speak volumes for **PENBRITIN**

Summary of Clinical Papers in Urinary Tract Infections

No. of Papers	Indications	Infecting Organisms	Authors' Dosage Range		No. of Patients	Results Fully Reported			
			Daily Dose Range	Duration (days)		Cured or much improv.	Improved	Failure	
12	Acute urinary tract infection including cystitis, cystopyelitis and pyelonephritis	E. coli P. mirabilis Paracolon Strep. faecalis Proteus spp. Ps. pyocyanea Aerobacter Staph. aureus	1-3g.	3-42	202	156	13	31	
4	Post-operative infections following urological or abdominal operations	E. coli B. proteoagens P. mirabilis Vibrio		5-13	45	18	12	15	
22	Chronic urinary infection due to renal abnormalities, chronic pyelonephritis, chronic recurrent infections and renal calculi	E. coli P. mirabilis Paracolon Enterococci Staphylococci	6g.	8-10	408	202	70	122	
TOTALS						655	376	95	168

639

*Total patients in trials = 655
Results fully reported = 639
Cured or improved = 73.7%*

Over 400 publications from 29 countries endorse Penbritin (Ampicillin) as a broad-spectrum antibiotic. Its success in respiratory diseases, infections of the urinary and gastro-intestinal tracts, skin and soft tissues, venereal diseases and typhoid may be attributed to its high activity and bactericidal action.



Availability: capsules, paediatric tablets, syrup and vials for injection.

Usual Dosage Urinary tract infections. 500mg. 8 hourly. In severe infections the dosage should be increased.

The black and red capsule contains 250mg. ampicillin B.P.



PENBRITIN (regd.) a product of British research
Beecham Research Laboratories

***WHEN A HEARING AID
IS RECOMMENDED
ONLY AMPLIVOX
OFFERS THIS
HEARING AID SERVICE***

The design and manufacture of a complete range with individual fitting facilities.

Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox.

Highest degree of training of any hearing aid organisation.

Master Hearing Aid evaluations.

Expert follow-up and rehabilitation advice.

15 branch offices with while-you-wait service.


**FOR YOUR PATIENTS' GREATEST SATISFACTION
SPECIFY AMPLIVOX**

AMPLIVOX

World's most experienced and complete hearing service

**AMPLIVOX HEARING ADVISORY SERVICE
80 NEW BOND STREET
LONDON, W.1**

Please mention *The Journal of Laryngology and Otology* when replying to advertisements



'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

'OTOSPORIN' BRAND **Drops** ISSUED IN BOTTLES OF 5 ml.



BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON

Please mention *The Journal of Laryngology and Otology* when replying to advertisements