

## CORRIGENDUM

### Risk factors for *Clostridium difficile* infection in the community: a case-control study in patients in general practice, Denmark, 2009–2011 – CORRIGENDUM

L. M. SØES, H. M. HOLT, B. BÖTTIGER, H. V. NIELSEN, V. ANDREASEN,  
M. KEMP, K. E. P. OLSEN, S. ETHELBERG AND K. MØLBAK

doi:10.1017/S0950268813002380, Published online by Cambridge University Press, 27 September 2013.

In the article by Søes LM, *et al.* [1], there was an error in Table 2. In the line ‘Astrovirus’ under ‘Controls’ (Age <2 years) in the row ‘n’, the number ‘87’ should be ‘8’. The corrected table is republished here.

Table 2. Enteropathogens other than *Clostridium difficile* in the faecal sample in patients attending general practice because of gastrointestinal symptoms, Denmark, 2009–2011

Enteropathogens other than <i>C. difficile</i>	Age <2 years				Age ≥2 years			
	Cases (N=115–121)		Controls (N=198–213)		Cases (N=133–138)		Controls (N=222–242)	
	n	(%)	n	(%)	n	(%)	n	(%)
Generally accepted pathogens	62	(53)	120	(60)	30	(23)	60	(26)
Virus	58	(50)	105	(51)	13	(10)	27	(12)
Adenovirus	13	(11)	11	(5)	4	(3)	1	(0.5)
Astrovirus	10	(9)	8	(4)	2	(2)	1	(0.5)
Norovirus	20	(17)	51	(25)	6	(5)	15	(7)
Rotavirus	6	(5)	18	(9)	1	(0.8)	3	(1)
Sapovirus	9	(8)	17	(8)	0	(0)	7	(3)
Bacteria	28	(23)	53	(25)	20	(14)	32	(13)
<i>Salmonella</i> spp.	0	(0)	2	(0.9)	2	(1)	4	(2)
<i>Campylobacter</i> spp.	1	(0.8)	7	(3)	6	(4)	18	(7)
<i>Shigella</i> spp.	0	(0)	0	(0)	2	(1)	2	(0.8)
<i>Yersinia enterocolitica</i>	0	(0)	0	(0)	2	(1)	0	(0)
<i>Aeromonas</i> spp.	2	(2)	3	(1)	3	(2)	1	(0.4)
EPEC	3	(2)	10	(5)	0	(0)	0	(0)
ETEC	0	(0)	0	(0)	2	(1)	2	(0.8)
EIEC	0	(0)	0	(0)	0	(0)	0	(0)
A/EEC	22	(18)	36	(17)	3	(2)	9	(4)
Parasites	6	(5)	24	(12)	4	(3)	53	(24)
<i>Giardia duodenalis</i>	1	(0.9)	2	(1)	1	(0.8)	5	(2)
<i>Cryptosporidium</i> spp.	0	(0)	2	(1)	0	(0)	5	(2)
<i>Dientamoeba fragilis</i>	5	(4)	20	(10)	3	(2)	43	(19)
<i>Entamoeba dispar</i>	0	(0)	0	(0)	0	(0)	2	(0.9)
<i>Entamoeba histolytica</i>	0	(0)	0	(0)	0	(0)	1	(0.5)

EPEC, Enteropathogenic *Escherichia coli*; ETEC, enterotoxigenic *E. coli*; EIEC, enteroinvasive *E. coli*; A/EEC, attaching and effacing *E. coli*.

## REFERENCE

- Søes LM, Holt HM, Böttiger B, Nielsen HV, Andreasen V, Kemp M, Olsen KEP, Ethelberg S and Mølbak K. Risk factors for *Clostridium difficile* infection in the community: a case-control study in patients in general practice, Denmark, 2009–2011. *Epidemiology and Infection*, Published by Cambridge University Press, 27 September 2013. doi:10.1017/S0950268813002380.