



North-Holland ANNOUNCES:

a new section of the journal *PHYSICA: Physica D-*

Nonlinear Phenomena

Editors:

H. Flaschka

University of Arizona, Department of Mathematics,
Tucson, Arizona 85721,

J. Ford

Georgia Institute of Technology, School of Physics,
Atlanta, Georgia 30332

A. C. Newell

Clarkson College of Technology,
Department of Mathematics and Computer Science,
Potsdam, New York, 13676.

A. Scott

University of Wisconsin,
Department of Electrical and Computer Engineering,
Madison, Wisconsin 53706.

Aims and Scope:

- *This journal is designed with the aim of providing a common forum for scientists interested in exploring the role of nonlinearity in natural phenomena. It will contain:*
- *Communications of original research, conforming to the general standards described below.*
- *Invited or contributed surveys accessible to readers with diverse backgrounds.*
- *Announcements and summaries of meetings, recommendations of book or review papers, etc.*

Advisory Board:

Benney, D. J. (USA); Bers, A. (USA); Calogero, F. (Italy); Conley, C. (USA); Fife, P. (USA); Goddard, P. (England); Haken, H. (Germany); Hénon, M. (France); Jackson, A. (USA); Kaufman, A. N. (USA); Krumhansl, J. (USA); Kruskal, M. (USA); Lebowitz, J. (USA); Nagumo, J. (Japan); Rice, S. (USA); Sato, M. (Japan); Segel, L. (Israel); Sinai, Y. (USSR); Strang, G. (USA); Temam, R. (France); Toda, M. (Japan); Tracy, C. (USA); Trullinger, S. (USA); Zabusky, N. J. (USA); Zakharov, V.E. (USSR).

In order to give some focus to the first few issues, the editors intend to stress certain areas in which the importance of nonlinearity is particularly apparent: numerical analysis and applied mathematics, hydrodynamics, plasma physics, statistical physics, solid state physics, celestial mechanics, quantum field theory, biolo-

gical or chemical reaction-diffusion systems. The principal aim is to publish reports of experiments, techniques, and ideas which — although they may be derived and explained in the context of a particular field — advance the understanding of nonlinear phenomena in general. Contributions of this type in the recent literature have dealt with: wave motion in physical, chemical and biological systems; chaotic motion in models relevant to turbulence, meteorology, or nerve impulse propagation; quantum and statistical mechanics governed by nonlinear field equations; instability bifurcation pattern formation and cooperative phenomena in diverse systems. This list is neither inclusive nor final, and the editors will try to make room for any other field which is providing particularly rich new insights into the nature and scope of nonlinear effects.

In accordance with the goals of the Journal, both research papers and survey papers are invited. A research paper should deal with an aspect of nonlinearity of potential relevance to diverse areas. Use of specialized language should be minimized so that readers can evaluate the applicability of the idea to other fields. Survey papers dealing with the role of nonlinearity in problems of general scientific interest or with techniques of value in different fields are particularly welcome. An honorarium is provided for each survey article upon acceptance. A prospective author of a survey article should first contact the editors with a proposal.

Call for papers

The editors invite contributions from the scientific community in both the research and survey categories. All contributions should be sent to any one of the four editors.

Subscription Information

1980 Volume 1
1 volume in 4 issues
Subscription price for 1980: US \$93.25/Dfl. 191.00 including postage and handling.

Combined Subscription price for 1980:
Physica A (Vols. 100-104), B + C (Vols. 100 and 101), and D: US \$628.25/Dfl. 1288.00 including postage and handling.

Free specimen copies are available upon request.

North-Holland Publishing Company:

P.O. Box 211, Amsterdam, The Netherlands
52 Vanderbilt Ave, New York, N.Y. 10017, U.S.A.

**JOURNAL OF
PLASMA PHYSICS**

JOURNAL OF PLASMA PHYSICS exists for the publication of experimental and theoretical research papers on plasma physics and its applications.

EDITOR

DR J. P. DOUGHERTY

*Department of Applied Mathematics and Theoretical Physics, University of Cambridge
Silver Street, Cambridge, CB3 9EW, England*

ASSOCIATE EDITORS

PROF. D. BERSHADER

*Department of Aeronautics and Astronautics,
Stanford University, Stanford, California 94305, U.S.A.*

PROF. F. D. KAHN

*Department of Astronomy,
University of Manchester, Manchester M13 9PL, England*

PROF. W. B. THOMPSON

*Department of Physics,
University of California, La Jolla, California 92093, U.S.A.*

Authors wishing to have papers published in the **JOURNAL** should communicate them to any one of the persons named above, choosing one in their own country where possible.

Authors are urged to ensure that their papers are written clearly and attractively, in order that their work will be readily accessible to readers.

Manuscripts should be typed in double spacing on one side of the paper only, with references listed at the end in alphabetical order of authors. Drawings should be done in Indian ink on plain white or transparent paper, and should not be larger than 15 in. by 24 in. Lettering should be shown clearly in pencil for reproduction by the printer, and as far as possible information relating to a figure should be placed in the caption rather than on the figure. A typed list of captions should be provided at the end of the manuscript. Proofs of papers from overseas will usually be despatched to authors by airmail. There is no charge for publication. Authors are entitled to receive 50 offprints of a paper in the **JOURNAL** free of charge, and additional offprints can be purchased if ordered in advance.

© Cambridge University Press 1979

For permission to reproduce material from *Journal of Plasma Physics*, please apply to the Cambridge or New York office of the Cambridge University Press.

ISI Tear Service, 3501 Market Street, Philadelphia, Pennsylvania 19104, U.S.A. is authorized to supply single copies of separate articles for private use only.

JOURNAL OF PLASMA PHYSICS is published once every two months in February, April, June, August, October and December, by Cambridge University Press, P.O. Box 110, Cambridge CB2 3RL and 32 East 57th Street, New York, N.Y. 10022.

Three parts form a volume. The subscription price (which includes postage) of Volumes 23 and 24 (1980) are £49.00 net per volume (US \$145.00 in the U.S.A. and Canada) for institutions; £24.50 (US \$72.50) per volume for individuals. Single parts cost £18.50 net (US \$55.00 in the U.S.A. and Canada) plus postage.

Copies of the journal for subscribers in the United States of America and Canada are sent by air to New York to arrive with minimum delay.

Second class postage paid at New York, N.Y. *Postmaster*: send address changes in U.S.A. and Canada to Cambridge University Press, 32 East 57th Street, New York, N.Y. 10022.

JOURNAL OF PLASMA PHYSICS

VOLUME 22
1979

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

**PUBLISHED BY THE PRESS SYNDICATE OF THE
UNIVERSITY OF CAMBRIDGE**

**The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022**

© Cambridge University Press 1979

Printed in Great Britain at the University Press, Cambridge

CONTENTS OF VOLUME 22

PART 1 AUGUST 1979

Magnetic field line reconnection by localized enhancement of resistivity. Part 4. Dependence on the magnitude of resistivity. M. UGAI and T. TSUDA	<i>page 1</i>
Nonlinear interaction of wave packets. J. T. MENDONÇA	15
Nonlinear Kelvin–Helmholtz instability in hydromagnetics. H. NAGANO	27
Hydrodynamical description of one-component weakly coupled plasmas. W. ROZMUS	41
Instability of ion–ion hybrid waves in current-carrying collisional plasmas with two ion species. K. F. LEE	59
Lower hybrid oscillating two-stream instability in a plasma with magnetic shear. J. M. WERSINGER, A. H. KRITZ and F. TROYON	71
Electromagnetic wave backscattering across a magnetic field in a bounded plasma. J. E. WILLETT, S. BILIKMEN and B. MARAGHECHI	85
An analytical local approach to flux conserving tokamak equilibrium. J. J. RAMOS	97
Oscillation centres and mode coupling in non-uniform Vlasov plasma. S. JOHNSTON and A. N. KAUFMAN	105
Soliton formation in magnetoactive Vlasov plasmas. J. G. TURNER and T. J. M. BOYD	121
The spectrum of second harmonic emission from a laser-produced plasma. R. A. CAIRNS	149
The resistive evolution of force-free magnetic fields. Part 2. Relation to anisotropic diffusion. J. REID and E. W. LAING	157
Free expansion of a plasma with two electron temperatures. L. M. WICKENS and J. E. ALLEN	167
Convection of a weakly ionized plasma in a strong magnetic field: non-axisymmetric waves. B. K. SHIVAMOGGI and M. S. UBEROI	187

PART 2 OCTOBER 1979

The resistive evolution of force-free magnetic fields. Part 3. Cylindrical geometry. J. REID and E. W. LAING	193
--	-----

Stability of relativistic transfer waves. Part 2. Linearly polarized waves. F. J. ROMEIRAS	page 201
Magneto-acoustic oscillations in a finite beta current-carrying plasma column. M. L. SAWLEY	223
Method for predicting the properties of cyclotron harmonic waves from the perpendicular dispersion relation. B. LAMBÈGE	231
Compressible magnetic-field reconnection. E. HAMEIRI	245
Finite-Larmor-radius effects on anisotropy-driven electromagnetic modes in high-beta plasmas. J. GOEDERT and J. P. MONDT	257
Excitation of high-frequency waves with mixed polarization by stream- ing energetic electrons. L. C. LEE, C. S. WU, H. P. FREUND, D. DILLENBURG and J. GOEDERT	277
Self-similar resistive decay of a current sheet in a compressible plasma. K. B. KIRKLAND and B. U. Ö. SONNERUP	289
On the existence and stability of trapped Langmuir modes in a double layer. C. WAHLBERG	303
Magneto-viscous resistive tearing of cylindrical flux surfaces. R. J. HOSKING	329
Soliton formation at critical density in laser-irradiated plasmas. D. ANDERSON, A. BONDESON and M. LISAK	339
Nonlinear coupling of three waves in non-uniform plasma. G. C. PRAMANIK	353
Critical-level behaviour of ion-cyclotron waves. J. F. MCKENZIE	361
Parametric decay of non-ducted whistler-mode signal. P. NENOVSKI, P. K. SHUKLA, S. G. TAGARE and I. ZHELYAZKOV	377

PART 3 DECEMBER 1979

Stationary states of two-dimensional magnetohydrodynamic turbu- lence: non-dissipative limit. R. CALINON and D. MERLINI	385
Energy equilibria in the diffuse pinch. Part 1. Classical scalar conduc- tivity and neo-classical models. A. TOMIMURA and M. G. HAINES	397
Energy equilibria in the diffuse pinch. Part 2. A tensor conductivity model. A. TOMIMURA and M. G. HAINES	421
Test charge potential in the presence of trapped electrons. M. NAMBU, K. H. SPATSCHEK and H. AKAMA	443

The effect of current shear on the tearing instability. R. J. BARKER and O. BUNEMAN	<i>page</i> 453
An energy principle for soliton solutions with higher nonlinearities. E. W. LAEDKE and K. H. SPATSCHEK	477
Formation of precursor whistler mode plasma turbulence in parallel shock waves. R. W. JACKSON and K. I. GOLDEN	491
Measurements of the impedance of a magneto-acoustic wave-launching antenna. B. D. BLACKWELL and R. C. CROSS	499
Transition layer between two magnetized plasmas. L. C. LEE and J. R. KAN	515
Reflexion of a plane wave at a plasma slab. J. N. ELGIN	525
Parametric decay of magneto-acoustic oscillations in a cylindrical plasma. N. F. CRAMER and W. N-C. SY	549
Wave packets in dispersive media: an approximation encompassing both main signal and precursors. R. BUCKLEY and C. A. P. SAMMUT	563
Corrigendum: On the stability of relativistic nonlinear cold plasma waves. E. INFELD and G. ROWLANDS	571
AUTHOR INDEX, VOLUME 22	573

Continued from back cover

Parametric decay of magneto-acoustic oscillations in a cylindrical plasma	
N. F. CRAMER AND W. N-C. SY	<i>page</i> 549
Wave packets in dispersive media: an approximation encompassing both main signal and precursors	
R. BUCKLEY AND C. A. P. SAMMUT	563
Corrigendum: On the stability of relativistic nonlinear cold plasma waves	
E. INFELD AND G. ROWLANDS	571
INDEX TO VOLUME 22	573

JOURNAL OF PLASMA PHYSICS

Volume 22 Part 3 December 1979

CONTENTS

Stationary states of two-dimensional magnetohydrodynamic turbulence: non-dissipative limit R. CALINON AND D. MERLINI	<i>page</i> 385
Energy equilibria in the diffuse pinch. Part 1. Classical scalar conductivity and neo-classical models A. TOMIMURA AND M. G. HAINES	397
Energy equilibria in the diffuse pinch. Part 2. A tensor conductivity model A. TOMIMURA AND M. G. HAINES	421
Test charge potential in the presence of trapped electrons M. NAMBU, K. H. SPATSCHER AND H. AKAMA	443
The effect of current shear on the tearing instability R. J. BARKER AND O. BUNEMAN	453
An energy principle for soliton solutions with higher nonlinearities E. W. LAEDKE AND K. H. SPATSCHER	477
Formation of precursor whistler mode plasma turbulence in parallel shock waves E. W. JACKSON AND K. I. GOLDEN	491
Measurements of the impedance of a magneto-acoustic wave-launching antenna B. D. BLACKWELL AND R. C. CROSS	499
Transition layer between two magnetized plasmas L. C. LEE AND J. R. KAN	515
Reflexion of a plane wave at a plasma slab J. N. ELGIN	525

Continued on inside back cover

© Cambridge University Press 1979

CAMBRIDGE UNIVERSITY PRESSTHE PITT BUILDING, TRUMPINGTON STREET, CAMBRIDGE CB2 1RP
32 EAST 57TH STREET, NEW YORK, N.Y. 10022*Printed in Great Britain at the University Press, Cambridge*