The Journal of Laryngology and Otology

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

WITH THE COLLABORATION OF V. E. NEGUS R. G. MACBETH

Contents

CANCER OF THE LARYNGOPHARYNX	M. LEDERMAN
RATIONAL ASSOCIATION OF IRRADIATION AND SURGERY IN THE TREATMENT OF LARYNGEAL CARCIN-	
OMA	JENS NIELSEN
SEROUS EFFUSIONS IN THE INNER EAR AND IN THE CISTERNA PONTIS	Hans Brunner
THE TOXIC EFFECT OF STREPTOMYCIN AND DIHYDRO- STREPTOMYCIN UPON THE VIIITH CRANIAL NERVE	J. E. Minkenhof and J. B. v. Deinse
CLINICAL NOTE—	
THE HEARING AID IN USE. A PRELIMINARY STUDY	J. Kodicek and Jessie Garrad
GENERAL NOTES	

London

Headley Brothers Ltd

109 Kingsway W C2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

WITH THE COLLABORATION OF V. E. NEGUS R. G. MACBETH

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs etc. The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization 1952.

It is most important that authors should verify personally the accuracy of

every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £5 per article; beyond this authors are expected to pay half the cost.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers, Ltd, 109 Kingsway London, WG2.

5. Orders for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied.

 Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers, Ltd, 109 Kingsway London WC2
8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol.

LXIII may be purchased at 4s. each.


10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers, Ltd, 109 Kingsway London WC2.

United States of America

Orders for this Journal may be sent through local bookseller, or to G. E. Stechert & Co., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, Ltd., 109 Kingsway London, WC2, England.

The New KEELER OTOSCOPE

This latest addition to the \mathbf{KEELER} range of instruments embodies good design and a quite remarkable performance that will interest every otologist



SPECIAL FEATURES

- Five all-NYLON specula, sizes 2.5, 3.5, 4.5, 5.5 and 8 mm. Unbreakable, easily sterilised, more comfortable than metal and affording a better seal when used with Siegle attachment
- Lateral adjustments for lamp and magnifier to permit a shadowless field of view
- Intense, homogeneous illumination
- Ample space for surgical manipulation
- Screw clamp for rapid and positive location of specula
- Lightweight, robust, well-balanced and inexpensive
- Supplied with spare lamp, specula and Siegle attachment complete in case
- Also incorporated in our range of E.E.N.T. Diagnostic Sets

39 Wigmore Street LONDON, W.I England



617 S. 52nd Street Philadelphia, 43 Pa., U.S.A.

POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area. ASPERGUM provides 'salivary analgesia' through the simple act of chewing — it brings pain-relieving acetylsalicylic acid into intimate and

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides 3½ grains acetyl-salicylic acid, permitting frequent use. prolonged contact with the tonsillar | Particularly suitable for children.

できたすかるからからできなかかなからかんなかんなかななかななかななかないない

for more than two decades a dependable and welcome aid to patient-comfort

Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250 WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

THE LARYNGOSCOPE

A Monthly Journal devoted to the Diseases of the EAR, NOSE AND THROAT

Official organ for the American Laryngological, Rhinological and Otological Society

Price \$14.00 per year

Canada \$13.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D. **EDITOR**

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.

AMPLIVOX MODEL 61 THE CLINICAL AUDIOMETER OF INTERNATIONAL REPUTE

"Messrs. Amplivox were among the first firms to produce an audiometer in this country, and their larger model is one of the best instruments of the kind now made in the world at a competitive price."—The LANCET, 23-12-50.

- Eleven exact test frequencies 125-12,000 c.p.s.
- Simplified hearing loss dial. The same set of figures is read for both bone and air conduction at all frequencies, and for speech.
- Bone conduction tests can be made from 125-4,000 c.p.s.
- Masking Tone calibrated in decibels, permitting accurate control of masking.
- Double Air receivers enable test tones to be switched instantly from ear to ear.
- Speech test circuit monitors speech level, permitting accurate measurement of hearing loss for speech.
- Loudness Balance Control establishes presence of recruitment in monaural deafness.
- Automatic voltage compensator.

Recruitment Test Set accessory establishes presence of recruitment by amplitude modulation, enabling each ear to be tested independently.

Speech Turntable, English made P.B. and Harvard Spondee Records available.

Full details are available from the manufacturers who will gladly arrange demonstrations if required.



The Basic Instrument of Modern Otology

ACCURATE • COMPLETE • SIMPLE TO OPERATE

AMPLIVOX LTD., 2 BENTINCK ST., LONDON, W.I (Welbeck 2591)

CONTENTS

	PAGE
Cancer of the Laryngopharynx. M. Lederman (London) .	333
RATIONAL ASSOCIATION OF IRRADIATION AND SURGERY IN THE TREATMENT OF LARYNGEAL CARCINOMA. Jens Nielsen (Copenhagen)	370
Serous Effusions in the Inner Ear and in the Cisterna Pontis. Hans Brunner (Newark, New Jersey)	378
THE TOXIC EFFECT OF STREPTOMYCIN AND DIHYDROSTREPTOMYCIN UPON THE VIIITH CRANIAL NERVE. J. E. Minkenhof and J. B. v. Deinse (Amsterdam)	401
CLINICAL NOTE-	
The Hearing Aid in Use. A Preliminary Study. J. Kodicek and Jessie Garrad (London)	406
GENERAL NOTES	410

For Advertisement space in this Journal apply to: HEADLEY BROTHERS Ltd, 109 Kingsway London WC2