
THE FIRST STEP TO...

INSTRUMENT AUTOMATION

AUTO-MOUNT™



DON'T SPEND A FORTUNE ON A NEW X-RAY INSTRUMENT! AUTOMATE YOUR OLD ONE FOR A FRACTION OF THE COST!

since 1981, Omni Instruments™ has built a reputation in X-ray instrument automation that is second to none. We offer a complete line of automation, instruments, and accessories that are designed with the user in mind:

- Our modular component designs give users repair options— through Omni's repair depot exchange program or manufacturer's direct. Both are affordable alternatives to field service repairs.
- Designed-in versatility allows us to fill individual requirements with custom configurations.
- All Omni products are designed and manufactured in the U.S. from the highest quality materials available.
- Customer satisfaction is are most important product. That's why we offer a 100% money-back guarantee and a full one year warranty on parts and labor on every product we make.

The Auto-Mount™ is our patented method for mounting a stepping motor and optical sensors to Philips XRD and XRF instruments.


- · Quick and Easy to Install (about 15 minutes)
- · No Realignment or Down Time
- Stepping Motor and Tool Kit Included
- Adjustable Optical Limit Sensors
- Standard 15 pin "D" Connector
- · Factory Pre-assembled


AUTO-MATE™

The Auto-Mate™ is a motion control and data aquisition system specifically deisgned for XRD and XRF instrument automation.

- Models for Philips, Siemens, GE, Diano, Packer, Huber and Others
- 1 to 12 Axes of motion, Circular and/or Linear
- Bipolar Bilevel Motor Drivers with POWER-SAVE™
- Multiple Mode Counters/Timers
- · Off Line and Interactive Scans
- · Conventional and Zones Sans
- On Screen User Selectable Setup Parameters
- Modular 5.25" Rack Mount or Table Top Package
- No NIM Bin Required

AUTO X-RAY™





Auto-Xray™ is an integrated graphics and analysis software package for the IBM PC:

- Mouse Driven Pull Down Menus and Pop Up Windows
- · Zoom, Pan, Multiple Spectra, Auto Labeling
- · Smoothing, Base Subtract, D, I, Area, etc.
- Edit and Store Run Parameters and Data
- · Auto and Manual Peak Search
- User Selectable Setup Parameters
- Printer and Plotter Hardcopy
- · Search/Match and Custom Software
- Compatible With All Other Search/Match and Analysis Software

THE RIGHT SOLUTIONS.




PRECISION INSTRUMENTS


Mechanical and Optical

Precision bearings, gears and optical components:

- · Custom Precision Goniometers of All Sizes: Theta/2Theta, Theta/Theta, 4 Circle, 6 Circle, Linear XYZ Tables, etc.
- · Detector Arms, Optical Mounts and Movements
- · Worm Gears and Drives
- Position Encoder Systems
- Remanufactured Gonjometers: Philips, GE, Diano, Siemens, Picker, Huber, others...
- · Laser Diffraction Systems



X-RAY ACCESSORIES



XR-3K™ X-ray Generator for XRD and XRF

- 3KW High Frequency Switching Power Supply
- · Very High Stability and Regulation
- · Rack Mount Modular Packaging
- XRD / XRF Switch
- Federal Connector
- No Oil Tank


XL-1™ X-rays On Safety Light

- · AC and DC Models Available
- · Direct Lamp, Double Interlock Available



Tubes, Cables, and Connectors

- Factory New XRD and XRF Tubes
- Factory Warranties and Service
- 7V to 13V Conversion Kits and Systems
- Tube Towers and **Shutter Controls**




DETECTOR SYSTEMS

An integrated detector electronics interface system:

- H.V. Detector Power **Supply**
- · Detector Pre-Amplifier
- · Linear Amplifier
- · Pulse Height Analyzer
- · Digital Rate Meter
- · Rack Mount or Table Top
- No NIM Bin Required


Detectors (A)

- Scintillation and Peltier Technology
- · Different Crystal sizes
- Different Window Types
- Proportional Detector Retrofit Systems



DM-P™ (B): detector mount for the Philips Powder XRD DM-K™ (C): detector mount for the Philips Kratky Camera

- Radiation Shielding Between Monochromator and Detector
- Remove and Replace Detector Without Disturbing Alignment
- · Easier Alignment of Monochromator and Detector Path
- Other Models Available



- Manual Engine Lathes
- Digital Vertical Milling Machine
- **Digitizing Center**

If dealing with the corporate conglomerates leaves you frustrated, call or write for a free brochure:

Omni Instruments, Inc. 769 Whitney Drive Biloxi, MS 39532 USA 601-388-9211



Theta.XRD ThetaPlus[™]

X-ray Diffractometer Automation from Dapple Systems

Enhance the analytical performance of your x-ray diffractometer. Choose Theta.XRD for IBM PC compatibles or **ThetaPlus** for the Macintosh II series computers.

Both provide:

- Precise stepping motor control of the two-theta drive
- Automatic peak height and d-spacing calculation
- Time-saving search/match operation
- Clear and efficient operator interface

Assure continued reliable operation from your existing system, at a fraction of the cost of replacement. To learn more about the best way to automate your x-ray diffractometer, call or write today.



355 W. Olive Avenue, Suite 100 Sunnyvale, CA 94086

Tel: (408) 733-3283 Fax: (408) 736-2350

PD19

DIFFRACTOMETER AUTOMATION FOR ONLY \$4600




CHART RECORDER

SDAC-10

OPERATION:

Manual

Automated (unattended).

Strip chart spectrum

High resolution "strip chart" like spectrum printout.

OUTPUT:

with written notes

Data stored on disk for future processing.

DATA PROCESSING:

Manual measurements

Data ready for import to data analysis program.

ADVANTAGES:

None

Unattended data acquisition with multiple section scans.

Ideal for production analysis.

Basic system consists of a digital ratemeter, fast computer interface with stepping motor driver, stepping motor, and menu driven acquisition software, all for only \$4600. PD20

For more information, call (303) 449-2288 or write MIT Corp. 2434 30th Street, Boulder, CO 80301

Expand your x-ray diffraction capabilities — not your overhead.

Whether you just need services or your XRD lab is on "overload," IC Laboratories provides every testing service and advanced capability you need in qualitative or quantitative x-ray diffraction analysis — from austenite to zeolites, from air filters to thin films. You are assured of rapid turn-around of results — as little as 48 hours — because IC Labs is one of the most highly automated commercial labs in the U.S., with knowledgeable personnel ready to address all your applications. For a copy of our technical prospectus, contact IC Laboratories.

IC Laboratories

Post Office Box 721 Amawalk, New York 10501 (914) 962-2477

PD21

We're the Specialists in XRD

Capillary Tubes and Laboratory Supplies for X-Ray Diffraction Use

Polaroid

Kodak Direct Exposure Film especially developed for X-ray diffraction analysis. Available in 35mm x 20m rolls and in 50 sheet boxes.

Polaroid XR-7 High Speed X-Ray Diffraction Cassettes for Laue and Precession Photography, and Polaroid 3000 Speed Film, Type 57, in singleexposure packets.



Special Glass and Quartz in 15 sizes from 0.1mm to 3.5mm O.D. Uniform 89mm length and funnel shaped at the top. 0.01mm wall thickness.

Manufacturers of Fine X-Ray Diffraction Equipment For Over 45 Years

Charles Supper Company

15 TECH CIRCLE, NATICK, MA 01760, U.S.A. TELEPHONE: (508) 655-4610 PD22

For 1991/92 from ICDD...



Set 41 PDF

In all current media

CD-ROM & Mag Tape... Microfiche ... Book Over 2000 new &/or updated entries in PDF-1 and PDF-2†



EDD

Electron Diffraction Data Base

(NIST/Sandia/ICDD)

Crystallographic & chemical data on over 71,000 crystalline materials.*



NIST

Crystal Data File

Crystallographic & chemical data on over 149,000 crystalline materials*



†Available for IBM-PC compatibles, VAX & Macintosh *Available for IBM-PC compatibles & VAX

International Centre for Diffraction Data 1601 Park Lane, Swarthmore, PA 19081 USA (215) 328-9400 Telex: 847170

Advance Your Skills Attend an ICDD Short Course or Clinic





In our Three Day Short Course you will ...

- Learn to identify/characterize crystalline substances using powder diffraction data.
- Build proficiency in interpretation of powder patterns of unknown materials, using the Powder Diffraction File.
- Have hands-on work sessions in manual and computer search methods ... Comprehensive work book provided.

Our Clinics consist of two one-week courses each, in either XRD or XRF...

- 1st week ... Fundamentals of discipline, emphasis on instrumentation, specimen preparation & data acquisition ... Qualitative & simple quantitative analysis methods.
- 2nd week ... Advanced methods in XRD and XRF, respectively, with emphasis on computer-based methods of data collection & interpretation.

Short courses: West Coast, November, 1991 ... Florida, March, 1992

XRD & XRF Clinics: June/July 1992. Venues to be announced in early 1992

For information contact ... Ms. Josephine Felizzi ... Mario Fornoff

(Short Courses)


(Clinics)

PD24

International Centre for Diffraction Data 1601 Park Lane, Swarthmore, PA 19081 USA Tel: (215) 328-9400 FAX: (215) 328-2503

Telex: 847170





Back Copies of **Powder Diffraction** Available:


Volume 1	Complete Set	\$45.00
Volume 2	Numbers 2 and 3 only	\$15.00 each
Volume 3	Numbers 1 and 4 only	\$15.00 each
Volume 4	Complete Set	\$45.00
Volume 5	Complete Set	\$45.00

To order please contact:

Mary M. Rossi, Assistant to the Managing Editor Powder Diffraction ICDD International Centre for Diffraction Data 1601 Park Lane Swarthmore, Pennsylvania 19081 USA

Telephone: 215 328 9403 FAX: 215 328 2503 **ICDD** ○

Consultants Directory



- MacPDF[™] is a Macintosh Search/Retrieval program for the PDF-2 and is a product of Helios Software.
- MacPDF is now in use in Europe and the U.S.A.

Powder Diffraction makes this page available for brief announcements of services offered by its readers or by other interested persons.

- Space Cost \$150 (no agency discount). This space will permit the display of a business card or other similar size text. The business card will be reproduced at no charge.
- Free space: Up to 12 lines of text immediately below the announcement.

For details write or call Mary M. Rossi, Advertising Manager, *Powder Diffraction*. ICDD, 1601 Park Lane, Swarthmore, Pennsylvania 19081 215-328-9403 FAX 215-328-2503

Advertisers in Powder Diffraction September 1991 Volume 6 Number 3

Company	Page	PD	
	Number	Number	
Charles Supper Company	X	PD10	
Charles Supper Company	$\mathbf{X}\mathbf{X}$	PD22	
Dapple Systems	XIX	PD19	
Diano Corporation	XII	PD13	
Fein-Marquart Associates	I	PD2	
Gem Dugout	XXI	PD25	
Huber Diffraktionstechnik	XIV	PD15	
IC Laboratories, Inc.	XX	PD21	
ICDD - PC-PDF CD-ROM	XV	PD16	
ICDD - For 1991-1992	XX	PD23	
ICDD - Schools - Clinics	XXI	PD24	
inel Instrumentation Electronique	e IV	PD4	
Ital Structures	VIII	PD8	
Kevex Instruments	XIII	PD14	
Materials Data, Inc.	VII	PD7	
Modern Instrument Technology	XIX	PD20	
Omni Instruments	XVII	PD18	
Omni Instruments	XVIII	PD18	
Philips Almelo, The Netherlands	IX	PD9	
Philips Electronic Instruments, In-	c. Back Cover	PD27	
Radix Instruments	VI	PD6	
Rigaku, U.S.A.	Inside Back Cover	PD26	
Scintag, Inc.	\mathbf{V}	PD5	
Seifert X-Ray Corporation	XVI	PD17	
Siemens	Inside Front Cover	PD1	
Sietronics Pty. Ltd.	XI	PD12	
SPEX Industries, Inc.	II	PD3	
Steuerungstechnik	X	PD11	

Powder Diffraction Reader Reply Card — Volume 6, Number 3, Sept. 1991									t. 1991
Advertis	er's Info	rmation: (Circle Nun	nber		•			
PD1	PD2	PD3	PD4	PD5	PD6	PD7	PD8	PD9	PD10
PD11	PD12	PD13	PD14	PD15	PD16	PD17	PD18	PD19	PD20
PD21	PD22	PD23	PD24	PD25	PD26	PD27	PD28		
(CPDS-I	CDD Inf	ormation:	Check to	Receive I	Informatio	on			
		Data Base			Book For		ıta		CD-ROM
					Education			El	
					MICT C				
	⁄ucronene	e Package			NIST Crys	stai Data		Snort	Courses
Name/T	itle								
Institutio	on Compa	any							VI. T. VI
							_ Phone _		THE THE STREET PART SALE SHARES AND A SHARES
Address									
Country	-				1	Mail Code			
Dla		ubacii: :	. for				Crodit	ordo ====	2000nt-J
	•	ubscription					Credit C	ards now a	accepied
Pow	der 1	Diffra	ction						
Annual (subscripti	on rate: 19	91						
□ U.S.	& Canada	\$45.00	(U.S. dolla	rs)					
	ry Rate		(U.S. dolla						
					System Cor				
			ia and Kor		ubscription	s for Japan	, China, T	aiwan, ma	iaysia,
		scriptions:		ca.					
	00 (U.S. d	^ .		ibrary Rat	e 🗆 \$85.0	00 (U.S. do	ollars)		
	subscript		_,						
			ent ⊔ M	Ianufactu	ring 🗆 Po	ersonal	□Other		
	Title on/Comr								
	-	•							
						Pho			
					State	:	7	Zip	
					Mail Code				
Charge:	□Visa	□ Mas	terCard	Signatui	re		T	D-4-	
Numbei	-						Exp.	Date	
Please e	nter my si	ubscription	n for				Credit C	ards now	accepted
		-							
<u>FOM</u>			<u>ction</u>						
		on rate: 19		,					
□ U.S.	& Canada ıry Rate	\$45.00	(U.S. dolla (U.S. dolla	rs)					
□ Laora	uy Kate Cast Rate	φου.υυ Write	Sanvo Infe	rmation S	System Cor	p., Taivo I	31dg. 7-7. T	Γomizawa-	cho
Niho	nbashi, C	huo-ku, To	okyo 103, Ja	apan for si	ubscription	s for Japan	, China, T	aiwan, Ma	laysia,
			ia and Kor	ea.					
□ \$65.0	00 (U.S. d			ibrary Rat	te □ \$85.0	00 (U.S. do	ollars)		
	subscript emic [ent 🗆 M	I anufactu	ring 🗆 P	ersonal	□Other		
Name/I	Γitle								
Instituti	on/Comp	oany							
Address									
C:					Ctata	Pho	ne	7:	
Countr	,				State Mail Code			71b	
					. ман Соде re				
_	⊔ visa r		ici Cai u	oignatu			Exp.	Date	



35 KW/mm² X-Ray Generator



PSPC Micro Diffractometer



Double Crystal Topographic Unit



Scanning Micrographic Camera



1500° High Temp Attachment



Dual Axis SASG



Microdiffractometer



Pole Figure Attachment



Microfocus X-Ray Generator



2500° High Temp Attachment



Small Angle Scattering Goniometer

43

Spc



Fiber Specimen Attachment



H. T. Fiber Elongation
Attachment



Selectable λ Monochromator



Ry Attachment

tion

sing

OUR X-RAY DIFFRACTOMETERS OFFER THE MOST APPLICATIONS



We have sold more x-ray diffractometers than any of our competitors, and one reason is clear. We offer the largest selection of accessories and can, therefore, meet more applications than anyone.

Shown on this page are just a few of the 97 major accessories, fixtures and attachments available with our line of x-ray diffractometers. For a more complete listing and descriptions, call Dr. Robert Wilson at (508)777-2446. Or write Rigaku USA, Inc., Northwoods Business Park, 200 Rosewood Drive, Danvers, MA 01923.






Stress Attachment



Multiple System Configurations



PSPC Micro Area Stress Analyzer



PSPC/MSF Mobile Stress Analyzer



Piezo Goniometers

Whoever said good things don't come in small packages, didn't look at the Philips PW1840.



They didn't look at the price, eitherunder \$50,000* installed.

When it comes to price, performance and ease of installation in an X-ray diffraction system, nothing beats the Philips PW1840. We specifically designed the PW1840 to deliver fully automated, cost-effective qualitative and quantitative analysis in a system that won't take much space in your lab—or much of a bite out of your budget.

The PW1840 can be installed quickly on an ordinary counter-top. Its logical, fail-safe operation and reliable performance allows staff members to become productive with it, just as quickly.

Combining rugged construction, simple operation, an unique solid-state detector with integral electronic aperturing and a self-adjusting divergence slit, the PW1840 has been designed to withstand long hours of operation

in labs with reliability and safety.

Those same qualities that make the Philips PW1840 Compact Powder Diffractometer such a vital bench-top tool for the commercial and research facility, work just as effectively in the university or technical school.

For more details or a demonstration of the Philips PW1840, contact Philips Electronic Instruments Company, 85 McKee Drive, Mahwah, NJ 07430. Telephone (201) 529-3800.

*excluding taxes and delivery charges.



