The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

Contents

HISTOPATHOLOGICAL STUDIES OF THE OSSICLES IN M. GRIPPAUDO THE TREATMENT OF MÉNIÈRE'S DISEASE WITH ACET-GY. VARGA J A REVIEW OF TUMOURS OF THE GLOMUS JUGULARE WITH REPORTS OF THREE FURTHER CASES I. C. SIMPSON and RUSSELL DALLACHY ACUTE OTITIS MEDIA IN CHILDREN TREATED WITHOUT MYRINGOTOMY-A FOLLOW-UP WITH AUDIO-J. W. DIXON METRY IN 88 CASES CLINICAL RECORDS-A CASE OF UNILATERAL MANDIBULO-FACIAL Dysostosis Associated with Agenesis of T. G. WILSON THE HOMOLATERAL LUNG T. G. WILSON AGENESIS OF THE LUNG IN A BOY OF TEN YEARS A PRELIMINARY REPORT OF THE EFFECT ON DAVID STEVENS MÉNIÈRE'S DISEASE OF STEMETIL . . LABYRINTHOGENIC MENINGITIS DUE TO BACILLUS B. H. COLMAN PROTEUS GENERAL NOTES

London

Headley Brothers Ltd

109 Kingsway WC2

Annual Subscription £3/3/0 net, U.S.A. \$10

Monthly, 7/6 net post free

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

1. Original Articles are accepted on the condition that they have not been published elsewhere.

Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs etc.

The Harvard system of recording references should be used, e.g. Green, C. and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author.

Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., 109 Kingsway London, WC2.

5. Orders for reprints should be sent when returning galley proofs, and for

this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other o. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headler Brothers Ltd., 109 Kingsway London, WC2.


8. The annual subscription is three guineas sterling (U.S.A. \$10) post free, and is payable in advance.

9. Single copies will be on sale at 7s. 6d. each; copies of parts up to Vol. LXIII may be purchased at 4s. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, Headley Brothers Ltd., 109 Kingsway London,

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers Ltd., 109 Kingsway London, WC2, England.



- * They can try the different makes of hearing aids
- ★ They get impartial advice on all makes of hearing aids
- ★ Their personal needs are given individual and continued attention
- ★ A full report on each fitting recommended is sent to the patient's ear specialist
- ★ They can compare at one consultation the different makes one with another

S. C. INGRAM Independent Hearing Aid Consultant

On the approved List of the National Institute for the Deaf 2 SHEPHERD STREET, SHEPHERD MARKET, LONDON, W.I

Hyde Park 9042

EAR WAX



Removed this easy way



The removal of wax from the external auditory meatus has, in the past, normally entailed attendance by the patient for diagnosis and for the prescription of a suitable loosening agent, and a second attendance a few days later for syringing.

Now, by the use of Cerumol Ear Drops, wax can be removed in most cases at one visit. A few drops of Cerumol can be instilled into the ear and, while another patient is being attended to, the soft cerumen dissolves and the harder wax disimpacts. The wax can then be removed by gentle



syringing or with cotton wool. The wax may even be found to run out of the ear on its own accord, in which case patients themselves may instil Cerumol at home, obviating further attendances. Cerumol is anti-bacterial, non-irritating and harmless to the lining of the external auditory meatus or the tympanic membrane. Cerumol is included in Category No. 4 of the M.O.H. classified list and may be prescribed on N.H.S. Form E.C.10.





EAR DROPS

for the easier removal of wax



PACKS For Surgery Use: 10 c.c. vial — separate dropper included (Basic N.H.S. price 2/8) for Hospital Use: 2 oz. and 10 oz. bottles.

If you wish to test for yourself and have not received recently a 10. c.c. vial please write or telephone direct to:

LABORATORIES FOR APPLIED BIOLOGY LTD.,
91, AMHURST PARK, LONDON, N.16 Tel.: STA 2252

The deaf child

For 23 years we've specialised in making group hearing-aid equipment and individual hearing aids with a range of characteristics wide enough to help any child who *can* be helped by sound amplification.

Particulars of the latest Range of Individual and Group Aids—believed to be the largest in existence—will be gladly sent to Medical Officers of Health, Educational Authorities and Schools.

multitone

HEARING AIDS

MULTITONE ELECTRIC COMPANY LIMITED 25 Dover Street, London, w.1. Telephone: HYDE Park 9977

Signatories to the National Institute for the Deaf Agreement

CRC 5 M



INVALUABLE AIDS TO DIAGNOSIS

THE RANGE of the internationally known Peters audiometers is designed to meet all audiometric requirements, from those of a large Clinic to audiometric tests in schools.

In addition to a large speech audiometer for free-field work the range includes three pure-tone audiometers:

The SPD/2 Clinic Audiometer illustrated above, a most comprehensive instrument providing many facilities for advanced techniques. The SPD/3 Consulting Audiometer designed to meet all normal audiometric needs.

The SPD/1 Portable (Basic Diagnostic) the most recent addition

to the range, which ideally fills basic requirements in a portable form.

All three instruments offer a single zero reference level for all measurements, the Peters patented continuously variable attenuator and provision for simple speed audiometry. All are made to the same high standard, differing only in the facilities which they offer.

For the convenience of specialists all these instruments are available for demonstration at the ACOUSTICON Showrooms or, on request, at the specialist's consulting room or hospital.



Literature and any information on request:

122 Wigmore Street, London, W.1. Telephone: Welbeck 0935

St. Ann's Arcade, 12 St. Ann's Square, Manchester.

Telephone: Blackfriars 2109

ALFRED PETERS AND SONS LIMITED, VICTORIA WORKS, GELL STREET, SHEFFIELD, 3

The finest Hearing Aid in the World

is made in

England by Amplivox

★VERY WIDE RANGE OF FREQUENCY RESPONSE

The advanced circuit design of the Amplivox "A" series ensures an exceptionally wide frequency response with a correspondingly high standard of clarity of sound reproduction unequalled in any other hearing aid manufactured either in Europe or in America

★ VERY WIDE RANGE OF ADJUSTMENTS FOR INDIVIDUAL FITTING The Amplivox "A" series models are outstanding for their range of

adjustments, designed to meet all types of hearing loss. The fitting facilities of the instruments include selective amplification of high and low notes and automatic volume compression. A 3-volt battery can be used in place of the standard 1·5 volt battery to provide extragain and amplification for the very deaf. In design and performance Amplivox Hearing Aids lead the world



47/48 New Bond Street, London, WWORLD-WIDE DISTRIBUTION

Hyde Park 9888-9 AND SERVICE

CC	N'	re:	NΊ	ΓS

	PAGE
HISTOPATHOLOGICAL STUDIES OF THE OSSICLES IN CHRONIC OTITIS	
Media. M. Grippaudo (Rome)	177
THE TREATMENT OF MÉNIÈRE'S DISEASE WITH ACETAZOLAMIDE.	
Gy. Varga (Budapest)	190
A REVIEW OF TUMOURS OF THE GLOMUS JUGULARE WITH REPORTS	
of Three Further Cases. I. C. Simpson and Russell	
Dallachy (Glasgow)	194
ACUTE OTITIS MEDIA IN CHILDREN TREATED WITHOUT MYRINGO-	
TOMY—A FOLLOW-UP WITH AUDIOMETRY IN 88 CASES.	
J. W. Dixon (Oxford)	227
CLINICAL RECORDS—	
A Case of Unilateral Mandibulo-Facial Dysostosis Associated	
with Agenesis of the Homolateral Lung. T. G. Wilson	
(Dublin)	238
Agenesis of the Lung in a Boy of Ten Years. T. G. Wilson	
(Dublin)	250
A Preliminary Report of the Effect on Ménière's Disease of	
Stemetil. David Stevens (Bath)	252
Labyrinthogenic Meningitis Due to Bacillus Proteus. B. H.	
Colman (Edinburgh)	255
GENERAL NOTES	259

CASSELL MEDICAL BOOKS

SURGERY OF HEAD AND NECK TUMOURS

By Hayes Martin, M.D.

Now Ready

£6 17s. 6d. net

DISEASES OF THE NOSE AND THROAT

By Sir StClair Thomson and Sir Victor Negus, D.Sc., M.S., F.R.C.S. Sixth edition 90/- net

MODERN OPERATIVE SURGERY

Edited by G. Grey Turner and Lambert Rogers, M.Sc., M.D., F.R.C.S., F.R.A.C.S., F.A.C.S.

Fourth edition in two volumes.

£7 10s. net the set

35 RED LION SQUARE LONDON W.C.1