



Access
leading
journals in
your subject

Cambridge Core

Explore today at [cambridge.org/core](https://www.cambridge.org/core)

Cambridge **Core**



CAMBRIDGE
UNIVERSITY PRESS

The background of the advertisement is a dark, monochromatic image of several jellyfish. One large jellyfish is prominent in the upper center, with its bell and tentacles clearly visible. Other smaller jellyfish are scattered throughout the scene, some appearing as faint, ethereal shapes. The overall aesthetic is scientific and naturalistic.

Life Sciences

Books and Journals from
Cambridge University Press

Cambridge is one of the leading publishers in ecology and conservation biology and publishes high quality texts and research across the breadth of the life sciences, focusing particularly on animal behaviour, biological anthropology, evolutionary biology, computational and systems biology, as well as statistics and professional development titles for biologists.

We also have an extensive portfolio of established journals in agriculture, ecology and conservation, and animal science.

For further details visit:
cambridge.org/core-life-sciences

Cambridge
Core



CAMBRIDGE
UNIVERSITY PRESS

THE MARINE BIOLOGICAL ASSOCIATION OF THE UNITED KINGDOM

TERMS OF MEMBERSHIP FOR 2018

MBA MEMBERSHIP (prices per annum)	Price from 1st March 2018
Young Marine Biologist (YMB)	£12.50
Student Member	£25.00
Associate Member	£40.00 (direct debit discount £5)
Professional Member, Mem.MBA	£45.00 (direct debit discount £5)
MBA Fellow, FMBA	£120.00 (direct debit discount £5)
Institutional Member	£340.00

JOURNAL SUBSCRIPTION (MBA price added to the above membership fees, with the exception of YMB as no Journal option for this category)	
Online Journal	£20.00
Print & Online Journal	£80.00

The Association is a learned society founded in 1884 and incorporated by Royal Charter in 2013. The Marine Biological Association (MBA) provides a unified, clear, independent voice on behalf of the marine biological community. In 1888, the MBA opened the Plymouth laboratory at Citadel Hill.

The MBA is also a registered charity with its key aims being to promote scientific research into all aspects of life in the sea, including the environment on which it depends, and to disseminate to the public the knowledge gained. The Patron of the Association is His Royal Highness the Duke of Edinburgh, who is also an Honorary Fellow. The other Honorary Fellows are His Serene Highness Prince Albert of Monaco, Dr Sylvia Earle, Sir Tim Hunt and Professor James Lovelock.

The work of the Association is controlled by the Council elected annually by its subscribing members.

The Marine Biological Association, under the direction of its Council, has undertaken research in all branches of marine science and many of the results have been published in this Journal. An account of the history of the first hundred years of the Association and Journal may be found in Volume 67 (pp. 463 and 465).

Since its foundation the Association has been supported by grants from Research Councils and by subscriptions and donations

from private members, universities, learned societies, the Fishmongers' Company and other public bodies.

The Marine Biological Association is a very active scientific learned society with a large international membership. The MBA also manages an internationally renowned research programme.

Subscriptions can be paid by cash/cheque, direct debit from a UK bank account or credit card. *Subscriptions are reduced by £5 per annum if paying by direct debit.

Members of the Association have a wide range of rights and privileges including the use of post-nominals (FMBA for MBA Fellows, Mem.MBA for Professional Members) and being entitled to receive The Marine Biologist Magazine. The Commissioners of Inland Revenue have approved the Association for the purposes of Section 16, Finance Act, 1958, and that the whole of the annual subscriptions paid by a member who qualifies for relief under the section will be allowable as a deduction from his emoluments assessable to income tax.

All correspondence should be addressed to: The Membership Secretary, Marine Biological Association, The Laboratory, Citadel Hill, Plymouth, PL1 2PB, UK (Tel. +44 (0) 1752 426493; e-mail: membership@mba.ac.uk).

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, CB2 1RP, United Kingdom

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Printed by Bell and Bain Limited, Glasgow

CAMBRIDGE UNIVERSITY PRESS
Journals Fulfillment Department, UPH, Shaftesbury Road, Cambridge CB2 8BS, United Kingdom
1 Liberty Plaza, Floor 20, New York, NY 10006, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
C/ Orense, 4, planta 13, 28020, Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

CONTENTS

Chen, C., Watanabe, H.K. and Ohara, Y. A very deep <i>Provanna</i> (Gastropoda: Abysochrysoidea) discovered from the Shinkai Seep Field, Southern Mariana Forearc	439
Malvé, M.E., Gordillo, S. and Rivadeneira, M.M. Connecting pH with body size in the marine gastropod <i>Trophon geversianus</i> in a latitudinal gradient along the south-western Atlantic coast	449
Torroglosa, M.E. and Giménez, J. Size at first maturity of <i>Brachidontes rodriguezii</i> (d'Orbigny, 1846) from the South-western Atlantic Ocean	457
Vasconcelos, P., Moura, P., Pereira, F., Pereira, A.M. and Gaspar, M.B. Morphometric relationships and relative growth of 20 uncommon bivalve species from the Algarve coast (southern Portugal)	463
Le, D.V., Young, T., Alfaro, A.C., Ragg, N.L.C., Hilton, Z., Watts, E. and King, N. Practical fertilization procedure and embryonic development of the New Zealand geoduck clam (<i>Panopea zelandica</i>)	475
Lomovasky, B.J., Brey, T., Klügel, A. and Iribarne, O. Distribution pattern, density and growth of the stout razor clam <i>Tagelus plebeius</i> in a South-west Atlantic estuarine system	485
Ribeiro, B., Padua, A., Paiva, P.C., Custódio, M.R. and Klautau, M. Exploitation of micro refuges and epibiosis: survival strategies of a calcareous sponge	495
Lanna, E. and Klautau, M. Life history and reproductive dynamics of the cryptogenic calcareous sponge <i>Sycettusa hastifera</i> (Porifera, Calcarea) living in tropical rocky shores	505
Layeghi, Y. and Momtazi, F. <i>Ampithoe qeshmensis</i> sp. nov. (Amphipoda: Ampithoidae), a new herbivorous amphipod from the Persian Gulf	515
Martins, L., Souto, C., Braga, J. and Tavares, M. Echinoidea and Holothuroidea (Echinodermata) of the Trindade and Martin Vaz Archipelago, off Brazil, with new records and remarks on taxonomy and species composition	521
Machado, R.C.A., Feitosa, F.A.N., Koenig, M.L. and Flores Montes, M.J. Spatial and seasonal variation of the phytoplankton community structure in a reef ecosystem in North-eastern Brazil	557
Luan, Q., Sun, J. and Wang, J. Large-scale distribution of coccolithophores and Parmales in the surface waters of the Atlantic Ocean	567
Araújo, P.R.V., Costa, S.Y.L., Duarte, M.R.N. and Pessanha, A.L.M. Feeding and spatial distribution of two estuarine puffer fish in a tropical estuary, north-eastern Brazil	581
Barrett, C.J., Johnson, M.L. and Hull, S.L. Population dynamics of two sympatric intertidal fish species (the shanny, <i>Lipophrys pholis</i> and long-spined scorpion fish, <i>Taurulus bubalis</i>) of Great Britain	589
Yokouchi, K., Mai, H.V., Vo, T.T., Wakiya, R., Kawakami, T., Tanaka, C., Yoshinaga, T., Wada, M., Tran, D.D., Ha, H.P., Takita, T. and Ishimatsu, A. Early life history of oxudercine goby <i>Pseudapocryptes elongatus</i> in the Mekong Delta, Vietnam	597
Ruibal Núñez, J., Bovcon, N.D., Cochia, P.D. and Góngora, M.E. Bycatch of chondrichthyans in a coastal trawl fishery on Chubut province coast and adjacent waters, Argentina	605
Mahé, K., Bellamy, E., Delpech, J.P., Lazard, C., Salaun, M., Vérin, Y., Coppin, F. and Travers-Trolet, M. Evidence of a relationship between weight and total length of marine fish in the North-eastern Atlantic Ocean: physiological, spatial and temporal variations	617
Steeves, H.N., McMeans, B., Field, C., Stewart, C., Arts, M.T., Fisk, A.T., Lydersen, C., Kovacs, K.M. and MacNeil, M.A. Non-parametric analysis of the spatio-temporal variability in the fatty-acid profiles among Greenland sharks	627
Audibert, P., Drehmer, C.J., Danilewicz, D. and de Oliveira, L.R. Do cranial suture age and growth layer groups correlate in South American pinnipeds?	635