

THE JOURNAL OF AGRICULTURAL SCIENCE

EDITED BY

R. B. AUSTIN, D.SC., Plant Breeding Institute, Cambridge

B. W. BACHE, M.A., PH.D., C.CHEM., F.R.S.C., Department of Applied Biology, Cambridge

PROF. SIR J. W. L. BEAMENT, SC.D., F.R.S., Department of Applied Biology, Cambridge

G. D. H. BELL, C.B.E., PH.D., SC.D.(*h.c.*), D.SC.(*h.c.*), F.R.S., 6 Worts Causeway, Cambridge

SIR K. L. BLAXTER, PH.D., N.D.A. (HONS.), D.SC., F.R.S.E., F.R.S., Stradbroke Hall,
Stradbroke, Suffolk

PROF. A. D. CARE, D.SC., M.R.C.V.S., Department of Animal Physiology and
Nutrition, Leeds

J. A. CURRIE, PH.D., 6 Falconers Field, Harpenden

S. K. ELTRINGHAM, PH.D., Department of Applied Biology, Cambridge

PROF. J. L. JINKS, C.B.E., D.SC., F.I.BIOL., F.R.S., Agricultural and Food Research Council,
160 Great Portland Street, London WIN 6DT

D. B. LINDSAY, B.SC., M.A., D. PHIL., CSIRO Division of Tropical Animal Science,
Tropical Cattle Research Centre, Rockhampton, Queensland, Australia

PROF. J. B. OWEN, B.SC., PH.D., M.A., Department of Agriculture, Bangor

W. J. RIDGMAN, M.A., Department of Applied Biology, Cambridge

PROF. E. W. RUSSELL, C.M.G., D.SC., F.INST.P., Department of Soil Science,
University of Reading

F. YATES, C.B.E., SC.D., F.R.S., Rothamsted Experimental Station, Harpenden

VOLUME 105


CAMBRIDGE UNIVERSITY PRESS

CAMBRIDGE

LONDON NEW YORK NEW ROCHELLE

MELBOURNE SYDNEY

1985



PUBLISHED BY
THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, NY 10022, USA
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

© Cambridge University Press 1985

Printed in Great Britain by the University Press, Cambridge

Contents

PART 1 (AUGUST 1985)

	PAGE
DE, R., SALIM KHAN, M. A., KATTI, M. S. and RAJA, V. Fodder legumes affecting sequential crop production and fertilizer N use efficiency	1
POPPI, D. P., HENDRICKSEN, R. E. and MINSON, D. J. The relative resistance to escape of leaf and stem particles from the rumen of cattle and sheep	9
RICE, D. A., BLANCHFLOWER, W. J. and McMURRAY, C. H. The effects of moisture, propionic acid, sodium hydroxide and anaerobiasis on the stability of vitamin E in stored barley	15
ROBINSON, J. J., McDONALD, I., BROWN, D. S. and FRASER, C. Studies on reproduction in prolific ewes. 8. The concentrations and rates of accretion of amino acids in the fetuses	21
GERSON, T., JOHN, A. and KING, A. S. D. The effects of dietary starch and fibre on the <i>in vitro</i> rates of lipolysis and hydrogenation by sheep rumen digesta	27
MULDOON, D. K. Growth, mineral composition and grain yield of irrigated and rainfed millets and sorghum	31
COLEMAN, G. S. Possible causes of the high death rate of ciliate protozoa in the rumen.	39
OLADIRAN, A. O. and OSO, B. A. Interactions between fungicides, insecticides and spraying regimes in the control of fungal diseases, insect pests and yield of cow pea <i>Vigna unguiculata</i> (L.) Walp.	45
KERSHAW, C. D. and McRAE, D. C. Sequential design for estimating levels with low response rates in potato drop tests and other binary response experiments	51
BANKS, N. H. Coating and modified atmosphere effects on potato tuber greening	59
MOUSTAFA, Omayma K. and EL ATTAL, Z. M. Enhancement of the efficiency of some insecticides against thrips and cotton leafworm by mineral oils	63
BRAITHWAITE, G. D. Endogenous faecal loss of phosphorus in growing lambs and the calculation of phosphorus requirements	67
HANSON, P. R., RIGGS, T. J., KLOSE, S. J. and AUSTIN, R. B. High biomass genotypes in spring barley	73
WILMAN, D. and SHRESTHA, S. K. Some effects of canopy height on perennial ryegrass and white clover in a field sward	79
GARG, F. C., BERI, N. and TAURO, P. Intrinsic antibiotic resistance in chick pea (<i>Cicer arietinum</i>) rhizobia	85
GIRI, G. and SARAN, G. Effect of preceding season cultural practices on mustard (<i>Brassica juncea</i> Czern) under semi-arid rainfed conditions of north-west India	91
WIDDOWSON, F. V., PENNY, A., GUTTERIDGE, R. J., DARBY, R. J. and HEWITT, M. V. Tests of amounts and times of application of nitrogen and of sequential sprays of aphicide and fungicides on winter wheat, following either beans or wheat, and the effects of take-all (<i>Gaeumannomyces graminis</i> var. <i>tritici</i>), on two varieties at Saxmundham, Suffolk 1980-3	97
SINGH, I., PARODA, R. S. and SINGH, S. Estimation of additive and dominance components through triple test cross in wheat	123
HENDERSON, RUTH, STOLBA, A., DÖBELI, M. and KÜNDIG, H. Attempts to develop a simple, objective test for oestrus in sows	129
KAYODE, G. O. Responses of yield, components of yield and nutrient content of maize to soil-applied zinc in tropical rainforest and savannah regions	135
GHOSH, S. K. Virus infection: a host dependent reaction reversible phenomenon	141

	PAGE
TRAIL, J. C. M., MURRAY, M., SONES, K., JIBBO, J. M. C., DURKIN, J. and LIGHT, D. Boran cattle maintained by chemoprophylaxis under trypanosomiasis risk	147
THOMPSON, N., BARRIE, I. A. and HARVEY, L. D. J. The climatic potential for field hay drying in north-west Europe	167
SHORT NOTES	
PARKINSON, R. J. and YELLS, ROSEMARY. Copper content of soil and herbage following pig slurry application to grassland	183
HAY, R. K. M. Seasonal distribution of dry-matter production in grass varieties from different latitudes in northern Europe	187
SEKHON, H. S. and SINGH, M. Optimizing seed rate and stem density for seed potato production	189
SINGH, B. P., SINGH, R. A., SINHA, M. K. and SINGH, B. N. Evaluation of technique for screening Fe-efficient genotypes of rice in calcareous soil	193
NEWTON, J. E. and JACKSON, CAROLINE. The effects of management and duration of grazing by sheep during the autumn and winter on subsequent grass production	199
JEFFERIES, R. A. and MACKERRON, D. K. L. Stemflow in potato crops	205
GANESHAMURTHY, A. N., BISWAS, C. R. and SINGH, BHAJAN. Forms of potassium in the profiles of two long-term experiments in relation to K nutrition of crops	209
GREEN, C. F., DAWKINS, T. C. K. and HUNTER, B. Influence of foliar applied chlormequat on radiation attenuation by winter barley canopies	213
GREEN, C. F., PAULSON, G. A. and IVINS, J. D. Time of sowing and the development of winter wheat	217
PART 2 (OCTOBER 1985)	
PITT, R. E. Evaporation-based drying rate of forage: effects of desiccants and crop density	223
JESSOP, R. S. and MAHONEY, JANET. The effect of soil nitrogen on grain legume yield and nitrogen fixation	231
FIELD, A. C., WOOLLIAMS, J. A. and DINGWALL, R. A. The effect of dietary intake of calcium and dry matter on the absorption and excretion of calcium and phosphorus by growing lambs	237
SELIGMAN, N. G., FEIGENBAUM, SALA, BENJAMIN, R. W. and FEINERMAN, DVORA. Efficiency of fallow as a store for fertilizer nitrogen in a semi-arid region	245
DE, MAINE, M. J. The effects of changes in fertilizer application on glasshouse-grown plants of dihaploid potatoes, their chromosome-doubled derivatives and tetraploid parents	251
FREE, J. B., PICKETT, J. A., FERGUSON, A. W., SIMPKINS, JACQUELINE R. and SMITH, M. C. Repelling foraging honeybees with alarm pheromones	255
RAI, R. Studies on nitrogen fixation by antibiotic-resistant mutants of <i>Azospirillum brasilense</i> and their interaction with cheena (<i>Panicum miliaceum</i> L.) genotypes in calcareous soil	261
SCOTT, D., WHITELAW, F. G., BUCHAN, W. and BRUCE, L. A. The effect of variation in phosphorus intake on salivary phosphorus secretion, net intestinal phosphorus absorption and faecal endogenous excretion in sheep	271
ELLIOTT, R., NORTON, B. W. and FORD, C. W. <i>In vivo</i> colonization of grass cell walls by rumen micro-organisms	279

	PAGE
POWELL, W., CALIGARI, P. D. S. and JINKS, J. L. The usefulness and limitations of estimating number of genes in a barley breeding programme	285
WALKEY, D. G. A., WARD, C. M. and PHELPS, K. The reaction of lettuce (<i>Lactuca sativa</i> L.) cultivars to cucumber mosaic virus	291
SMITH, A. and ALLCOCK, P. J. Influence of age and year of growth on the botanical composition and productivity of swards	299
HOSSAMO, H. E., OWEN, J. B. and FARID, M. F. A. The genetic improvement of Syrian Awassi sheep with special reference to milk production.	327
DELTORO, J. and LOPEZ, ANA. Allometric changes during growth in rabbits.	339
MCLAREN, R. G., LAWSON, D. M., SWIFT, R. S. and PURVES, D. The effects of cobalt additions on soil and herbage cobalt concentrations in some S.E. Scotland pastures	347
ADDO-QUAYE, A. A., DANIELS, R. W. and SCARISBRICK, D. H. The influence of paclobutrazol on the distribution and utilization of ¹⁴ C-labelled assimilate fixed at anthesis in oil-seed rape (<i>Brassica napus</i> L.)	381
AMIR, D. and GACITUA, H. The effect of artificial light, hormones, and rams on the reproductive performance of Finn-cross ewes during the seasonal anoestrus in Israel	375
REID, D. A comparison of the yield responses of four grasses to a wide range of nitrogen application rates	381
RIDGMAN, W. J., WALTERS, D. E., WEDGWOOD, R. B. and MÜLLER-WILMES, U. Some effects of rate of application of nitrogenous fertilizer to wheat grown continuously compared with wheat in a four-course rotation	389
LEIGH, R. A. and JOHNSTON, A. E. Nitrogen concentrations in field-grown spring barley: an examination of the usefulness of expressing concentrations on the basis of tissue water	397
MANTLE, P. G. and WILLINGALE, JULIA. Effect of alkaloid-free ergot on the growth of obese and lean mice	407
WILCOCKSON, S. J., ALLEN, E. J., SCOTT, R. K. and WURR, D. C. E. Effects of crop husbandry and growing conditions on storage losses of Pentland Crown potatoes	413
MAHALAKSHMI, V. and BIDINGER, F. R. Water stress and time of floral initiation in pearl millet	437
FISCHER, R. A. Number of kernels in wheat crops and the influence of solar radiation and temperature	447
IKHATUA, U. J., EHOCHÉ, O. W. and UMOH, J. E. Effects of restricted water on feed intake, nutrient utilization and nitrogen metabolism in Zebu cattle	463
ABOUL-NAGA, A. M., ABOUL-ELA, M. B. and HASSAN, FERIAL A. Comparative study of oestrous activity in Finn ewes and two Egyptian fat-tailed sheep under subtropical conditions	469
SHORT NOTE	
SACHS, M. H. and ZILKAH, S. Characterization of climatic factors affecting chilling injury in field-grown ratoon cotton	475

PART 3 (DECEMBER 1985)

SHAHIN, KARIMA A. and BERG, R. T. Growth and distribution of individual muscles in Double Muscled and normal cattle	479
---	-----

	PAGE
SINGH, R. K., DE, R. and LAL, R. B. Contribution of legumes to the fertilizer nitrogen economy in a maize-based cropping system	491
RAMIREZ, L., PISABARRO, G. and PEREZ DE LA VEGA, M. Isozyme genetic similarity among rye (<i>Secale cereale</i> L.) cultivars	495
MILLARD, P., SHARP, G. S. and SCOTT, N. M. The effect of sulphur deficiency on the uptake and incorporation of nitrogen in ryegrass	501
ILLIUS, A. W. A predictive model of seasonal changes in herbage digestibility	505
COUSENS, R. An empirical model relating crop yield to weed and crop density and a statistical comparison with other models	513
KEMP, P., JORDAN, D. J. and ORPIN, C. G. The free- and protein-amino acids of the rumen phycomycete fungi <i>Neocallimastix frontalis</i> and <i>Piromonas communis</i>	523
BHATTACHARYA, SHEILA, BHATTACHARYA, N. C., BISWAS, P. K. and STRAIN, B. R. Response of cow pea (<i>Vigna unguiculata</i> L.) to CO ₂ enrichment environment on growth, dry-matter production and yield components at different stages of vegetative and reproductive growth	527
WURR, D. C. E., FELLOWS, JANE R. and BUFTON, L. P. Effects of seed covering treatments on the emergence and seedling growth of crisp lettuce drilled with an experimental dibber drill	535
INNES, P., HOOGENDOORN, J. and BLACKWELL, R. D. Effects of differences in date of ear emergence and height on yield of winter wheat	543
HOPKINS, D. L. and TULLOH, N. M. Effects of a severe nutritional check in early post-natal life on the subsequent growth of sheep to the age of 12–14 months. Changes in body weight, wool and skeletal growth, and effects at the cellular level	551
BENJAMIN, L. R. and BELL, N. The influence of seed type and plant density on variation in plant size of red beet (<i>Beta vulgaris</i> L.) crops	563
WALE, S. J. and HUNTER, E. A. A comparison of fungicides for the control of mildew on spring barley	573
STEVENS, R. J. Evaluation of the sulphur status of some grasses for silage in Northern Ireland	581
MESBAH, H. A. Evaluation of the potency of the biological compound Dipel against the spiny bollworm <i>Earias insulana</i> (Boisd.)	587
CREWS, HELEN M. and DAVIES, B. E. Heavy metal uptake from contaminated soils by six varieties of lettuce (<i>Lactuca sativa</i> L.)	591
SMITH, D. B., PARSONS, D. G. and STARR, CAROL. A simple and rapid method of quantitatively measuring the glucosinolate concentration of rapeseed	597
SCARISBRICK, D. H., ADDO-QUAYE, A. A., DANIELS, R. W. and MAHAMUD, S. The effect of paclobutrazol on plant height and seed yield of oil-seed rape (<i>Brassica napus</i> L.)	605
ODDY, V. H. Wool growth of pregnant and lactating Merino ewes	613
BREVES, G., ROSS, R. and HÖLLER, H. Dietary phosphorus depletion in sheep: effects on plasma inorganic phosphorus, calcium, 1,25-(OH) ₂ -Vit.D ₃ and alkaline phosphatase and on gastrointestinal P and Ca balances	623
BUWALDA, J. G., STRIBLEY, D. P. and TINKER, P. B. Effects of vesicular–arbuscular mycorrhizal infection in first, second and third cereal crops	631
BUWALDA, J. G., STRIBLEY, D. P. and TINKER, P. B. Vesicular–arbuscular mycorrhizae of winter and spring cereals	649

Contents

vii

PAGE

YASSIN, T. E. Inheritance of resistance to leaf curl virus disease in a cross between tomato (<i>Lycopersicon esculentum</i> Mill.) and currant tomato (<i>L. pimpinellifolium</i> (Jusl.) Mill.)	659
ANTONIOU, T. and HADJIPANAYOTOU, M. The digestibility by sheep and goats of five roughages offered alone or with concentrates	663
PRASAD, T. G., SASHIDHAR, V. R., CHARI, MALATHI, RAMA RAO, S., DEVENDRA, R. and UDAYA KUMAR, M. Regulation of water loss under moisture stress in sunflower genotypes: stomatal sensitivity in relation to stomatal frequency, diffusive resistances and transpiration rate, at different canopy positions	673
BROWN, KAY F. and BISCOE, P. V. Fibrous root growth and water use of sugar beet	679
PRASAD, R. and SINGH, S. Relative efficiency of urea and urea supergranules for irrigated wheat	693
AHLWAT, I. P. S., SINGH, A. and SHARMA, R. P. Water and nitrogen management in wheat-lentil intercropping system under late-sown conditions	697
LAWRENCE, P. R. and PEARSON, R. ANNE. Factors affecting the measurements of draught force, work output and power of oxen	703
WHEELER, SALLY M., BROCK, T. B. and TEASDALE, D. Effects of added 30 mg fluoride/l drinking water given to pregnant ewes and their lambs upon physiology and wool growth	715
SHORT NOTES	
WURR, D. C. E. and FELLOWS, JANE R. The effect of amount and timing of nitrogen application to drilled crisp lettuce crops on head weight at maturity	727
GREEN, C. F. and McDONALD, H. G. Suppression of lodging in triticale following foliar application of growth regulators	731

Continued from back cover

	PAGE
SCARISBRICK, D. H., ADDO-QUAYE, A. A., DANIELS, R. W. and MAHAMUD, S. The effect of paclobutrazol on plant height and seed yield of oil-seed rape (<i>Brassica napus</i> L.)	605
ODDY, V. H. Wool growth of pregnant and lactating Merino ewes	613
BREVES, G., ROSS, R. and HÖLLER, H. Dietary phosphorus depletion in sheep: effects on plasma inorganic phosphorus, calcium, 1,25-(OH) ₂ -Vit.D ₃ and alkaline phosphatase and on gastrointestinal P and Ca balances	623
BUWALDA, J. G., STRIBLEY, D. P. and TINKER, P. B. Effects of vesicular–arbuscular mycorrhizal infection in first, second and third cereal crops	631
BUWALDA, J. G., STRIBLEY, D. P. and TINKER, P. B. Vesicular–arbuscular mycorrhizae of winter and spring cereals	649
YASSIN, T. E. Inheritance of resistance to leaf curl virus disease in a cross between tomato (<i>Lycopersicon esculentum</i> Mill.) and currant tomato (<i>L. pimpinellifolium</i> (Jusl.) Mill.)	659
ANTONIOU, T. and HADJIPANAYIOTOU, M. The digestibility by sheep and goats of five roughages offered alone or with concentrates	663
PRASAD, T. G., SASHIDHAR, V. R., CHARI, MALATHI, RAMA RAO, S., DEVENDRA, R. and UDAYA KUMAR, M. Regulation of water loss under moisture stress in sunflower genotypes: stomatal sensitivity in relation to stomatal frequency, diffusive resistances and transpiration rate, at different canopy positions	673
BROWN, KAY F. and BISCOE, P. V. Fibrous root growth and water use of sugar beet	679
PRASAD, R. and SINGH, S. Relative efficiency of urea and urea supergranules for irrigated wheat	693
AHLAWAT, I. P. S., SINGH, A. and SHARMA, R. P. Water and nitrogen management in wheat–lentil intercropping system under late-sown conditions	697
LAWRENCE, P. R. and PEARSON, R. ANNE. Factors affecting the measurements of draught force, work output and power of oxen	703
WHEELER, SALLY M., BROCK, T. B. and TEASDALE, D. Effects of added 30 mg fluoride/l drinking water given to pregnant ewes and their lambs upon physiology and wool growth	715
SHORT NOTES	
WURR, D. C. E. and FELLOWS, JANE R. The effect of amount and timing of nitrogen application to drilled crisp lettuce crops on head weight at maturity	727
GREEN, C. F. and McDONALD, H. G. Suppression of lodging in triticale following foliar application of growth regulators	731

CONTENTS

Vol. 105 Part 3 December 1985

	PAGE
SHAHIN, KARIMA A. and BERG, R. T. Growth and distribution of individual muscles in Double Muscled and normal cattle	479
SINGH, R. K., DE, R. and LAL, R. B. Contribution of legumes to the fertilizer nitrogen economy in a maize-based cropping system	491
RAMIREZ, L., PISABARRO, G. and PEREZ DE LA VEGA, M. Isozyme genetic similarity among rye (<i>Secale cereale</i> L.) cultivars	495
MILLARD, P., SHARP, G. S. and SCOTT, N. M. The effect of sulphur deficiency on the uptake and incorporation of nitrogen in ryegrass	501
ILLIUS, A. W. A predictive model of seasonal changes in herbage digestibility	505
COUSENS, R. An empirical model relating crop yield to weed and crop density and a statistical comparison with other models	513
KEMP, P., JORDAN, D. J. and ORPIN, C. G. The free- and protein-amino acids of the rumen phycomycete fungi <i>Neocallimastix frontalis</i> and <i>Piromonas communis</i>	523
BHATTACHARYA, SHEILA, BHATTACHARYA, N. C., BISWAS, P. K. and STRAIN, B. R. Response of cow pea (<i>Vigna unguiculata</i> L.) to CO ₂ enrichment environment on growth, dry-matter production and yield components at different stages of vegetative and reproductive growth	527
WURR, D. C. E., FELLOWS, JANE R. and BUFTON, L. P. Effects of seed covering treatments on the emergence and seedling growth of crisp lettuce drilled with an experimental dibber drill	535
INNES, P., HOOGENDOORN, J. and BLACKWELL, R. D. Effects of differences in date of ear emergence and height on yield of winter wheat	543
HOPKINS, D. L. and TULLOH, N. M. Effects of a severe nutritional check in early post-natal life on the subsequent growth of sheep to the age of 12-14 months. Changes in body weight, wool and skeletal growth, and effects at the cellular level	551
BENJAMIN, L. R. and BELL, N. The influence of seed type and plant density on variation in plant size of red beet (<i>Beta vulgaris</i> L.) crops	563
WALE, S. J. and HUNTER, E. A. A comparison of fungicides for the control of mildew on spring barley	573
STEVENS, R. J. Evaluation of the sulphur status of some grasses for silage in Northern Ireland	581
MESBAH, H. A. Evaluation of the potency of the biological compound Dipel against the spiny bollworm <i>Earias insulana</i> (Boisd.)	587
CREWS, HELEN M. and DAVIES, B. E. Heavy metal uptake from contaminated soils by six varieties of lettuce (<i>Lactuca sativa</i> L.)	591
SMITH, D. B., PARSONS, D. G. and STARR, CAROL. A simple and rapid method of quantitatively measuring the glucosinolate concentration of rapeseed	597

Continued on inside back cover

© Cambridge University Press 1985

COPYING. This journal is registered with the Copyright Clearance Center, 21 Congress Street, Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per-copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 0021-8596/85/2828-0001 \$05.00.

ISI Tear Service, 3501 Market Street, Philadelphia, Pennsylvania 19106, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission should be sought from Cambridge or New York offices of Cambridge University Press. POSTMASTER: send address changes in USA and Canada to *The Journal of Agricultural Science*, Cambridge University Press, 32 East 57th Street, New York, NY 10022.

Printed in Great Britain by the University Press, Cambridge