The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

> ASSISTANT EDITOR LIONEL TAYLOR

Contents

THEIR SURGICAL SIGNIFICANCE	BRUCE PROCTOR
RADIOLOGIC FINDINGS IN PATIENTS WITH OTO-	
SCLEROSIS	W. E. Compere, Jr.
FACIAL PALSY FOLLOWING HEAD INJURY	JOHN M. POTTER
An Investigation of Binaural Hearing Aids .	BRIAN FISHER
FUNDAMENTAL ASPECTS IN MODERN TREATMENT OF	
THE DEAF CHILD	H. C. HUIZING
Prosthetic Devices in the Middle Ear of Cats .	John B. Reddy and Makoto Igarashi
FACIAL PALSY IN HEERFORDT'S SYNDROME	VICTOR LAMBERT and S. H. RICHARDS
CLINICAL RECORDS—	
SUDDEN LOSS OF VESTIBULAR FUNCTION AFTER	
IRRIGATION OF THE EAR	ERIK PEITERSEN
Foreign Body in the Sphenoid Sinus .	K. P. FERRIS
LEPROSY PRESENTING WITH NASAL OBSTRUC-	
TION	M. B. STANTON
Societies' Proceedings—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLOGY	
GENERAL NOTES	

London

Headley Brothers

109 Kingsway WC2

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY

G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of f to per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of

Laryngology, c/o Headley Brothers, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s, 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s, 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2,

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAPNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England. O Journal of Laryngology and Otology, 1964

CONTENTS

	PAGE
THE DEVELOPMENT OF THE MIDDLE EAR SPACES AND THEIR SURGICAL SIGNIFICANCE. Bruce Proctor (Detroit)	63 1
Radiologic Findings in Patients with Otosclerosis. W. E. Compere, Jr. (La Mesa, California)	649
Facial Palsy following Head Injury. John M. Potter (Oxford) .	654
An Investigation of Binaural Hearing Aids. Brian Fisher (Lancashire)	658
Fundamental Aspects in Modern Treatment of the Deaf Child. H. C. Huizing (Groningen)	669
Prosthetic Devices in the Middle Ear of Cats. John B. Reddy and Makoto Igarashi (Philadelphia)	675
Facial Palsy in Heerfordt's Syndrome. Victor Lambert and S. H. Richards (Manchester)	684
Clinical Records— Sudden Loss of Vestibular Function after Irrigation	
OF THE EAR. Erik Peitersen	694
Foreign Body in the Sphenoid Sinus. K. P. Ferris	697
LEPROSY PRESENTING WITH NASAL OBSTRUCTION, M. B.	
Stanton (London)	702
Societies' Proceedings— Royal Society of Medicine—Section of Otology	707
General Notes	712

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$15.00 per year Canada \$15.50 per year Foreign \$16.00 per year

MAX A. GOLDSTEIN, M.D. FOUNDER

THEODORE E. WALSH, M.D. EDITOR

640 SOUTH KINGSHIGHWAY SAINT LOUIS 10, MO.

When the patient needs a hearing aid—whom do you recommend?

INGRAMS, of course, the firm with the different makes to choose from.

INGRAMS, 2 Shepherd Street, London, W.1




ORAL PENICILLIN ACTIVE AGAINST THE 'HOSPITAL STAPHYLOGOGGUS'

Orbenin is highly bactericidal to both resistant and sensitive staphylococci, and also to other Gram positive organisms such as streptococci and pneumococci.

Dosage: 500mg. orally (capsules or syrup) 6-hourly. Orbenin may also be given by Intramuscular injection.

Orbenin is a product of British research at BEECHAM RESEARCH LABORATORIES





Please mention The Journal of Laryngology and Otology when replying to advertisements

ONLY AMPLIVOX provides a complete audiometric service!



Transistor Audiometers

for the school screening service, ward use, etc.

Speech Audiometry Equipment

via records and tape, including new attachment for use with tape recorders.






Clinical Audiometers with narrow band masking for the highest accuracy and extended resolution.

Audiometer Booths

for ideal testing conditions in Hospitals, Clinics, Factories. Standard and special sizes available.




PLUS

An efficient and speedy calibration service

AMPLIVOX LTD

Please write for technical FAIVIL LIA V VIX LIA V VIX LIA LI



'OTOSPORIN'

The modern method of treatment in otitis externa, chronic suppurative otitis media, and infected mastoid cavities, is 'Otosporin' Drops. 'Otosporin' is an aqueous suspension containing neomycin and polymyxin B which are together effective against practically all the bacteria found in ear infections. In addition, it contains hydrocortisone to reduce inflammation and swelling, thereby providing easier access for the antibiotics.

"OTOSPORIN" BRAND Drops ISSUED IN BOTTLES OF 5 ml.

BURROUGHS WELLCOME & CO. (THE WELLCOME FOUNDATION LTD.) LONDON