

Bibliography

- [Ak] T. Akahori, *A new approach to the local embedding theorem of CR-structures for $n \geq 4$* , Memoirs of the AMS **366** (1987), Providence, R.I.
- [AFN] A. Andreotti, G. Fredricks and M. Nacinovich, *On the absence of Poincaré lemma in tangential Cauchy–Riemann complexes*, Ann. Scuola Norm. Sup. Pisa **8** (1981), 365–404.
- [AH1] A. Andreotti and C.D. Hill, *Complex characteristic coordinates and tangential Cauchy–Riemann equations*, Ann. Scuola Norm. Sup. Pisa **26** (1972), 299–324.
- [AH2] A. Andreotti and C.D. Hill, *E.E. Levi convexity and the Hans Lewy problem, I and II*, Ann. Scuola Norm. Sup. Pisa **26** (1972), 325–363, 747–806.
- [A] C. Asano, *On the C^∞ wave-front set of solutions of first-order nonlinear pde's*, Proceedings of the AMS **123** (1995), 3009–3019.
- [BE] T.N. Bailey and M.G. Eastwood, *Zero-energy Fields on Real Projective Space*, Geometriae Dedicata **67** (1997), 245–258.
- [BEGM] T.N. Bailey, M.G. Eastwood, A.R. Gover and L.J. Mason, *The Funk Transform as a Penrose Transform*, Mathematical Proceedings of the Cambridge Philosophical Society **125** (1999), 67–81.
- [BCT] M.S. Baouendi, C.H. Chang and F. Treves, *Microlocal hypo-analyticity and extension of CR functions*, J. Differential Geom. **18** (1983), 331–391.
- [BER] M.S. Baouendi, P. Ebenfelt and L.P. Rothschild, *Real Submanifolds in Complex Space and their Mappings*, Princeton Math. Ser. **47** (1999), Princeton Univ. Press.
- [BR] M.S. Baouendi and L.P. Rothschild, *Cauchy–Riemann functions on manifolds of higher codimension in complex space*, Invent. Math. **101** (1990), 45–56.
- [BRT] M.S. Baouendi, L.P. Rothschild and F. Treves, *CR structures with group action and extendability of CR functions*, Invent. Math. **82** (1985), 359–396.
- [BT1] M.S. Baouendi and F. Treves, *A property of the functions and distributions annihilated by a locally integrable system of complex vector fields*, Ann. of Math. **113** (1981), 387–421.
- [BT2] M.S. Baouendi and F. Treves, *A local constancy principle for the solutions of certain overdetermined systems of first order linear partial differential equations*, Math. Analysis and Applications, Part A, Advances in Math. Supplementary Studies **7A** (1981), 245–262.

- [BT3] M. S. Baouendi and F. Treves, *About the holomorphic extension of CR functions on real hypersurfaces in complex space*, Duke Math. J. **51** (1984), 77–107.
- [BT4] M. S. Baouendi and F. Treves, *Unique continuation in CR manifolds and in hypo-analytic structures*, Arkiv för Mat. **26** (1988), 21–40.
- [BT5] M. S. Baouendi and F. Treves, *A microlocal version of Bochner's tube theorem*, Indiana Math. Jour. **31** (1982), 885–895.
- [BK] K. Barbey and H. Konig, *Abstract analytic function theory and Hardy algebras*, Lecture Notes in Math. **593** (1977), Springer, Berlin.
- [BCH] A. P. Bergamasco, P. Cordaro and J. Hounie, *Global properties of a class of vector fields in the plane*, J. Diff. Equations **74** (1988), 179–199.
- [BC] S. Berhanu and S. Chanillo, *Unpublished notes*.
- [BH1] S. Berhanu and J. Hounie, *An F. and M. Riesz theorem for planar vector fields*, Math. Ann. **320** (2001), 463–485.
- [BH2] S. Berhanu and J. Hounie, *Uniqueness for locally integrable solutions of overdetermined systems*, Duke Math. J. **105** (2000), 387–410.
- [BH3] S. Berhanu and J. Hounie, *A strong uniqueness theorem for planar vector fields*, Bol. Soc. Brasil. Mat. **32:3** (2001), 359–376.
- [BH4] S. Berhanu and J. Hounie, *On boundary properties of solutions of complex vector fields*, J. Funct. Anal. **192** (2002), 446–490.
- [BH5] S. Berhanu and J. Hounie, *Traces and the F. and M. Riesz theorem for planar vector fields*, Annales de l'Institut Fourier **53** (2003), 1425–1460.
- [BH6] S. Berhanu and J. Hounie, *On boundary regularity for one-sided locally solvable vector fields*, Indiana Univ. Math. Jour. **52** (2003), 1447–1477.
- [BH7] S. Berhanu and J. Hounie, *An F. and M. Riesz theorem for a system of vector fields*, Inventiones Math. **162** (2005), 357–380.
- [BH8] S. Berhanu and J. Hounie, *On the F. and M. Riesz theorem on wedges with edges of class $C^{1,\alpha}$* , Math. Zeitschrift **255** (2007), 161–175.
- [BHS] S. Berhanu, J. Hounie and P. Santiago, *A similarity principle for complex vector fields and applications*, Trans. Amer. Math. Soc. **353** (2001), 1661–1675.
- [BM] S. Berhanu and G. A. Mendoza, *Orbits and global unique continuation for systems of vector fields*, J. Geom. Anal. **7** (1997), 173–194.
- [BMe] S. Berhanu and A. Meziani, *Global properties of a class of planar vector fields of infinite type*, Commun. in P. D. E. **22** (1997), 99–142.
- [Be] L. Bers, *An outline of the theory of pseudoanalytic functions*, Bull. Amer. Math. Soc. **62** (1956), 291–331.
- [Bog] A. Boggess, *CR Manifolds and the Tangential Cauchy–Riemann Complex*, Studies in Advanced Mathematics (1991), CRC Press.
- [BP] A. Boggess and J. Polking, *Holomorphic extension of CR functions*, Duke Math. J. **49** (1982), 757–784.
- [Bo] J. M. Bony, *Principe du maximum, inégalité de Harnack et unicité du problème de Cauchy pour les opérateurs elliptiques dégénérés*, Ann. Inst. Fourier Grenoble **10** (1969), 277–304.
- [Boo] W. Boothby, *An introduction to differentiable manifolds and Riemannian geometry*, Academic Press, second edition (1986).

- [Br] H. Brézis, *On a characterization of flow-invariant sets*, Comm. Pure Appl. Math. **23** (1970), 261–263.
- [B] R. G. M. Brummelhuis, *A Microlocal F. and M. Riesz Theorem with applications*, Revista Matemática Iberoamericana **5** (1989), 21–36.
- [C1] A. P. Calderón, *Lebesgue spaces of differentiable functions and distributions*, Proc. of Symp. in Pure Math. **4** (1961), 33–49.
- [C2] A. P. Calderón, *Intermediate spaces and interpolation, the complex method*, Studia Math. **24** (1964), 113–190.
- [CH] F. Cardoso and J. Hounie, *First-order linear PDE's and uniqueness in the Cauchy problem*, J. of Diff. Equations **33** (1979), 239–248.
- [Ch1] S. Chanillo, *L^p estimates for multiplier transformations in \mathbb{R}^2* , PhD Thesis, Purdue University, 1980.
- [Ch2] Private communication.
- [ChT] S. Chanillo and F. Treves, *Local exactness in a class of differential complexes*, J. Amer. Math. Soc. **10(2)** (1997), 393–426.
- [Che] J.Y. Chemin, *Calcul paradifferentiel précise et applications à des équations aux dérivées partielles non semilinéaires*, Duke Math. J. **56** (1988), 431–469.
- [CR1] E. M. Chirka and C. Rea, *Differentiable CR mappings and CR orbits*, Duke Math. J. **94(2)** (1998), 325–340.
- [CR2] E. M. Chirka and C. Rea, *F. and M. Riesz theorem for CR functions*, Math. Zeitschrift **250** (2005), 1–6.
- [Co] P. Cohen, *The non-uniqueness of the Cauchy problem*, O.N.R. Tech. Report **93**, Stanford (1960).
- [Cor1] P. D. Cordaro, *Representation of hyperfunction solutions in a hypo-analytic structure*, Math. Zeitschrift **233** (2000), 633–654.
- [Cor2] P. D. Cordaro, *Approximate solutions in locally integrable structures*, Differential equations and dynamical systems (Lisbon, 2000), 97–112, Fields Inst. Commun., 31, Amer. Math. Soc. (2002).
- [CorH1] P. D. Cordaro and J. Hounie, *On local solvability of underdetermined systems of vector fields*, Amer. J. of Math. **112** (1990), 243–270.
- [CorH2] P. D. Cordaro and J. Hounie, *Local solvability for top degree forms in a class of systems of vector fields*, Amer. J. of Math. **121** (1999), 487–495.
- [CorH3] P. D. Cordaro and J. Hounie, *Local solvability for a class of differential complexes*, Acta Math. **187** (2001), 191–212.
- [CorTr] P. D. Cordaro and J. M. Trépreau, *On the solvability of linear partial differential equations in spaces of hyperfunctions*, Arkiv Mat. **36** (1998), 41–71.
- [CorT1] P. D. Cordaro and F. Treves, *Homology and cohomology in hypo-analytic structures of the hypersurface type*, J. Geometric Analysis **1** (1991), 39–70.
- [CorT2] P. D. Cordaro and F. Treves, *Hyperfunctions in hypo-analytic manifolds*, Annals of Mathematics Studies **136** (1994), Princeton University Press.
- [CorT3] P. D. Cordaro and F. Treves, *Necessary and sufficient conditions for the local solvability in hyperfunctions of a class of systems of complex vector fields*, Invent. Math. **120** (1995), 339–360.
- [CoHi] R. Courant and D. Hilbert, *Methods of Mathematical Physics*, Vol. II, Wiley, New York (1962).

- [D] G. David, *Opérateurs intégraux singuliers sur certain courbes du plan complexe*, Ann. Scient. Éc. Norm. Sup. (4^e série) **17** (1984), 157–189.
- [DH] J. J. Duistermaat and L. Hörmander, *Fourier integral operators II*, Acta Math. **128** (1972), 183–269.
- [Du] P. Duren, *Theory of H^p spaces*, Academic Press (1970).
- [EG1] M. G. Eastwood and C. Robin Graham, *Edge of the wedge theory in hypo-analytic manifolds*, Comm. PDE **28** (2003), 2003–2028.
- [EG2] M. G. Eastwood and C. Robin Graham, *The Involutive Structure on the Blow-Up of \mathbb{R}^n in \mathbb{C}^n* , Communications in Geometry and Analysis **7** (1999), 609–622.
- [Fo] G. H. Folland, *Introduction to Partial Differential Equations*, Mathematical Notes, second edition, Princeton University Press (1995).
- [FS] G. B. Folland and E. M. Stein, *Estimates for the $\bar{\partial}_b$ complex and Analysis on the Heisenberg Group*, Comm. Pure Appl. Math. **27** (1974), 429–522.
- [F] W. H. J. Fuchs, *Topics in the Theory of Functions of one complex variable*, Van Nostrand Mathematical Studies **12** (1967).
- [Ga] P. Garabedian, *An unsolvable equation*, Proc. Amer. Math. Soc. **25** (1970), 207–208.
- [G] D. Goldberg, *A local version of real Hardy spaces*, Duke Math. J. **46** (1979), 27–42.
- [GG] M. Golubitsky and V. Guillemin, *Stable mappings and their singularities*, Graduate Texts in Mathematics, **14**, Springer, New York (1973).
- [Gr] V. Grušin, *A certain example of an equation without solutions*, Mat. Zametki. **10** (1971), 125–128.
- [Gu] P. Guan, *Hölder regularity of subelliptic pseudo-differential operators*, PhD Thesis, Princeton (1989).
- [HS] N. Hanges and J. Sjöstrand, *Propagation of analyticity for a class of nonmicrocharacteristic operators*, Ann. of Math. **116** (1982), 559–577.
- [HaT] N. Hanges and F. Treves, *On the analyticity of solutions of first-order nonlinear pde's*, Transactions of the AMS **331** (1992), 627–638.
- [Har] R. M. Hardt, *Some analytic bounds for subanalytic sets*, Differential Geometric Control Theory (R. Brockett, R. Millman and H. Sussmann, editors), Progress in Mathematics **27**, Birkhäuser (1993), 259–267.
- [Ha] F. R. Harvey, *The theory of hyperfunctions on totally real subsets of a complex manifold with applications to extension problems*, Am. J. of Math. **91** (1969), 853–873.
- [HaP] R. Harvey and J. Polking, *Removable singularities of solutions of linear partial differential equations*, Acta Math. **125** (1970), 39–55.
- [Hi] A. Himonas, *Semirigid partial differential operators and microlocal analytic hypoellipticity*, Duke Math. J. **59** (1989), 265–287.
- [HH] G. Hoepfner and J. Hounie, *Locally solvable vector fields and Hardy spaces*, J. Funct. Anal. (2007), to appear.
- [H1] L. Hörmander, *Linear Partial Differential Operators*, Fourth Printing, Springer-Verlag (1976).
- [H2] L. Hörmander, *The analysis of linear partial differential operators I*, Second edition, Springer-Verlag (1990).

- [H3] L. Hörmander, *The analysis of linear partial differential operators II*, Springer-Verlag (1983).
- [H4] L. Hörmander, *The analysis of linear partial differential operators III*, Springer-Verlag (1985).
- [H5] L. Hörmander, *The analysis of linear partial differential operators IV*, Springer-Verlag (1990).
- [H6] L. Hörmander, *Differential equations without solutions*, Math. Ann. **140** (1960), 169–174.
- [H7] L. Hörmander, *Differential operators of principal type*, Math. Ann. **140** (1960), 124–146.
- [H8] L. Hörmander, *Uniqueness theorems and wave-front sets for solutions of linear differential equations with analytic coefficients*, Comm. Pure Appl. Math. **24** (1971), 671–704.
- [H9] L. Hörmander, *Propagation of singularities and semi-global existence theorems for (pseudo)-differential operators of principal type*, Ann. of Math. **108** (1978), 569–609.
- [H10] L. Hörmander, *Notions of convexity*, Progress in Mathematics **127**, Birkhäuser Boston, Inc., Boston, MA (1994).
- [Ho1] J. Hounie, *Globally hypoelliptic vector fields on compact surfaces*, Comm. PDE **7** (1982), 343–370.
- [Ho2] J. Hounie, *A note on global solvability of vector fields*, Proceedings of the AMS **94** (1985), 61–64.
- [Ho3] J. Hounie, *Local solvability of first order linear operators with Lipschitz coefficients*, Duke Math. J. **62** (1991), 467–477.
- [Ho4] J. Hounie, *The Mizohata structure on the sphere*, Trans. Amer. Math. Soc. **334** (1992), 641–649.
- [HMa1] J. Hounie and P. Malagutti, *On the convergence of the Baouendi–Treves approximation formula*, Comm. P.D.E. **23** (1998), 1305–1347.
- [HMa2] J. Hounie and P. Malagutti, *Local integrability of Mizohata structures*, Trans. Amer. Math. Soc. **338** (1993), 337–362.
- [HMa3] J. Hounie and P. Malagutti, *Existence and nonexistence of homotopy formulas for the Mizohata complex*, Annali di Matematica Pura ed Applicata **173** (1997), 31–42.
- [HM1] J. Hounie and M. E. Moraes Melo, *Local solvability of first order linear operators with Lipschitz coefficients in two variables*, J. of Diff. Equations **121** (1995), 406–416.
- [HM2] J. Hounie and M. E. Moraes Melo, *Local a priori estimates in L^p for first order linear operators with non smooth coefficients*, Manuscripta Mathematica **94** (1997), 151–167.
- [HP] J. Hounie and E. Perdigão, *On local solvability in L^p of first-order equations*, J. of Math. An. and Appl. **197** (1996), 42–53.
- [HT1] J. Hounie and J. Tavares, *Radó’s theorem for locally solvable vector fields*, Proc. Amer. Math. Soc. **119** (1993), 829–836.
- [HT2] J. Hounie and J. Tavares, *On removable singularities of locally solvable differential operators*, Inventiones Math. **126** (1996), 589–625.
- [HT3] J. Hounie and J. Tavares, *Removable singularities of vector fields and the Nirenberg–Treves property*, Contemporary Math. **205** (1997), 127–139.

- [HT4] J. Hounie and J. Tavares, *On BMO singularities of solutions of analytic complex vector fields*, Contemporary Math. **251** (2000), 295–308.
- [HT5] J. Hounie and J. Tavares, *The Hartogs property for tube structures*, Indag. Math. (N.S.) **1** (1990), 51–61.
- [HdaS] J. Hounie and E. da Silva, *A similarity principle for locally solvable vector fields*, J. Math. Pure Appl. **81** (2002), 715–746.
- [Hu] L. R. Hunt, *The complex Frobenius Theorem and uniqueness of solutions to the tangential Cauchy–Riemann equations*, J. of Diff. Eq. **27** (1978), 214–233.
- [HPS] L. R. Hunt, J. C. Polking and M. J. Strauss, *Unique continuation for solutions to the induced Cauchy–Riemann equations*, J. of Diff. Eq. **23** (1977), 436–447.
- [J1] H. Jacobowitz, *A nonsolvable complex vector field with Hölder coefficients*, Proc. Amer. Math. Soc. **116** (1992), 787–795.
- [J2] H. Jacobowitz, *Global Mizohata structures*, J. Geom. Analysis **3** (1993), 153–193.
- [JT1] H. Jacobowitz and F. Treves, *Aberrant CR structures*, Hokkaido Math. J. **12** (1983), 276–292.
- [JT2] H. Jacobowitz and F. Treves, *Nowhere solvable homogeneous partial differential equations*, Bull. AMS **8** (1983), 467–469.
- [Jo1] B. Joricke, *Boundaries of singularity sets, removable singularities, and CR-invariant subsets of CR manifolds*, J. of Geom. Anal. **9** (1999), 257–300.
- [Jo2] B. Joricke, *Deformation of CR manifolds, minimal points and CR manifolds with the microlocal analytic extension property*, J. of Geom. Anal. **6** (1996), 555–611.
- [KaS] M. Kashiwara and P. Schapira, *A vanishing theorem for a class of systems with simple characteristics*, Invent. Math. **82** (1985), 579–592.
- [K] C. Kenig, *Progress on two problems posed by Rivière*, Contemp. Math. **107** (1990), 101–107.
- [KT1] C. Kenig and P. Tomas, *On conjectures of Rivière and Schtrichartz*, Bull. Amer. Math. Soc. **1** (1979), 694–697.
- [KT2] C. Kenig and P. Tomas, *L^p behavior of certain second order differential equations*, Trans. Amer. Math. Soc. **262** (1980), 521–531.
- [K1] S. Koshi, *Topics in complex analysis: Recent developments on the F. and M. Riesz theorem*, Banach Center Publ. **31** (1995), Polish Acad. Sci., Warsaw.
- [K2] S. Koshi, *The F. and M. Riesz theorem on locally compact abelian groups*, Infinite-dimen. Harmonic Analysis (Tubingen) (1995), 138–145.
- [Ku1] M. Kuranishi, *Strongly pseudoconvex CR structures over small balls, Part I*, Ann. of Math. **115** (1982), 451–500.
- [Ku2] M. Kuranishi, *Strongly pseudoconvex CR structures over small balls, Part II and III*, Ann. of Math. **116** (1982), 1–64 and 249–330.
- [KR] A. M. Kytmanov and C. Rea, *Elimination of L^1 singularities on Holder peak sets for CR functions*, Ann. Scuola Norm. Sup. Pisa Cl. Sci. **22** (1995), 211–226.
- [L] L. Lanzani, *Cauchy transform and Hardy spaces for rough planar domains*. Contemporary AMS **251** (2000), 409–428.

- [L1] H. Lewy, *On the local character of the solution of an atypical Differential Equation in three variables and a related problem for regular functions of two complex variables*, Ann. of Math. **64** (1956), 514–522.
- [L2] H. Lewy, *An example of a smooth linear partial differential equation without solution*, Ann. of Math. **66** (1957), 155–158.
- [Li] W. Littman, *The wave operator and L^p norms*, J. Math. Mech. **12** (1963), 55–68.
- [LP] N. Lusin and J. Priwaloff, *Sur l'unicité et la multiplicité des fonctions analytiques*, Ann. Sci. École Norm. Sup. **42** (1992), 143–194.
- [Mal] B. Malgrange, *Sur l'intégrabilité de structures presque-complexes*, Symposia Math., vol. II (INDAM, Rome, 1968), Academic Press, London (1969), 289–296.
- [Ma] M. E. Marson, *Wedge extendability for hypo-analytic structures*, Comm. in P. D. E. **17** (1992), 579–592.
- [MenT] G. Mendoza and F. Treves *Local solvability in a class of overdetermined systems of linear PDE*, Duke Math. J. **63** (1991), 355–377.
- [Mer1] J. Merker, *Global minimality of generic manifolds and holomorphic extendability of CR functions*, Internat. Math. Res. Notices **8** (1994), 329–343.
- [Mer2] J. Merker, *On removable singularities for CR functions in higher codimension*, Internat. Math. Res. Notices **1** (1997), 21–56.
- [MP1] J. Merker and E. Porten, *Metrically thin singularities of integrable CR functions*, Internat. J. Math. **11** (2000), 857–872.
- [MP2] J. Merker and E. Porten, *On removable singularities for integrable CR functions*, Indiana Univ. Math. J. **48** (1999), 805–856.
- [MP3] J. Merker and E. Porten, *Holomorphic extension of CR functions, envelopes of homomorphy and removable singularities*, International Math. Research Surveys, to appear.
- [Met] G. Metivier, *Uniqueness and approximation of solutions of first order non linear equations*, Inventiones Math. **82** (1985), 263–282.
- [Me1] A. Meziani, *On real analytic planar vector fields near the characteristic set*, Contemporary Math. **251** (2000), 429–438.
- [Me2] A. Meziani, *On the similarity principle for planar vector fields: Application to second order pde*, J. Diff. Equations **157** (1999), 1–19.
- [Me3] A. Meziani, *Infinitesimal bending of homogeneous surfaces with nonnegative curvature*, Comm. Analysis and Geometry **11** (2003), 697–719.
- [Me4] A. Meziani, *Planar complex vector fields and infinitesimal bendings of surfaces with nonnegative curvature*, Contemporary Math. **400** (2006), to appear.
- [Me5] A. Meziani, *Mizohata structures on S^2 : automorphisms and standardness*, Contemporary Math. **205** (1997), 235–246.
- [Me6] A. Meziani, *On the integrability of Mizohata structures on the sphere S^2* , J. Geom. Anal. **9** (1999), 301–315.
- [Me7] A. Meziani, *Classification of germs of Mizohata structures*, Commun. in P. D. E. **20** (1995), 499–539.
- [Mi] V. Michel, *Sur la régularité C^∞ du $\bar{\partial}$ au bord d'un domaine de \mathbf{C}^n dont la forme de Levi a exactement s valeurs propres strictement négatives*. Math. Ann. **295** (1993), 135–161.

- [M] S. Mizohata, *Solutions nulles et solutions non analytiques*, J. Math. Kyoto Univ. **1** (1962), 271–302.
- [Mo] R. D. Moyer, *Local solvability in two dimensions: Necessary conditions for the principal type case*, Mimeographed manuscript, University of Kansas (1978).
- [Na] T. Nagano, *Linear differential systems with singularities and an application to transitive Lie algebras*, J. Math. Soc. Japan **18** (1966), 398–404.
- [N1] L. Nirenberg, *Lectures on Linear Partial Differential Equations*, A.M.S. Regional Conf. Series in Math. **17** (1973).
- [N2] L. Nirenberg, *A complex Frobenius theorem*, Seminar on analytic functions I, Princeton (1957), 172–189.
- [N3] L. Nirenberg, *On a question of Hans Lewy*, Russian Mathematical Surveys **29** (1974), 251–262.
- [NT] L. Nirenberg and F. Treves, *Solvability of a first order linear partial differential equation*, Comm. Pure Appl. Math. **16** (1963), 331–351.
- [NN] A. Newlander and L. Nirenberg, *Complex coordinates in almost complex manifolds*, Ann. of Math. **65** (1957), 391–404.
- [Po] Ch. Pommerenke, *Boundary behaviour of Conformal maps*, Springer-Verlag, Wiley-Interscience (1992).
- [Pr] J. Pradines, *How to define the graph of a singular foliation*, Cahiers de Top. et Geom. Diff. **26** (1985), 339–380.
- [Re] H. Renelt, *Elliptic systems and quasiconformal mappings*, Pure and Applied Mathematics, Wiley-Interscience (1988).
- [Ro] J. P. Rosay, *On the radial maximal function and the Hardy Littlewood maximal function in wedges*, Contemp. Math. **137** (1992), 383–398.
- [RS] J-P. Rosay and E. Stout, *Radó's theorem for CR functions*, Proc. Amer. Math. Soc. **106** (1989), 1017–1026.
- [Sa] M. Sato, *Theory of hyperfunctions*, J. Fac. Sci., Univ. Tokyo, Part I in **1** (1959), 139–193, Part II in **1** (1960), 387–437.
- [daS] E. da Silva, *Estimativas a priori em espaços de Hardy para campos vetoriais complexos localmente resolúveis*, Tese de Doutorado, UFSCar, DM (2000).
- [Sj1] J. Sjöstrand, *Singularités analytiques microlocales*, Asterisque **95** (1982), Soc. Math. France.
- [Sj2] J. Sjöstrand, *Note on a paper of F. Treves concerning Mizohata type operators*, Duke Math. J. **47** (1980), 77–107.
- [Sm] H. Smith, *An elementary proof of local solvability in two dimensions under condition (Ψ)* , Ann. of Math. **136** (1992), 335–337.
- [S1] E. M. Stein, *Singular integrals and differentiability properties of functions*, Princeton Univ. Press (1970).
- [S2] E. M. Stein, *Harmonic Analysis: Real-variable methods, orthogonality, and oscillatory integrals*, Princeton Univ. Press (1993).
- [SW] E. M. Stein and G. Weiss, *On the theory of harmonic functions of several variables I*, Acta Math. **103** (1960), 25–62.
- [ST] M. J. Strauss and F. Treves, *First-order linear PDEs and uniqueness in the Cauchy problem*, J. of Diff. Eq. **15** (1974), 195–209.
- [Su] H. J. Sussmann, *Orbits of families of vector fields and integrability of distributions*, Trans. Amer. Math. Soc. **180** (1973), 171–188.

- [Sz] R. Szöke, *Involutive structures on the tangent bundle of symmetric spaces*, Math. Ann. **319** (2001), 319–348
- [Ta] M. Taylor, *Tools for PDE*, Mathematical Surveys and Monographs **81**, AMS (2000).
- [Tr] J. M. Trepreau, *Sur la propagation des singularités dans les variétés CR*, Bull. Soc. Math. Fr. **118** (1990), 403–450.
- [T1] F. Treves, *Topological Vector Spaces, Kernels and Distributions*, Academic Press (1967).
- [T2] F. Treves, *Local solvability in L^2 for first order linear PDEs*, Amer. J. of Math. **92** (1970), 369–380.
- [T3] F. Treves, *On the local solvability for top-degree forms in hypo-analytic structures*, Amer. J. of Math. **112** (1999), 403–421.
- [T4] F. Treves, *Approximation and representation of functions and distributions annihilated by a system of complex vector fields*, École Polytech., Centre de Math., Palaiseau, France (1981).
- [T5] F. Treves, *Hypo-analytic structures*, Princeton University Press (1992).
- [T6] F. Treves, *Integral representation of solutions of first-order linear partial differential equations I*, Ann. Scuola Norm. Sup. Pisa **3** (1976), 1–35.
- [T7] F. Treves, *Remarks about certain first-order linear PDE in two variables*, Comm. PDE **5** (1980), 381–425.
- [T9] F. Treves, *A remark on the Poincaré lemma in analytic complexes with nondegenerate Levi form*, Comm. in P.D.E. **7** (1982), 1467–1482.
- [Tu1] A. E. Tumanov, *Extending CR functions on a manifold of finite type over a wedge*, Mat. Sbornik **136** (1988), 129–140.
- [Tu2] A. E. Tumanov, *Connections and propagation of analyticity for CR functions*, Duke Math. J. **73** (1994), 1–24.
- [U] A. Uchiyama, *A constructive proof of the Fefferman–Stein decomposition of $BMO(\mathbb{R}^n)$* , Acta Math. **148** (1982), 215–241.
- [V] I. V. Vekua, *Generalized Analytic Functions*, Pergamon Press (1962).
- [W1] S. M. Webster, *Analytic disks and the regularity of CR mappings of real submanifolds of \mathbb{C}^n* , Proc. of Symp. in Pure Math. **41** (1984), 199–208.
- [W2] S. M. Webster, *A new proof of the Newlander–Nirenberg theorem*, Math. Z. **201** (1989), 303–316.
- [W3] S. M. Webster, *On the local solution of the tangential Cauchy–Riemann equations*, Ann. Inst. Henri Poincaré, Anal. Non Linéaire **6** (1989), 167–182.
- [Z] E. C. Zachmanoglou, *Propagation of the zeros and uniqueness in the Cauchy problem for first-order partial differential equations*, Arch Ratl. Mech. Anal. **38** (1970), 178–188.
- [Zu] C. Zuily, *Uniqueness and non-uniqueness in the Cauchy Problem*, Birkhäuser, Boston–Basel–Stuttgart (1983).
- [Zy] A. Zygmund, *Trigonometric Series*, Cambridge Univ. Press (1968).