#### INSTRUCTIONS FOR CONTRIBUTORS

#### SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: Altman DG, Gore SM, Gardner MJ & Pocock SJ (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

**REFERENCES** The APA referencing system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. In the References section. Where several references are cited together they should be listed in rising date order. The References section should be supplied in alphabetical order listing all authors up to 7 in number, or the first 6 authors plus the last author, date, article title, journal title in full, volume, page numbers and/ or DOI. (authors' names in bold, journal titles in full), following the text. Some examples follow:

Journal article with DOI:

Nevin, A. (1990). The changing of teacher education special education. Teacher Education and Special Education: The Journal of the Teacher Education Division of the Council for Exceptional Children, 13(3-4), 147-148. doi:XXX

Light, M. A., & Light, I. H. (2008). The geographic expansion of Mexican immigration in the United States and its implications for local law enforcement. Law Enforcement Executive Forum Journal, 8, 73–82. doi:XXX

Journal article without DOI (when DOI is not available):

Good, C. D., Johnsrude, I. S., Ashburner, J., Henson, R. N. A., Firston, K. J., & Frackowiak, R. S. J. (2001). A voxel-based morphometric study of ageing in 465 normal adult human brains. NeuroImage, 14, 21–36. Retrieved from http://xxxx

No retrieval date is needed.

Journal article with DOI, more than seven authors:

Gilbert, D. G., McClernon, F. J., Rabinovich, N. E., Sugai, C., Plath, L. C., Asgaard, G., ... Botros, N. (2004). Effects of quitting smoking on EEG activation and attention last for more than 31 days and are more severe with stress, dependence, DRD2 A1 allele, and depressive traits. Nicotine and Tobacco Research, 6, 249–267. doi:XXX

Citations for Websites:

Simmons, B. (2015, January 9). The tale of two Flaccos. Retrieved from http://grantland.com/the-trian...

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

**FIGURES AND TABLES** Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. **Line artwork:** Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; **Combination artwork (line/tone):** Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; **Black and white halftone artwork:** Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; **Colour mode:** CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. *Tables* Tables should be numbered consecutively in the text in Arabic numerals and each typed on a separate sheet after the References section. Titles should be typed above the table.

**PROOFS** Page proofs will be sent to the author designated to receive correspondence, corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article.

# PSYCHOLOGICAL MEDICINE

### CONTENTS

EDITORIAL Suicide and the agent–host–environment triad: leveraging		van Os J, Morgan C, Sham PC, Murray RM, Murray GK & Di Forti M	623
surveillance sources to inform prevention Keyes KM, Kandula S, Olfson M, Gould MS, Martínez-Alés G, Rutherford C & Shaman J	529	Care-as-usual control groups across different settings in randomized trials on psychotherapy for adult depression: a meta-analysis	
REVIEW ARTICLE		Cuijpers P, Quero S, Papola D, Cristea IA & Karyotaki E	634
Changes in peripheral blood compounds following psychopharmacological treatment in drug-naïve first-episode patients with either schizophrenia or major depressive disorder: a meta-analysis		Disentangling nature from nurture in examining the interplay between parent–child relationships, ADHD, and early academic attainment Sellers R, Harold GT, Smith AF, Neiderhiser JM, Reiss D, Shaw D,	
Çakici N, Sutterland AL, Penninx BWJH, de Haan L & van Beveren NJM	538	Natsuaki MN, Thapar A & Leve LD	645
INVITED REVIEW The neural basis of consciousness Frith CD	550	Calculating individualized risk components using a mobile app-based risk calculator for clinical high risk of psychosis: findings from ShangHai At Risk for Psychosis (SHARP) program	
INVITED REVIEW ARTICLE Causal inference with observational data: the need for triangulation of evidence	000	Zhang TH, Xu LH, Li HJ, Woodberry KA, Kline ER, Jiang J, Cui HR, Tang YY, Tang XC, Wei YY, Hui L, Lu Z, Cao LP, Li CB, Niznikiewicz MA, Shenton ME, Keshavan MS, Stone WS & Wang JJ	653
Hammerton G & Munafò MR ORIGINAL ARTICLES	563	Moment-to-moment dynamics between auditory verbal hallucinations and negative affect and the role of beliefs	
Relationships between autistic traits, insufficient sleep, and real-world executive functions in children: a mediation		about voices So SH-w, Chung LK-h, Tse C-Y, Chan SS-m, Chong GH-c, Hung KS-y & Sommer IEC	661
analysis of a national epidemiological survey Tsai T-H, Chen Y-L & Gau SS-F Distinct neural mechanisms of emotional processing in	579	Neurocognitive heterogeneity in patients with bipolar disorder and their unaffected relatives: associations with emotional cognition	
prolonged grief disorder Bryant RA, Andrew E & Korgaonkar MS	587	Kjærstad HL, Eikeseth FF, Vinberg M, Kessing LV & Miskowiak K	668
Normalization of mediotemporal and prefrontal activity, and mediotemporal-striatal connectivity, may underlie		Familial coaggregation of major psychiatric disorders among first-degree relatives of patients with obsessive-compulsive disorder: a nationwide study	
antipsychotic effects of cannabidiol in psychosis O'Neill A, Wilson R, Blest-Hopley G, Annibale L, Colizzi M, Brammer M, Giampietro V & Bhattacharyya S	596	Huang M-H, Cheng C-M, Tsai S-J, Bai Y-M, Li C-T, Lin W-C, Su T-P, Chen T-J & Chen M-H	680
Systematic epidemiological and clinical comparisons across all 12 DSM-IV psychotic diagnoses in the Cavan–Monaghan	390	Physical activity and prenatal depression: going beyond statistical significance by assessing the impact of reliable and clinical significant change	
First Episode Psychosis Study (CAMFEPS) Nkire N, Scully PJ, Browne DJ, Baldwin PA, Kingston T,	007	Vargas-Terrones M, Nagpal TS, Perales M, Prapavessis H, Mottola MF & Barakat R	688
Owoeye O, Kinsella A, O'Callaghan E, Russell V & Waddington JL Annual incidence of cannabis-induced psychosis, other	607	Psychological morbidity among adults with cerebral palsy and spina bifida	
substance-induced psychoses and dually diagnosed schizophrenia and cannabis use disorder in Denmark from 1994 to 2016		Peterson MD, Lin P, Kamdar N, Mahmoudi E, Marsack-Topolewski CN, Haapala H, Muraszko K & Hurvitz EA	694
Hjorthøj C, Larsen MO, Starzer MSK & Nordentoft M	617		
Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study Tripoli G, Quattrone D, Ferraro L, Gayer-Anderson C,		Commentary on 'Psychological morbidity among adults with cerebral palsy and spina bifida': how can we support adults with cerebral palsy or spina bifida to achieve better psychological outcomes? Gannotti ME	702
Rodriguez V, La Cascia C, La Barbera D, Sartorio C, Seminerio F, Tarricone I, Berardi D, Szöke A, Arango C, Tortelli A, Llorca P-M,		ADDENDUM	
de Haan L, Velthorst E, Bobes J, Bernardo M, Sanjuán J, Santos JL, Arrojo M, Del-Ben CM, Menezes PR, Selten J-P,		Examining belief and confidence in schizophrenia – ADDENDUM	
EU-GEI WP2 Group, Jones PB, Jongsma HE, Kirkbride JB, Lasalvia A, Tosato S, Richards A, O'Donovan M, Rutten BPF,		Joyce DW, Averbeck BB, Frith CD & Shergill SS	704

Cambridge Core For further information about this journ please go to the journal web site at: cambridge.org/psm



MIX Paper from responsible sources FSC<sup>®</sup> C007785



# PSYCHOLOGICAL MEDICINE

### CONTENTS

EDITORIAL Suicide and the agent–host–environment triad: leveraging		van Os J, Morgan C, Sham PC, Murray RM, Murray GK & Di Forti M	623
surveillance sources to inform prevention Keyes KM, Kandula S, Olfson M, Gould MS, Martínez-Alés G, Rutherford C & Shaman J	529	Care-as-usual control groups across different settings in randomized trials on psychotherapy for adult depression: a meta-analysis	
REVIEW ARTICLE		Cuijpers P, Quero S, Papola D, Cristea IA & Karyotaki E	634
Changes in peripheral blood compounds following psychopharmacological treatment in drug-naïve first-episode patients with either schizophrenia or major depressive disorder: a meta-analysis		Disentangling nature from nurture in examining the interplay between parent–child relationships, ADHD, and early academic attainment Sellers R, Harold GT, Smith AF, Neiderhiser JM, Reiss D, Shaw D,	
Çakici N, Sutterland AL, Penninx BWJH, de Haan L & van Beveren NJM	538	Natsuaki MN, Thapar A & Leve LD	645
INVITED REVIEW The neural basis of consciousness Frith CD	550	Calculating individualized risk components using a mobile app-based risk calculator for clinical high risk of psychosis: findings from ShangHai At Risk for Psychosis (SHARP) program	
INVITED REVIEW ARTICLE Causal inference with observational data: the need for triangulation of evidence	000	Zhang TH, Xu LH, Li HJ, Woodberry KA, Kline ER, Jiang J, Cui HR, Tang YY, Tang XC, Wei YY, Hui L, Lu Z, Cao LP, Li CB, Niznikiewicz MA, Shenton ME, Keshavan MS, Stone WS & Wang JJ	653
Hammerton G & Munafò MR ORIGINAL ARTICLES	563	Moment-to-moment dynamics between auditory verbal hallucinations and negative affect and the role of beliefs	
Relationships between autistic traits, insufficient sleep, and real-world executive functions in children: a mediation		about voices So SH-w, Chung LK-h, Tse C-Y, Chan SS-m, Chong GH-c, Hung KS-y & Sommer IEC	661
analysis of a national epidemiological survey Tsai T-H, Chen Y-L & Gau SS-F Distinct neural mechanisms of emotional processing in	579	Neurocognitive heterogeneity in patients with bipolar disorder and their unaffected relatives: associations with emotional cognition	
prolonged grief disorder Bryant RA, Andrew E & Korgaonkar MS	587	Kjærstad HL, Eikeseth FF, Vinberg M, Kessing LV & Miskowiak K	668
Normalization of mediotemporal and prefrontal activity, and mediotemporal-striatal connectivity, may underlie		Familial coaggregation of major psychiatric disorders among first-degree relatives of patients with obsessive-compulsive disorder: a nationwide study	
antipsychotic effects of cannabidiol in psychosis O'Neill A, Wilson R, Blest-Hopley G, Annibale L, Colizzi M, Brammer M, Giampietro V & Bhattacharyya S	596	Huang M-H, Cheng C-M, Tsai S-J, Bai Y-M, Li C-T, Lin W-C, Su T-P, Chen T-J & Chen M-H	680
Systematic epidemiological and clinical comparisons across all 12 DSM-IV psychotic diagnoses in the Cavan–Monaghan	390	Physical activity and prenatal depression: going beyond statistical significance by assessing the impact of reliable and clinical significant change	
First Episode Psychosis Study (CAMFEPS) Nkire N, Scully PJ, Browne DJ, Baldwin PA, Kingston T,	007	Vargas-Terrones M, Nagpal TS, Perales M, Prapavessis H, Mottola MF & Barakat R	688
Owoeye O, Kinsella A, O'Callaghan E, Russell V & Waddington JL Annual incidence of cannabis-induced psychosis, other	607	Psychological morbidity among adults with cerebral palsy and spina bifida	
substance-induced psychoses and dually diagnosed schizophrenia and cannabis use disorder in Denmark from 1994 to 2016		Peterson MD, Lin P, Kamdar N, Mahmoudi E, Marsack-Topolewski CN, Haapala H, Muraszko K & Hurvitz EA	694
Hjorthøj C, Larsen MO, Starzer MSK & Nordentoft M	617		
Jumping to conclusions, general intelligence, and psychosis liability: findings from the multi-centre EU-GEI case-control study Tripoli G, Quattrone D, Ferraro L, Gayer-Anderson C,		Commentary on 'Psychological morbidity among adults with cerebral palsy and spina bifida': how can we support adults with cerebral palsy or spina bifida to achieve better psychological outcomes? Gannotti ME	702
Rodriguez V, La Cascia C, La Barbera D, Sartorio C, Seminerio F, Tarricone I, Berardi D, Szöke A, Arango C, Tortelli A, Llorca P-M,		ADDENDUM	
de Haan L, Velthorst E, Bobes J, Bernardo M, Sanjuán J, Santos JL, Arrojo M, Del-Ben CM, Menezes PR, Selten J-P,		Examining belief and confidence in schizophrenia – ADDENDUM	
EU-GEI WP2 Group, Jones PB, Jongsma HE, Kirkbride JB, Lasalvia A, Tosato S, Richards A, O'Donovan M, Rutten BPF,		Joyce DW, Averbeck BB, Frith CD & Shergill SS	704

Cambridge Core For further information about this journ please go to the journal web site at: cambridge.org/psm



MIX Paper from responsible sources FSC<sup>®</sup> C007785

