INSTRUCTIONS FOR CONTRIBUTORS

SUBMISSION OF MANUSCRIPTS

Manuscripts should be submitted online via our manuscript submission and tracking site, http://www.editorialmanager.com/psm/. Full instructions for electronic submission are available directly from this site. To facilitate rapid reviewing, communications for peer review will be electronic and authors will need to supply a current e-mail address when registering to use the system.

Papers for publication from Europe (except those on genetic topics, irrespective of country), and all papers on imaging topics, should be submitted to the UK Office.

Papers from the Americas, Asia, Africa, Australasia and the Middle East (except those dealing with imaging topics), and all papers dealing with genetic topics, irrespective of country, should be sent to US Office.

Generally papers should not have text more than 4500 words in length (excluding these sections) and should not have more than a combined total of 5 tables and/or figures. Papers shorter than these limits are encouraged. For papers of unusual importance the editors may waive these requirements. A structured abstract of no more than 250 words should be given at the beginning of the article using the headings: Background; Methods; Results; Conclusions. The name of an author to whom correspondence should be sent must be indicated and a full postal address given in the footnote. Any acknowledgements should be placed at the end of the text (before the References section).

Declaration of Interest: A statement must be provided in the acknowledgements listing all financial support received for the work and, for all authors, any financial involvement (including employment, fees, share ownership) or affiliation with any organization whose financial interests may be affected by material in the manuscript, or which might potentially bias it. This applies to all papers including editorials and letters to the editor.

Contributors should also note the following:

- 1. S.I. units should be used throughout in text, figures and tables.
- 2. Authors should spell out in full any abbreviations used in their manuscripts.
- 3. Foreign quotations and phrases should be followed by a translation.
- 4. If necessary, guidelines for statistical presentation may be found in: **Altman DG, Gore SM, Gardner MJ & Pocock SJ** (1983). Statistical guidelines for contributors to medical journals. *British Medical Journal* 286, 1489–1493.

REFERENCES (1) The Harvard (author-date) system should be used in the text and a complete list of References cited given at the end of the article. In a text citation of a work by more than two authors cite the first author's name followed by et al. (but the names of all of the authors should be given in the References section). Where several references are cited together they should be listed in rising date order. (2) The References section should be supplied in alphabetical order (authors' names in **bold**, journal titles in full), following the text. Some examples follow:

Miller PM, Byrne M, Hodges A, Lawrie SM, Johnstone EC (2002). Childhood behaviour, psychotic symptoms and psychosis onset in young people at high risk of schizophrenia: early findings from the Edinburgh high risk study. *Psychological Medicine* 32, 173–179. Cleckley HJ (1941). *The Mask of Sanity*, 2nd edn. Mosby: St. Louis, MO.

Brewer WJ, Wood SJ, DeLuca C, Pantelis C (2006). Models of olfaction for exploring neurodevelopment. In *Olfaction and the Brain* (ed. W. J. Brewer, D. Castle and C. Pantelis), pp. 97–121. Cambridge University Press: Cambridge.

(3) Online citations

doi (when published online prior to printed issue)

Lauritsen MB, Pedersen CB, Mortensen CB (2004). The incidence and prevalence of pervasive developmental disorders: a Danish population-based study. *Psychological Medicine*. Published online: 21 October 2004. doi:10.1017/S0033291704002387.

URL

World Bank (2003). Quantitative techniques for health equity analysis – Technical Notes (http://siteresources.worldbank. org/INTPAH/Resources/Publications/Quantitative-Techniques/health.eq tn07.pdf). Accessed 15 February 2006.

[Authors are requested to print-out and keep a copy of any online-only material, in case the URL changes or is no longer maintained.]

FIGURES AND TABLES Only essential figures and tables should be included. Further tables, figures, photographs and appendices, may be included with the online version on the journal website. To ensure that your figures are reproduced to the highest possible standards, Cambridge Journals recommends the following formats and resolutions for supplying electronic figures. Please ensure that your figures are saved at final publication size and are in our recommended file formats. Following these guidelines will result in high quality images being reproduced in both the print and the online versions of the journal. Line artwork: Format: tif or eps, Colour mode: black and white (also known as 1-bit), Resolution: 1200 dpi; Combination artwork (line/tone): Format: tif or eps, Colour mode: grayscale (also known as 8-bit), Resolution: 800 dpi; Black and white halftone artwork: Format: tif, Colour mode: grayscale (also known as 8-bit), Resolution: 300 dpi; Colour halftone artwork: Format: tif, Colour mode: CMYK colour, Resolution: 300 dpi. All photographs, graphs, and diagrams should be referred to as figures and should be numbered consecutively in Arabic numerals. Captions for figures should be typed double-spaced on separate sheets. Tables Tables should be typed above the table.

PROOFS AND OFFPRINTS Page proofs will be sent to the author designated to receive correspondence. corrections other than to printer's errors may be charged to the author. The corresponding author of each paper will receive a PDF file of their article and hard copy offprints may be purchased if they are ordered on the form supplied when the proof is returned.

PSYCHOLOGICAL MEDICINE

CONTENTS

REVIEW ARTICLE		Auditory hallucinations in childhood: associations with	
Clarifying domains of internalizing psychopathology using		adversity and delusional ideation	
neurophysiology		Bartels-Velthuis AA, van de Willige G, Jenner JA, Wiersma D	F00
Vaidyanathan U, Nelson LD & Patrick CJ	447	& van Os J	583
		Road to full recovery: longitudinal relationship between	
ORIGINAL ARTICLES		symptomatic remission and psychosocial recovery in	
A latent class approach to the external validation of		first-episode psychosis over 7.5 years	
respiratory and non-respiratory panic subtypes		Álvarez-Jiménez M, Gleeson JF, Henry LP, Harrigan SM, Harris	
Roberson-Nay R, Latendresse SJ & Kendler KS	461	MG, Killackey E, Bendall S, Amminger GP, Yung AR, Herrman H, Jackson HJ & McGorry PD	595
Co-occurrence of social anxiety and depression symptoms		•	
in adolescence: differential links with implicit and explicit self-esteem?		Hypothesis-driven candidate genes for schizophrenia compared to genome-wide association results	
de Jong PJ, Sportel BE, de Hullu E & Nauta MH	475	Collins AL, Kim Y, Sklar P, International Schizophrenia Consortium, O'Donovan MC & Sullivan PF	607
Acceptance and commitment therapy as guided self-help		O BOHOVALTIVIO & GAIIIVALTITI	001
for psychological distress and positive mental health:		Predictors of cosmetic surgery and its effects on	
a randomized controlled trial		psychological factors and mental health: a population-based	
Fledderus M, Bohlmeijer ET, Pieterse ME & Schreurs KMG	485	follow-up study among Norwegian females	
Gambling, disordered gambling and their association with		von Soest T, Kvalem IL & Wichstrøm L	617
major depression and substance use: a web-based cohort and twin-sibling study		The effects of puberty on genetic risk for disordered eating: evidence for a sex difference	
Blanco C, Myers J & Kendler KS	497	Klump KL, Culbert KM, Slane JD, Burt SA, Sisk CL & Nigg JT	627
Religiosity and resilience in persons at high risk for major depression		Deficient emotional self-regulation and pediatric attention deficit hyperactivity disorder: a family risk analysis	
Kasen S, Wickramaratne P, Gameroff MJ & Weissman MM	509	Biederman J, Spencer T, Lomedico A, Day H, Petty CR & Faraone SV	639
Do shared etiological factors contribute to the relationship			
between sexual orientation and depression?		Validating two survey methods for identifying cases of autism	
Zietsch BP, Verweij KJH, Heath AC, Madden PAF, Martin NG,		spectrum disorder among adults in the community	
Nelson EC & Lynskey MT	521	Brugha TS, McManus S, Smith J, Scott FJ, Meltzer H, Purdon S,	0.47
Attention bias toward threat is associated with exaggerated		Berney T, Tantam D, Robinson J, Radley J & Bankart J	647
fear expression and impaired extinction in PTSD		Concordance between personality disorder assessment	
Fani N, Tone EB, Phifer J, Norrholm SD, Bradley B, Ressler KJ,		methods	
Kamkwalala A & Jovanovic T	533	Nestadt G, Di C, Samuels JF, Cheng Y-J, Bienvenu OJ, Reti IM, Costa P, Eaton WW & Bandeen-Roche K	657
Violence among female stalkers		Oosta 1, Laton VVVV & Dandeen Flootie IV	007
Strand S & McEwan TE	545	Correspondence	699
		Correspondence	099
A multi-site randomized controlled trial of a cognitive skills programme for male mentally disordered offenders: social-cognitive outcomes			
Cullen AE, Clarke AY, Kuipers E, Hodgins S, Dean K & Fahy T	557		
Criminal conviction among offspring with parental history of mental disorder			



571



& Agerbo E

Dean K, Mortensen PB, Stevens H, Murray RM, Walsh E