The Journal of Laryngology and Otology

EDITED BY
SIR GEOFFREY BATEMAN

ASSISTANT EDITOR
JOHN BALLANTYNE

Contents

lems of post-operative follow-up—from the King's	
College Hospital series	HAROLD LUDMAN and HENRY GRANT 833
The place of iron deficiency in the Paterson-Brown	
Kelly syndrome	PETER ADLINGTON,
	PETER LEEDHAM
	and PAUL SMITH 845
Plasmacytoma of the head and neck	REX C. GROMER
	and A. J. DUVALL III 861
Ameloblastoma of the maxilla—A clinical study with	
four cases	H. J. SHAW
Carotidynia	and D. K. Katsikas 873 EDGAR CHIOSSONE
Carothayina	and Maria E. Quiroga 885
Clinical records—	and minim 2. gomeon 600
A case of Osler's disease	B. M. ABROL
The case of Oster's disease	and M. RAVEENDRAN 891
Epistaxis-topical use of epsilon-aminocaproic acid	
in its management	
Melkersson-Rosenthal syndrome: Review of the	
literature and report of a case	T C
	and GALAL EL ENANY 899
Modification in the technique of closure of the nostrils	K. C. GADRE 903
Salivary heterotopic tissue in lower neck	A. Boffi and L. Fridman 905
A new apparatus for suspension laryngoscopy	T. S. Stewart 909
General notes	913
A SANCE AND AND A SANCE AND A	92.

Headley Brothers Ltd

Ashford, Kent

The Journal of Laryngology and Otology

(Founded in 1887 by Morell Mackenzie and Norris Wolfenden)

EDITED BY SIR GEOFFREY BATEMAN

ASSISTANT EDITOR
JOHN BALLANTYNE

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

 Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951), *Journal of Laryngology and Otology*, 65, 33. The titles of all Journals should be given without abbreviation.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.
- 4. Illustration blocks will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to Headley Brothers Ltd., The Invicta Press, Ashford, Kent. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.
- 5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.
- 6. Editorial communications may be addressed to The Editor, Journal of Laryngology, c/o Headley Brothers Ltd., The Invicta Press, Ashford, Kent.
- 7. The annual subscription is £8 (eight pounds sterling) post free; U.S.A. \$23 post free, and payable in advance.
- 8. Single copies of current or back numbers (when available) will be on sale at £1 (including postage) each
- All subscriptions, advertising and business communications should be sent to the publishers, or subscription agents.


HEADLEY BROTHERS LTD.

The Invicta Press, Ashford, Kent.

O Journal of Laryngology and Otology Ltd., 1973

AMPLIVOX 84

The successor to the world's most widely used clinical Audiometer.



Take a look at all the advantages you get with this superb audiometer.

- Pure tone at eleven frequencies—now including 750 Hz
- Bone conduction at eight frequencies
- Narrow band masking via insert and headphones Automatic presentation
- ISO specification
- Trimpot calibration
- Continuously variable second channel for ABLB (Fowler) recruitment test
- Tone decay test
- Illuminated patient's signal

PLUS Calibrated speech audiometry via microphone or tape.

Write now for illustrated brochure to:

AMPLIVOX HEARING CONSERVATION LTD

Beresford Avenue, Wembley, Middx. HAO 1RU. Phone: 01-902 8991

Squamous cell carcinomas of the head and neck often respond to Bleomycin Lundbeck

Bleomycin may be of value, either alone (1, 2, 3) or in combination with radiation (4, 5) in the treatment of tumours affecting the mouth, nasopharynx and paranasal sinuses, larynx or oesophagus. Well differentiated tumours usually respond better than anaplastic ones.

Bleomycin has:

No toxic effect on the bone marrow.

No immunosuppressive action.

There have been no reports of cross resistance with other currently used oncolytic drugs.

Dose: 15mg-30mg intramuscularly or intravenously to a total dose of up to 300mg depending on factors including the condition to be treated and the age of the patient.

Adverse reactions: Side effects which may occur include fever, anorexia, irredness, nausea and the development of lesions of the skin or oral mucosa. Interstitial pneumonia may occur during, or occasionally after, a course of treatment. This condition may on occasions develop into fatal pulmonary fibrosis, but such an occurrence is rare on recommended doses. Patients undergoing treatment should have chest X-rays taken weekly.

References: (1) Brit. Med. J. (1970) **2**, 643-645 (2) Brit. Med. J. (1972) **4**, 635-638 (3) Med. J. of Australia (1972) **2**, 246-249 (4) Eur. J. of Cancer (1972) **8**, 531-534 (5) Tid. for Norske Laeg. (1972) **92**, 2247-2250

The supply of bleomycin is restricted to centres with special experience in the chemotherapy of malignant disease.

Product Licence (No. 0458/0009) held by

LUNDBECK LIMITED The Green, Welwyn, Herts. Telephone: Welwyn 6601 Lundbeck

Made in Japan by Nippon Kayaku Co.

Further information is available on request.

WALLY USED TO SLEEP ON THE JOB

Antihistamine drowsiness is no joke when you're on piece-work. Particularly if you like a drink or a drive. That's why Wally's doctor put him on Rynacrom. Rynacrom clears and prevents the symptoms of allergic rhinitis and is effective against a wide spectrum of allergens, from house dust to pets and pollens. Its specific, local action means that there are no untoward effects.


Put your next patient on Rynacrom. It soon had Wally back on the job.

RYNACROM® for allergic rhinitis



Further information on Rynacrom (Sodium Cromoglycate BP) is available from FISONS LIMITED—PHARMACEUTICAL DIVISION, Loughborough, Leics.





a name you can rely on PETERS

Designers and manufacturers of audiological instruments for clinics, hospitals, schools and factories all over the world.

For further information, complete this coupon and post it to Peters Head Office: 55 Clarkehouse Road, Sheffield S10 2LE

NAME				
ADDRESS				
TELEPHONE_		P(SITION_	
	9	0	9	

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT

Official organ for the American Laryngological Rhinological and Otological Society

Price \$25.00 per year Canada \$27.00 per year Foreign \$27.00 per year

ESTABLISHED 1896

JOSEPH H. OGURA, M..D EDITOR

222 PINE LAKE ROAD, COLLINSVILLE, ILLINOIS 62234

For advertisement space in this Journal


apply to

HEADLEY BROTHERS LTD.

Ashford, Kent

Please mention The Journal of Laryngology and Otology when replying to advertisements

Ceiling Suspension Unit



for all Zeiss Operating Microscopes

Now available with a mounting for two Hanau Lamps providing complete flexibility of the positioning of either lamp. A choice of alternative Hanau Lamp models and combinations of lamps can be made.

The Zeiss Ceiling Suspension Unit is ideal for both existing as well as new surgical units. The microscope is lowered and raised by a hand or

foot control and it can be kept in a complete assembled condition for maximum ease of setting-up by the surgeon and for reduction in wear and tear of the instrument.

Carl Zeiss (Oberkochen) Ltd Degenhardt House 31/36 Foley Street London W1P 8AP 01-636 8050










calgitex *Reg'd Trade Mark

E.N.T. Ribbon Gauze has significant advantages for the F.NT



Used extensively by E.N.T. surgeons throughout the world. Calgitex is highly suitable for packing procedures due to its soft texture, and slow absorption rate


- * Extensive compatibility with antibiotics * Non-adherent dressing.
 - * Easy and painless removal.

Please send coupon for samples and literature:-

MEDICAL ALGINATES LTD. A member of the Optrex Group
Wadsworth Road, Perivale, Middlesex. Tel. 01-997 4441
Please send me samples and literature of Calgitex ENT Ribbon Gauze
NAME
ADDRESS
<u> </u>

"Dermatophagoides...

a very potent allergen to which very many asthma patients have become sensitized1"



The house dust mite, D. farinae, is approximately 300 microns in length.

specific hyposensitisation with

ral

MITE FORTIFIED HOUSE DUST

produced good results in 83% of patients²

ALLPYRAL is a trade mark

DOME LABORATORIES, DIVISION OF MILES LABORATORIES LTD., STOKE COURT. STOKE POGES, SLOUGH, BUCKS, TEL: FARNHAM COMMON 2151



1 Acta Allergologica (1969), XXIV, 115 2 Annals of Allergy (1971) 29,578


Please mention The Journal of Laryngology and Otology when replying to advertisements



for cold ears...



for musical ears...



for mysterious ears...




for medical ears...



for patient ears...

Anti-infective/anti-inflammatory, OTOSPORIN* Drops contain polymyxin B sulphate, neomycin sulphate and hydrocortisone. Supplied in dropper bottles of 5 ml.



clears infected ear



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) Berkhamsted, Herts.

