# A new chronological framework for prehistoric Southeast Asia, based on a Bayesian model from Ban Non Wat

Charles Higham<sup>1</sup> & Thomas Higham<sup>2</sup>

The authors offer a new chronological framework for prehistoric Southeast Asia, based mainly on the Bayesian modelling of 75 radiocarbon dates from well-stratified excavations at Ban Non Wat. The results are revolutionary. Neolithic practice now begins in the second millennium and hierarchical state-forming activity is dated to a 'starburst' around 1000 BC. The authors reflect on the social implications of the new model – and on the criteria for an ever stronger chronology.

*Keywords:* Southeast Asia, Thailand, Neolithic, Bronze Age, Iron Age, radiocarbon, Bayesian modelling

# Introduction

As Movius observed of the European Upper Palaeolithic, 'Without ... a [chronological] framework the over-all picture becomes confused and, in certain instances, almost meaningless. Time alone is the lens that can throw it into focus' (Movius 1960: 355). The passage of time is equally vital for a proper understanding of the prehistoric sequence in Southeast Asia. While the cultural sequence is agreed by most scholars, its timing is not. The ancestors of the first rice farmers in Southeast Asia probably lived in the Yangtze Valley to the north (Liu et al. 2007), and spread south, via the coast and the major rivers, to enter the broad riverine plains of Southeast Asia. They brought their Austro-Asiatic languages, and a way of life that centred on settled village communities incorporating widespread exchange in exotica, a sophisticated ceramic industry, weaving, and a mortuary tradition that involved both extended inhumation and interment in lidded jars. This Neolithic settlement phase was followed by the adoption of copper-base metallurgy, in which copper and tin were alloyed from the earliest known contexts. The transition into the Iron Age has not been precisely dated, but it is known that early states were forming by the fourth to fifth centuries AD. The timing and the degree to which Iron Age communities developed social and technological sophistication prior to the rise of early states is poorly documented: Noen U-Loke is the only extensively-excavated Iron Age site in Thailand to be published (Higham, C.F.W. et al. 2007).

<sup>1</sup> Department of Anthropology, University of Otago, PO Box 56, Dunedin, New Zealand

<sup>2</sup> Oxford Radiocarbon Accelerator Unit, Research Laboratory of Archaeology and the History of Art, Dyson Perrins Building, University of Oxford, OX1 3QY, UK

Received: 9 March 2008; Accepted: 23 June 2008; Revised: 18 August 2008

ANTIQUITY 83 (2009): 125–144

We do not know when the first farmers reached Southeast Asia and there remains a basic uncertainty over the date for the inception of copper-base metallurgy in Southeast Asia. This has generated a lack of understanding of the social changes that occurred with the early Bronze Age. As Muhly (1988: 16) stressed 20 years ago in a dictum still true, 'In all other corners of the Bronze Age world ... we find the introduction of bronze technology associated with a complex of social, political and economic developments that mark the rise of the state. Only in Southeast Asia ... do these developments seem to be missing.' One of the objectives of our recent excavations at Ban Non Wat has been to open an area large enough to identify just those variables Muhly describes.

In retrospect, the causes of controversies over chronology are readily understood (Solheim 1968; 1970; Bayard 1972, 1979; Gorman & Charoenwongsa 1976; Bayard & Charoenwongsa 1983; Higham 1983; Loofs-Wissowa 1983). Radiocarbon determinations have virtually all been derived from charcoal, with its problems of 'old wood'. Only very rarely has the species of tree been specified, a practice that needs to be addressed in future dating programmes. No recognition was given to the unreliability of mixed samples (Ashmore 1999). In many cases, the relationship between a charcoal sample and the event being dated was unreliable. Major cultural changes, such as the beginning of copper-base metallurgy, have been dated on the basis of only a handful of determinations. When a sample of dates was available, the construction of the site's chronology followed procedures now shown to be importantly wrong (Bayliss *et al.* 2007: 9).

Resolving this situation first requires a prehistoric site with a cultural sequence spanning the early Neolithic to the end of the Iron Age. Such sites are very rare in Southeast Asia. Phases within such a site would need to be ordered in terms of a relative chronology, and we would then require a sufficient number of radiocarbon determinations, preferably generated on the basis of samples with no inbuilt age, to provide dates for the successive cultural phases identified. Armed with such a series of dates we could apply the refinement of the Bayesian approach as outlined by Bayliss *et al.* (2007). The Bayesian method is able to provide us with quantitative, probabilistic estimates of archaeological events through a combination of calibrated radiocarbon likelihoods and given archaeological information, for example, the sequence of phases within a site's sequence (see Buck *et al.* 1992, 1996; Bronk Ramsey 1995, 2005; Higham, T.F.G. *et al.* 2005, 2007; Bayliss & Whittle 2007; Fuller *et al.* 2007 for further details and examples). The model also generates boundaries and an assessment of the duration of phases, making it possible to consider the rate and impact of cultural changes. This paper presents the results of such a Bayesian analysis undertaken on the sequence at the prehistoric settlement of Ban Non Wat.

# Ban Non Wat

Ban Non Wat is a moated prehistoric site located in the upper catchment of the Mun River on the Khorat Plateau of Northeast Thailand (Figures 1 and 2). Its position gives easy communication and exchange by the Mun Valley to the Mekong River in the east. In a westerly direction, a pass following the watershed over the Petchabun Range takes one to the broad plains of the Chao Phraya River system, and the Khao Wong Prachan Valley, a major centre of prehistoric copper mining. Excavations at Ban Non Wat over




Figure 1. Map of Southeast Asia, showing the location of the sites mentioned in the text.

seven seasons have uncovered an area of 892m<sup>2</sup>, within which 637 human graves have been identified, together with much evidence for industrial and domestic activities including bronze casting (Figures 3 and 4). It is crucial to adopt the most stringent criteria for defining cultural contexts, since Thai settlement and cemetery sites are stratigraphically complicated by numerous pits, postholes and graves, not to mention bioturbation. We define a Neolithic context by mortuary or occupation remains with domestic animals or plants but no evidence

A new chronological framework for prehistoric Southeast Asia, based on a Bayesian model from Ban Non Wat




Figure 2. The sites of Ban Non Wat and Noen U-Loke, viewed from the air.

for metallurgy. We recognise a Bronze Age context on the basis of a burial with a copperbase artefact in direct association, a hearth associated with moulds and crucibles, or a burial containing crucibles or moulds as mortuary offerings. For the Iron Age, we accept the presence of iron or evidence for iron forging in secure contexts. Adopting these criteria, the cultural sequence falls into at least 12 phases, each characterised by different mortuary and occupational activity.

There were 13 flexed burials, characteristic of the indigenous Southeast Asian huntergatherers (Figure 5A) and the material items placed with these dead are quite distinct from those found with the assuredly Neolithic (Neo) 1 and 2 burials.




Figure 3. Plan of the prehistoric site of Ban Non Wat, showing the areas excavated (A, Y and X).

The Neolithic 1 cemetery contains extended supine inhumation graves and lidded jars for containing the corpse (Figure 5B). The ceramic vessels found in association fall into a widely-recognised tradition, involving decoration with complex incised designs (Higham 2004; Wiriyaromp 2007; Rispoli 2008). Other grave goods included marine shell ornaments, pig skeletons and freshwater bivalve shells. Neo 2 burials are normally found orientated on an east-west axis, and grave goods are markedly poorer than in Neo 1, comprising in the main, globular cord-marked vessels and the occasional freshwater bivalve shell (Figure 5C). When there is a superposition involving Neo 1 and 2, the latter are always later.

There are five Bronze Age (BA) phases at Ban Non Wat. BA 1 burials were accompanied by a series of small ceramic vessels that have their closest parallels in the late Neolithic graves at the nearby site of Ban Lum Khao. All five individuals were also interred with one copper base artefact (Figure 5D). BA 2 burials fall into four groups, each disposed in a row. The




Figure 4. The mortuary plan of Ban Non Wat.

most southerly comprises nine or ten graves. There are seven graves in the second group, 10-11 graves in the third group and a double grave outlier in the far north of the excavated area. BA 2 graves are always stratigraphically later than those of Neo 2 and BA 1, and they display hitherto unrecognised mortuary wealth. The remains of three men and three women had been partially exhumed after interment, and then reburied. We think that this might well reflect their exceptionally high ritual and social status. Mortuary offerings included copper-base socketed axes, chisels and points, anklets and rings (Figure 5E). Up to 50 or 60 ceramic vessels were placed with the corpse, which was wrapped in a fabric shroud and contained within a wooden coffin. Some of these pots were decorated with elaborate painted designs, which harken back to those found on Neolithic 1 ceramics. One vessel, found with




Figure 5. Burials of the successive mortuary phases, to the same scale. Note the size of the Neolithic 1 and Bronze Age 2 and 3 graves. A) flexed burial 633; B Neolithic 1, burial 86; C) Neolithic 2, burial 562; D) Bronze Age 1, burial 569; E) Bronze Age 2, burial 197; F) Bronze Age 3, burial 263; G) Bronze Age 4, burial 549; H) Bronze Age 5, burial 126; I) Iron Age 1, burial 473.

an infant, was painted with what looks like a stylised human face. The dead wore exotic shell and marble ornaments and shell beads over the body might have been stitched onto their clothing. Multiple strands of shell beads were worn as necklaces and belts, and some individuals wore up to 22 shell earrings. By any comparative measure, these individuals can be termed elite, even princely.

BA 3 incorporates 13 very rich burials, set out on a different orientation (Figure 5F). Where there is a superposition, they invariably seal BA 2 graves. Most individuals in this phase were buried on a north-east to south-west axis, wearing numerous marine shell and marble bangles, and associated with well-crafted ceramic vessels. Some people were also buried with socketed bronze axes, while one infant wore bronze anklets embellished with 30 bronze bells.

BA 4 involves many graves, set out in rows with the head usually orientated to the northwest. Where there is physical relativity to BA 1-3, they are always later. While the ceramic vessels are clearly derivative from earlier forms, they are generally smaller and lack painted designs. The burials are markedly poorer in terms of mortuary wealth, and bronzes are very rare. However, one man, surely a bronze founder, was buried with 29 clay bivalve moulds for casting bangles and axes (Figure 5G). These burials are always sealed by those of BA 5. The latter reveal further developments in the form of ceramic vessels. The dead during this phase were often accompanied by spindle whorls and grey clay that may well have been used in dying cloth. One BA 5 individual was accompanied by a crucible for casting bronze. On the basis of horizontal stratigraphy, BA 5 developed seamlessly into the early Iron Age (IA 1). Indeed, it is only on the basis of the presence of iron artefacts that on occasion one can distinguish the two, for the ceramic vessels are virtually identical. The Iron Age burials contain sets of iron tools; there are both iron and bimetallic (bronze hafts) spears, glass earrings, carnelian and agate ornaments and pots filled with fish skeletons (Figure 5I).

The few burials of the last prehistoric phase, IA 2, are distinguished by ceramics that include vessels of the so-called Phimai Black tradition. Their distribution lies mainly to the west of IA 1 burials, but where there is a superposition, they are always later. Exotic hard stone and glass ornaments are found but most of these burials are not far below the present ground surface, and are badly disturbed by more recent activity.

### **Radiocarbon dating**

Table 1 (see Appendix) shows the radiocarbon determinations for the cultural phases at Ban Non Wat. Further determinations for the surrounding Iron Age moats and embankments are also available but are not incorporated below (McGrath *et al.* 2007). Samples submitted from the first three seasons comprised charcoal and human bone from *in situ* contexts, and a handful of determinations were processed in Arizona on the basis of rice chaff found as a ceramic temper. However the human bone had no remaining collagen for dating and the charcoal samples were susceptible to the problem of 'old wood'. This was well illustrated by two samples from burial 28, a Neo 1 jar-burial. The first determination, based on charcoal within the vessel, gave  $3680\pm30$  BP, while the second based on a freshwater bivalve shell artefact found as a mortuary offering gave  $3170\pm27$  BP, a difference of 510 years.

Given our deep scepticism over the validity of a handful of dates from charcoal or organic temper in ceramics as a basis for determining the timing of cultural changes, we decided to base the dated sequence primarily on freshwater shell. Such shells were placed with the dead throughout the prehistoric occupation of Ban Non Wat, probably reflecting a high ritual or spiritual value. There are two genera: Hyriopsis and Pseudodon. These shells may have been valued as heirlooms and thus be antique when buried. However, this seems less likely than is the case for charcoal, and their association with specific individuals is held to be a more reliable index of date than charcoal derived from either grave fill or nonmortuary contexts. Given the ubiquity of well-provenanced freshwater bivalve shells within burial contexts at Ban Non Wat, we investigated their utility for direct AMS radiocarbon determinations. A modern individual collected live in 2006 from the vicinity of the site yielded a measurement of  $106.8 \pm 0.3$  pMC. When compared with modern terrestrial post-nuclear bomb radiocarbon records and a charcoal standard regularly measured in the Oxford laboratory, the result is indistinguishable, suggesting there is no significant reservoir effect, at least in the modern era. Further comparisons between freshwater shell and wellprovenanced charcoal from the same contexts yielded good agreement between the results (e.g. burial 290, Table 1). Again, the results are indistinguishable at 68.2%. Changes in the reservoir from which these shells originate could influence their utility as a chronometer, but in terms of comparison with the contemporary atmospheric <sup>14</sup>C levels at the time, this would only make the results older than their 'true age'. The absence of a limestone-based catchment within the hydrological system makes a hardwater effect unlikely. Taken together, our initial data suggests that freshwater shell ought to be reliable for dating, provided that no recrystallisation has occurred which could introduce exogenous carbon of a potentially younger or older age. This was carefully checked at ORAU prior to AMS dating. None of the shells showed any evidence for recrystallisation.

In practice, however, some charcoal specimens have been included in the dated sequence, especially from settlement contexts (see Table 1). Radiocarbon determinations for Neo 1 come from charcoal associated with occupation middens at the base of the site containing ceramic sherds matching those from Neo 1 burials. The Neo 1 burials are dated by charcoal found within lidded mortuary vessels and freshwater bivalve shells placed as mortuary offerings. Phase 3 Later Neolithic 1 occupation determinations come from charcoal in occupation contexts. As a check, we considered five determinations from the nearby site of Ban Lum Khao taken on charcoal found in the initial Neolithic occupation phase that underlie and thus predate the burials there that are virtually identical with Neo 2 graves at Ban Non Wat (Higham & Thosarat 2004a). Dating material from the Neo 2 burials themselves is difficult because the inclusion of freshwater bivalve shells became infrequent. The fifth phase is early Bronze Age occupation. These determinations come from *in situ* hearths located at the base of the square Y1, which underlie all subsequent Bronze Age graves in that area of the site. Phase 6 represents BA 1, and phase 7 incorporates the very rich BA 2 graves containing bronze artefacts. This is followed by phase 8 (BA 3). Phase 9 involves BA 4 graves and phases 10-12 are described as BA 5 and Iron Age (IA) 1-2.

### **Bayesian analysis**

The prior cultural information for the Bayesian analyis was inserted by dividing the dated graves and settlement features into 12 groups in sequence (Figure 6). We used OxCal 4.0 (Bronk Ramsey 1995) to calibrate the radiocarbon determinations, which were then modelled within these groups (Figure 7). Initial runs of the model disclosed some obvious outliers denoted by low agreement indices, variations which might, in part, be due to some of the issues raised earlier (principally inbuilt age and reservoir variability) but could also be influenced by statistical variation (statistically speaking, 5% of the dates would be expected to fail this test). In subsequent runs of the model, these were questioned in the sequence. The final iteration of the model produced acceptably high agreement indices, which act as a measure of the reliability and reproducibility of the model. Posterior probability distributions are shown in Figure 7, and ranges are listed in Table 1 at the 95.4% confidence interval. The model also showed the likely dates of the boundaries between the phases dominated by the cultural groups (Figure 8), and individual probability distributions were obtained for the span of each phase (Figure 9).

### Results

The date range for the Neolithic settlement of Thailand has in recent times variously been set anywhere from the fifth to the late third millennium BC, while the inception of the Bronze Age might fall in a range from the late third to the late second millennium BC





Figure 6. Summary of the relative order of occupation and mortuary phases at Ban Non Wat.

(Higham 1996; White & Pigott 1996; White 1997). The new data comprise 75 radiocarbon determinations for the cultural sequence at Ban Non Wat and five for the nearby settlement of Ban Lum Khao (Higham, T.F.G. 2004). Our results (Table 2) show that the flexed burials were among the earliest encountered, and lasted until the eleventh century BC. The initial Neolithic settlement of Ban Non Wat began in the mid-seventeenth century BC and lasted in the vicinity of 150 years, while the Neo 1 burials date from about 1460 cal BC, and lasted for two generations or about 50 years. The later Neolithic occupation is dated to about 1400 cal BC, with a very brief time span. This was followed by the Neo 2 burial, which is dated to 1259-1056 cal BC. The transition from the late Neolithic to the Early Bronze Age settlement took place between 1053-996 cal BC. At virtually the same time five BA 1 burials were laid out, followed very soon by four spatially discrete sets of outstandingly rich burials, three containing the graves of men, women, infants and children. The span for these burials lies between 135-185 years at 68.2% probability, so may represent six or seven generations. This is consistent with the number of burials and their disposition. BA

### Charles Higham & Thomas Higham

							-	0
Sequence (Amodel								
Boundary Start No	eolithic				-			
Phase Initial Neol	ithic occupation	an 🛛						
Wk-12647 (100	9)				s			
OxA-12660 (81.	9)				_			
OxA-13468 (105								
OxA-15248 (80.				- 63.43				
					~			
OxA-17457 (88.							-	
Boundary Transit	on Neolithic C	ccupation/Net	o 1 burials	_				
Phase Neolithic 1	Burials							
OxA-16699 (120					A			
OxA-11723 (119					-			
OxA-16700 (88.								
OxA-13534 (82.					<u> </u>			
R Combine Bun	ial 28 (113.1)			_	<u> </u>			
OxA-13467? (0)								
Boundary Transit		h phase 1/l at	Non 1 nonun	ation	A			
			Neo Toccup	10011	-			-
Phase Late Neolit		on						
OxA-12661? (30						t		
OxA-15247 (96.)	7)				-			
OxA-12545 (104	(.0)							
Boundary Transit		als/ Neo 2 Run	ial					
Phase Neo 2 burn		and HOO E Dai						1
OxA-18140 (99.						F	-	
Boundary Transit			occupation			-		
Phase Bronze Age	e occupation							
OxA-15246 (97.						m		
OxA-12543 (122		1				-		
						-		
OxA-12659 (10)		1			-	t.		
OxA-12658 (128		1				F •		
OxA-12544 (128		1				••••		
OxA-12657? (0.)	7%)					ł		
Boundary Bronze		on/BA 1A				<u> </u>		
Phase BA 1	-Jo socupati				-	F		
	00()							
OxA-16705? (1.					1	-		
OxA-17465 (117	.6)							
Boundary BA 1/B	A 2				-			
Phase BA 2								
R_Combine Bun	ial 468 (58 4)					-		-
OxA-18132 (79.	3)							
OxA-18131 (101						<u> </u>		
OxA-17897? (0.	0%)					-		
OxA-17893 (103	3.4)					<u> </u>		
OxA-17892 (104					_			
OxA-17889 (93.	1)							
OxA-17715? (0.						1		
OxA-17714 (105	i.2)				-			
OxA-17467 (100								
R Combine Bun					_	an		
		ſ						
OxA-17461 (46.	4)							
OxA-17460? (0.						-		
OxA-17459 (100	).9)					<b>A</b> .		
OxA-17464 (102	(8)					20.		
OxA-17458 (102								
OxA-17456 (94.								
						-		
OxA-16701 (102						-		
R Combine Bun							-	
Boundary BA 2/B	A 3					-		
Phase BA 3			1					·
OxA-17721? (0.	3%)					-		
OxA-17891? (0.		1				-		
		1			-	<b>—</b> .		
OxA-17888 (109							-	
Boundary BA 2/B	43					-		
Phase BA 4								
OxA-17466 (86.	6)					- manual	<u>m</u>	
OxA-17720 (83.		1				_ <u>A</u> :=	-	
OxA-12644 (110		1						
		L					-	
Boundary BA 4/B	40		-				-	
Phase BA 5								
OxA-17718? (0.	0%)					<b></b>		
OxA-17719 (108	3.9)	1					<u></u>	
OxA-17717? (0.		1						
		1						
OxA-17716? (0.0		1			-	-	-	
OxA-16702 (108							=	
	9)	L					-	
OxA-16703 (91								
OxA-16703 (91.								
OxA-16703 (91) Boundary BA 5/1A								
OxA-16703 (91. Boundary BA 5/IA Phase IA 1	1					1 2		
OxA-16703 (91) Boundary BA 5/1A Phase IA 1 Wk-12646 (99.8)	)							
OxA-16703 (91. Boundary BA 5/IA Phase IA 1 Wk-12646 (99.8 OxA-17890? (16	) 5.2%)						<b></b>	
OxA-16703 (91) Boundary BA 5/1A Phase IA 1 Wk-12646 (99.8)	) ) 5.2%)							
OxA-16703 (91. Boundary BA 5/A Phase IA 1 Wk-12646 (99.8 OxA-17890? (16 OxA-17894? (2.)	) 5.2%) 1%)							
OxA-16703 (91 Boundary BA 5/A Phase IA 1 Wk-12646 (99.8 OxA-17890? (16 OxA-17894? (2: OxA-17895 (100	) 5.2%) 1%) 0.5)						****	
OxA-16703 (91 Boundary BA 5/A Phase IA 1 Wk-12646 (99.8 OxA-17890? (16 OxA-17894? (2: OxA-17895 (100 OxA-17991 (99)	) 5.2%) 1%) 0.5) 8)							-
OkA-16703 (91 Boundary BA 5/A Phase IA 1 Wk-12646 (99.8 OkA-17890? (16 OkA-17894? (2) OkA-17895 (100 OkA-17895 (88) OkA-17896 (88)	) 5.2%) 1%) 0.5) 8) 3)							<u>.</u>
OkA-16703 (91 Boundary BA 5/A Phase IA 1 Wfk-12646 (99.8 OkA-17890? (16 OkA-17894? (2 OkA-17895 (100 OkA-17991 (99. OkA-17896 (88. OkA-17892 (5	) 5.2%) 1%) 0.5) 8) 3) 2%)							<u>-</u>
OxA-16703 (91 Boundary BA 5/A Phase IA 1 Wk-12646 (99.8 OxA-17890? (16 OxA-17894? (2) OxA-17895 (100 OxA-17895 (88) OxA-17896 (88)	) 5.2%) 1%) 0.5) 8) 3) 2%)							<u>a</u>
OkA-16703 (91 Boundary BA 5/A Phase IA 1 Wk-12646 (99.8 OkA-17890? (16 OkA-17897 (16 OkA-17895 (100 OkA-17991 (99). OkA-17992? (5). OkA-17992? (5). OkA-16704 (99).	) 5.2%) 1%) 0.5) 8) 3) 2%) 5)							<u> </u>
OkA-16703 (91 Boundary BA 5/A Phase IA 1 Wk-12646 (99.8 OkA-17890? (16 OkA-17894? (2) OkA-17895 (100 OkA-17991 (99. OkA-17896 (88. OkA-17992? (5)	) 5.2%) 1%) 0.5) 8) 3) 2%) 5)							<u>-</u>
OkA-16703 (91 Boundary BA 5/A Phase IA 1 Wk-12646 (99.8 OkA-17890? (16 OkA-17897 (16 OkA-17895 (100 OkA-17991 (99). OkA-17992? (5). OkA-17992? (5). OkA-16704 (99).	) 2%) 1%) 0.5) 8) 3) 2%) 5) 1	00 250	00 200	00 150	0 100			≝

Figure 7. Probability distributions of dates relating to the cultural sequence of Ban Non Wat (OxCal v4.0.5 Bronk Ramsey (2001); r:5 IntCal04 atmospheric curve (Reimer et al. 2004)).



Modelled date (BC/AD)

Figure 8. The boundaries between the successive phases of occupation and mortuary activity at Ban Non Wat.




Figure 9. The spans of the occupation and mortuary phases at Ban Non Wat.

3 burials seal one group of BA 2 graves. Equally wealthy, this group is dated to the ninth century BC with a span of only a few years. Perhaps they were only one generation later than those they overlie.

The transition from BA 3 to BA 4 took place between 810-780 cal BC. Numerous BA 4 graves were laid out in long rows and were interred over a period of between 20-133 years. It is considered probable that the rows formed at the same period, perhaps reflecting a rise in the population. Individuals were distinctly poorer than their predecessors. Now only a handful of ceramic vessels were placed beyond the head and feet, and bronzes were rare almost to the point of being absent. However, local casting was undertaken, evidenced by one man interred with multiple sets of bivalve clay moulds for the casting of bangles and

Cultural period	Date in calibrated radiocarbon years (BC)			
Flexed burials	1750-1050			
Neolithic 1	1650-1250			
Neolithic 2	1250-1050			
Bronze Age 1	1050-1000			
Bronze Age 2	1000-900			
Bronze Age 3	900-800			
Bronze Age 4	800-700			
Bronze Age 5	700-420			
Iron Age 1	420-100			
Iron Age 2	200-AD 200			
Iron Age 3	AD 200-400			
Iron Age 4	AD 300-500			
Early Historic	500-			

Table 2. A summary of the prehistoric chronology for the upper Mun Valley, based on the radiocarbon determinations for Ban Non Wat, Ban Lum Khao and Noen U-Loke.

socketed axes. Some individuals wore shell and marble bangles or beads, but never in the former abundance.

By the eighth century, we enter the region of the radiocarbon calibration curve known as the Hallstatt Plateau (Zaitseva *et al.* 2005). This has affected the establishment of a tight chronology for the BA 5 cemetery. The burials, while including ceramic vessels derived from BA 4 prototypes, present a new configuration. Graves were tightly grouped in rows and many contained spindle whorls that probably reflect specialist weavers. Again, no burial remotely matches the wealth of those found four centuries earlier during BA 2 and 3.

As one progresses eastward, some burials incorporated iron offerings, in the form of large spears, three at least being bimetallic with bronze hafts and iron blades. The *terminus post quem* for the Iron Age burials lies between 464-347 cal BC at 68.2% probability. There were sets of iron tools, and iron bangles. Some rare glass ornaments were encountered: earrings and beads. This horizontal stratigraphy with a merging between the late Bronze Age and the use of iron suggests that we have encountered the very beginnings of iron technology at this site, dated in the late fifth century BC. Graves were tightly packed in rows and superimposed in a palimpsest of skeletons. No individuals stood out on the basis of mortuary wealth or display. However, at the site of Noen U-Loke, only 3km distant, we identified a surge in mortuary wealth in the later Iron Age, a phase only poorly represented as yet at Ban Non Wat. It was probably during this slightly later juncture, that the water control measures in the form of banks and moats were constructed round these settlements. These were substantial engineering works that would have entailed much labour. Their construction implies a high degree of social control over resources.

# Implications for social change

Excavations at the site of Ban Chiang in 1975 led to White's (1995) view of a heterarchic social organisation for Bronze Age Southeast Asia. However if we were to superimpose the area excavated there over any part of the mortuary plan for Ban Non Wat, we would find that in one area there was no evidence for Neolithic occupation and in another, no rich Bronze Age burials (Figure 4). In the west of the opening at Ban Non Wat, there would be no Iron Age burials and in the north no flexed interments. We feel that small sample sizes lie behind the dating anomalies, and accept that *'Explaining (or eliminating) this anomalous situation is one of the major challenges of archaeological and archaeometallurgical research during the next decade'* (Muhly 1988: 16).

If, for the moment at least, we accept that the chronological contexts at Ban Non Wat are the more representative, we find that the initial Neolithic settlement, by a highly sophisticated community, was considerably later than the fifth millennium BC as suggested by White on the basis of two radiocarbon determinations (White 1997: 103), and later than the third millennium BC contexts found as almost standard in the literature. Most significantly, we have found that the Bronze Age began as a brief starburst of social display in about 1000 BC, a millennium later than has been suggested by White and Pigott (1996) and Bacus (2006). With the later Bronze and early Iron Ages, the dense packing of graves is compatible with a longer duration, perhaps reflecting a sharp rise in the population of Ban Non Wat. The site was now the focus of iron forging, bronze casting, weaving and pottery manufacture. It was also a period when salt was processed on a large scale, and when social friction was on the rise, seen in the production of iron weaponry, and the construction of defensive banks and moats round settlements sometimes uncomfortably close to each other. One young man at Noen U-Loke was killed when an iron arrowhead severed his spine (Higham, C.F.W. et al. 2007: 227). These are all factors that underlie the rapid crystallisation of early Southeast Asian states in the fourth and fifth centuries AD.

Acceptance of this dated cultural sequence means viewing Southeast Asian prehistory in a new light. Until the eighteenth century BC, the uplands and inland plains were occupied by small groups of hunter-gatherers, while the rich coastal estuaries attracted settlement that was probably of a more sedentary nature (Higham & Thosarat 1998). This extensive area then witnessed the intrusion of fully-fledged Neolithic groups bringing with them their domestic rice, millet and domestic stock. These people can be traced in terms of their material culture, north into Lingnan and ultimately, the valley of the Yangtze River. Possibly at Ban Non Wat, and assuredly at the site of Khok Phanom Di, we can identify cultural contacts between hunter-gatherers and farmers (Higham & Thosarat 2004b; Bentley et al. 2007). Exchange networks rapidly formed, bringing marine shell and exotic stone to inland communities. It may well have been through such networking, that during the late eleventh and tenth centuries, copper and tin smelting and trade in finished bronzes, or metal in ingot form, were established. At this point, social display in mortuary contexts rapidly entered a new and impressive phase. This was not confined to one or two individuals in a group, nor was it restricted to members of one sex. Rather, we find mortuary lobes in which men, women, infants and children were equally endowed with wealth objects. Whereas at Ban Non Wat, all burials of this period were wealthy, contemporary graves at nearby Ban Lum Khao, while containing virtually identical early ceramic vessels, were starkly poorer, without a single bronze grave good being encountered (Higham & O'Reilly 2004). Identifying a similarly poor BA1-2 lobe of the Ban Non Wat cemetery would suggest a markedly hierarchic social order there.

However, after a handful of generations, the degree of wealth at Ban Non Wat declined sharply. Only in the latter stages of the Iron Age, just on the cusp of state formation, did mortuary wealth rival the level attained in the Early Bronze Age. White (1995: 101) commenting on the late development of states in Southeast Asia, wrote that 'This lateness seems striking, as prehistoric archaeology has demonstrated the long term presence of two technological and economic factors considered important in state formation elsewhere: i) cultivation since the fourth millennium BC of a cereal (rice), ... and ii) specialized production of copper-base metals dating at least from the first half of the second millennium BC.'

The chronological framework for Ban Non Wat provides a stark contrast. It implies that in little over two millennia, a series of cultural developments that began with pioneer rice farmers, ended with the early foundations of the Kingdom of Angkor. The sequence at Ban Non Wat when linked with that of Noen U-Loke suggests that there were at least two periods of hierarchic social development during the Early Bronze and the later Iron Age, and a much more rapid development of indigenous states than has previously been suggested.

# Conclusion

With the development of Bayesian statistical analyses of large samples of provenanced radiocarbon determinations, we have entered a new phase in the appropriate employment of the radiocarbon dating technique. We have identified and dated a cultural sequence that radically shortens the duration of the prehistoric period from the initial settlement of farmers to the foundation of early states. Hence, a vibrant, innovative and constantly changing cultural pattern appears in place of five somnolent millennia. In our view, the number of samples on which previous interpretations are based is insufficient, and their correspondence with the events being dated is often questionable. We conclude that problems associated with inbuilt age, mixed samples, the unreliability of results from organic ceramic tempers, insufficient determinations and methods of interpretation now shown to be importantly wrong, require the rejection of all previous attempts to date Southeast Asian prehistory radiometrically. While this might seem radical and drastic, we feel that in establishing a firmer chronological foundation, we offer a stronger model for future testing. We are well aware that in doing so, the chronological framework for Ban Non Wat is unlikely to incorporate the earliest regional evidence for Neolithic, Bronze or Iron Age periods, but demonstrating this will require many dates from assured contexts, in which prior knowledge permits the application of the Bayesian method. These will necessarily entail periods of long, dedicated and intensive fieldwork.

### Acknowledgements

The excavation of Ban Non Wat was undertaken with the permission of the National Research Council of Thailand and the Thai Fine Arts Department. Dr Rachanie Thosarat and Dr Amphan Kijngam have been co-directors of the excavation programme. Dr Nancy Tayles, Dr Nigel Chang, Dr Siân Halcrow, Professor William Boyd, Dr Alex. Bentley, Mr Peter Petchey, Dr Warrachai Wiriyaromp and numerous graduate students have contributed vital support from the beginning of the project. We wish to acknowledge the Marsden Fund and Earthwatch and its research corps for financially supporting the excavation of Ban Non Wat. Funding for radiocarbon determinations has been provided by the Marsden Fund, the Arts and Humanities Research Council of the United Kingdom grant AH/F009275/1 and by Ben Castricone and Patti Yamane of Uniforce Sales and Engineering. Staff of the Oxford Radiocarbon Accelerator Unit, University of Oxford, are thanked for their careful analytical work on the samples dated from Ban Non Wat. We are grateful to Professor P. Bellwood, Dr Elizabeth Moore, Dr Alex Bentley, Dr V. Pigott, Dr Hayden Cawte, Oliver Pryce, Dr Per Sørensen, Dr Dougald O'Reilly, Dr Sarah Talbot, Professor James Muhly and an anonymous reviewer for their helpful comments on this article.

#### References

- ASHMORE, P.J. 1999. Radiocarbon dating: avoiding errors by avoiding mixed samples. *Antiquity* 73: 124-30.
- BACUS, E.A. 2006. Social identities in Bronze Age Northeast Thailand: intersections of gender, status and ranking at Non Nok Tha, in E.A. Bacus, I.C. Glover & V.C. Pigott (ed.) Uncovering Southeast Asia's past: 105-15. Singapore: NUS Press.
- BAYARD, D.T. 1972. Early Thai bronze: analysis and new dates. *Science* 176: 1411-2.
- -1979. The chronology of prehistoric metallurgy in Northeast Thailand: *Silabhumi* or *Samrddhabhumi*?, in R.B. Smith & W. Watson (ed.) *Early South East Asia*: 15-32. New York & London: Oxford University Press for School of Oriental and African Studies.
- BAYARD, D.T. & P. CHAROENWONGSA. 1983. The development of metallurgy in Southeast Asia: reply to Loofs-Wissowa. *Journal of Southeast Asian Studies* 14(1): 12-17.
- BAYLISS, A., C. BRONK RAMSEY, J. VAN DER PLICHT & A. WHITTLE. 2007. Bradshaw and Bayes: towards a timetable for the Neolithic. *Cambridge Archaeological Journal* 17(1) (Supplement): 1-28.
- BAYLISS, A. & A. WHITTLE (ed.) 2007. Histories of the dead: building chronologies for five southern British long barrows (Cambridge Archaeological Journal 17(1) Supplement). Cambridge: Cambridge University Press.
- BENTLEY, R.A., N.G. TAYLES, C.F.W. HIGHAM, C. MACPHERSON & T.C. ATKINSON. 2007. Shifting gender relations at Khok Phanom Di, Thailand. *Current Anthropology* 48: 301-14.
- BRONK RAMSEY, C. 1995. Radiocarbon calibration and analysis of stratigraphy: the OxCal program. *Radiocarbon* 37(2): 425-30.
- -2001. Development of the radiocarbon calibration program OxCal. *Radiocarbon* 43(2A): 355-63.
- -2005. Improving the resolution of radiocarbon dating by statistical analysis, in T.E. Levy & T. Higham (ed.) *The Bible and radiocarbon dating - archaeology, text and science*: 57-64. London: Equinox.

- BUCK, C.E., C.D. LITTON & A.G.M. SMITH. 1992. Calibration of radiocarbon results pertaining to related archaeological events. *Journal of Archaeological Science* 19: 497-512.
- BUCK, C.E., W.G. CAVANAGH & C.D. LITTON. 1996. Bayesian approach to interpreting archaeological data. Chichester: John Wiley & Sons.
- FULLER, D., N. BOIVIN & R. KORISETTAR. 2007. Dating the Neolithic of South India: new radiometric evidence for key economic, social and ritual transformations. *Antiquity* 81: 755-78.
- GORMAN, C.F. & P. CHAROENWONGSA. 1976. Ban Chiang: a mosaic of impressions from the first two years. *Expedition* 8: 14-26.
- HIGHAM, C.F.W. 1983. The Ban Chiang culture in wider perspective. *Proceedings of the British Academy* 69: 229-61.
- -1996. *The Bronze Age of Southeast Asia*. Cambridge: Cambridge University Press.
- -2004. The opposed human figure at Khok Phanom Di. *Journal of the Siam Society* 92: 15-36.
- HIGHAM, C.F.W. & D.J.W. O'REILLY. 2004. Social aspects of the Ban Lum Khao cemetery, in C.F.W. Higham & R. Thosarat (ed.) *The origins of the civilization of Angkor. Volume 1: the excavation of Ban Lum Khao*: 301-23. Bangkok: Fine Arts Department of Thailand.
- HIGHAM, C.F.W. & R. THOSARAT (ed.). 1998. The excavation of Nong Nor, a prehistoric site in Central Thailand (Otago University Studies in Prehistoric Anthropology 18). Otago: University of Otago, Department of Anthropology.
- HIGHAM, C.F.W. & R. THOSARAT. 2004a. The excavation of Khok Phanom Di. Volume VII: summary and conclusions (Report of the Research Committee of the Society of Antiquaries of London 72). London: Society of Antiquaries of London.
- HIGHAM, C.F.W. & R. THOSARAT (ed.). 2004b. *The* origins of the civilization of Angkor. Volume 1: the excavation of Ban Lum Khao. Bangkok: Fine Arts Department of Thailand.

- HIGHAM, C.F.W., A. KIJNGAM & S. TALBOT (ed.). 2007. The origins of the civilization of Angkor. Volume 2: the excavation Noen U-Loke and Non Muang Kao. Bangkok: Fine Arts Department of Thailand.
- HIGHAM, T.F.G. 2004. Dating the occupation of Ban Lum Khao, in C.F.W. Higham & R. Thosarat (ed.) *The origins of the civilization of Angkor. Volume 1: the excavation of Ban Lum Khao*: 5-7. Bangkok: Fine Arts Department of Thailand.
- HIGHAM, T.F.G., J. VAN DER PLICHT, C. BRONK RAMSEY, H.J. BRUINS, M. ROBINSON & T.E. LEVY. 2005. Radiocarbon dating of the Khirbat-en Nahas site (Jordan) and Bayesian modeling of the results, in T.E. Levy & T.F.G. Higham (ed.) *The Bible and radiocarbon dating – archaeology, text and science*: 164-78). London: Equinox.
- HIGHAM, T.F.G., J. CHAPMAN, V. SLAVCHEV, B. GAYDARSKA, N. HONCH, Y. YORDANOV & B. DIMITROVA. 2007. New perspectives on the Varna cemetery (Bulgaria) - AMS dates and social implications. *Antiquity* 81: 640-54.
- LIU, L., G. AH-LEE, L. JIANG & J. ZHANG. 2007. Evidence for the early beginning (c.9000 cal BP) of rice domestication in China: a response. *The Holocene* 17: 1059-68.
- LOOFS-WISSOWA, H.H.E. 1983. The development and spread of metallurgy in Southeast Asia: a review of the present evidence. *Journal of Southeast Asian Studies* 14: 1-11.
- MCGRATH, R.J., W.E. BOYD & R.T. BUSH. 2007. The palaeohydrological context of the Iron Age floodplain sites of the Mun River Valley, Northeast Thailand. *Geoarchaeology* 23: 151-72.
- MOVIUS, H.L. 1960. Radiocarbon dates and Upper Palaeolithic archaeology in Central and Western Europe. *Current Anthropology* 1: 355-91.
- MUHLY, J. 1988. The beginnings of metallurgy in the Old World, in R. Maddin (ed.) *The beginnings of the use of metals and alloys*: 2-20. Cambridge (MA) & London: MIT Press.
- REIMER, P.J., M.G.L. BAILLIE, E. BARD, A. BAYLISS, J.W. BECK, C.J.H. BERTRAND, P.G. BLACKWELL, C.E. BUCK, G.S. BURR, K.B. CUTLER, P.E. DAMON, R.L. EDWARDS, R.G. FAIRBANKS, M. FRIEDRICH, T.P. GUILDERSON, A.G. HOGG, K.A. HUGHEN, B. KROMER, G. MCCORMAC, S. MANNING, C. BRONK RAMSEY, R.W. REIMER, S. REMMELE, J.R. SOUTHON, M. STUIVER, S. TALAMO, F.W. TAYLOR, J. VAN DER PLICHT & C.E. WEYHENMEYER. 2004. IntCal04 terrestrial radiocarbon age calibration, 0-26 cal kyr BP. *Radiocarbon* 46(3): 1029-58.

- RISPOLI, F. In press 2008. The incised and impressed pottery style of mainland Southeast Asia: following the path of Neolithization. *East and West* 57 (in press).
- SOLHEIM II, W.G. 1968. Early bronze in Northeastern Thailand. *Current Anthropology* 9: 59-62.
- -1970. Northern Thailand, Southeast Asia, and World prehistory. *Asian Perspectives* 13: 145-62.
- WHITE, J.C. 1995. Incorporating heterarchy into theory on socio-political development: the case from Southeast Asia, in R. Ehrenreich, C. Crumley & J. Levy (ed.) *Heterarchy and the analysis of complex societies*: 101-23. Washington (D.C.): American Anthropological Association.
- -1997. A brief note on new dates for the Ban Chiang cultural tradition. *Bulletin of the Indo-Pacific Prehistory Association* 16: 103-6.
- WHITE, J.C. & V.C. PIGOTT. 1996. From community craft to regional specialisation: intensification of copper production in pre-state Thailand, in B.
  Wailes (ed.) *Craft specialization and social evolution: in memory of V. Gordon Childe* (University Museum Monograph 93): 151-76. Philadelphia (PA): University of Pennsylvania Museum of Archaeology and Anthropology.
- WIRIYAROMP, W. 2007. The Neolithic period in Thailand. Unpublished PhD dissertation, University of Otago.
- ZAITSEVA, G.I., K.V. CHUGUNOV, N.A. BOKOVENKOI, V.I. DERGACHEV, V.G.DIRKSEN, B. VAN GEEL, M.A. KOULKOVAI, L.M. LEBEDEVA, A.A. SEMENTSOV, J. VAN DER PLICHT, E.M. SCOTT, S.S. VASILIEV, K.I. LOKHOV & N. BOUROVA. 2005. Chronological study of archaeological sites and environmental change around 2600 bp in the Eurasian steppe belt (Uyuk valley, Tuva Republic). *Geochronometria* 24: 97-107.

Laboratory code	Sample	δ <sup>13</sup> C(‰)	Radiocarbon age (BP)	Calibrated age range (95.4% confidence)	Posterior probability distribution (95.4% probability)
			-8- ()		Freedom (J)
Period 1. Flex OxA-18141	ed burials Burial 454, bivalve shell	-4.61	$2262 \pm 27$	17/1 1527 and PC	
			$3362 \pm 27$	1741-1537 cal BC	
OxA-18142 OxA-15942	Burial 461, bivalve shell Burial 438, bivalve shell	-5.12 -5.00	$3204 \pm 27$ $2948 \pm 29$	1521-1423 cal BC 1262-1055 cal BC	
				1202-1099 car bC	
	tial Neolithic occupation 1814-1, nic occupation	544 cal BC			
Wk-12647	B3 layer 4:9 feature 1, charcoal from Neolithic hearth	-27.2	$3221 \pm 40$	1608-1418 cal BC	1606-1446 cal BC
OxA-12660	B2 4a:8 feature 35, charcoal from Neolithic shell midden	-25.6	$3348 \pm 30$	1734-1531 cal BC	1685-1526 cal BC
OxA-13468	C1 4:15 feature 1, charcoal from Neolithic shell midden	-27.3	$3316\pm30$	1682-1521 cal BC	1661-1517 cal BC
OxA-15248	AA1 5:3, charcoal from Neolithic shell midden	-26.5	$3349 \pm 29$	1735-1531 cal BC	1688-1525 cal BC
OxA-17457	E2 5:2 feature 1, charcoal	-4.5	3181 <u>+</u> 29	1505-1409 cal BC	1522-1440 cal BC
Boundary tra Neolithic 1 b	nsition, Neolithic occupation to N urials	Neolithic 1	burials <i>1502-1</i>	428 cal BC	
OxA-11722	Burial 28, charcoal	-24.3	$3680 \pm 45$	2150-1935 cal BC	1400 1402 JPC
OxA-18133	Burial 28, bivalve shell	-6.10	$3170 \pm 27$	1499-1407 cal BC	1489-1402 cal BC
OxA-13467	Burial 179, charcoal	-26.2	$3399 \pm 32$	1862-1616 cal BC	1866-1609 cal BC
OxA-13534	Burial 195, charcoal within infant jar burial	-25.7	$3213\pm30$	1598-1419 cal BC	1487-1415 cal BC
OxA-16700	Burial 86, bivalve shell <i>Pseudodon</i>	-6.74	$3100\pm28$	1434-1304 cal BC	1442-1377 cal BC
OxA-11723	Burial 32, charcoal within mortuary vessel	-28.7	$3190\pm55$	1611-1321 cal BC	1481-1391 cal BC
OxA-16699	Burial 32, bivalve shell	-5.5	3156 <u>+</u> 28	1497-1392 cal BC	1472-1394 cal BC
Boundary tra Later Neolith	nsition, Neolithic 1 burials to late ic occupation	Neolithic o	occupation 143	30-1345 cal BC	
OxA-12661	B4 5:1 feature 4, charcoal from a hearth	-25.9	2978 <u>+</u> 30	1371-1114 cal BC	1372-1059 cal BC
OxA-15247	D5 4:11 to 5:1, charcoal from late Neolithic pit	-27.6	$3014 \pm 29$	1386-1132 cal BC	1391-1217 cal BC
OxA-12545	B2 4A:5 feature 34, late Neolithic charcoal	-24.8	$3078\pm30$	1419-1268 cal BC	1407-1273 cal BC
Late Neolithi	c occupation at Ban Lum Khao				
Wk-4507	B1:B 3:3 pit 1, charcoal	-26.9	$3080 \pm 50$	1435-1209 cal BC	
WK-4508	A1:C 3:2, charcoal	-27.0	$3010 \pm 60$	1394-1068 cal BC	
Wk-4509	A1:C3:2 feat. 1, charcoal	-25.7	$3000 \pm 80$	1410-1019 cal BC	
Wk-4510	B1:A3 surf. 3 pit 1, charcoal	-26.1	$3043 \pm 82$	1449-1019 cal BC	
Wk-4511	A1:A surf. 3 lens 1, charcoal	-25.9	$3120 \pm 50$	1461-1255 cal BC	
	nsition, Neolithic 1 to Neolithic 2				
OxA-18140	Burial 31, bivalve shell	-2.89	$2955 \pm 26$	1266-1055 cal BC	1263-1056 cal BC
UM-10140	Durial J1, Divalve Shell	2.0)	2777 <u>-</u> 20	1200-1077 tai DC	1205-1070 tut DC

Appendix: Table 1. The radiocarbon determinations for Ban Non Wat.

142

	Laboratory code	Sample	δ <sup>13</sup> C(‰)	Radiocarbon age (BP)	Calibrated age range (95.4% confidence)	Posterior probability distribution (95.4% probability)		
OxA-12544         Y1 9:2 feature 1, charcoal         -24.3         2853 ± 32         1121-924 cal BC         1116-976 cal BC           OxA-12658         Y1 8:4 feature 2, charcoal         -26.3         2852 ± 28         1117-927 cal BC         1116-976 cal BC           OxA-12544         Y1 8:4 feature 1, charcoal         -26.9         2829 ± 29         108-905 cal BC         1116-976 cal BC           OxA-15246         AA5 4:7 feature 4, charcoal         -25.6         2823 ± 28         1052-904 cal BC         1116-972 cal BC           Boundary transition, Bronze Age occupation to Bronze Age 1 burials         1112-955 cal BC         1039-938 cal BC         1039-938 cal BC           OxA-17455         Burial 260, bivalve shell         -7.1         2818 ± 29         1051-901 cal BC         1039-938 cal BC           OxA-16701         Burial 290, bivalve shell         -7.80         2866 ± 31         1130-926 cal BC         098-811 cal BC           OxA-16341         Burial 290, bivalve shell         -7.80         2817 ± 30         1056-896 cal BC         988-916 cal BC           OxA-164701         Burial 571, bivalve shell         -7.50         2733 ± 27         926-816 cal BC         930-827 cal BC           OxA-17458         Burial 571, bivalve shell         -9.4         2791 ± 28         1047-904 cal BC         1004-844 cal BC <td colspan="8"></td>								
OxA-12544         Y1 9:2 feature 1, charcoal         -24.3         2853±32         1121-924 cal BC         1116-976 cal BC           OxA-12658         Y1 8:4 feature 3, charcoal         -26.3         2852±28         1107-972 al BC         1116-976 cal BC           OxA-12543         Y1 8:4 feature 3, charcoal         -25.0         2830±45         1127-850 cal BC         1116-976 cal BC           OxA-15246         A5 4:7 feature 4, charcoal         -25.6         2823±28         1052-904 cal BC         1116-972 cal BC           Boundary transition, Bronze Age occupation to Bronze Age         Intral 14-955 cal BC         1116-972 cal BC         1116-972 cal BC           Stonze Age 1 burials         -4.0         2709±28         907-809 BC         909-811 cal BC           OxA-16705         Burial 569, bivalve shell         -7.1         2818±29         1051-901 cal BC         1039-938 cal BC           Stonze Age 2 burials         Darial 290, bivalve shell         -7.40         2817±30         1056-896 cal BC         908-811 cal BC           OxA-16341         Burial 290, bivalve shell         -7.50         2733±27         926-816 cal BC         906-813 cal BC           OxA-17456         Burial 550, bivalve shell         -11.3         2697±28         902-802 cal BC         906-813 cal BC           OxA-17456         Bur	OxA-12657	Y1 9:2 feature 5, charcoal	-26.4	$2978 \pm 29$	1370-1115 cal BC	1310-1120 cal BC		
OxA-12658         Y1 8.4 feature 2, charcoal         -26.3         2852 ± 28         1117-927 cal BC         1116-976 cal BC           OxA-12659         Y1 8.4 feature 1, charcoal         -26.9         2830 ± 45         1127-850 cal BC         1116-972 cal BC           OxA-15246         AA5 4:7 feature 4, charcoal         -25.6         2832 ± 28         1052-904 cal BC         1116-972 cal BC           Boundary transition, Bronze Age occupation to Bronze Age 1 burials         1114-955 cal BC         907-809 BC         909-811 cal BC           OxA-16705         Burial 46, bivalve shell         -7.1         2818 ± 29         1051-901 cal BC         1039-938 cal BC           OxA-1640         Burial 290, bivalve shell         -7.40         2817 ± 30         1056-896 cal BC         988-916 cal BC           OxA-16341         Burial 290, bivalve shell         -7.40         2817 ± 30         1056-896 cal BC         988-916 cal BC           OxA-16341         Burial 290, bivalve shell         -7.40         2817 ± 30         1020-890 cal BC         906-827 cal BC           OxA-1671         Burial 571, bivalve shell         -7.40         2817 ± 20         1020-890 cal BC         906-827 cal BC           OxA-17458         Burial 571, bivalve shell         -8.10         2731 ± 27         926-816 cal BC         906-823 cal BC	OxA-12544	Y1 9:2 feature 1, charcoal	-24.3	$2853 \pm 32$	1121-924 cal BC	1116-974 cal BC		
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	OxA-12658	Y1 8:4 feature 2, charcoal	-26.3	$2852 \pm 28$	1117-927 cal BC	1116-976 cal BC		
OxA-15246AA5 4:7 feature 4, charcoal $-25.6$ $2823 \pm 28$ $1052-904$ cal BC $1116-972$ cal BCBoundary transition, Bronze Age occupation to Bronze Age 1 burials $1114-955$ cal BC $BC$ $909-811$ cal BCBornze Age 1 burialsBurial 46, bivalve shell $-4.0$ $2709 \pm 28$ $907-809$ BC $909-811$ cal BCOxA-1745Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1039-938$ cal BCBoundary transition, Bronze Age 1 to Bronze Age 2 burials $1003-940$ BC $1039-936$ cal BC $1039-938$ cal BCOxA-16340Burial 290, bivalve shell $-7.40$ $2817 \pm 30$ $1056-896$ cal BC $988-916$ cal BCOxA-15245Burial 290, charcoal $-25.4$ $2796 \pm 30$ $1020-890$ cal BC $906-813$ cal BCOxA-17456Burial 90, bivalve shell $-7.50$ $2733 \pm 27$ $926-816$ cal BC $906-813$ cal BCOxA-17456Burial 571, bivalve shell $-11.3$ $2697 \pm 28$ $902-806$ cal BC $906-813$ cal BCOxA-17458Burial 550, bivalve shell $-9.4$ $2817 \pm 28$ $1047-904$ cal BC $1004-44$ cal BCOxA-17459Burial 550, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $991-843$ cal BCOxA-17461Burial 532, bivalve shell $-7.6$ $2768 \pm 28$ $997-857$ cal BC $997-870$ cal BCOxA-17464Burial 530, bivalve shell $-7.7$ $2781 \pm 29$ $1041-898$ cal BC $991-843$ cal BCOxA-17464Burial 543, bivalve shell $-7.7$ $278 \pm 28$ $912-846$ cal BC	OxA-12659	Y1 8:4 feature 3, charcoal	-26.9	$2829 \pm 29$	1108-905 cal BC	1116-979 cal BC		
Boundary transition, Bronze Age occupation to Bronze Age 1 burials 1114-955 cal BC Bronze Age 1 burials	OxA-12543	Y1 8:4 feature 1, charcoal	-25.0	$2830 \pm 45$	1127-850 cal BC	1118-973 cal BC		
Bronze Åge 1 burials       OxA-16705       Burial 446, bivalve shell       −4.0       2709 ± 28       907-809 BC       909-811 cal BC         OxA-17465       Burial 569, bivalve shell       −7.1       2818 ± 29       1051-901 cal BC       1039-938 cal BC         Boundary transition, Bronze Age 1 to Bronze Age 2 burials       1003-940 BC       1039-938 cal BC       1039-938 cal BC         Bornze Age 2 burials       OxA-16340       Burial 290, bivalve shell       −7.40       2817 ± 30       1056-896 cal BC       988-916 cal BC         OxA-16701       Burial 90, bivalve shell       −7.50       2733 ± 27       926-816 cal BC       930-827 cal BC         OxA-17456       Burial 550, bivalve shell       −7.50       2733 ± 27       925-815 cal BC       926-813 cal BC         OxA-17450       Burial 550, bivalve shell       −8.10       2731 ± 27       925-815 cal BC       926-813 cal BC         OxA-17459       Burial 555, bivalve shell       −8.8       2912 ± 29       1248-1010 cal BC       1046-844 cal BC         OxA-17460       Burial 536, bivalve shell       −7.4       2807 ± 71       1041-898 cal BC       997-847 cal BC         OxA-17463       Burial 536, bivalve shell       −7.0       2768 ± 28       997-837 cal BC       997-846 cal BC         OxA-17464       Burial 536, bivalve	OxA-15246	AA5 4:7 feature 4, charcoal	-25.6	$2823\pm28$	1052-904 cal BC	1116-972 cal BC		
OxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1039-938$ cal BCBoundary transition, Bronze Age 1 to Bronze Age 2 burials $1003-940$ BCBronze Age 2 burialsBurial 290, bivalve shell $-7.40$ $2866 \pm 31$ $1130-926$ cal BC $988-916$ cal BCOxA-16341Burial 290, bivalve shell $-7.40$ $2817 \pm 30$ $1056-896$ cal BC $988-916$ cal BCOxA-17455Burial 290, charcoal $-25.4$ $2795 \pm 30$ $1020-890$ cal BC $906-813$ cal BCOxA-17456Burial 90, bivalve shell $-7.50$ $2733 \pm 27$ $926-816$ cal BC $906-813$ cal BCOxA-17456Burial 571, bivalve shell $-11.3$ $2697 \pm 28$ $902-806$ cal BC $906-813$ cal BCOxA-17456Burial 550, bivalve shell $-9.4$ $2817 \pm 28$ $1002-904$ cal BC $1004-844$ cal BCOxA-17450Burial 552, bivalve shell $-9.4$ $2817 \pm 28$ $1047-904$ cal BC $1004-844$ cal BCOxA-17461Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $997-837$ cal BCOxA-17462Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $997-846$ cal BCOxA-17463Burial 536, bivalve shell $-7.7$ $2766 \pm 28$ $997-837$ cal BCOxA-17464Burial 570, bivalve shell $-7.7$ $2766 \pm 28$ $97-846$ cal BCOxA-17465Burial 570, bivalve shell $-7.7$ $2766 \pm 28$ $97-846$ cal BCOxA-17467Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $97$	•	0 1	to Bronze A	ge 1 burials 111	14-955 cal BC			
OxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1039-938$ cal BCBoundary transition, Bronze Age 1 to Bronze Age 2 burials $1003-940$ BCBronze Age 2 burialsBurial 290, bivalve shell $-7.40$ $2866 \pm 31$ $1130-926$ cal BC $988-916$ cal BCOxA-16341Burial 290, bivalve shell $-7.40$ $2817 \pm 30$ $1056-896$ cal BC $988-916$ cal BCOxA-17455Burial 290, charcoal $-25.4$ $2795 \pm 30$ $1020-890$ cal BC $906-813$ cal BCOxA-17456Burial 90, bivalve shell $-7.50$ $2733 \pm 27$ $926-816$ cal BC $906-813$ cal BCOxA-17456Burial 571, bivalve shell $-11.3$ $2697 \pm 28$ $902-806$ cal BC $906-813$ cal BCOxA-17456Burial 550, bivalve shell $-9.4$ $2817 \pm 28$ $1002-904$ cal BC $1004-844$ cal BCOxA-17450Burial 552, bivalve shell $-9.4$ $2817 \pm 28$ $1047-904$ cal BC $1004-844$ cal BCOxA-17461Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $997-837$ cal BCOxA-17462Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $997-846$ cal BCOxA-17463Burial 536, bivalve shell $-7.7$ $2766 \pm 28$ $997-837$ cal BCOxA-17464Burial 570, bivalve shell $-7.7$ $2766 \pm 28$ $97-846$ cal BCOxA-17465Burial 570, bivalve shell $-7.7$ $2766 \pm 28$ $97-846$ cal BCOxA-17467Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $97$	OxA-16705	Burial 446, bivalve shell	-4.0	2709 + 28	907-809 BC	909-811 cal BC		
Bronze Age 2 burials         OxA-16340       Burial 290, bivalve shell       −7.80       2866 ± 31       1130-926 cal BC         OxA-16341       Burial 290, bivalve shell       −7.40       2817 ± 30       1056-896 cal BC       988-916 cal BC         OxA-16701       Burial 290, bivalve shell       −7.50       2733 ± 27       926-816 cal BC       930-827 cal BC         OxA-16701       Burial 571, bivalve shell       −7.50       2733 ± 27       925-815 cal BC       930-827 cal BC         OxA-17456       Burial 550, bivalve shell       −8.10       2731 ± 27       925-815 cal BC       925-823 cal BC         OxA-17450       Burial 550, bivalve shell       −8.10       2731 ± 27       925-815 cal BC       926-813 cal BC         OxA-17450       Burial 550, bivalve shell       −9.4       2817 ± 28       1047-904 cal BC       1004-844 cal BC         OxA-17461       Burial 532, bivalve shell       −6.8       2641 ± 28       889-785 cal BC       897-801 cal BC         OxA-17462       Burial 536, bivalve shell       −7.1       2818 ± 29       1021-846 cal BC       997-846 cal BC         OxA-17463       Burial 543, bivalve shell       −7.1       2818 ± 29       1051-901 cal BC       104-844 cal BC         OxA-17465       Burial 105, bivalve shell       −7.7	OxA-17465			_				
OxA-16341         Burial 290, bivalve shell $-7.40$ $2817 \pm 30$ $1056-896$ cal BC $988-916$ cal BC           OxA-15245         Burial 290, charcoal achering to a femur $-25.4$ $2796 \pm 30$ $1020-890$ cal BC $adhering to a femur           OxA-16701         Burial 90, bivalve shell         -7.50 2733 \pm 27 926-816 cal BC         906-813 cal BC           OxA-17456         Burial 550, bivalve shell         -8.10 2731 \pm 27 925-815 cal BC         925-823 cal BC           OxA-17458         Burial 555, bivalve shell         -9.4 2817 \pm 28 1047-904 cal BC         1004-844 cal BC           OxA-17460         Burial 552, bivalve shell         -6.8 2641 \pm 28 889-785 cal BC         897-801 cal BC           OxA-17461         Burial 536, bivalve shell         -7.4 2807 \pm 27 1041-898 cal BC         997-846 cal BC           OxA-17464         Burial 560, bivalve shell         -7.1 2818 \pm 29 1021-846 cal BC         997-846 cal BC           OxA-17464         Burial 570, bivalve shell         -7.7 2756 \pm 28 997-837 cal BC           OxA-17465         Burial 570, bivalve shell         -7.7 2756 \pm 28 975-831 cal BC$		-	e Age 2 buria	ls <i>1003-940 BC</i>	2			
OxA-15245Burial 290, charcoal adhering to a femur $-25.4$ $2796 \pm 30$ $1020-890$ cal BC adhering to a femurOxA-16701Burial 90, bivalve shell $-7.50$ $2733 \pm 27$ $926-816$ cal BC $930-827$ cal BCOxA-17456Burial 571, bivalve shell $-11.3$ $2697 \pm 28$ $902-806$ cal BC $906-813$ cal BCOxA-17458Burial 550, bivalve shell $-9.4$ $2817 \pm 28$ $1047-904$ cal BC $1004-844$ cal BCOxA-17450Burial 552, bivalve shell $-9.4$ $2817 \pm 28$ $1047-904$ cal BC $1004-844$ cal BCOxA-17460Burial 522, bivalve shell $-8.8$ $2912 \pm 29$ $1248-1010$ cal BC $1248-1010$ cal BCOxA-17461Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $997-801$ cal BCOxA-17462Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997-801$ cal BC $997-846$ cal BCOxA-17465Burial 560, bivalve shell $-7.1$ $2818 \pm 29$ $1021-846$ cal BC $997-846$ cal BCOxA-17467Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $997-831$ cal BC $1004-844$ cal BCOxA-17467Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $975-831$ cal BC $975-831$ cal BCOxA-17467Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17475Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $973-825$ cal BCOxA-17489Burial 197, bivalve shell $-7.7$ $2755 \pm 30$ $112-914$ ca	OxA-16340	Burial 290, bivalve shell	-7.80	$2866 \pm 31$	1130-926 cal BC			
adhering to a femurOxA-16701Burial 90, bivalve shell $-7.50$ $2733 \pm 27$ $926-816$ cal BC $930-827$ cal BCOxA-17456Burial 571, bivalve shell $-11.3$ $2697 \pm 28$ $902-806$ cal BC $906-813$ cal BCOxA-17458Burial 550, bivalve shell $-9.4$ $2817 \pm 28$ $902-806$ cal BC $906-813$ cal BCOxA-17450Burial 555, bivalve shell $-9.4$ $2817 \pm 28$ $1004-844$ cal BCOxA-17460Burial 532, bivalve shell $-6.8$ $2912 \pm 29$ $1248-1010$ cal BC $1248-1010$ cal BCOxA-17461Burial 532, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $997-831$ cal BCOxA-17463Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $997-846$ cal BCOxA-17464Burial 543, bivalve shell $-7.6$ $2768 \pm 28$ $997-837$ cal BC $997-846$ cal BCOxA-17455Burial 56, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1004-844$ cal BCOxA-17464Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $997-837$ cal BC $975-831$ cal BCOxA-17455Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $907-846$ cal BC $977-846$ cal BCOxA-17464Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17459Burial 197, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17891Burial 196, bivalve shell $-7.7$ $2755 \pm 30$ $975-816$ c	OxA-16341	Burial 290, bivalve shell	-7.40	$2817\pm30$	1056-896 cal BC	988-916 cal BC		
OxA-17456Burial 571, bivalve shell $-11.3$ $2697 \pm 28$ $902-806$ cal BC $906-813$ cal BCOxA-17458Burial 550, bivalve shell $-8.10$ $2731 \pm 27$ $925-815$ cal BC $925-823$ cal BCOxA-17459Burial 555, bivalve shell $-9.4$ $2817 \pm 28$ $1047-904$ cal BC $1004-844$ cal BCOxA-17460Burial 522, bivalve shell $-6.8$ $2912 \pm 29$ $1248-1010$ cal BC $1248-1010$ cal BCOxA-17461Burial 532, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $997-847$ cal BCOxA-17462Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BC $997-846$ cal BCOxA-17463Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BC $997-846$ cal BCOxA-17464Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1021-846$ cal BC $997-846$ cal BCOxA-17467Burial 570, bivalve shell $-10.7$ $2712 \pm 28$ $909-810$ cal BC $917-846$ cal BCOxA-17467Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17467Burial 106, bivalve shell $-8.7$ $2837 \pm 29$ $112-914$ cal BC $1006-908$ cal BCOxA-1789Burial 197, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $107-912$ cal BCOxA-1789Burial 302, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1007-912$ cal BCOxA-17898Burial 458, bivalve shell $-7.4$ $2857 \pm 29$ $112-914$ cal BC $100$	OxA-15245		-25.4	$2796 \pm 30$	1020-890 cal BC			
OxA-17458Burial 550, bivalve shell $-8.10$ $2731 \pm 27$ $925-815$ cal BC $925-823$ cal BCOxA-17459Burial 555, bivalve shell $-9.4$ $2817 \pm 28$ $1047-904$ cal BC $1004-844$ cal BCOxA-17460Burial 522, bivalve shell $-6.8$ $2912 \pm 29$ $1248-1010$ cal BC $1248-1010$ cal BCOxA-17461Burial 532, bivalve shell $-6.8$ $2641 \pm 28$ $889-785$ cal BC $897-801$ cal BCOxA-17462Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $991-843$ cal BCOxA-17463Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BCOxA-17464Burial 569, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BCOxA-17465Burial 570, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1004-844$ cal BCOxA-17477Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-1714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-1789Burial 107, bivalve shell $-8.7$ $2837 \pm 29$ $112-914$ cal BC $1006-908$ cal BCOxA-1789Burial 197, bivalve shell $-7.7$ $2755 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-1789Burial 302, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17898Bu	OxA-16701	Burial 90, bivalve shell	-7.50	$2733 \pm 27$	926-816 cal BC	930-827 cal BC		
OxA-17459Burial 55, bivalve shell $-9.4$ $2817 \pm 28$ $1047-904$ cal BC $1004-844$ cal BCOxA-17460Burial 522, bivalve shell $-8.8$ $2912 \pm 29$ $1248-1010$ cal BC $1248-1010$ cal BCOxA-17461Burial 532, bivalve shell $-6.8$ $2641 \pm 28$ $889-785$ cal BC $897-801$ cal BCOxA-17462Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $991-843$ cal BCOxA-17463Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BCOxA-17464Burial 543, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BCOxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1004-844$ cal BCOxA-17467Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $977-836$ cal BCOxA-1714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17715Burial 106, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17899Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1132-914$ cal BC $1006-908$ cal BCOxA-17891Burial 293, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17897Burial 458, bivalve shell $-7.4$ $2857 \pm 29$ $1122-912$ cal BC $1007-912$ cal BCOxA-17898Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1007-912$ cal BCOxA-17899B	OxA-17456	Burial 571, bivalve shell	-11.3	$2697 \pm 28$	902-806 cal BC	906-813 cal BC		
OxA-17460Burial 522, bivalve shell $-8.8$ $2912 \pm 29$ $1248 \cdot 1010$ cal BC $1248 \cdot 1010$ cal BCOxA-17461Burial 532, bivalve shell $-6.8$ $2641 \pm 28$ $889 \cdot 785$ cal BC $897 \cdot 801$ cal BCOxA-17462Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041 \cdot 898$ cal BC $991 \cdot 843$ cal BCOxA-17463Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997 \cdot 837$ cal BCOxA-17464Burial 543, bivalve shell $-7.0$ $2768 \pm 28$ $997 \cdot 837$ cal BCOxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051 \cdot 901$ cal BC $1004 \cdot 844$ cal BCOxA-17467Burial 570, bivalve shell $-7.7$ $2756 \pm 28$ $976 \cdot 828$ cal BC $977 \cdot 846$ cal BCOxA-17714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976 \cdot 828$ cal BC $975 \cdot 831$ cal BCOxA-17715Burial 106, bivalve shell $-8.2$ $3007 \pm 29$ $1380 \cdot 1130$ cal BC $1380 \cdot 1130$ cal BCOxA-1789Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112 \cdot 914$ cal BC $1006 \cdot 908$ cal BCOxA-1789Burial 293, bivalve shell $-7.2$ $2933 \pm 29$ $1261 \cdot 1029$ cal BC $1260 \cdot 1041$ cal BCOxA-1789Burial 458, bivalve shell $-7.4$ $2857 \pm 29$ $1122 \cdot 929$ cal BC $1007 \cdot 912$ cal BCOxA-1789Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815 \cdot 601$ cal BC $1000 \cdot 846$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815 \cdot 601$ cal BC $10$	OxA-17458	Burial 550, bivalve shell	-8.10	$2731 \pm 27$	925-815 cal BC	925-823 cal BC		
OxA-17461Burial 532, bivalve shell $-6.8$ $2641 \pm 28$ $889-785$ cal BC $897-801$ cal BCOxA-17462Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $991-843$ cal BCOxA-17463Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BC $997-846$ cal BCOxA-17464Burial 543, bivalve shell $-8.3$ $2798 \pm 29$ $1021-846$ cal BC $997-846$ cal BCOxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1004-844$ cal BCOxA-17467Burial 570, bivalve shell $-10.7$ $2712 \pm 28$ $997-830$ cal BC $975-831$ cal BCOxA-17714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17715Burial 106, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-1789Burial 197, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17897Burial 458, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17900Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17813Burial 455, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BCOxA-17890Burial 468, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $898-810$ cal BC <t< td=""><td>OxA-17459</td><td>Burial 555, bivalve shell</td><td>-9.4</td><td><math>2817 \pm 28</math></td><td>1047-904 cal BC</td><td>1004-844 cal BC</td></t<>	OxA-17459	Burial 555, bivalve shell	-9.4	$2817 \pm 28$	1047-904 cal BC	1004-844 cal BC		
OxA-17462Burial 536, bivalve shell $-7.4$ $2807 \pm 27$ $1041-898$ cal BC $991-843$ cal BCOxA-17463Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BC $997-846$ cal BCOxA-17464Burial 543, bivalve shell $-8.3$ $2798 \pm 29$ $1021-846$ cal BC $997-846$ cal BCOxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1004-844$ cal BCOxA-17467Burial 570, bivalve shell $-10.7$ $2712 \pm 28$ $909-810$ cal BC $911-816$ cal BCOxA-17714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17715Burial 106, bivalve shell $-8.2$ $3007 \pm 29$ $1380-1130$ cal BC $1380-1130$ cal BCOxA-17889Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-17892Burial 293, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17897Burial 458, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $298-842$ cal BCOxA-17813Burial 455, bivalve shell $-7.2$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-17990Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC <t< td=""><td>OxA-17460</td><td>Burial 522, bivalve shell</td><td>-8.8</td><td><math>2912 \pm 29</math></td><td>1248-1010 cal BC</td><td>1248-1010 cal BC</td></t<>	OxA-17460	Burial 522, bivalve shell	-8.8	$2912 \pm 29$	1248-1010 cal BC	1248-1010 cal BC		
OxA-17463Burial 536, bivalve shell $-7.0$ $2768 \pm 28$ $997-837$ cal BCOxA-17464Burial 543, bivalve shell $-8.3$ $2798 \pm 29$ $1021-846$ cal BC $997-846$ cal BCOxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1004-844$ cal BCOxA-17467Burial 570, bivalve shell $-10.7$ $2712 \pm 28$ $909-810$ cal BC $911-816$ cal BCOxA-17474Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17715Burial 106, bivalve shell $-8.2$ $3007 \pm 29$ $1380-1130$ cal BC $1380-1130$ cal BCOxA-17898Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-17893Burial 302, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.2$ $2933 \pm 29$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2858 \pm 28$ $815-601$ cal BC $1000-846$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCOxA-17888Burial 196, bivalve shell $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BC <td>OxA-17461</td> <td>Burial 532, bivalve shell</td> <td>-6.8</td> <td><math>2641 \pm 28</math></td> <td>889-785 cal BC</td> <td>897-801 cal BC</td>	OxA-17461	Burial 532, bivalve shell	-6.8	$2641 \pm 28$	889-785 cal BC	897-801 cal BC		
OxA-17464Burial 543, bivalve shell $-8.3$ $2798 \pm 29$ $1021-846$ cal BC $997-846$ cal BCOxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1004-844$ cal BCOxA-17467Burial 570, bivalve shell $-10.7$ $2712 \pm 28$ $909-810$ cal BC $911-816$ cal BCOxA-17714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $977-831$ cal BCOxA-17715Burial 106, bivalve shell $-8.2$ $3007 \pm 29$ $1380-1130$ cal BC $1380-1130$ cal BCOxA-1789Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-17892Burial 293, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.9$ $2793 \pm 30$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17989Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1000-846$ cal BCOxA-17990Burial 456, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $898-810$ cal BCOxA-18131Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCOxA-17898Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCOxA-17890Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC <t< td=""><td>OxA-17462</td><td>Burial 536, bivalve shell</td><td>-7.4</td><td><math>2807 \pm 27</math></td><td>1041-898 cal BC</td><td>991-843 cal BC</td></t<>	OxA-17462	Burial 536, bivalve shell	-7.4	$2807 \pm 27$	1041-898 cal BC	991-843 cal BC		
OxA-17465Burial 569, bivalve shell $-7.1$ $2818 \pm 29$ $1051-901$ cal BC $1004-844$ cal BCOxA-17467Burial 570, bivalve shell $-10.7$ $2712 \pm 28$ $909-810$ cal BC $911-816$ cal BCOxA-17714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17715Burial 106, bivalve shell $-8.2$ $3007 \pm 29$ $1380-1130$ cal BC $1380-1130$ cal BCOxA-17789Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-17892Burial 293, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.9$ $2793 \pm 30$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17989Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1000-846$ cal BCOxA-18131Burial 456, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $898-810$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCOxA-17898Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCOxA-17891Burial 196, bivalve shell $-6.00$ $2627 \pm 29$ $835-774$ cal BC <td>OxA-17463</td> <td>Burial 536, bivalve shell</td> <td>-7.0</td> <td><math>2768 \pm 28</math></td> <td>997-837 cal BC</td> <td></td>	OxA-17463	Burial 536, bivalve shell	-7.0	$2768 \pm 28$	997-837 cal BC			
OxA-17467Burial 570, bivalve shell $-10.7$ $2712 \pm 28$ $909-810$ cal BC $911-816$ cal BCOxA-17714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17715Burial 106, bivalve shell $-8.2$ $3007 \pm 29$ $1380-1130$ cal BC $1380-1130$ cal BCOxA-1789Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-17892Burial 293, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.9$ $2793 \pm 30$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17897Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17989Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1000-846$ cal BCOxA-17990Burial 456, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18131Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCOxA-17888Burial 196, bivalve shell $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCBoundary transition, Bronze Age 2 to Bronze Age 3 burials $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BCOxA-17891Burial 196, bivalve shell $-6.00$ $2826 \pm 29$ $1073-$	OxA-17464	Burial 543, bivalve shell	-8.3	$2798 \pm 29$	1021-846 cal BC	997-846 cal BC		
OxA-17714Burial 105, bivalve shell $-7.7$ $2756 \pm 28$ $976-828$ cal BC $975-831$ cal BCOxA-17715Burial 106, bivalve shell $-8.2$ $3007 \pm 29$ $1380-1130$ cal BC $1380-1130$ cal BCOxA-1789Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-17892Burial 293, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.9$ $2793 \pm 30$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17898Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1000-846$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCBoundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $835-774$ cal BC $831-787$ cal BCBronze Age 3 burials $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCOxA-17891Burial 263, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17465	Burial 569, bivalve shell	-7.1	$2818 \pm 29$	1051-901 cal BC	1004-844 cal BC		
OxA-17715Burial 106, bivalve shell $-8.2$ $3007 \pm 29$ $1380-1130$ cal BC $1380-1130$ cal BCOxA-17892Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-17892Burial 293, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.9$ $2793 \pm 30$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17989Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1000-846$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCOxA-17893Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCBoundary tramsition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $898-810$ cal BCBronze Age 3 burials $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCOxA-17891Burial 196, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17467	Burial 570, bivalve shell	-10.7	$2712\pm28$	909-810 cal BC	911-816 cal BC		
OxA-17889Burial 197, bivalve shell $-8.7$ $2837 \pm 29$ $1112-914$ cal BC $1006-908$ cal BCOxA-17892Burial 293, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.9$ $2793 \pm 30$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17898Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1000-846$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCBoundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $898-810$ cal BCBronze Age 3 burials $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCOxA-17891Burial 196, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17714	Burial 105, bivalve shell	-7.7	$2756 \pm 28$	976-828 cal BC	975-831 cal BC		
OxA-17892Burial 293, bivalve shell $-6.7$ $2745 \pm 30$ $975-818$ cal BC $973-825$ cal BCOxA-17893Burial 302, bivalve shell $-7.9$ $2793 \pm 30$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17989Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1007-912$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCBoundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $898-810$ cal BCBronze Age 3 burials $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCOxA-17891Burial 263, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17715	Burial 106, bivalve shell	-8.2	$3007 \pm 29$	1380-1130 cal BC	1380-1130 cal BC		
OxA-17893Burial 302, bivalve shell $-7.9$ $2793 \pm 30$ $1014-845$ cal BC $998-842$ cal BCOxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17989Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1007-912$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCBoundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $898-810$ cal BCBronze Age 3 burials $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCOxA-17891Burial 263, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17889	Burial 197, bivalve shell	-8.7	$2837\pm29$	1112-914 cal BC	1006-908 cal BC		
OxA-17897Burial 458, bivalve shell $-7.2$ $2933 \pm 29$ $1261-1029$ cal BC $1260-1041$ cal BCOxA-17989Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1007-912$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCBoundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $898-810$ cal BCBronze Age 3 burial $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCOxA-17891Burial 263, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17892	Burial 293, bivalve shell	-6.7	$2745 \pm 30$	975-818 cal BC	973-825 cal BC		
OxA-17989Burial 468, bivalve shell $-7.4$ $2857 \pm 29$ $1122-929$ cal BC $1007-912$ cal BCOxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BC $1000-846$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCBoundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $898-810$ cal BCBronze Age 3 burials $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCOxA-17891Burial 263, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17893	Burial 302, bivalve shell	-7.9	$2793 \pm 30$	1014-845 cal BC	998-842 cal BC		
OxA-17990Burial 468, bivalve shell $-7.4$ $2588 \pm 28$ $815-601$ cal BCOxA-18131Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BCOxA-18132Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BCBoundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $898-810$ cal BCBronze Age 3 burials $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BCOxA-17891Burial 263, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17897	Burial 458, bivalve shell	-7.2	$2933\pm29$	1261-1029 cal BC	1260-1041 cal BC		
OxA-18131       Burial 455, bivalve shell $-7.23$ $2804 \pm 27$ $1040-860$ cal BC $1000-846$ cal BC         OxA-18132       Burial 456, bivalve shell $-10.98$ $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BC         Boundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC $874-793$ cal BC $898-810$ cal BC         OxA-17888       Burial 196, bivalve shell $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BC         OxA-17891       Burial 263, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17989	Burial 468, bivalve shell	-7.4	$2857 \pm 29$	1122-929 cal BC	1007-912 cal BC		
OxA-18132       Burial 456, bivalve shell       -10.98 $2680 \pm 26$ $896-802$ cal BC $898-810$ cal BC         Boundary transition, Bronze Age 2 to Bronze Age 3 burials $874-793$ cal BC       Bronze Age 3 burials $874-793$ cal BC         OxA-17888       Burial 196, bivalve shell $-6.00$ $2627 \pm 29$ $835-774$ cal BC $831-787$ cal BC         OxA-17891       Burial 263, bivalve shell $-6.00$ $2826 \pm 29$ $1073-902$ cal BC $1067-906$ cal BC	OxA-17990	Burial 468, bivalve shell	-7.4	$2588 \pm 28$	815-601 cal BC			
Boundary transition, Bronze Age 2 to Bronze Age 3 burials       874-793 cal BC         Bronze Age 3 burials       9         OxA-17888       Burial 196, bivalve shell       -6.00       2627 ± 29       835-774 cal BC       831-787 cal BC         OxA-17891       Burial 263, bivalve shell       -6.00       2826 ± 29       1073-902 cal BC       1067-906 cal BC	OxA-18131	Burial 455, bivalve shell	-7.23	$2804 \pm 27$	1040-860 cal BC	1000-846 cal BC		
Bronze Åge 3 burials         OxA-17888         Burial 196, bivalve shell         -6.00         2627 ± 29         835-774 cal BC         831-787 cal BC           OxA-17891         Burial 263, bivalve shell         -6.00         2826 ± 29         1073-902 cal BC         1067-906 cal BC	OxA-18132	Burial 456, bivalve shell	-10.98	$2680\pm26$	896-802 cal BC	898-810 cal BC		
OxA-17888         Burial 196, bivalve shell         -6.00         2627 ± 29         835-774 cal BC         831-787 cal BC           OxA-17891         Burial 263, bivalve shell         -6.00         2826 ± 29         1073-902 cal BC         1067-906 cal BC	•	5	Age 3 buria	ls 874-793 cal l	BC			
OxA-17891 Burial 263, bivalve shell -6.00 2826 ± 29 1073-902 cal BC 1067-906 cal BC	Bronze Age 3	burials						
OxA-17891 Burial 263, bivalve shell -6.00 2826 ± 29 1073-902 cal BC 1067-906 cal BC	OxA-17888	Burial 196, bivalve shell	-6.00	$2627\pm29$	835-774 cal BC	831-787 cal BC		
		Burial 263, bivalve shell	-6.00		1073-902 cal BC	1067-906 cal BC		
	OxA-17721	Burial 154, bivalve shell	-5.60		1039-855 cal BC	1041-845 cal BC		

### Appendix: Table 1. Continued

### A new chronological framework for prehistoric Southeast Asia, based on a Bayesian model from Ban Non Wat

Laboratory code	Sample	δ <sup>13</sup> C(‰)	Radiocarbon age (BP)	Calibrated age range (95.4% confidence)	Posterior probability distribution (95.4% probability)
•	nsition, Bronze Age 3 to Bronze . burials and occupation	Age 4 buria	ls 830-701 ca	l BC	
OxA-17466	Burial 564, bivalve shell	-8.00	$2441 \pm 28$	752-407 cal BC	769-502 cal BC
OxA-17720	Burial 145, bivalve shell	-7.90	$2586 \pm 28$	814-599 cal BC	806-596 cal BC
OxA-12644	Y1 7:7 feature 1, charcoal	-25.5	2553 <u>+</u> 39	807-5542 cal BC	803-550 cal BC
Boundary tran Bronze Age 5	nsition, Bronze Age 4 to Bronze . burials	Age 5 buria	ls 764-439 ca	l BC	
OxA-16703	Burial 241, bivalve shell	-4.70	$2457 \pm 27$	754-413 cal BC	720-410 cal BC
OxA-16702	Burial 241, bivalve shell	-4.70	$2432 \pm 28$	750-404 cal BC	717-406 cal BC
OxA-17716	Burial 124, bivalve shell	-8.10	$2812 \pm 29$	1048-899 cal BC	1048-901 cal BC
OxA-17717	Burial 126, bivalve shell	-6.8	$2688 \pm 28$	898-804 cal BC	901-802 cal BC
Ox-A-17718	Burial 133, bivalve shell	-6.60	$2704 \pm 28$	906-807 cal BC	906-810 cal BC
OxA-17719	Burial 135, bivalve shell	-2.7	2429 <u>+</u> 28	749-403 cal BC	720-407 cal BC
•	nsition, Bronze Age 5 to Iron Ag rials and occupation	e 1 burials	639-249 cal B	С	
OxA-16704	Burial 360, bivalve shell	-6.0	$2197 \pm 27$	370-189 cal BC	361-180 cal BC
OxA-17992	Burial 476, bivalve shell	-6.2	$2107 \pm 27$ $2462 \pm 28$	756-415 cal BC	757-414 cal BC
OxA-17896	Burial 386, bivalve shell	-3.4	$2402 \pm 200$ $2000 \pm 27$	51 BC- cal AD 66	167 AD-54 cal BC
OxA-17991	Burial 473, bivalve shell	-7.4	$2000 \pm 27$ 2152 ± 28	356-93 cal BC	356-96 cal BC
Ox-A 17895	Burial 383, bivalve shell	-4.2	$2235 \pm 28$	388-206 cal BC	382-202 cal BC
OxA-17894	Burial 341, bivalve shell	-1.7	$2495 \pm 29$	782-512 cal BC	775-516 cal BC
OxA-17890	Burial 237, bivalve shell	-6.2	$2408 \pm 29$	734-399 cal BC	734-400 cal BC
Wk-12646	Y2 5:5 f. 3, charcoal	-25.4	$2243 \pm 38$	393-204 cal BC	388-203 cal BC
Boundary tran Iron Age 2 bu	isition, end Iron Age 1 burials 4 rials	11 cal BC-1	AD 164		
Ku-221	Burial 100, rice chaff temper	-23.8	$2320 \pm 3$	410-230 cal BC	
Ku-218	Burial 102, rice chaff temper	-24.7	$1960 \pm 30$	40 BC-cal AD 120	
Ku-219	Burial 102, rice chaff temper	-24.0	$1870 \pm 25$	80-220 AD	
Ku-220	Burial 95, rice chaff temper	-17.5	$1680 \pm 40$	250-430 AD	

#### Appendix: Table 1. Continued