

# The Journal of Laryngology and Otology

EDITED BY  
A. LOGAN TURNER AND J. S. FRASER

## Contents

PERORAL ENDOSCOPY: AN HISTORICAL SURVEY FROM ITS ORIGIN TO THE PRESENT DAY.	IRWIN MOORE
TREATMENT OF A COLD BY HOMŒOPATHIC DOSES OF IODINE	DAN M'KENZIE
A SIMPLE METHOD OF DETERMINING THE COUNTER-ROLLING OF THE HUMAN EYE	Prof. C. E. BENJAMINS
THE PROGNOSIS OF MIDDLE-EAR SUPPURATION IN CHILDREN: A REVIEW OF 500 CASES	DOUGLAS GUTHRIE
A CASE OF DOUBLE VESTIBULOTOMY	{ HORACE LAW { GEOFFREY BEWLEY
CLINICAL RECORD:—	
SURGICAL EMPHYSEMA OF THE HEAD AND NECK FOLLOWING ŒSOPHAGOSCOPY	H. LAWSON WHALE
SOCIETIES' PROCEEDINGS:—	
ROYAL SOCIETY OF MEDICINE—SECTIONS OF OPHTHALMOLOGY AND LARYNGOLOGY.	
AUSTRIAN OTOLOGICAL SOCIETY.	
ABSTRACTS:—	
THE EAR.	NOSE AND ACCESSORY SINUSES.
THE LARYNX	PERORAL ENDOSCOPY.
REVIEW OF BOOK.	
OBITUARY:—	
WILLIAM PERMEWAN, M.D. (Lond.), F.R.C.S. (Eng.), J.P.	A. LOGAN TURNER
GENERAL NOTES.	

Edinburgh: Oliver and Boyd

London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—*British Medical Journal*, May 3, 1890.

# LISTERINE

*A safe, non-poisonous, unirritating  
antiseptic solution*

**LISTERINE** is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.

**LISTERINE** in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.

**LISTERINE** embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constituents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.

**LISTERINE** is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.

**LISTERINE** in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhœa, occurring in infants and adults.

**LISTERINE** literature, including special pamphlets upon *Respiratory Diseases*, may be had, by physicians, upon application to

**LAMBERT PHARMACAL COMPANY**

2101 Locust Street

St Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

# The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

A. LOGAN TURNER AND J. S. FRASER

ASSISTED BY

DOUGLAS GUTHRIE AND IRWIN MOORE

---

1. Original Articles are accepted on the condition that they have not been published elsewhere.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.

4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.

5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

6. Editorial Communications should be addressed to "EDITORS, *Journal of Laryngology*, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."


7. The Annual Subscription is Forty Shillings, post free, and is payable in advance.

8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings each.

9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings each.

## UNITED STATES OF AMERICA

Orders for this Journal, for single parts or yearly subscriptions, can be sent either through a local bookseller, or to Messrs G. E. STECHERT & Co., 31-33 East 10th Street, New York.



**CHEVALIER JACKSON'S INSTRUMENTS FOR ŒSOPHAGOSCOPY,  
LARYNGOSCOPY, AND BRONCHOSCOPY**

**New Models as made for Walter G. Howarth, F.R.C.S.**

Each Instrument is made in accordance with the details of Chevalier Jackson's most recent models, and each is supplied with a *spare light carrier*, i.e., 2 light carriers and 2 lamps. All the models have been redesigned with a view to rendering them more easily cleansed; all the crevices and corners for the dirt have been taken away.

To ensure better visibility the tips of the forceps are *black*.

The Howarth-Jackson's Instruments are **less expensive than other American or English models**, and a further economy has been effected by rendering the instrument tips interchangeable, thus reducing the number of *forceps handles and tips* required.

The lamps are 2.5 volt and more durable than the usual models.

*Manufactured only by*

**DOWN BROS., L<sup>TD</sup>.**

SURGICAL INSTRUMENT MAKERS

21 and 23 ST THOMAS'S STREET

LONDON, S. E. 1

(Opposite Guy's Hospital)



Telegrams—"DOWN, LONDON."

Telephone—HOP 4400 (4 lines).




---



---

*Cassell & Company Ltd.*

---

**Third Edition, Enlarged**

# Diseases of THE NOSE & THROAT

Comprising Affections of the Trachea and Œsophagus

By SIR STCLAIR THOMSON,  
M.D., F.R.C.P. Lond., F.R.C.S. Eng.

THIS standard Textbook for Students and Specialists, which has been out of print for some time, has been revised in every line by the author.

Among the new features are sections on Dental and Dentigerous Cysts, Hairy or Dermoid Polypi of the Naso-Pharynx, Chorditis Fibrinosa, Keratosis or Leucoplakia Laryngis, and Œsophagectasia.

The sections on Rhinosporidiosis, Stenosis of the Larynx, and Cicatricial Stenosis of the Œsophagus have been rewritten, while those on Avoidable Fatalities, Cocaine Substitutes, Ozæna, and Malignant Disease of the Larynx have been rearranged and enlarged.

The last chapter, on Operations, has been revised and extended, with the addition of new illustrations.

As regards Treatment, Diathermy, Radium and X-ray Therapy have received additional consideration. Facial repair by Cartilage-grafting has replaced the Injection of Paraffin, and new methods are described for Pharyngeal Pouch, Laryngeal Stenosis, Stricture of the Œsophagus, and Double Abductor Paralysis.

Out-of-date pictures have been deleted, and many new figures and eleven new radiographic and other Plates have been added.

Medium 8vo, 960 pages, with 12 Colour and 12 Black-and-White Plates and 379 Figures in the Text. Cloth gilt, 45s. net.

*CASSELL & Co., Ltd., La Belle Sauvage, London, E.C. 4*

---



---

# ORARGOL

(A.F.D.)

An electrically prepared suspension  
of colloidal silver and gold for


## RHINO - LARYNGOLOGY AND OPHTHALMOLOGY AND GENERAL ANTISEPSIS.

Indicated in the same diseases as colloidal silver,  
Orargol has a superior action because of the addition  
of the powerfully anti-infectious colloidal gold.

### LITERATURE and SAMPLES

FROM

**THE ANGLO-FRENCH DRUG Co. Ltd.,**  
238a GRAY'S INN ROAD,  
LONDON :: W.C.1. *Also supplied  
in Bulk.*



### INSTRUMENTS AND EQUIPMENT FOR Examination of Ear, Nose and Throat, Operation on Tonsils, Adenoids, Mastoid, Nasal Septum

*As supplied to and used in*

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH  
THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

**ALSO THE CHEVALIER JACKSON INSTRUMENTS**

**ARCHD. YOUNG & SON, 57-61 FORREST ROAD, EDINBURGH**

Surgical Instrument Makers to Royal Infirmary, Edinburgh

Phone: Central 669.

Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

Second Impression. Demy 8vo, 424 pp. With 222 Text Illustrations and 12 Plates, of which 8 are in Colour. 20s. net, Postage 9d.

## DISEASES OF THE NOSE, THROAT, AND EAR

**For Practitioners and Students**

Edited by **A. LOGAN TURNER, M.D., F.R.C.S.(Ed.)**

*Senior Lecturer on Diseases of the Ear, Nose, and Throat, University of Edinburgh*

*With the collaboration of*

**J. S. FRASER, M.B., F.R.C.S. (Ed.)**

**J. D. LITHGOW, M.B., F.R.C.S. (Ed.)**

**W. T. GARDINER, M.C., M.B., F.R.C.S. (Ed.)**

**G. EWART MARTIN, M.B., F.R.C.S. (Ed.)**

and **DOUGLAS GUTHRIE, M.D., F.R.C.S. (Ed.)**

“The illustrations are many and good, the book is well balanced and clearly written and may confidently be recommended for the use of students and practitioners.”—*Lancet*.

“Will prove of the greatest value to students and indeed to those devoting themselves to the specialty.”—*Journal of Laryngology and Otology*.

*Demy 8vo, 272 pp. 15s. net, Postage 6d.*

### ASTHMA

By **FRANK COKE, F.R.C.S.**

With Frontispiece in colour illustrating the  
Dermal Reactions, and other illustrations.

Contains a consideration of 350 cases of asthma examined and treated in the light of the new work that has been accomplished on this subject during the last few years.

“Brightly written, and shows evidence of much practical experience and a knowledge of the literature.”—*British Medical Journal*.

*Second Fully Revised English Edition. Demy 8vo., 362 pp. 589 Illustrations. 17s. 6d. net, Post. 6d.*

### OTO-RHINO-LARYNGOLOGY

For the Student and Practitioner.

By **Dr GEORGES LAURENS**

Authorised Translation of the Fourth Fully  
Revised French Edition.

By **H. CLAYTON FOX, F.R.C.S., Late Aural  
Surgeon, Ministry of Pensions, London Area.**

“Full of sound points and diagrammatic illustrations, many of which are of great practical value.”—*Lancet*.

**BRISTOL: JOHN WRIGHT & SONS LTD. LONDON: SIMPKIN & CO. LTD.**

## CENTRAL LONDON THROAT, NOSE, AND EAR HOSPITAL

**GRAYS' INN ROAD**

(Near King's Cross Stations)

DAILY CLINICS. Lectures on Fridays, 4 p.m.

OVER 11,000 NEW PATIENTS LAST YEAR. 50,000 ATTENDANCES.

IN-PATIENT DEPARTMENT, 43 BEDS. In-Patient Operations Daily.

SPECIAL INTENSIVE COURSE OF LECTURES AND DEMONSTRATIONS

(including Operative Surgery Course) in co-operation with the  
Fellowship of Medicine is held twice yearly, in May and October

#### SURGEONS

Dr PETER H. ABERCROMBIE

Dr ANDREW WYLIE

Dr DAN MCKENZIE

Mr HAROLD KISCH

Mr NICOL RANKIN

Mr ARCHER RYLAND

#### ASSISTANT SURGEONS

Mr F. W. WATKYN-THOMAS

Mr C. GILL-CAREY

Mr ARMOUR BROWN

#### CLINICAL ASSISTANTS

Are appointed from among those duly qualified gentlemen who have been enrolled as Post-Graduate Students of the Hospital.

#### FEES

For attendance on the practice of the Hospital—

Three months . . . . 5 guineas | Six months . . . . . 8 guineas

Special Course, 12 guineas, or without Operative Surgery, 5 guineas.

*Further particulars on application to*

**ARCHER RYLAND, F.R.C.S.Ed.,**  
*Dean.*

**RICHARD KERSHAW,**  
*Secretary-Superintendent.*

## CONTENTS

	PAGE
PERORAL ENDOSCOPY: AN HISTORICAL SURVEY FROM ITS ORIGIN TO THE PRESENT DAY. Irwin Moore, M.B., C.M. (Edin.) . . . . .	277
TREATMENT OF A COLD BY HOMŒOPATHIC DOSES OF IODINE. Dan M'Kenzie . . . . .	299
A SIMPLE METHOD OF DETERMINING THE COUNTER-ROLLING OF THE HUMAN EYE. Professor C. E. Benjamins, Groningen . . . . .	300
THE PROGNOSIS OF MIDDLE-EAR SUPPURATION IN CHILDREN: A REVIEW OF 500 CASES. Douglas Guthrie, M.D., F.R.C.S.Ed. . . . .	305
A CASE OF DOUBLE VESTIBULOTOMY. Horace Law, M.D., F.R.C.S.I., and Geoffrey Bewley, M.D. . . . .	316
CLINICAL RECORD:—	
Surgical Emphysema of the Head and Neck following Œsophagoscopy. H. Lawson Whale, M.D., F.R.C.S. . . . .	320
SOCIETIES' PROCEEDINGS—	
Royal Society of Medicine—Sections of Ophthalmology and Laryngology	321
Austrian Otological Society . . . . .	326
ABSTRACTS—	
The Ear . . . . .	332
Nose and Accessory Sinuses . . . . .	336
The Larynx . . . . .	339
Peroral Endoscopy . . . . .	341
REVIEW OF BOOK . . . . .	342
OBITUARY: William Permewan, M.D.(Lond.), F.R.C.S.(Eng.), J.P. . . . .	344
GENERAL NOTES . . . . .	345

### *In Hay Fever*

ANESTHONE CREAM is a safe and effective remedy for relieving the irritation and excessive secretion which characterise Hay Fever.

It contains 10 per cent. of anesthone (para-amido-ethylbenzoate), a local anæsthetic that is absolutely non-irritating, and not habit-forming; and also 1 part of Adrenalin Chloride in 20,000.

Whilst Anesthone Cream is not claimed to be a cure for hay fever, it is a most effective palliative, and an invaluable adjunct to any other treatment that may be adopted.

## Anesthone Cream

*Supplied in collapsible tubes with elongated nozzles*

PARKE, DAVIS & CO.



BEAK ST., LONDON, W.1