


THE JOURNAL
OF
MENTAL SCIENCE
(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

EDITOR-IN-CHIEF

G. W. T. H. FLEMING

WITH THE ASSISTANCE OF

Alexander Walk (Co-Editor)

L. C. Cook

F. L. Golla

T. F. Main

P. K. McCowan

A. Meyer

R. M. Norman

M. Partridge

W. Linford Rees

B. W. Richards

W. Warren

(The above constitute the Journal Committee)

LONDON

H. K. LEWIS & CO. LTD

Published Six times Yearly Twenty Shillings net

MENTAL HEALTH RESEARCH

A Completely New Antidepressant Agent

The Merck Sharp & Dohme Research Laboratories have discovered and developed an important, new, single chemical agent for the treatment of depression, *whether or not accompanied by anxiety*. This new agent is amitriptyline hydrochloride, which will be known as 'TRYPTIZOL'.

'TRYPTIZOL' is chemically different from all other antidepressant agents and has the outstanding clinical advantage of both antidepressant and anti-anxiety actions.

Other major advantages are:

- ▶ incidence of postural hypotension much less marked than with other agents.
- ▶ early and dramatic improvement in sleep patterns may be expected.
- ▶ neither parkinsonism, jaundice, nor blood dyscrasias reported during widespread clinical trials.

'TRYPTIZOL'

Trademark

will be the new standard for antidepressant therapy

Supplied as tablets in two strengths, 10 mg. and 25 mg. Also available as 'Tryptizol' Injection, in vials of 10 ml., each ml. containing 10 mg. amitriptyline hydrochloride.



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

'Tryptizol' is also known in some other countries as 'ELAVIL' or 'TRYPTANOL' (Trademarks)

The uses of 'Stelazine'...

- *Acute and chronic schizophrenia
- *Psychosis due to brain damage
- *Alcoholism and delirium tremens
- *Behaviour disorders in mental deficiency

'Stelazine' is a powerful and versatile antipsychotic agent, effective both in hostile, hyperactive patients and in apathetic, withdrawn cases. It achieves rapid relief of hallucinations in schizophrenia, alcoholism and delirium tremens.

'Stelazine' has been used very successfully to control behaviour disorders in many types of mentally defective patients. It can be given concurrently with ECT to allay apprehension and post-shock excitement, and to improve the prognosis in schizophrenic patients.

'Stelazine' restores awareness and insight in psychosis; it facilitates psychotherapy by making contact once more possible between patient and physician.



Stelazine


A new standard among tranquillizers

Smith Kline & French Laboratories Ltd
Welwyn Garden City, Herts

'Stelazine' (brand of trifluoperazine) is a trade mark
SZ: PA131(Col)

DISIPAL (Regd.)

ORPHENADRINE HYDROCHLORIDE



1. Correction of Drug Induced Extra Pyramidal Symptoms
2. Parkinsonism
3. Senile and Presenile Depressions
4. Vertiginous and Post-Traumatic Dizziness

MANUFACTURED AND DISTRIBUTED IN THE U.K. BY

CAMDEN CHEMICAL CO. LTD
LONDON · WC1

For N.V. KONINKLIJKE PHARMACEUTISCHE FABRIEKEN V H BROCADES - STHEEMAN AND PHARMACIA · AMSTERDAM · HOLLAND
U.K. Patent Nos. 607258 and 743495

the tranquilliser pure and simple ...



Mirror-Calm ...

Schloss Seon, Bavaria

“Thioridazine is so well tolerated that it appears an excellent phenothiazine for ambulatory patients, in particular for maintenance of patients after they leave hospital.”

J. ment. Sci. (1960) **106**, 1417.

“The most striking aspect of Melleril therapy is the poverty of side-effects.”

J. Amer. med. Ass. (1959) **170**, 1283.

Melleril


BY SANDOZ

Tablets: Thioridazine hydrochloride
10 mg. 25 mg. 50 mg. 100 mg.

Syrup: 25 mg. thioridazine base in 4 ml.

... in senile agitation

**In senile
psychiatric
syndromes**



Pacatal improves the disturbed behaviour patterns of all senile psychiatric patients, from mild senile deterioration to marked senile dementia. Throughout therapy the patient's mental alertness is unimpaired. Maximum tranquillity is achieved with minimum sedation. PACATAL CONTROLS agitation—irascibility—restlessness—confusion—nocturnal wanderings—destructiveness—disturbance of bowel and bladder control.

PACATAL



Dosage: The appropriate dosage varies from case to case. Low dosage levels (ranging from 25 to 100 mg. daily) have been proved effective and safe for chronic organic senile patients.


Presentation: Tablets of 25 and 100 mg. strength in bottles of 50 and 500. Ampoules each containing 50 mg. in 2 ml. in boxes of 10 and 50.

PACATAL ELIXIR

A pleasantly flavoured presentation (in bottles of 4 fl. oz.) for elderly patients.

Dosage: one or two teaspoonfuls 3 times a day. Each teaspoonful contains 20 mg. pecazine.

WILLIAM R. WARNER & CO. LTD., Eastleigh, Hampshire. Tel: Eastleigh 3131



Available in tablets of 0.25 G. and as a palatable oral suspension. Basic N.H.S. costs: 4/4d. for 30 tablets dispensed from packs of 1,000, and 5/8d. for 100 ml. of suspension.

Mysoline


(Primidone B.P.) TRADE MARK


Greatly valued in the treatment of epilepsy

Since its introduction in 1952, 'Mysoline' has gained universal acceptance as an outstanding contribution to the control of epilepsy.

IMPERIAL CHEMICAL INDUSTRIES LIMITED Pharmaceuticals Division Wilmslow Cheshire

PH-95





**an important
introduction**

'MAJEPTIL'
trade mark brand

thiopropazine methanesulphonate

Thiopropazine is a new phenothiazine derivative in which the characteristic pharmacological properties of prochlorperazine ('Stemetil'*) are greatly enhanced. It shows correspondingly intensified activity as a psychocorrective agent and is therefore particularly indicated for trial in chronic schizophrenic patients who have failed to derive any substantial benefit from existing methods of treatment.

'Majeptil' is also remarkably effective in controlling acute mania and other states of psychotic excitement.

PRESENTATIONS

Tablets of 1 mg., 5 mg., 10 mg. and 25 mg.

Ampoules of 1 ml. (7.5 mg.) of 0.75 per cent w/v solution.

Detailed information is available on request

Manufactured by **MAY & BAKER LTD**

**trade mark*




**an M&B brand
Medical Product**

MA 8476

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

NEW PRODUCT



**AGITATION
APPREHENSION**

AMYLOZINE PROVIDES THE ANSWER

when a barbiturate or a tranquillizer alone is not enough

'Amylozine Spansule' sustained-release capsules combine the outstanding advantages of the tranquillizer trifluoperazine with the well-known sedative properties of amylobarbitone.

'Amylozine' is especially indicated in the treatment of chronic agitated psychoneurotics and acutely apprehensive patients, whose state of mind is marked by insomnia, fatigue, phobias, vacillation, moodiness and fear.

Each 'Amylozine Spansule' capsule contains trifluoperazine 2 mg. and amylobarbitone 64.8 mg. (gr.1).



Smith Kline & French Laboratories Ltd
Welwyn Garden City, Herts

'Amylozine' and 'Spansule' are trade marks Brit. Pat. No. 742007 SAM: PA201

Restoration after Confusion

Mental confusion, apathy, disorientation, loss of memory, coma and delirium occur non-specifically in diverse pathological states. Where confusional or psychotic symptoms are present, vitamins administered intravenously may be needed at the initiation of treatment, to restore to normal the disturbed intracellular glucose catabolism which may underlie the development of symptoms.

Parentrovite is the most highly concentrated injectable preparation of the vitamins necessary for restoring the patient's health. It contains massive doses of aneurine hydrochloride, nicotinamide, and ascorbic acid, and smaller doses of pyridoxine and riboflavine. It is prepared in two forms for intravenous and intramuscular injection. High potency and maintenance concentrations are available in each type.

National Health Service

In no case is the cost of a V.L. preparation greater than, and in some it is less than, that of the official equivalent preparation.

There is no official equivalent of some V.L. specialities.



Parentrovite

is a high potency injectable preparation
of the Vitamin B complex with Vitamin C



A product of
VITAMINS LIMITED, UPPER MALL, LONDON, W.6.

ask yourself

...what qualities you'd expect
of the ideal sedative and hypnotic.

You'll find that 'DISTAVAL'

comes surprisingly close to
satisfying all your criteria.

'DISTAVAL'

TRADE MARK

brand of thalidomide

- * Amply proved in neurological practice—both as a day-time sedative and as a night-time hypnotic.
- * Causes no initial agitation or euphoria in patients old or young.
- * Safe even in the hands of the temporarily unstable patient.
- Effective in releasing patients from dependence on barbiturates.
- * barbiturates.

Basic cost to N.H.S. for 12 tablets from dispensing pack of 100.
'DISTAVAL'—25 mg. tablets 11d.
'DISTAVAL' FORTE—100 mg. tablets 2/5d.
'DISTAVAL' SUSPENSION (50 mg. per 5 ml.)—bottle of 60 ml. 3/-d.



THE DISTILLERS COMPANY (Biochemicals) LIMITED
BROADWAY HOUSE · THE BROADWAY · WIMBLEDON · LONDON S.W.19
Telephone: LIBerty 6800
Owners of the trade mark 'Distaval'

PPH3660A

DEPRESSION INDUCED ANXIETY

MOST COMMONLY ENCOUNTERED IN:

Psychosomatic disorders; Chronic diseases;
Other organic illnesses.

MOST COMMONLY EXPRESSED BY:

Nervousness; Anorexia; Tension fatigue
states; Sadness; Insomnia; Apprehension;
Irritability; Hypochondriasis.

MOST EFFECTIVELY TREATED WITH:

A true antidepressant which relieves the
depression-induced anxiety by alleviating
the depression itself.

NARDIL is a true antidepressant which
acts selectively on the brain.

NARDIL acts rapidly, improvement is seen
within the first week and often in the
first few days.

NARDIL is safe—toxic effects on blood or
liver are extremely rare.

NARDIL has a simple and convenient
dosage schedule (one tablet three times
a day) which helps patient co-operation.

NARDIL is economical in use. Basic N.H.S.
cost only 4/11 for 25 tablets.

Now exempt from P.T.

*Nardil is available in bottles of 100 and 500 sugar-
coated tablets each containing 15 mg. phenelzine.*



NARDIL

BRAND OF PHENELZINE

TRADE MARK

IN GENERAL PRACTICE

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE. Tel: Eastleigh 3131

NAR 617

In response to requests from the medical profession...

May & Baker Ltd combined the neuroleptic properties of chlorpromazine ('Largactil') with—

**(a) the central depressant activity of
amylobarbitone, to give**

'AMARGYL'

trade mark brand
CHLORPROMAZINE/AMYLOBARBITONE

**(b) the stimulant action of dexamphetamine,
to give**

'AMPHACTIL'

trade mark brand
CHLORPROMAZINE/DEXAMPHETAMINE

'Amargyl' is indicated in psychoneuroses, *particularly anxiety and tension states*, and as an adjuvant to psychotherapy.

Each tablet contains Chlorpromazine Hydrochloride B.P. 25 mg. and Amylobarbitone B.P. 50 mg.

'Amphactil' is indicated in mild depressive states with anxiety, *particularly when the patient is ambulant and must remain alert throughout his everyday activities.*

Each tablet contains Chlorpromazine Hydrochloride B.P. 25 mg. and Dexamphetamine Sulphate B.P. 5 mg.

Detailed information is available on request

M&B brand Medical Products




MANUFACTURED BY
MAY & BAKER LTD

Distributors: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

MA7976



for the tense and anxious patient



MODITEN
Squibb Fluphenazine Dihydrochloride

1 mg
 once a day

for **EMOTIONAL
 EQUILIBRIUM**

SQUIBB



A Century of Experience Builds Faith
 'MODITEN' is a trademark

E R SQUIBB & SONS LIMITED

Edwards Lane Speke Liverpool 24

DOSAGE: 1 mg. daily. If necessary, the total daily dosage may be increased to 1 mg. b.i.d. or two 1 mg. tablets given as a single dose in patients with relatively severe symptoms who have had a trial at lower dosages. A daily dose in excess of 2 mg. is rarely necessary, and when employed should be used with caution.

SUPPLY: Coated 1 mg. and 0.25 mg. tablets, bottles of 25, 100 and 500. Also as an Elixir containing 0.5 mg. per cc.



Grune & Stratton Publications

SOMATIC TREATMENTS IN PSYCHIATRY

By **LOTHAR B. KALINOWSKY** and **PAUL H. HOCH, M.D.**
424 pages. **69s. net**

PSYCHOENDOCRINOLOGY

Edited by **MAX REISS, M.D., D.Sc.**
216 pages. 37 illustrations. **49s. net**

STRUCTURE AND DYNAMICS OF THE HUMAN MIND

By **EDOARDO WEISS, M.D.**
476 pages. **62s. net**

PROGRESS IN PSYCHOTHERAPY Vol. V. Reviews & Integrations.
Edited by **JULES MASSERMAN** and **J. MORENO, M.D.**

272 pages. **60s. net**

BIOLOGICAL PSYCHIATRY

Edited by **JULES MASSERMAN, M.D.**
354 pages. 87 illustrations. **74s. net**

RECENT ADVANCES IN BIOLOGICAL PSYCHIATRY


Edited by **JOSEPH WORTIS, M.D.**
432 pages. 201 illustrations. **95s. net**

15-16 *Queen Street, Mayfair, London, W.I.*

'ECTONUSTIM'

E.C.T. APPARATUS and CEREBRAL STIMULATOR

(A.C. or D.C. Mains)



For a new improved E.C.T. technique which eliminates the need for muscle relaxants and anaesthetics.

Also:

'ECTONUS'

—E.C.T. apparatus

'ECTRON'

—E.C.T. apparatus

'ECTRON'

—Rubber Mouth Gag

'ECTRONOLYTE'

—Electrolyte Powder

Write for full details to: **ECTRON LTD**

39 NORTON ROAD, LETCHWORTH, HERTS, ENGLAND

Telephone: LETCHWORTH 2124

Tofranil[®]

Geigy

N-(γ -Dimethylaminopropyl)-iminodibenzyl hydrochloride

Thymoleptic Specific therapeutic measure in the treatment of depression

BARNWOOD HOUSE

GLOUCESTER

A PRIVATE HOSPITAL (outside the National Health Service), for the **CARE and TREATMENT** of **LADIES and GENTLEMEN** suffering from **NERVOUS and MENTAL DISORDERS**. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Patients of both sexes are received for treatment. Special accommodation is also provided in a villa residence, which stands in its own grounds and is entirely separate from the main Hospital. All the most modern methods of treatment, including electric shock and prefrontal leucotomy, are used.

HUME TOWERS

27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For Terms, etc., apply to

G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M.

Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

WYKE HOUSE, ISLEWORTH MIDDLESEX

Tel. ISLeworth 7000

A Private Home established in 1826,
for the individual treatment and care
of all forms of Nervous and Mental
Illness, including Addiction.

Further particulars from the Resident Physician
H. PULLAR-STRECKER,
M.D.

HITCHAM PLACE, BURNHAM, BUCKS.

(late Fenstanton, Christchurch Road, S.W.2)

A Private Home for the Care and Treatment of a limited number of Ladies with
Mental and Nervous Disorders. Large Country Mansion with twenty acres of
grounds in Green Belt. Home-like surroundings.

Apply: Dr. Madeline R. Lockwood, Resident Physician. *Telephone: Burnham 624*

SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Nursing Home two miles from Bedford Station, for 48 patients
of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring
special care and attention are admitted.

Fees from 12 Guineas per week

For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER.

CHISWICK HOUSE, PINNER, MIDDLESEX

Telephone: Pinner 0234

Private Nursing Home for Nervous and Psychological Troubles including Alcoholism.
All modern treatments. Forty patients of both sexes. Country house in six acres of grounds
Twelve miles north-west London. Easily accessible by Metropolitan train from Baker Street
to Pinner — 22 minutes. Ten minutes walk Pinner Station.

Medical Director, Douglas Macaulay, M.D., D.P.M.



Dartalan

Brand of Thiopropazate Dihydrochloride

*safe and
effective in
psychoses,
neuroses,
geriatrics
and general
medicine*

SEARLE

THE JOURNAL OF MENTAL SCIENCE

© 1961

Communications on general editorial matters, including MSS. for publication, printed matter, and books for review should be sent to **The Editor-in-Chief, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

Communications and enquiries regarding sales should be addressed to the Publishers, **Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1;** and those regarding Advertisements to **Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.**

Details of membership of the Royal Medico-Psychological Association are obtainable from the **Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.**

THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

From MESSRS. H. K. LEWIS & CO. LTD.,
136 Gower Street, W.C.1

"The Journal of Mental Science." Published six times a year. Price 20/-. Postage extra.

From MESSRS. J. & A. CHURCHILL, LTD.,
104 Gloucester Place, W.1

"Recent Progress in Psychiatry." Vol. 2, 1950. Pp. 711. Price 50/-.
Vol. 3, 1959. Pp. 404. Price 50/-.

From MESSRS. BAILLIÈRE, TINDALL & COX,
8 Henrietta Street, W.C.2

"Handbook for Mental Nurses." 8th edn. 1954. Price 21/-.

From THE SECRETARY, 11 Chandos Street, W.1

The Charter and By-Laws of the Association. Price 2/-. Postage 1½d.

"Recent Progress in Psychiatry." Vol. 2, 1950 } (at special price to members of R.M.P.A.)
Vol. 3, 1959 }

Striatran

EMYLCAMATE

Regd.



NEW-
for stress

As the name implies, 'STRIATRAN' relaxes striated muscle, so often tense in the anxious, over-stressed patient. Such patients often present with somatic complaints such as fibrositis or back-ache which may mask the underlying anxiety factor. 'STRIATRAN' produces relaxation and sedation without significant drowsiness. Side-effects are rare. Dosage is simple — one tablet thrice daily before meals.

Informative literature is available

'STRIATRAN' (emylcamate) tablets, 200 mg., are supplied in bottles of 25, 100 and 500.

for relaxing
mind and muscle
without drowsiness



MERCK SHARP & DOHME LIMITED, HODDESDON, HERTS

INSTRUCTIONS TO AUTHORS

Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

(1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).

(2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.

(3) Omit a summary of the literature when this has been adequately summarized elsewhere.

(4) For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.

(5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.

(6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.

(7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.

(8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.

(1) SMITH, A. B., *J. Ment. Sci.*, 1950, 95, 493.

(2) THOMAS, B. C., *Arch. Neur. Psychiat.*, 1955, 74, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

(9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.

(10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent direct to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must not be sent to the Editor-in-Chief.

(11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of a panel of assessors for his opinion.



Roche psychotropic drugs

'Librium'

successor to the tranquilizers

'Taractan'

first broad spectrum psychotropic

'Marplan'

potent monoamine oxidase inhibitor

'Nitoman'

powerful neuroleptic

ROCHE PRODUCTS LTD

J106