

THE SOCIETY FOR HEALTHCARE EPIDEMIOLOGY OF AMERICA

SAVE THE DATE

March 18-21, 2006



16th ANNUAL SCIENTIFIC MEETING ♦ HILTON CHICAGO  
WWW.SHEA-ONLINE.ORG

Sign up

for the  
**INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY  
News Wire**

**An easy-to-use source for the busy infection control professional!  
Get the latest headlines from the authority in infection control  
and hospital epidemiology – sent right to your computer.**

Register today for the FREE, monthly e-mail news wire, featuring  
headlines from:

- Original, peer-reviewed scientific articles
- Articles written and edited by the foremost experts in infection control and epidemiology
- News from the Society for Healthcare Epidemiology of America

**SHEA Members, you're already eligible:**

The News Wire provides Society for Healthcare Epidemiology of America members and INFECTION CONTROL AND HOSPITAL EPIDEMIOLOGY journal subscribers with direct links to the latest articles.

**Not a member or subscriber?** Register today for the News Wire and see what you've been missing.

Sign up at [www.ICHEJournal.com](http://www.ICHEJournal.com)

A SLACK Incorporated® Publication

The Official Journal of The Society for Healthcare Epidemiology of America

INFECTION CONTROL AND  
HOSPITAL EPIDEMIOLOGY™

# THINK

# innovation

## THE EFFICACY OF CHLORAPREP® IN TWO NEW APPLICATORS

Chloraprep's new 10.5mL applicator features patented new tinting technology that adds color to the solution as it passes through the sponge. The patented ampulized applicator eliminates the risk of contamination, protects the CHG molecule from degradation, and ensures a 2-year shelf life.

The new Chloraprep® Swabstick provides significant improvement in performance over traditional swabsticks. It features a non-linting polyester polyurethane foam tip and a reinforced handle for friction application.

Chloraprep, an FDA-approved patient preoperative skin prep, is the only 2% chlorhexidine / 70% alcohol-based antiseptic available which meets the CDC guidelines.<sup>1</sup>

CDC guidelines for cutaneous antisepsis are based on a collection of clinical evidence indicating a significant reduction in infection when a 2% chlorhexidine-based antiseptic is used. A meta-analysis of independent clinical studies consistently demonstrates reduction rates of 50%.<sup>2</sup>


Visit [chloraprep.com](http://chloraprep.com) for directions on use of all Chloraprep® products.

[chloraprep.com](http://chloraprep.com)

TOUCHING  
MORE  
LIVES


1 Centers for Disease Control and Prevention. Guidelines for the Prevention of Intravascular Catheter-Related Infections. MMWR Recomm Rep. 2002; 51 (RR-10). Available at: <http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5110a1.htm>. Accessed on 1/26/05.

2 Chaiyakunapruk N, Veenstra DL, Lipsky BA, Saint S. Chlorhexidine compared with povidone-iodine solution for vascular catheter-site care: A Meta-Analysis. *Ann Intern Med*. 2002;136:792-801.



Chloraprep®  
10.5mL  
with Tint

NEW



Chloraprep®  
Swabstick



THINK  
**Chloraprep®**  
Antiseptic Skin Prep  
REDUCE THE RISK.