# THE JOURNAL

OF

#### MENTAL SCIENCE

(THE BRITISH JOURNAL OF PSYCHIATRY)



BY AUTHORITY OF
THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION

#### EDITOR-IN-CHIEF

#### G. W. T. H. FLEMING

WITH THE ASSISTANCE OF

Alexander Walk (Co-Editor)

L. C. Cook
P. K. McCowan
M. Partridge

F. L. Golla
A. Meyer
W. Linford Rees

T. F. Main R. M. Norman B. W. Richards

W. Warren

(The above constitute the Journal Committee)

AND

Lord Adrian W. Ross Ashby Sir F. C. Bartlett Sir W. E. le Gros Clark J. N. P. Moore A. A. W. Petrie Derek Richter E. T. O. Slater

LONDON

#### H. K. LEWIS & CO. LTD

Published Six times Yearly Twenty Shillings net



#### in anxiety and tension Fentazin 2 mg three times daily

PERPHENAZINE



'Fentazin' is a trade mark. AH 197

in epilepsy

prevent the problem that can arise from interrupted anti-convulsant therapy




#### Phenobarbitone Spansule\* sustained-release capsules

- eliminate 'peak and valley' tablet medication
- maintain consistent blood/barbiturate levels
- afford daylong control on a single dose

SMith Kline & French Laboratories Ltd Welwyn Garden City, Herts

<sup>\* &#</sup>x27;Spansule' is a trade mark Brit. Pat. No. 742007 SP: PA11(Col.)



Pacatal improves the disturbed behaviour patterns of all senile psychiatric patients, from mild senile deterioration to marked senile dementia. Throughout therapy the patient's mental alertness is unimpaired.

Maximum tranquillity is achieved with minimum sedation.

PACATAL CONTROLS agitation—irascibility—restlessness—confusion—nocturnal wanderings—destructiveness—disturbance of bowel and bladder control.



**Dosage:** The appropriate dosage varies from case to case. Low dosage levels (ranging from 25 to 100 mg. daily) have been proved effective and safe for chronic organic senile patients.

Presentation: Tablets of 25 and 100 mg. strength in bottles of 50 and 500. Ampoules each containing 50 mg. in 2 ml. in boxes of 10 and 50.

#### PACATAL ELIXIR

A pleasantly flavoured presentation (in bottles of 4 fl. oz.) for elderly patients.

**Dosage:** one or two teaspoonfuls 3 times a day. Each teaspoonful contains 20 mg. pecazine.

WILLIAM R. WARNER & CO. LTD., Eastleigh, Hampshire. Tel: Eastleigh 3131

PAC 501

#### ask yourself

... what qualities you'd expect

of the ideal sedative and hypnotic.

You'll find that 'DISTAVAL'

comes surprisingly close to

satisfying all your criteria.

# 'DISTAVAL'

brand of thalidomide

- \* Amply proved in neurological practice—both as a day-time sedative and as a night-time hypnotic.
- \* Causes no initial agitation or euphoria in patients old or young.
- \* Virtually free from toxicity therefore safe even in the hands of the temporarily unstable patient.
- \* Effective in releasing patients from dependance on barbiturates.


Basic cost to N.H.S. for 12 tablets from dispensing pack of 100.

'DISTAVAL'—25 mg. tablets 1/-d.

'DISTAVAL' FORTE—100 mg. tablets 2/8d.

DC(B)L

THE DISTILLERS COMPANY (Biochemicals) LIMITED BROADWAY HOUSE · THE BROADWAY · WIMBLEDON · LONDON S.W.19 Telephone: LIBerty 6600 Owners of the trade mark 'Distaval'



Thioproperazine is a new phenothiazine derivative in which the characteristic pharmacological properties of prochlorperazine ('Stemetil'\*) are greatly enhanced. It shows correspondingly intensified activity as a psychocorrective agent and is therefore particularly indicated for trial in chronic schizophrenic patients who have failed to derive any substantial benefit from existing methods of treatment.

'Majeptil' is also remarkably effective in controlling acute mania and other states of psychotic excitement.

#### PRESENTATIONS

Tablets of 1 mg., 5 mg., 10 mg. and 25 mg. Ampoules of 1 ml. (7.5 mg.) of 0.75 per cent w/v solution.

Detailed information is available on request




Manufactured by MAY & BAKER LTD

\*trade mark

MA 8476

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM

#### for the tense and anxious patient



Squibb Fluphenazine Dihydrochloride





A Century of Experience Builds Faith 'MODITEN' is a trademark

E R SQUIBB & SONS LIMITED with caution.


Edwards Lane Speke Liverpool 24 SUPPLY: Coat

DOSAGE: 1 mg. daily. If necessary, the total daily dosage may be increased to 1 mg. b.i.d. or two 1 mg. tablets given as a single dose in patients with relatively severe symptoms who have had a trial at lower dosages. A daily dose in excess of 2 mg. is rarely necessary, and when employed should be used with caution.

SUPPLY: Coated 1 mg. and 0.25 mg. tablets, bottles of 25, 100 and 500. Also as an Elixir containing 0.5 mg. per cc.

# DISIPAL

#### ORPHENADRINE HYDROCHLORIDE



- 1. Correction of Drug Induced Extra Pyramidal Symptoms
  - 2. Parkinsonism
  - 3. Arteriosclerotic Dementia
- 4. Geriatric Depressive States

ALSO USEFUL IN VERTIGINOUS AND POST-TRAUMATIC DIZZINESS

MANUFACTURED AND DISTRIBUTED IN THE U.K. BY

#### CAMDEN CHEMICAL CO. LTD

LONDON · WC1

FOR N.V. KONINKLIJKE PHARMAGEUTISCHE FABRIEKEN V/H BROCADES - STHEEMAN AND PHARMAGIA · AMSTERDAM · HOLLAND





PROCHLORPERAZINE

#### often effective where other treatments fail

#### ESPECIALLY VALUABLE IN

- \* All forms of schizophrenia, particularly in the chronic stages
- \* States of excitement and agitation
- \* Alcoholism and narcotic addictions
- \* Psychotic symptoms in mental defectives

#### PRESENTATIONS

Tablets (maleate) of 25 mg. 'Stemetil' Forte Syrup containing 25 mg. prochlorperazine methanesulphonate in each 3.6 ml. (approx. one teaspoonful). Ampoules of 2 ml. of 1.25% solution ( $12.5\,\mathrm{mg}$ , per ml). Suppositories of  $25\,\mathrm{mg}$ .

Detailed information is available on request



MANUFACTURED BY MAY & BAKER LTD

An M&B brand Medical Product

DISTRIBUTORS: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD · DAGENHAM MA8162 

**Tofranil** 

Geigy

N-(y-Dimethylaminopropyl)-immodibenzyl hydrochloride

# Thymoleptic Specific therapeutic measure in the treatment of depression

PH 184

# In response to requests from the medical profession...

May & Baker Ltd combined the neuroleptic properties of chlorpromazine ('Largactil') with—

(a) the central depressant activity of amylobarbitone, to give

#### **'AMARGYL'**

trade mark brand
CHLORPROMAZINE/AMYLOBARBITONE

(b) the stimulant action of dexamphetamine, to give

#### 'AMPHACTIL'

trade mark

bran**d** 

#### CHLORPROMAZINE/DEXAMPHETAMINE

'Amargyl' is indicated in psychoneuroses, particularly anxiety and tension states, and as an adjuvant to psychotherapy.

Each tablet contains Chlorpromazine Hydrochloride B.P. 25 mg. and Amylobarbitone B.P. 50 mg.

'Amphactil' is indicated in mild depressive states with anxiety, particularly when the patient is ambulant and must remain alert throughout his everyday activities.

Each tablet contains Chlorpromazine Hydrochloride B.P. 25 mg. and Dexamphetamine Sulphate B.P. 5 mg.

Detailed information is available on request

M&B brand Medical Products



Distributors: PHARMACEUTICAL SPECIALITIES (MAY & BAKER) LTD . DAGENHAM

# Psychosoma Other organ MOST COMM Nervousnes states; Sadr Irritability; MOST EFFE( A true antidepression the depres

#### MOST COMMONLY ENCOUNTERED IN:

Psychosomatic disorders; Chronic diseases; Other organic illnesses.

#### **MOST COMMONLY EXPRESSED BY:**

Nervousness; Anorexia; Tension fatigue states; Sadness; Insomnia; Apprehension; Irritability; Hypochondriasis.

#### MOST EFFECTIVELY TREATED WITH:

A true antidepressant which relieves the depression-induced anxiety by alleviating the depression itself.

acts selectively on the brain.

NARDIL acts rapidly, improvement is seen within the first week and often in the first few days.

NARDIL is safe—toxic effects on blood or liver are extremely rare.

NARDIL has a simple and convenient dosage schedule (one tablet three times a day) which helps patient co-operation.

NARDIL is economical in use. Basic N.H.S. cost only 4/11 (excl. p.t.) for 25 tablets.

Nardil is available in bottles of 100 and 500 sugarcoated tablets each containing 15 mg. phenelzine.



WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE. Tel: Eastleigh 3131

#### *REPRINTED*

## **BRAIN**

**VOLUMES I—XV** 1878—1892

COMPLETE SET OF XV VOLUMES, Paper Bound — £117:0:0 INDIVIDUAL VOLUMES, Paper Covers — £7:17:0 each

The early volumes of Brain have long been out of print and unobtainable. In co-operation with Messrs. Macmillan, the publishers of the journal, a reprint of Volumes I-XV is now available. This reprint, which is an exact copy of the original volumes, presents an opportunity for subscribers to complete their sets, since it is expected that, in due course, all the volumes at present out of print will be made available. The number of copies reprinted will be limited, and early registration of your order is advised.

#### BUTTERWORTH

4-5 BELL YARD, LONDON WC2

#### 'ECTONUSTIM'



(A.C. or D.C. Mains)

For a new improved E.C.T technique which eliminates the need for muscle relaxants and anaesthetics.



#### Also:

'ECTONUS'

-E.C.T. apparatus

'ECTRON'

-E.C.T. apparatus

'ECTRON'

-Rubber Mouth Gag

'ECTRONOLYTE'


-Electrolyte Powder


Write for full details to: ECTRON LTD

39 NORTON ROAD, LETCHWORTH, HERTS, ENGLAND

Telephone: LETCHWORTH 2124

# Calming the troubled mind of the epileptic patient-with 'Mysoline'





Since its introduction in 1952, 'Mysoline' has gained universal acceptance as an outstanding contribution to the control of epilepsy. Available in tablets of 0.25 G. and as a palatable oral suspension. Basic N.H.S. costs: 4/4d. for 30 tablets dispensed from packs of 1,000, and 5/8d. for 100 ml. of suspension.



Greatly valued in the treatment of epilepsy



IMPERIAL CHEMICAL INDUSTRIES LIMITED PHARMACEUTICALS DIVISION WILMSLOW CHESHIRE

Ph.97

#### TRAINING POSTS IN PSYCHIATRY

#### MENTAL HEALTH SERVICES

#### PROVINCE OF NEWFOUNDLAND

The Mental Health Services of Newfoundland have a limited number of training posts, offering two full years of accredited training, in an integrated University Programme. The additional two years of training required to qualify for University Diploma, and the Certification Examination of the Royal College of Physicians and Surgeons of Canada may be taken in the Department of Psychiatry at Dalhousie University, Halifax, Nova Scotia. This comprehensive training programme is under the general direction and supervision of the Department of Psychiatry, Dalhousie University. Pre-requisites are graduation from an approved Medical School and one year rotating internship.

Salary Range for full four years: \$7,000—\$8,000 per annum.

Service Contract required for University part of training.

Assistance given with transportation costs.

Permanent Posts available on completion of training.

Application forms and additional information may be obtained by writing to:

C. H. POTTLE, M.D., Director, Mental Health Services, P.O. Box 967, St. John's, Newfoundland

#### **PSYCHIATRISTS**

required by

#### THE PROVINCE OF NEWFOUNDLAND

for posts in Mental Hospitals and Day Care Clinic at St. John's.

Salary Range: \$10,000—\$12,000 per annum for candidates holding the D.P.M.

Posts are also available for non-certificated physicians with training who wish to qualify for certification.

Full Civil Service Benefits.

Assistance given with travel costs.

Applications or requests for further information should be directed to:

C. H. POTTLE, M.D., Director, Mental Health Services, P.O. Box 967, St. John's, Newfoundland, Canada.

#### BARNWOOD HOUSE

#### **GLOUCESTER**

A PRIVATE HOSPITAL (outside the National Health Service), for the CARE and TREATMENT LADIES and GENTLEMEN of suffering NERVOUS and MENTAL DISORDERS. Within two miles of the Western and London Midland Regional Railway Stations at Gloucester, the Hospital is easily accessible by rail from London and all parts of the United Kingdom. It is beautifully situated at the foot of the Cotswold Hills, and stands in its own grounds of over 300 acres. Patients of both sexes are received for Special accommodation is treatment. provided at a villa residence, which stands in its own grounds and is entirely separate from the main Hospital. All the most modern methods of treatment including electric shock and prefrontal leucotomy are used.

#### **HUME TOWERS**

#### 27 BRANKSOME WOOD ROAD, BOURNEMOUTH

TELEPHONE: WESTBOURNE 64384

has been opened as an ordinary nursing home for all kinds of borderline mental and nervous breakdown, with special accommodation for geriatric cases in a separate villa. Applications for admissions should be made to the Resident Medical Officer, Hume Towers.

For Terms, etc., apply to

G. W. T. H. FLEMING, M.R.C.S., L.R.C.P., D.P.M., Physician Superintendent

TELEPHONE: No. 66207 GLOUCESTER

# WYKE HOUSE, ISLEWORTH

Tel. ISLeworth 7000

A Private Home established in 1826, for the individual treatment and care of all forms of Nervous and Mental Illness, including Addiction.

Further particulars from the Resident Physicians:

H. PULLAR-STRECKER,

M.D.,

G. W. SMITH, O.B.E., M.B.

#### NORTHUMBERLAND HOUSE

A Psychiatric Nursing Home for informal and certified patients. Situated in pleasant grounds at 237-9 Ballards Lane, N.3. Tel. FINchley 5283. Resident Medical Director, Dr. Robert M. Riggall, Memb. Brit. Psycho-Analytical Socy. with Assistant Psychiatrist. Deep Insulin Coma Unit, psychotherapy, etc. Central heating and running water in all rooms.

#### CHISWICK HOUSE, PINNER, MIDDLESEX

Telephone: Pinner 0234

Private Nursing Home for Nervous and Psychological Troubles including Alcoholism.

All modern treatments. Forty patients of both sexes. Country house in six acres of grounds Twelve miles north-west London. Easily accessible by Metropolitan train from Baker Street to Pinner — 22 minutes. Ten minutes walk Pinner Station.

Medical Director, Douglas Macaulay, M.D., D.P.M.

#### SPRINGFIELD HOUSE, Near BEDFORD

Telephone: Bedford 3417

A Private Mental Nursing Home two miles from Bedford Station, for 48 patients of both sexes. Extensive grounds and vegetable garden. Elderly patients requiring special care and attention are admitted.

Fees from 11 Guineas per week

For Forms of Admission, etc., apply to the Resident Physician, CEDRIC W. BOWER.

#### INDEX TO ADVERTISERS

Allen & Hanburys Ltd	Cover 2
Butterworth & Co. Ltd	xii
Camden Chemical Co. Ltd.	vii
The Distillers Co. (Biochemicals) Ltd	iv
Ectron Ltd	xii
Geigy Ltd	ix
Imperial Chemical Industries Ltd. (Pharmaceuticals Division)	xiii
Pergamon Press	xvii
Pharmaceutical Specialities (May & Baker) Ltd	v, viii and x
Philosophical Library .	xx
Province of Newfoundland	xiv
Roche Products Ltd	xxii
G. D. Searle & Co., Ltd	xviii
Smith, Kline & French Laboratories Ltd.	i
E. R. Squibb & Sons Ltd	vi
William R. Warner & Co. Ltd	ii, iii and xi
Nursing Homes:	
Barnwood House, Gloucester	r xv
Chiswick House, Pinner .	xvi
Hume Towers, Bournemouth	xv xv
Northumberland House, Finchley, N.3	xvi
Springfield House, Bedford	xvi
Wyke House, Isleworth .	xvi

#### Pergamon Press Selection

#### THE ROLE OF SPEECH IN THE REGULATION OF NORMAL AND ABNORMAL BEHAVIOUR

A. R. Luria

This book is devoted to an analysis of the development of the regulatory role of the verbal system in ontogenesis and its disruption under various pathological brain conditions. It summarizes investigations conducted in recent years in the author's laboratory and broaches one of the most important problems in modern psychology.

50s. net (\$8.50)

#### RECENT SOVIET PSYCHOLOGY

Edited by N. O'Connor

This excellent book provides examples of the three main trends current in Soviet psychology today, and will be of interest to psychologists, teachers and doctors.

Approx. 70s. (\$12.50)

#### THE DEVELOPMENT OF BRITISH PSYCHIATRY Volume I

Denis Leigh

Using the biographical approach, this book presents a picture of the growth of ideas in British Psychiatry. It deals with the use of psychiatry as a speciality during the eighteenth century and the results which flowed from this during the first half of the nineteenth century.

Approx. 50s (§8.00)

#### PSYCHOLOGICAL TECHNIQUES IN DIAGNOSIS AND EVALUATION

T. C. Kahn and M. B. Giffen

Written for people who do not have an intimate knowledge of psychology, but who, on account of their work, come into contact with psychological evaluations. Recommended for use as a textbook for students in the fields of education, psychology and medicine.

40s. net (§6.52)

#### INTERNATIONAL SYMPOSIUM ON NERVOUS INHIBITION

Edited by Ernst Florey

Contains the authoritative proceedings of the International Symposium on Nervous Inhibition, the purpose of which was to represent and review the present knowledge of the phenomena of inhibition and of states of temporary inexcitability of nerve and effector cells.


Please send for fully descriptive leaflets



#### PERGAMON PRESS

OXFORD LONDON NEW YORK PARIS

Headington Hill Hall, Oxford 4 and 5 Fitzroy Square, London, W.1 122 East 55th Street, New York 22, New York



#### THE JOURNAL OF MENTAL SCIENCE

**©** 1961

Communications on general editorial matters, including MSS. for publication, printed matter, and communications regarding the *Epitome* section, including journals to be abstracted, should be sent to the **Editor-in-Chief**, **Dr. G. W. T. H. Fleming**, **Barnwood House**, **Gloucester**.

Books for review should be sent to Dr. A. Walk, c/o R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.

Communications and enquiries regarding sales should be addressed to the Publishers, Messrs. H. K. LEWIS & Co. Ltd., 136 Gower Street, W.C.1; and those regarding Advertisements to Aldridge Press Ltd., 27 Chancery Lane, London, W.C.2.

Details of membership of the Royal Medico-Psychological Association are obtainable from the Secretary, R.M.P.A., 11 Chandos Street, Cavendish Square, London, W.1.

#### THE ROYAL MEDICO-PSYCHOLOGICAL ASSOCIATION PUBLICATIONS

From Messrs. H. K. Lewis & Co. Ltd., 136 Gower Street, W.C.1

"The Journal of Mental Science." Published six times a year. Price 20/-. Postage extra.

From Messrs. J. & A. Churchill, Ltd., 104 Gloucester Place, W.1

"Recent Progress in Psychiatry." Vol. 2, 1950. Pp. 711. Price 50/-. Vol. 3, 1959. Pp. 404. Price 50/-.

From Messrs. Baillière, Tindall & Cox, 8 Henrietta Street, W.C.2

"Handbook for Mental Nurses." 8th edn. 1954. Price 21/-.

From The Secretary, 11 Chandos Street, W.1

The Charter and By-Laws of the Association. Price 2/-. Postage 1½d.

"Recent Progress in Psychiatry." Vol. 2, 1950
Vol. 3, 1959

(at special price to members of R.M.P.A.)

# A complete library of psychology in one volume—

### CLASSICS IN PSYCHOLOGY

#### **Edited by Thorne Shipley**

In a text of over 1400 pages, are the works of 35 leading psychologists of Europe, the United States, and the Soviet Union, spanning a period of one hundred and fifty years.

Some of the chapters:

PHILIPPE PINEL

Treatise on Insanity

JEAN MARTIN CHARCOT

Diseases of the Nervous System

WILHELM WUNDT

Sensory Perception

**ERNST MACH** 

The Relation of the Physical to the Psychical

**WILLIAM JAMES** 

Principles of Psychology

**EMIL KRAEPELIN** 

Clinical Psychiatry

E. B. TITCHENER

Structural Psychology

**BENJAMIN RUSH** 

The Table 1 of the Table 1

The Diseases of the Mind

**MANFRED SAKEL** 

Shock Treatment of Schizophrenia

EUGEN BLEULER

Dementia Praecox

ALFRED ADLER

Individual Psychology

I. P. PAVLOV

Conditioned Reflexes

JOHN B. WATSON

Behaviorist Views

**HERMANN RORSCHACH** 

**Psychodiagnostics** 

**AUGUST AICHHORN** 

Wayward Youth

G. STANLEY HALL

Adolescence

JEAN PIAGET

The Language and Thought of the Child

**KURT KOFFKA** 

Perception

ISAAC RAY

Jurisprudence of Insanity

WILLIAM McDOUGALL

Social Psychology

JOSEF BREUER & SIGMUND FREUD

Studies on Hysteria

C. G. JUNG

Analytical Psychology

\$20.00

You can expedite shipment by enclosing remittance

#### PHILOSOPHICAL LIBRARY, Publishers

15 East 40th Street, New York 16, N.Y.

#### INSTRUCTIONS TO AUTHORS


Strict observation of the following requirements will save intending authors considerable time and worry, and will facilitate the publication of papers submitted.

- (1) Authors should consult a current issue to see how a paper should be presented. They should consult *General Notes on the Preparation of Scientific Papers*, published for the Royal Society by the Cambridge University Press, 200 Euston Road, London, N.W.1 (price 2s. 9d. post free).
- (2) The title should be brief and contain no sub-heading. This should be followed by the author's name, his qualifications and his present appointment.
- (3) Omit a summary of the literature when this has been adequately summarized elsewhere.
- (4) For reasons of economy, case-histories of patients can be published only when they are of exceptional scientific interest.
- (5) Diagrams and graphs must be drawn in black ink with properly printed lettering. If they have to be redrawn by the printer, the cost, which may amount to several pounds, will be charged to the author.
- (6) Tables and graphs should be kept as few as possible. If they number more than a few, the author must be prepared to pay part of their cost.
- (7) Any deviation or difference that might be due to random sampling must, if it is to be discussed in its general, scientific significance, be first shown, by calculation of the appropriate probability, to be significant statistically.
- (8) All references should be given at the end of the paper, in alphabetical order, and be numbered, i.e.
  - (1) SMITH, A. B., J. Ment. Sci., 1950, 95, 493.
  - (2) THOMAS, B. C., Arch. Neur. Psychiat., 1955, 74, 489.

In the body of the paper they should appear as: Smith (1), Thomas (2).

- (9) When the proof arrives from the printer it is for the correction of printer's mistakes only. Larger alterations can be made only with the Editor's permission and if the author is willing to defray the cost.
- (10) Each author and co-author will receive 10 reprints of his paper free of charge. If further reprints are required the order should be sent direct to Messrs. Headley Brothers, Ltd., The Invicta Press, Ashford, Kent, at the time the galley proof is sent to the author. Orders for reprints must not be sent to the Editor-in-Chief.
- (11) A paper sent to the Editor-in-Chief is, as a rule, sent to one of the panel of Referees set out on the cover of the Journal for his opinion.

LIBRIUM and the Stranquillizers



LIBRIUM

the successor to the tranquillizers The era of tranquillizers that preceded 'Librium' therapy saw a long succession of drugs—thirty-five by the latest count. And yet today, 'Librium' has attained a clinical stature which may well establish it as the successor to this entire group.

