British Journal of Nutrition

Volume 105, 2011 ISSN: 0007-1145

Publishing, Production, Marketing, and Subscription Sales Office:

Cambridge University Press The Edinburgh Building Shaftesbury Road Cambridge CB2 8RU, UK

For Customers in North America:

Cambridge University Press Journals Fullfillment Department 100 Brook Hill Drive West Nyack New York 10994-2133 USA

Publisher: Katy Christomanou

Special sales and supplements:

This Journal accepts relevant advertisements and inserts. We also provide bulk reprints of suitable papers to meet teaching or promotional requirements. The journal also publishes supplements on behalf of academic and corporate collaborators. Please contact Katy Christomanou at the Cambridge address for further details. E-mail: kchristomanou@cambridge.org

Subscription information:

British Journal of Nutrition is an international journal published by Cambridge University Press on behalf of The Nutrition Society. The twelve issues starting January 2011 comprise Volume 105, the twelve issues starting July 2011 comprise Volume 106.

Annual subscription rates:

Volumes 105/106 (24 issues): Internet/print package £1021/\$1990/€1635 Internet only: £835/\$1630/€1334 Print only: £973/\$1895/€1580

Any **supplements** to this journal published in the course of the annual volume are normally supplied to subscribers at no extra charge.

Back volumes are available. Please contact Cambridge University Press for further information.

Claims for non-receipt of journal issues will be considered on their merit and only if the claim is received within six months of publication. Replacement copies supplied after this date will be chargeable.

US POSTMASTERS: please send address corrections to *British Journal of Nutrition*, Cambridge University Press, 100 Brook Hill Drive, West Nyack, New York 10994-2133.

Directions to Contributors are available from the Society at the address below or can be found on the Society's website at http://www.nutritionsociety.org (an abbreviated Notes for Authors can be found inside the back cover).

Offprints: The author (or main author) of an accepted paper will receive a copy of the PDF file and a voucher copy of the issue in which their paper has been published. There will be an option to purchase paper offprints, these should be ordered at proof stage. No page charges are levied by this journal.

Copyright: As of 1 July 2000 the copyright of all articles submitted to *British Journal of Nutrition* are retained by the authors or their institutions. For articles prior to this date permission for reproduction of any part of the journal (text, figures, tables or other matter) in any form (on paper, microfiche or electronically) should be sought directly from the Society, at: The Publications Office, The Nutrition Society, 10 Cambridge Court, 210 Shepherds Bush Road, Hammersmith, London W6 7NJ, UK.

Disclaimer: The information contained herein, including any expression of opinion and any projection or forecast, has been obtained from or is based upon sources believed by us to be reliable, but is not guaranteed as to accuracy or completeness. The information is supplied without obligation and on the understanding that any person who acts upon it or otherwise changes his/her position in reliance thereon does so entirely at his/her own risk. Neither the Society nor Cambridge University Press accepts responsibility for any trade advertisement included in this publication.

This journal is printed on acid-free paper from renewable sources. Printed in the UK by Bell & Bain Ltd., Glasgow.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

British Journal of Nutrition is covered in Current Contents®/Agriculture, Biology & Environmental Sciences, SciSearch®, Research Alert®, Current Contents®/Life Sciences, Index Medicus® (MEDLINE®), AGRICOLA®, CAB AbstractsTM, Global Health, BIOSIS® Database, EMBASE/Excerpta Medica and Elsevier BIOBASE/Current Awareness in Biological Sciences, CINAHL, and Chemical Abstracts Service.

(Contents continued from back cover)

Innovative Techniques Accuracy of a digital skinfold system for measuring skinfold thickness and estimating body fat. T. F. Amaral, M. T. Restivo, R. S. Guerra, E. Marques, M. F. Chousal & J. Mota	478-484
Letter to the Editor	
Randomised trials on vitamin C.	
H. Hemilä	485 - 487
Reply to Hemilä by Lykkesfeldt and Poulsen.	
J. Lykkesfeldt & H. E. Poulsen	488

British Journal of Nutrition

Directions to Contributors - Concise Version

(Revised August 2007)

The *British Journal of Nutrition* is an international peer-reviewed journal that publishes original papers, review articles, technical notes and short communications in English in all branches of nutritional science. **Prospective authors should note that they (or their institutions) now retain the copyright of their material published in the** *British Journal of Nutrition***. As a contributor you are asked to follow the guidelines set out below. For detailed information on the presentation of the technical content of your paper please see the full version of the Directions to Contributors**, which can be downloaded from the Nutrition Society website (http://www.nutritionsociety.org). Prospective authors may also contact the Publications Office directly on + 44 (0)20 7605 6555 (telephone), +44 20 7602 1756 (fax), or edoffice@nutsoc.org.uk (email).

Papers should be accompanied by a statement to the effect that the conditions laid down in the full Directions to Contributors are accepted. The statement should affirm that the submission represents original work that has not been published previously and which is not currently being considered by another journal. It should also confirm that each author has seen and approved the contents of the submitted paper. At the time of acceptance the authors should provide a completed copy of the 'Licence to Publish' (in lieu of copyright transfer). The Licence to Publish is available on the Nutrition Society website (http://www.nutrition society.org). All relevant financial interests should be declared.

Text. Papers should be submitted with 1.5 line spacing and margins of at least 2 cm on each side. Text should be printed without underlining, bold or italics (except for scientific names). Standard abbreviations (e.g. Fig. and Figs.) and SI units should be used. Typescripts can be submitted as Word, WordPerfect, EPS, Text, Postscript or RTF files. A Word processing format is required for production purposes once papers have been accepted. When substantial revisions are required to typescripts, authors are given the opportunity to do this once only, the need for any further changes should at most reflect any minor issues.

Title Page. The first page should include a concise, informative title together with the names and addresses of the authors. A contact name for correspondence should be given and telephone, fax and email addresses provided. Authors should supply three or four key words or phrases (each containing up to three words). A short title of up to 45 characters is required as a running head.

Abstract. Each paper should commence with an accurate and informative abstract, written as a single paragraph. It should be complete in itself and intelligible without reference to the text or figures, and should not exceed 250 words.

Tables. Tables should be reduced to the simplest form, and should not duplicate information in the text or figures. They should be typed on separate pages, one page for each Table, at the end of the article and carry headings describing their content.

Illustrations. The original illustrations should accompany the submitted typescript. Text figures, line drawings, computer-generated figures and graphs should be of sufficient size and quality to allow for reduction by half or two-thirds. Half-tone photographs are acceptable where they clearly contribute to the text. All figures should be numbered and legends should be provided.

Note that authors will be charged 350 GBP for the publication of colour figures. Authors from countries entitled to free journal access through HINARI will be exempt from these charges.

References. References should be based on the numbered (Vancouver) system. When an article has more than ten authors, only the names of the first three should be given followed by *et al.*; give abbreviated journal titles and conform to the following styles:

Goel V, Cheema SK, Agellon LB, Ooraikul B & Basu TK (1999) Dietary rhubabrb (*Rheum rhaponticum*) stalk fibre stimulates cholesterol 7α-hydroxylase gene expression and bile acid excretion in cholesterol-fed C57BL/6J mice. *Br J Nutr* **81**, 65–71.

Jenkins DJ, Kendall CW, Marchie A, et al. (2003) The effect of combining plant sterols, soy protein, viscous fibres, and almonds in treating hypercholesterolemia. Metabolism 52, 1478–1483.

Brandtzaeg P (2003) Role of local immunity and breast-feeding in mucosal homoeostasis and defence against infections. In *Nutrition and Immune Function*, pp. 273–320 [PC Calder, CJ Field and HS Gill, editors]. Wallingford, Oxon: CAB International

Stock M & Rothwell NJ (1982) *Obesity and Leanness: Basic Aspects.* London: John Libbey.

Citations should be numbered consecutively in the order in which they first appear in the text using superscript Arabic numerals in parentheses, e.g. 'The conceptual difficulty of this approach has recently been highlighted(1,2-4). If a reference is cited more than once the same number should be used each time.

Referees. Authors are asked to submit the names of up to four scientists who would be well-qualified to review the paper; however, no more than one such reviewer will be used. The email addresses and institutions of the named reviewers should be given.

Proofs. PDF page proofs will be emailed to authors for checking, and should be returned within 3 days (by fax or Express mail) to the BJN Production Editor, Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, UK; fax +44 1223 325802, email bjnproduction@cambridge.org

Typescripts. The *British Journal of Nutrition* operates an on-line submission and reviewing system (eJournalPress). Authors should submit to the following address: http://bjn.msubmit.net/ If any difficulties are encountered please contact the Publications Office (details above) immediately.

Professor Philip Calder Editor-in-Chief British Journal of Nutrition The Nutrition Society 10 Cambridge Court 210 Shepherds Bush Road London W6 7NJ UK

Tel: +44 (0)20 7605 6555 Fax: +44 20 7602 1756 Email: edoffice@nutsoc.org.uk

Volume 105 No. 3 14 February 2011



Contents

Malaarilan Nutrition	
Molecular Nutrition Maternal consumption of high-prebiotic fibre or -protein diets during pregnancy and lactation	
differentially influences satiety hormones and expression of genes involved in glucose	
and lipid metabolism in offspring in rats.	
A. D. Maurer & R. A. Reimer	329-338
Flaxseed cotyledon fraction reduces tumour growth and sensitises tamoxifen treatment of human	
breast cancer xenograft (MCF-7) in athymic mice.	
J. Chen, J. K. Saggar, P. Corey & L. U. Thompson	339–347
EPA inhibits the inhibitor of $\kappa B\alpha$ (I $\kappa B\alpha$)/NF- κB /muscle RING finger 1 pathway in C2C12	
myotubes in a PPARγ-dependent manner.	240 256
F. Huang, H. Wei, H. Luo, S. Jiang & J. Peng	348–356
Metabolism and Metabolic Studies	
Oral bioavailability of ATP after prolonged administration.	257 266
E. J. C. M. Coolen, I. C. W. Arts, O. Bekers, C. Vervaet, A. Bast & P. C. Dagnelie	357–366
Free acid gel form of β -hydroxy- β -methylbutyrate (HMB) improves HMB clearance from plasma in human subjects compared with the calcium HMB salt.	
J. C. Fuller Jr, R. L. Sharp, H. F. Angus, S. M. Baier & J. A. Rathmacher	367–372
Products deriving from microbial fermentation are linked to insulinaemic response in pigs	301-312
fed breads prepared from whole-wheat grain and wheat and rye ingredients.	
P. K. Theil, H. Jørgensen, A. Serena, J. Hendrickson & K. E. B. Knudsen	373-383
Nutritional Toxicology	
Calcium carbonate suppresses haem toxicity markers without calcium phosphate side effects on	
colon carcinogenesis.	
O. Allam, D. Bahuaud, S. Taché, N. Naud, D. E. Corpet & F. H. F. Pierre	384-392
Human and Clinical Nutrition	
Effect of milk protein addition to a carbohydrate-electrolyte rehydration solution ingested after	
exercise in the heat.	
L. J. James, D. Clayton & G. H. Evans	393–399
Weight loss during tuberculosis treatment is an important risk factor for drug-induced hepatotoxicity.	
I. Warmelink, N. H. ten Hacken, T. S. van der Werf & R. van Altena	400–408
Bifidobacterium animalis subsp. lactis BB-12 in reducing the risk of infections in infancy.	400 416
T. Taipale, K. Pienihäkkinen, E. Isolauri, C. Larsen, E. Brockmann, P. Alanen, J. Jokela & E. Söderling High-oleic rapeseed (canola) and flaxseed oils modulate serum lipids and inflammatory biomarkers in	409–416
hypercholesterolaemic subjects.	
L. G. Gillingham, J. A. Gustafson, SY. Han, D. S. Jassal & P. J. H. Jones	417–427
Dietary Surveys and Nutritional Epidemiology	717-727
Comparison of the effects of dietary protein, androstenediol and forearm muscle area on	
radial bone variables in healthy prepubertal children.	
L. Libuda, S. A. Wudy, E. Schoenau & T. Remer	428-435
Higher risk of zinc deficiency in New Zealand Pacific school children compared with their	
Māori and European counterparts: a New Zealand national survey.	
R. S. Gibson, K. B. Bailey, W. R. Parnell, N. Wilson & E. L. Ferguson	436-446
Two non-consecutive 24 h recalls using EPIC-Soft software are sufficiently valid for comparing	
protein and potassium intake between five European centres - results from the European	
Food Consumption Validation (EFCOVAL) study.	
S. P. Crispim, J. H. M. de Vries, A. Geelen, O. W. Souverein, P. J. M. Hulshof, L. Lafay,	
AS. Rousseau, I. T. L. Lillegaard, L. F. Andersen, I. Huybrechts, W. De Keyzer, J. Ruprich, M. Dofkova, M. C. Ocke, E. de Boer, N. Slimani & P. van't Veer, on behalf of the EFCOVAL consortium	447–458
Diet and risk of endometriosis in a population-based case—control study.	447-436
B. Trabert, U. Peters, A. J. De Roos, D. Scholes & V. L. Holt	459–467
Sources of sodium in Australian children's diets and the effect of the application of sodium	107 107
targets to food products to reduce sodium intake.	
C. A. Grimes, K. J. Campbell, L. J. Riddell & C. A. Nowson	468-477
-	

(Contents continued facing inside back cover)

