Vol. LXXX No. 6

The Journal of Laryngology and Otology

EDITED BY G. H. BATEMAN

ASSISTANT EDITOR LIONEL TAYLOR

Contents

LATERAL TRANSTHYROID ARYTENOIDECTOMY . TOXOPLASMOSIS IN CHILDHOOD

I. ATKINS A. W. MORRISON and J. S. R. BAXTER

ABERRANT SALIVARY TUMOURS (REPORT OF FOUR L. H. HIRANANDANI, CASES) . O. CHANDRA, R. D. MELGIRI and N. L. HIRANANDANI BETSY BROWN AMYLOIDOSIS OF FRONTAL SINUS . . . THE TEMPORARY EFFECTS OF 125 C.P.S. OCTAVE-BAND NOISE ON STAPEDECTOMIZED EARS .

HEARING AIDS ALEUKÆMIC LEUKÆMIA WITH PRESENTING LESIONS RESEMBLING MALIGNANT GRANULOMA

K. FERRIS JOHN C. RICE

T. R. BULL

LEWIS LABIB SAMY and FATMA H. ABDIN

ABRAHAM BERKSTEIN

R. SCOTT STEVENSON

CLINICAL RECORDS-

SURGICAL TREATMENT OF OZENA WITH DERMOFAT ISKANDER H. GIRGIS GRAFT . PREM. K. KAKAR, FAMILIAL BELL'S PALSY (CASE REPORT) . . K. L. SAWHNEY and P. S. SAHARIA

NOISE TRAUMA DEAFNESS AFTER STAPEDECTOMY WITH RECOVERY

THE TREATMENT OF ATROPHIC RHINITIS WITH INTECTABLE SILICONE

GUMMA OF THE VOCAL CORD (CLINICAL REPORT) HUSSEIN KAMEL ISMAIL WEGENER'S GIANT CELL GRANULOMATOSIS . KENNETH G. MALCOMSON

TREATED WITH CORTICOSTEROIDS EPISTAXIS AND TUBERCULOSIS

GENERAL NOTES

London Headley Brothers

109 Kingsway WC2

Annual Subscription £5/5/0 net, U.S.A. \$15 17/S0022215100065658 Published online by Cambridge University Press Monthly, 12/6 net post free

ADVERTISEMENTS

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY G. H. BATEMAN

> ASSISTANT EDITOR LIONEL TAYLOR

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this *Journal* solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgment must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. GREEN, C., and BROWN, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify *personally* the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. <u>Illustration blocks</u> will normally be held by the Printers for three years, after which they will be destroyed. Any author is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2. Coloured illustrations will be charged to authors, unless a special grant is authorized by the Editor.

5. Orders for reprints must be sent when returning galley proofs, and for this purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to THE EDITOR, Journal of Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8. The annual subscription is five guineas sterling (U.S.A. \$15) post free, and payable in advance.

9. Single copies will be on sale at 12s. 6d. each; copies of parts up to Vol. LXIII which are available may be purchased at 7s. 6d. each.

10. All subscriptions, advertising and business communications should be sent to the publishers, HEADLEY BROTHERS, 109 KINGSWAY, LONDON, WC2.

United States of America

Orders for this Journal may be sent through local booksellers, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, HEADLEY BROTHERS, TO9 KINGSWAY, LONDON, WC2, England. © Journal of Laryngology and Otology, 1966

CONTENTS

	PAGE
LATERAL TRANSTHYROID ARYTENOIDECTOMY. J. Atkins (Birmingham) .	557
$\textbf{Toxoplasmosis in Childhood.} \ A, W. \ Morrison \ and \ J. \ S. \ R. \ Baxter \ (London)$	560
ABERRANT SALIVARY TUMOURS (REPORT OF FOUR CASES). L. H. Hiranandani, O. Chandra, R. D. Melgiri and N. L. Hiranandani	564
Amyloidosis of Frontal Sinus. Betsy Brown (Manchester)	571
THE TEMPORARY EFFECTS OF 125 C.P.S. OCTAVE-BAND NOISE ON STAPEDEC- TOMIZED EARS. K. Ferris (London)	579
HEARING AIDS. John C. Rice (London)	583
ALEUKÆMIC LEUKÆMIA WITH PRESENTING LESIONS RESEMBLING MALIG- NANT GRANULOMA. Lewis Labib Samy and Fatma H. Abdin (Cairo)	601
CLINICAL RECORDS-	
Surgical Treatment of Ozena with Dermofat Graft. Iskander H. Girgis	615
FAMILIAL BELL'S PALSY (CASE REPORT). Prem. K. Kakar, K. L. Sawhney and P. S. Saharia (New Delhi, India)	628
Noise Trauma Deafness after Stapedectomy with Recovery. T. R. Bull (London)	631
THE TREATMENT OF ATROPHIC RHINITIS WITH INJECTABLE SILICONE. Abraham Berkstein (Mexico)	634
GUMMA OF THE VOCAL CORD (CLINICAL REPORT). Hussein Kamel Ismail	638
WEGENER'S GIANT CELL GRANULOMATOSIS TREATED WITH CORTICO- STEROIDS. Kenneth G. Malcomson	64 0
EPISTAXIS AND TUBERCULOSIS. R. Scott Stevenson (Gibraltar)	646
General Notes	648

ONLY **AMPLIVOX** provides a *complete* audiometric service!



Transistor Audiometers

with air conduction or air and bone conduction with masking, for hospitals, schools, consulting rooms, industrial medical departments, screening programmes, etc.



Clinical Audiometers

with narrow band masking for the highest accuracy and extended resolution.


Audiometer Booths

for ideal testing conditions in hospitals, clinics, factories. Standard and special sizes available.



PLUS An efficient and speedy calibration service please write for technical literature to meet your needs 80 New Bond Street, London, W.1. Tel: HYDe Park 9888

For children PENBRITIN is the safer broad spectrum antibiotic



the only one which is both oral and bactericidal, with the additional advantage of safety for all ages. Whenever broad spectrum therapy is required, from the neonate to the older child, Penbritin affords the safety of a penicillin.
No interference with the calcification of teeth and bone, or significant change in blood picture has been reported in over 700 published papers on Penbritin.

Penbritin is effective

because it is bactericidal, highly active against a wide range of pathogens and well absorbed after oral administration giving high blood, tissue and urine levels. These factors mean outstanding effectiveness in the treatment of recurrent chest infections, bronchitis, pneumonia, tonsillitis, otitis media, cystitis, pyelonephritis and other bacterial diseases.


And acceptable

because Penbritin Syrups are palatable, pleasant tasting liquids, well liked and well tolerated by children of all ages. Crushable paediatric tablets are also available.


Dosage

Under 2 years 62.5-125mg. 6 hourly. 2-10 years 125-250mg. 6 hourly

Availability (for paediatric use)



Penbritin Syrup forte (250mg./5ml.) 60ml.



BÉKÉSY Accessory

For the very first time a fully automatic unit has been made available for a Clinic Audiometer, making the combined units into a true BÉKÉSY Audiometer.

This automatic accessory is being made for the PETERS SPD/5 CLINIC AUDIOMETER, which has a continuous frequency range and continuously variable attenuation. The result is therefore a true Békésy audiometer.

It can be attached to or detached from the audiometer in under one minute so that the two units together offer the facilities of an advanced clinic audiometer or Békésy audiometry at will.

It can be fitted to any existing SPD/5 Audiometer.

Please write for full details and demonstration to:

ALFRED PETERS & SONS LIMITED 51 GELL STREET, SHEFFIELD 3

ORBENIN and its success in Gram-Positive Infections

Otitis media Otitis externa

Boils Carbuncles Infected dermatoses

Pneumonia Lung abscess Acute bronchitis

Osteomyelitis Osteitis

Tonsillitis Pharyngitis

Post-operative wound infections Burns Skin graft protection

Septicaemia Acute endocarditis

Staphylococcal enterocolitis Staphylococcal urinary tract infections Staphylococcal meningitis

ORBENIN (cloxacillin sodium B.P.) is a penicillin active against virtually all Gram-positive organisms, including staphylococci, β -haemolytic streptococci and pneumococci, irrespective of their resistance to other antibiotics.

It is encouraging that the widespread use of Orbenin in hospitals has not resulted in the emergence of resistant strains.


More than 300 references in the World Literature testify to the excellent clinical results obtained with Orbenin in a wide variety of Gram-positive infections.

Detailed literature is available on request.

Dosage:

Two capsules (500mg.) or one vial (250mg.) q.i.d.

Availability:





Orbenin (cloxacillin sodium B.P.)(regd.) is a product of British research at Beecham Research Laboratories Brentford, Englanded Talenhomeric IShver(orths 4111

ADVERTISEMENTS


What do you do about a case like this?

Age 8000 4000 2000 1000 Ref. 150 500 250 125 Frequency in C.P.S. Hearing Loss -10 for Speech 0 10 DECIBELS 20 30 Z 40 LOSS 50 Right = HEARING Left 600 705 Red Sh Critica 80 Published by Ingrams Hearing Aids Ltd., 2 Shepherd Street, London, W.1.

Now, for the profoundly deaf child and the adult with a severe fragmentary loss-a com- pletely new hearing aid. Available only trom Ingrams, the new Zenith 'Vocalizer' en-ables hearing correction to be maintained down to frequencies previously beyond the scope of all but desk appliances. Because of its low frequency response (the 'Vocal-izer' actually amplifies down to one hundred cycles), it can prove helpful for children and adults with some residual hearing for low frequencies but a total loss for the medium high frequencies. It incorporates new facili Ingrams with confidence.
Ingrams with confidence.
CLEARLY BETTER HEARING
a Shepherd Street Shepherd Market, London W1. Telephone: HYD 9041 pletely new hearing aid. Available only from

ties to provide for Loop Listening at the same time that the child can hear his own voice for speech training. Because the 'Vocaliser' is light yet robust, he can con-tinue to use the same aid at home as he





Please mention The Journal of Laryngology and Otology when replying to advertisements

THE LARYNGOSCOPE

A Monthly Journal devoted to the disease of EAR, NOSE AND THROAT


Official organ for the American Laryngological Rhinological and Otological Society

Price \$18.00 per year Canada \$19.00 per year Foreign \$19.00 per year

ESTABLISHED 1896

THEODORE E. WALSH, M.D. EDITOR

517 SOUTH EUCLID AVENUE SAINT LOUIS MO. 63110.



Please mention The Journal of Laryngology and Otology when replying to advertisements



KAMPLEX AUDIOMETRIC EQUIPMENT

AUDIOMETERS



х

CLINIC AUDIOMETER DA1


ACOUSTIC IMPEDANCE APPARATUS ZA2

PNEUMOMETER ZP1

SKIN RESISTANCE APPARATUS RA4 SCREENING PORTABLE TA16 DIAGNOSTIC PORTABLE TA15

CLINIC AUDIOMETER DA1 DOUBLE CHANNEL DA2

AUTOMATIC AUDIOMETER AB1



SOUND LEVEL METER GA6

VISIBLE SPEECH APPARATUS

AUDITORY TRAINERS

Write for full catalogue and detailed descriptions to:

ALFRED PETERS & SONS LTD 51 GELL STREET, SHEFFIELD 3



Please mention The Journal of Laryngology and Otology when replying to advertisements

xi

For the longestlasting, gentlest relief of HAY-FEVER

A combination of a long-acting yet gentle decongestant with a topicallyeffective antihistamine, to provide prompt and sustained relief in all seasonal and perennial nasal allergies. One application at bedtime will usually maintain clear nasal airways until the morning.

Nasal Spray or Drops: ½ fl. oz. Basic NHS price 3s.8d.



Please mention The Journal of Laryngology and Otology when replying to advertisements

Now available to your patients on a minimum of 14 DAYS FREE TRIAL — WITHOUT CHARGE — WITHOUT DEPOSIT — WITHOUT OBLIGATION



Price £15 15s.



A well made inexpensive 4 transistor head worn aid with sufficient amplification and maximum loudness for hearing losses which are not severe. Fully guaranteed and insured against "all risks" for 12 months. 24 hr. (return of post) repair service.

The above aids are simple to operate and easy to fit.



THE APOLLO TH 300

A very small inexpensive 4 transistor body worn aid with a high degree of amplification and maximum loudness (greater than the Medresco OL 56). The aid has a 3 position tone control and inductive pick-up coil for use with the telephone. Fully guaranteed and insured against "all risks" for 12 months. 24 hr. (return of post) repair service.



It is our sincere belief that applicants should be given the opportunity to test an aid of their choice, in their own familiar surroundings, without *pressure or persuasion*. We therefore give our firm undertaking that no representative or salesman will call on any of your patients who request further details.

More information and copies of the R.N.I.D. Test Report from: Mr. Monty Shulberg, CUBEX LIMITED, 57 Southover, Woodside Park, London, N.12. Telephone HILlside 7625.

WHEN A HEARING AID IS RECOMMENDED ONLY AMPLIVOX OFFERS THIS HEARING AID SERVICE


The design and manufacture of a complete range with individual fitting facilities. Best of other makes in addition to Amplivox aids—Amplivox hearing aids are ONLY available from Amplivox. Highest degree of training of any hearing aid organisation. Master Hearing Aid evaluations. Expert follow-up and rehabilitation advice. 15 branch offices with while-you-wait service. FOR YOUR PATIENTS' GREATEST SATISFACTION SPECIFY AMPLIVOX

AMPLIVOX HEARING ADVISORY SERVICE 80 NEW BOND STREET LONDON, W.1

World's most experienced and complete hearing service


In cases of PERCEPTIVE DEAFNESS whenever a Hearing Aid is indicated let your patients test the MULTITONE PERCEPTOR


A New small Post-Aural Aid of British design and manufacture. The unique Multitone method of mounting the microphone at the top of the unit in an acoustic chamber facing *forward* produces direct FRONTAL RECEPTION of astonishingly wide frequency response.



Frequency Response 500 - 5000 cps. Maximum Amplification (at 3000 cps) 46 dB. Maximum power output (1000 cps) 120 dB.

Arrangements can be made for your patients to test the Perceptor without charge or obligation. For information please contact





MULTITONE ELECTRIC CO LTD · 12-20 UNDERWOOD STREET LONDON N1 · TELEPHONE: CLERKENWELL 8022

CRC 50

Please mention The Journal of Laryngology and Otology when replying to advertisements

For Advertisement

Space in this Journal

please apply to:

The Journal of Laryngology and Otology

109 Kingsway

London W.C.1

A CHOICE SELECTION IN Laryngology & Otology

ALARYNGEAL SPEECH by William M. Diedrich and Karl A. Youngstrom, both of University of Kansas Medical Center, Kansas City. The authors report on an extensive research study and describe in detail clinical observations and rehabilitation procedures. The unique illustrative material presented facilitates a visual understanding of the complex processes of alaryngeal speech. Physical and psychological needs as well as communication needs of the laryngectomee are considered. A new concept for developing cesophageal speech through the use of the artificial larynx is presented. June '66, about 282 pp., 322 il., 51 tables.

ROENTGENOGRAPHY AND ROENTGENOLOGY OF THE MIDDLE EAR AND MASTOID PROCESS by Lewis E. Etter, Univ. of Pittsburgh. With the collaboration of Lawrence C. Cross and Merle J. Stuart, both of Western Psychiatric Institute and Clinic. All of Pittsburgh. The author demonstrates how a routine acceptable x-ray examination of the temporal bone, middle ear, and mastoid process can be performed using six pairs of films, properly exposed by precision roentgenography, to show all that is needed to arrive at a diagnosis of disease in these structures. '65, 168 pp. $(8\frac{1}{2} \times 11)$, 157 il., \$9.75.

EXTERNAL OTITIS: Diagnosis and Treatment by Edley H. Jones, Univ. of Mississippi, Jackson. (Ret.). Heretofore unpublished clinical investigations are presented including a particularly effective study on the prevention of "swimming pool ear". Clinical findings are correlated with pathology and well illustrated with photomicrographs. Basic principles of general and local therapy which apply to all forms of external otitis are fully discussed. '65, 264 pp., 89 il. (26 in colour), 19 tables, \$9.50

RADIATION THERAPY IN THE MANAGEMENT OF CANCERS OF THE ORAL CAVITY AND ORO-PHARYNX by Gilbert H. Fletcher and William S. MacComb. With the collaboration of Alando J. Ballantyne. Physics section by Robert J. Shalek and Marilyn A. Stovall. All of the Univ. of Texas. '62, 408 pp., 346 il. (Amer. Lec. Radiation Therapy edited by Milton Friedman), \$16.50

CHARLES C THOMAS · Publisher 301-327 East Lawrence Avenue SPRINGFIELD · ILLINOIS · U.S.A.

Cash with Order Outside U.S.A. and Canada We Pay Postage and Guarantee Delivery

CANCER OF THE NASO-PHARYNX: Its Natural History and Treatment by M. Lederman, Royal Marsden Hospital. '61, 128 pp., 109 il. (Amer. Lec. Radiation Therapy), \$6.75

THE HUMAN LARYNX by Mervin C. Myerson, Cedars of Lebanon Hosp., Los Angeles. '64, 408 pp., 191 il., 17 tables, \$14.50

CLINICAL AUDIOMETRY by Michel and Claudine Portmann, both of Bordeaux Univ. Translated by Sheila Wevers, London, England, and Bruce Proctor, Wayne State Univ., Detroit, Mich. '61, 384 pp., 147 il., \$12.00

THE NOSE, PARANASAL SINUSES, AND EARS IN CHILDHOOD by Donald F. Proctor, The Johns Hopkins Univ., Baltimore. '63, 200 pp. $(8\frac{1}{2} \times 11)$, 183 il. (Pediatric Surgical Monograph Series edited by Mark M. Ravitch), \$12.50

THE TONSILS AND ADENOIDS IN CHILD-HOOD by Donald F. Proctor, '60, 82 pp. $(8\frac{1}{2} \times 11)$, 46 il. (1 full colour plate), (Pediatric Surgical Monograph Series), \$7.50

Send for our new

1966 Catalog

Please mention The Journal of Laryngology and Otology when replying to advertisements

2



Servo-Motor device

for Zeiss operating microscopes

Full details from sole suppliers

Degenhardt & Co Ltd Carl Zeiss House 20/22 Mortimer Street London W1 Museum 8050 (15 lines) Scottish enquiries to

Degenhardt & Co (Scotland) Ltd 22 Burnbank Gardens Glasgow NW Douglas 0520



Simply by pressing a foot control the microscope can be focused either upwards or downwards leaving both hands free for manipulation purposes.

Please mention The Journal of Laryngology and Otology when replying to advertisements

https://doi.org/10.1017/S0022215100065658 Published online by Cambridge University Press



OPERATING CHAIR-STOOL

HYDRAULIC, FOOT OPERATED

ADJUSTABLE HEIGHT 24 to 33 in.

ADJUSTABLE BACK REST

FOOT OPERATED BRAKE

FOOT RAIL

MAXIMUM MANŒUVERABILITY

CAN BE ELEVATED AND LOCKED BY SURGEON WHILST SEATED

THIS CHAIR-STOOL IS OF SPECIAL VALUE IN PROLONGED OPERATIONS SUCH AS STAPEDECTOMY AND OPHTHALMIC SURGERY



DOWN BROS. AND MAYER & PHELPS LTD CHURCH PATH, MITCHAM, SURREY, ENGLAND

In Canada 410 Dundas Street West, Toronto, 2B, Canada

'Otosporin' for ears and ears and ears...

'Otosporin' drops rapidly destroy virtually *all* organisms commonly found in infections of the ear, reduce irritation, inflammation and pain.

'Otosporin' brand Drops

contain polymyxin B sulphate, neomycin sulphate and hydrocortisone. Issued in bottles of 5 ml.



Burroughs Wellcome & Co. (The Wellcome Foundation Ltd.) London