INECTION CONTROL



COMMENTARY

Lessons from El Salvador Charles S. Bryan, MD

SPECIAL ARTICLE

Infection Control in El Salvador: The Hospital Rosales Experience José A. Marinero Cáceres, MD, MSc, DTMH; Yolanda de Sotello, RN

ORIGINAL ARTICLES

Ineffectiveness of Hospital Disinfectants Against Bacteria: A Collaborative Study

William A. Rutala, PhD, MPH; Eugene C. Cole, DrPH

Use of Indwelling Urinary Tract Catheters in Swedish Hospitals Lars G. Burman, MD; Birgitta Fryklund, RN; Bertil Nyström, MD

Protein Fingerprinting for the Determination of Relatedness in *Acinetobacter calcoaceticus* subspecies *anitratus* Isolated from Patients in a Surgical Intensive Care Unit

Joel E. Mortensen, PhD; Mark T. LaRocco, PhD; Bret Steiner, PhD; Bruce Ribner, MD


Brief Report: Distribution of the Genus Aspergillus in Hospital Room Air Conditioners

Robert M. Wadowsky, ScD; Susan M. Benner, MS

SPECIAL SECTIONS

Topics in Clinical Microbiology: RotavirusJohn T. Sinnott, IV, MD; Margarita R. Cancio, MD

Annual Index for 1987



We couldn't make Medi-Scrub kill germs deader. So we made it kill them faster.

Any medicated health care handwash will kill germs. But will it kill them in the time your staff actually devotes to handwashing? Medi-Scrub will. It's gentle enough to use dozens of times a day, and is proven to work in *half the time* recommended by CDC guidelines.

A 97% kill in 15 seconds.

In a series of tests conducted by independent laboratories, Medi-Scrub was used on hands contaminated with *Serratia marcescens*, and killed 99.9% when used in a full 30 second handwash. More impressive, in a series of 15 second handwashes, Medi-Scrub killed 97% of the transient bacteria. While our special blend of aloe vera and lanolin made hands feel softer. Not one test participant showed or reported any sign of irritation. This is real-world testing, to prove that Medi-Scrub works the way your staff will actually use it.

Disposable dispensing system.

Medi-Scrub comes packed in our patented DisposaCare cartridge, factory sealed with a built-in measuring pump. The matching wall-mount holder puts Medi-Scrub exactly

where you need it. The unique design lets you see the label and product level at a glance. And when the container is empty, you just throw it away. Pump and all.

Proven educational support.

Medi-Scrub is backed by an educational program which includes video, bilingual filmstrips, posters, buttons and more. All to help you get Medi-Scrub out of the dispenser and onto their hands. And your Huntington representative is always ready with technical and training assistance. For test data and more information on Medi-Scrub, call us now toll-free.

1-800-HGTN LAB Huntington.

© 1987 Huntington Laboratories • Huntington, Indiana 46750 1-800-448-6522 • In Canada, call collect: (416) 791-2336

Information for Authors

Manuscripts should consist of new material based on infection control activities within a health care facility or in the community, from the US or abroad. All clinical research must have been conducted in accordance with guidelines on the protection of human subjects as established by the US Department of Health and Human Services. Articles are accepted with the understanding that they are contributed solely to INFECTION CONTROL and have not been published previously except in abstract form. Authors will be requested to sign a standard release of copyright form. The journal will cover the general topics of environmental monitoring, surveillance, prevention, immunization, regulation, education, and research related to infection control.

All manuscripts should be submitted in triplicate (with duplicates of figures and tables), typewritten on one side on 8 $\frac{1}{2}$ × 11-inch paper, double-spaced with generous margins. The author should keep a com-

plete copy of the manuscript.

The organization of the paper should be as follows: title page; abstract; introduction; methods; results; discussion; acknowledgments; references; tables; figures and figure legends. The main sections and subdivisions should be indicated by side headings flush with the left margin and two lines above the text. The Arabic numbering system should be used.

Clinical Trials: The Editor requests that authors reporting the results of clinical trials describe clearly the following: 1) eligibility criteria; 2) whether or not subjects were admitted before allocation to one of the study groups; 3) the method of randomization; 4) whether the study was "masked," what specific information was masked and whether subjects, clinicians and evaluators were all masked; 5) the method used to identify treatment complications; 6) an explanation and analysis of subjects lost to follow-up; 7) statistical methods employed; 8) information which led to the determination of the size of the study groups and the expected differences between groups; and 9) indicate that studies involving human subjects have been reviewed and approved by their institutional review board.

Rapid Publication: A request for rapid publication must be stated in the cover letter and manuscripts should not exceed ten double-spaced, typewritten pages. Such papers will be published within three to four months of acceptance. No comments will accompany rejected papers, but manuscripts may be resubmitted under the normal publication procedures.

Readers' Forum: Brief communications are encouraged of approximately four to six typewritten pages containing information which does not represent a formal study. They may reflect opinions, hypotheses, or impressions related to infection control or summarize unusual experiences in the field.

Title Page: A separate title page should include the following: title of manuscript; author(s); laboratory or institution of origin with city and state; acknowledgment of grant support; address to be used for reprint requests. An abbreviated title, to be used as a running head, should be included. This should not exceed four words. A preliminary report or abstract should be credited by use of a footnote to the title.

Abstract: The abstract, not to exceed 150 words, should summarize the significant information in the paper and be understandable without reference to the text. The use of abbreviations should be avoided.

Tables: Tables should be double-spaced, each on a separate page, and self-contained. Do not use vertical lines or ditto marks. The table number should be typed flush left, with the table title beneath it. Symbols for footnotes are listed below. Abbreviations used in a table should be explained at the bottom of the table after the footnotes.

Figures: Two sets of unmounted glossy prints should be enclosed in separate envelopes. Indicate lightly on the back margin of each figure the number, name of author, and top. Illustration costs in excess of \$50 must be defrayed by the author.

Photographs: Two copies of each photograph should be submitted. Any identifiable human subject must sign a release form before the photograph can be used. Radiographs and other black-and-white material should be submitted as unmounted glossy print, $5" \times 7"$ size preferred. A separate identification label should be pasted on each print; do not write directly on the print or use paper clips or staples. Photomicrographs or other color materials should be submitted as color transparencies. Actual magnification and staining method should be given where appropriate; electron photomicrographs should have internal scale markers.

Legends: Legends should be double-spaced, each on a separate page.

References: References should be double-spaced, and should be cited consecutively in the text with superscript numbers outside punctuation. A reference to a paper "in press" may be included. Citations such as "in preparation," "submitted for publication," "unpublished data," and "personal communication" should be given in parentheses in the text only. At the end of each article, references should be listed in the numerical order in which they appear in the text. No more than three authors should be listed for each citation; authors after the third should be designated "et al." Abbreviations of the names of the journals should conform to the Index Medicus. Journal titles should be cited as they existed at the time of publication. Unlisted journals should not be abbreviated. Authors are responsible for bibliographic accuracy.

Articles: Annuniziato D, Goldblum LM: Staphylococcal scalded skin syndrome: A complication of circumcision. Am J Dis Child 1978; 132:1187-1188.

Books: Hoeprich PD: *Infectious Diseases*, ed 2. New York, Harper & Row Pubs Inc, 1977, p 169.

Contributions to Books: Schaffner W: Psittacosis: Ornithosis, parrot fever, in Beeson PB, McDermott W, Wyngaarden JB (eds): Cecil Textbook of Medicine, ed 15. Philadelphia, WB Saunders Co, 1979, pp 336-338.

Footnotes: Footnotes to the text and tables should be as few as possible. Each should be typed at the foot of the appropriate page, separated from the text or table by a horizontal line. Designate footnotes by the following symbols in this order: *, †, ‡, **, ††, ‡‡.

Abbreviations and Nomenclature: Abbreviations should conform to the American Medical Association Manual for Authors and Editors, published by Lange Medical Publications, Los Altos, California. Abbreviations should be kept to a minimum, preferably confined to the tables. Symbols for units of measurement (eg, mm, ml) should not be followed by periods. Chemical or generic names of drugs are preferred. A proprietary name may be given only after it is preceded by the chemical name the first time it appears. Unfamiliar terms and abbreviations must be defined when first used.

Reviews: Each manuscript will be reviewed by the Editor and at least one other Editorial Board member. Authors will be notified as soon as possible regarding the acceptability of their manuscripts.

Galleys: Galley prints will be sent to the author for approval before the article is printed.

Reprints: The senior author will be sent five complimentary copies of the issue in which the article appears. An order form showing the price for reprints will be sent with the complimentary copies of the issue.

Mail Manuscripts to: Marikay Klein, Managing Editor

INFECTION CONTROL Editorial Offices C41 General Hospital University of Iowa Hospitals and Clinics Iowa City, Iowa 52242



EPA ACCEPTED: For complete disinfection (including T.B. activity)

"SPORICIDIN, DILUTED 1:16, IS TUBERCULOCIDAL AND CAN BE USED AND RE-USED FOR 30 DAYS FOR 100% HOSPITAL LEVEL DISINFECTION IN 10 MINUTES AT TRUE ROOM TEMPERATURE, 68°F AND ABOVE• (REG. #8383-5)."

Sporicidin is the **ONIX** dilutable glutaraldehyde-based 10 minute Important Product Information: disinfectant that is registered for tuberculocidal re-use without heating. Respiratory and other equipment were used in the studies supporting the re-use claims. It is recommended for respiratory therapy and operating room instruments and equipment.

Sporicidin is recommended by all major scope manufacturers.

**Cidex now must be heated to 77°F / 25°C for 45 minutes for tuberculocidal activity. Cidex, and Cidex type products, require a much higher glutaraldehyde concentration (2%) for disinfection and are less effective than Sporicidin, a glutaral dehyde (0.13%)-phenate complex. Under the most stringent and scientific guidelines, Sporicidin is the

best sterilizing/disinfecting product available.



Curtis L. Lynch, M.D., M.P.H. Medical Director (800) 424-3733



516

INFECTION CONTROL®

Table of Contents

COMMENTARY

Lessons from El Salvador Charles S. Bryan, MD	493
SPECIAL ARTICLE	
Infection Control in El Salvador: The Hospital Rosales Experience José A. Marinero Cáceres, MD, MSc, DTMH; Yolanda de Sotello, RN	495
ORIGINAL ARTICLES	
Ineffectiveness of Hospital Disinfectants Against Bacteria: A Collaborative Study William A. Rutala, PhD, MPH; Eugene C. Cole, DrPH	501
Use of Indwelling Urinary Tract Catheters in Swedish Hospitals Lars G. Burman, MD; Birgitta Fryklund, RN; Bertil Nyström, MD	507
Protein Fingerprinting for the Determination of Relatedness in Acinetobacte calcoaceticus subspecies anitratus Isolated from Patients in a Surgical Intensive Care Unit Joel E. Mortensen, PhD; Mark T. LaRocco, PhD; Bret Steiner, PhD; Bruce Ribner, MD	e r 512

SPECIAL SECTIONS

Hospital Room Air Conditioners

Brief Report: Distribution of the Genus Aspergillus in

Robert M. Wadowsky, ScD; Susan M. Benner, MS

Topics in Clinical Microbiology: Rotavirus John T. Sinnott, IV, MD; Margarita R. Cancio, MD	519
Annual Index for 1987	524

DEPARTMENTS

Information for Authors	485	Video Review	522
Letters to the Editor	490	Classified Marketplace	532

The ideas and opinions expressed by contributing authors do not necessarily reflect those of the editors or publisher.

Publisher: Infection Control (ISSN-0195-9417) is published monthly by SLACK Incorporated, 6900 Grove Road, Thorofare, New Jersey 08086. Telephone: (609) 848-1000. Copyright 1987: All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

Subscriptions. Requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Scope Incorporated, Mansui Bldg., 9-18, Kanda Surugadai 2chome, Chiyoda-ku, Tokyo 101, Japan. Subscription rates in the US and possessions: Individual: One year—\$40.00; Two years—\$66.00; Three years—\$94.00. Institutional: One year—\$55.00; Two years—\$92.00; Three years—\$128.00; Canada: \$15.00 additional each year; all other countries: \$25.00 additional each year. Single copies of current issues may be obtained for \$7.00, United States and possessions; \$13.00 all other countries.

Change of address: Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086. Postmaster: Send address changes to SLACK Incorporated, 6900 Grove Road, Thorofare, NJ 08086.

As of Volume 1, Number 1, INFECTION CONTROL is listed in Index Medicus, Current Contents—Clinical Practice, Hospital Literature Index, and Cumulative Index to

INFECTION CONTROL® / Editorial Board

EDITOR

Richard P. Wenzel, MD, MSc Iowa City, Iowa

SENIOR ASSOCIATE EDITOR

William Schaffner, MD Nashville, Tennessee

ASSOCIATE EDITORS

Sue Crow, MSN, RN Shreveport, Louisiana

John E. McGowan, Jr., MD Atlanta, Georgia

Dennis G. Maki, MD Madison, Wisconsin



SLACK Incorporated 6900 Grove Road Thorofare, New Jersey 08086

Publisher Richard N. Roash

Editorial Director

Donna Carpenter
Senior Editor/Development

John C. Carter

Editorial Coordinator Sandra L. Patterson

Assistant Editor Dawn A. Zwick

Editorial Assistant Mary Lou Jerrell

Production Manager Jim Griffin

Production Coordinator Lester Robeson

Circulation Manager Kevin J. Fenton

Advertising Manager Randall Roash

Advertising Sales Representative Wayne M. McCourt

Advertising Sales Coordinator

Coordinator Betty Martz

Classified Advertising Representative Donna M. Coles

EDITORIAL OFFICES

C41 General Hospital University of Iowa Hospitals and Clinics Iowa City, Iowa 52242 (319) 356-0464

William J. Hausler, Jr., PhD R. Michael Massanari, MD, MS Michael Pfaller, MD

Robert F. Woolson, PhD

Managing Editor Marikay Klein

EDITORIAL ADVISORY BOARD

Robert C. Aber, MD Hershey, Pennsylvania

Paul Arnow, MD Chicago, Illinois

Charles S. Bryan, MD Columbia, South Carolina

John P. Burke, MD Salt Lake City, Utah

Mary Castle, MPH, RN Berkeley, California

Marie B. Coyle, PhD Seattle, Washington

William Craig, MD Madison, Wisconsin

Burke A. Cunha, MD Mineola, New York

Richard E. Dixon, MD Trenton, New Jersey

Leigh G. Donowitz, MD Charlottesville, Virginia

Mark Eggleston, PharmD Washington, DC

Harvey A. Elder, MD Loma Linda, California

Bruce Farber, MD Pittsburgh, Pennsylvania

Martin S. Favero, PhD Atlanta, Georgia

Peter C. Fuchs, MD, PhD Portland, Oregon

Richard A. Garibaldi, MD Farmington, Connecticut

Angella Goetz, MNEd, RN Pittsburgh, Pennsylvania

Donald A. Goldmann, MD Boston, Massachusetts

Dieter H.M. Gröschel, MD Charlottesville, Virginia Peter A. Gross, MD Hackensack, New Jersey

Karen Hadley, MPH, RN New Orleans, Louisiana

David K. Henderson, MD Bethesda, Maryland

Peter N.R. Heseltine, MD Los Angeles, California

Cyrus C. Hopkins, MD Boston, Massachusetts

Allen B. Kaiser, MD Nashville, Tennessee

Donald L. Kaiser, DrPH Charlottesville, Virginia

Elaine Larson, PhD Cabin John, Maryland

Harold Laufman, MD, PhD New York, New York

Barbara McArthur, PhD, RN Detroit, Michigan

Rob Roy MacGregor, MD Philadelphia, Pennsylvania

C. Glen Mayhall, MD Richmond, Virginia

Patti J. Miller, MS Charlottesville, Virginia

Harry C. Nottebart, Jr., JD, MD Richmond, Virginia

Michael T. Osterholm, PhD, MPH Minneapolis, Minnesota

James E. Peacock, Jr., MD Winston-Salem, North Carolina

Frank S. Rhame, MD Minneapolis, Minnesota

William A. Rutala, PhD, MPH Chapel Hill, North Carolina

William E. Scheckler, MD Madison, Wisconsin

Walter E. Stamm, MD Seattle, Washington

Charles W. Stratton, MD Nashville, Tennessee

Richard L. Sweet, MD San Francisco, California

George H. Talbot, MD Philadelphia, Pennsylvania

Timothy R. Townsend, MD Baltimore, Maryland

James Veazey, MD Albany, New York

FOREIGN ADVISORY BOARD

Graham Ayliffe, MD, FRCPath. Birmingham, England

Professor G. Berencsi Szeged, Hungary

David Birnbaum, MPH Sidney, British Columbia, Canada

Professor Jaap Dankert Groningen, Netherlands

Professor Dr. F. Daschner Freiburg, West Germany

Lars O. Kallings, MD Stockholm, Sweden

Professor W.B. Kędzia Sieroca, Poland

Professor A.P. Krasilnikow Minsk, USSR

Professor Dr. W. Marget Munich, West Germany

Jonathan L. Meakins, MD, FRCSC, FACS Montreal, Canada

Bertil Nyström, MD Huddinge, Sweden

Ian Phillips, MA, MD, MRCPath. London, England

Samuel Ponce de Leon, MD Mexico City, Mexico

Hans Reber, MD Basel, Switzerland

Professor Gerald Reybrouck Leuven, Belgium

Manfred L. Rotter, MD, DipBact Vienna, Austria

Theodore Sacks, MD Jerusalem, Israel

Dr. Bernhard M. Thimm Federal Republic of Germany

Professor Dr. med. H.P. Werner Mainz, West Germany

Professor Dr. W. Weuffen Greifswald, German Democratic Republic Exclusively from Surgicot

Pre-assembled, Pre-sealed, Pre-loaded

Introducing

ASSERT

Single-Use Biological Test Packs for convenient and reliable steam and EO sterilization monitoring

- Convenient—Pre-assembled, pre-sealed, and pre-loaded... they're easy to use, labor saving and cost-effective!
- Reliable—Standardized elements...and Surgicot quality...in every pack assure precision and accuracy!
- Complete—All components*
 ...including ASSERT™ SelfContained Biological Indicators
 ...in ready-to-use packs simplify
 inventory management and
 sterilization testing.

*Meets all AAMI (Association for Advancement of Medical Instrumentation) Recommendations



ASSERT from Surgicot
For the true and complete picture in Sterilization Monitoring

For more technical support and ordering information call toll free 800-645-5003

