APRIL, 1920.

THE

JOURNAL OF LARYNGOLOGY, RHINOLOGY, AND OTOLOGY:

A RECORD OF CURRENT LITERATURE

RELATING TO


THE THROAT, NOSE, AND EAR.

Printed and Published Monthly by

ADLARD & SON & WEST NEWMAN, Ltd., Bartholomew Close, London, E.C. 1.

A SAFE JUNKER'S INHALER

As made for MORRIS RIGBY, M.R.C.S., L.R.C.P.Lond., Capt., R.A.M.C.T., Anæsthetist, Sussex County Hospital, and 2nd Eastern General Hospital, Brighton.



Can be used with safety in darkened rooms for Laryngological Operations, etc.

Rigby's Chloroform Inhaler complete in case Rigby's Chloroform Bottle only £3 8s. 3d. £1 5s. 0d.

GRANDS PRIX:

Paris 1900, Brussels 1910, Buenos Aires 1910.



Gold Medal Allahabad 1910.

Manufactured by

DOWN BROS., LTD.,
Surgical Instrument Makers,

21 & 23, ST. THOMAS'S ST., LONDON, S.E. (opposite Guy's Hospital.)

Telegrams:

Telephone: Hop. 4400 (4 Lines

Prepaid Annual Subscription, 40s. post free.

Single Copies, Four Shillings.

ENTERED AT STATIONERS' HALL.

"We have experimentally proved that Listerine is a powerful antiseptic, preventing the development of bacteria and decomposition of vegetable infusions."—British Medical Journal, May 3, 1890.

LISTERINE

A safe, non-poisonous, unirritating antiseptic solution

- LISTERINE is particularly useful in the treatment of abnormal conditions of the mucosa, and admirably suited for a wash, gargle, or douche, in catarrhal conditions of the nose and throat.
- LISTERINE in proper dilution may be freely and continuously used without prejudicial effect, either by injection or spray, in all the natural cavities of the body.
- LISTERINE embodies a two-fold antiseptic effect, in that after the evaporation of its volatile constitutents—thyme, eucalyptus, mentha, gaultheria, and ethyl alcohol—a film of boracic and benzoic acids remains upon the surface to which Listerine has been applied, affording more prolonged antiseptic protection.
- LISTERINE is a trustworthy surgical dressing; it has no injurious effect upon the tissues in which the healing process is going on.
- LISTERINE in teaspoonful doses will often afford relief in fermentative dyspepsia, and is largely prescribed, with excellent results, in the various forms of diarrhæa occurring in infants and adults.
- LISTERINE literature, including special pamphlets upon Respiratory
 Diseases, may be had, by physicians, upon application to

LAMBERT PHARMACAL COMPANY

2101 Locust Street

St. Louis, Mo., U.S.A.

British Agents:

S. Maw, Son & Sons, 7 Aldersgate St., London, E.C.

THE JOURNAL OF LARYNGOLOGY. RHINOLOGY, AND OTOLOGY.

Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN.

PUBLISHED UNDER THE DIRECTION OF THE EDITORIAL COMMITTEE:

H. S. BIRKETT, C.B., M.D., Brig.-Gen. C.A.M.C. (Montreal). A. BROWN-KELLY, D.Sc., M.D. (Glasgow). A. CHEATLE, F.R.C.S.
(Pres. Otol. Sect. Internat. Cong.). DUNDAS GRANT, M.A., M.D., F.R.C.S. (London). WILLIAM HILL, M.D. (London). J. MACINTYRE, M.B., C.M. (Glasgow). Sir W. MILLIGAN, M.D., M.Ch. (Manchester). MACLEOD YEARSLEY, F.R.C.S. (London).

Sir StGLAIR THOMSON, M.D., F.R.C.S.(London). (Pres. Laryng. Sect. Internat. Cong.) HERBERT TILLEY, M.D., F.R.C.S. (London). (Pres. Otol. Sect. R.S.M.) LOGAN TURNER, M.D. (Edinburgh). E. B. WAGGETT, D.S.O., M.B. Pres. Laryng. Sect. R.S.M.) P. WATSON-WILLIAMS, M.D. (Bristol).

EDITOR:

DAN McKENZIE, M.D., F.R.C.S.E. (London),

ABSTRACTS EDITOR:

W. D. HARMER, M.C.(Cantab.), M.B., F.R.C.S.(London).

SUB-EDITOR:

ARCHER RYLAND, F.R.C.S.E.(London).

WITH THE CO-OPERATION OF THE STAFF OF ABSTRACTORS:

DRS. J. STODDART BARR (Glasgow), BRADY (Sydney, N.S.W.),
JOHN DARLING (Edinburgh), J. K. MILNE DICKIE (Edinburgh),
DONELAN (London), CLAYTON FOX (London), J. S. FRASER (Edinburgh),
PERRY GOLDSMITH (Toronto), THOS. GUTHRIE (Liverpool), A. HUTCHISON (Brighton),
J. D. LITHGOW (Edinburgh), A. MCCALI. (Bournemouth),

CHICHELE NOURSE (London), KNOWLES RENSHAW (Manchester), LINDLEY SEWELL (Manchester), ALEX. R. TWEEDIE (Nottingham), C. E. WEST (London), G. HAROLD L. WHALE (London), WRIGHT (Bristol), and WYLIE (London).

AND THE ASSISTANCE OF

MR. GEORGE BADGEROW (London), DRS. J. BARR (Glasgow), GRAZZI (Florence), A. BROWN KELLY (Glasgow), E. LAW (London), HOLGER MYGIND (Copenhagen), D. PATERSON (Cardiff), URBAN PRITCHARD (London), F. A. ROSE (London), A. SANDFORD (Cork), SENDZIAK (Warsaw), H. TILLEY (London), RAYMOND VEREL (Aberdeen), E. WAGGETT (London), SIR R. WOODS (Dublin).

CONTRIBUTORS TO THIS NUMBER.

DR. WATSON-WILLIAMS. MR. DOUGLAS GUTHRIE. MR. THOMAS GUTHRIE. DOCENT DR. A. REJTÖ. MR. G. A. M'ARTHUR.

DR. J. K. MILNE-DICKIE.
DR. A. J. HUTCHISON.
MR. MACLEON V-MR. MACLEOD YEARSLEY. DR. PERRY GOLDSMITH.

CONTENTS.

Special Articles—	P
Latent Sphenoidal Sinusitis in Children with Recurrent Adenoids and Appendicitis.—P. Watson-Williams	
Notes on Thirteen Cases of Aural Tuberculosis in Infants.—Douglas Guthriß	
A Method of Suturing the Pillars of the Fauces.—Thomas Guthrie	1
On the Origin of the Quick Phasis of the Vestibular Nystagmus.— DOCENT DR. A. REJTÖ	1
Reports for the Year 1918 from the Ear and Throat Department of the Royal Infirmary, Edinburgh. Part V.—Statistical Tables.—G. A. M'ARTHUR	1
Clinical Note-	
Cases Illustrative of the Value of Treatment of Papilloma of the Larynx by Radium and by X Rays.—Seymour Jones	1
ocieties' Proceedings—	
ROYAL SOCIETY OF MEDICINE—	
LARYNGOLOGICAL SECTION (continued from p. 89).—Communications by W. Douglas Harmer, A. C. Stevenson, H. J. Banks-Davis, Irwin Moore	1
Abstracts—	
PHARYNX.—Can Granular Pharyngitis be the Cause of "Febricula"?	1
Nosz.—Acute Suppurative Hypophysitis as a Complication of Purulent Sphenoidal Sinusitis.—Sphenoidal Empyema and Epidemic Cerebrospinal Fever.—Congenital Occlusion of the Choanæ	1
LARYNX.—The Prognostic Importance of Tuberculosis of the Larynx.—A Large Cyst of the Larynx	1
Tonsils.—Tonsillitis and Pharyngitis as a Result of Oral Sepsis.—Tonsillectomy in Adults: The Advantage of Operating with Local Anæsthetic	
Esophagus.—Foreign Bodies in the Œsophagus requiring Œsophagotomy in Children	1
EAR.—Outline of the Pathological Physiology of Otitic Sclerosis.— Chloroma Simulating Mastoid Disease	1
MISCELLANEOUS.—Meningo-encephalitis as the only Manifestation of Mumps: Report of Three Cases.—Enlarged Thymus Gland and some Remarks on Status Lymphaticus	1
Review—	
Compendium of Medico-Legal Oto-Rhino-Laryngology.—CIRO CALDERA and ALBERTO BALLA	1
Notes and Queries ,	1
Book Received	

Immunisation against Hay Fever.

THE DEPARTMENT FOR THERAPEUTIC INOCULATION, St. MARY'S HOS-PITAL, LONDON, W., prepares for supply to the Medical Profession through the agency of Messrs. Parke, Davis & Co.

"POLLACCINE" (POLLEN VACCINE FOR HAY FEVER)

to be administered subcutaneously for the production of immunity to pollen toxin

BOTH AS A PROPHYLACTIC AND CURATIVE OF HAY FEVER.

A HAY FEVER REACTION OUTFIT is also supplied, which affords a means of determining

- (a) whether a patient is susceptible to pollen toxin,
- (b) the degree of such susceptibility,
- (c) the dosage of "Pollaccine" suited to any case.

N.B.—The winter and early spring are the best seasons for administering prophylactic injections.

Further particulars will be supplied on request by

PARKE, DAVIS & CO., 50, Boak St., LONDON, W. 1.

ROGERS' AND ARD SPRAYS


have earned a world-wide reputation ON THEIR MERITS.

They are the outcome of many years' experience of the requirements of Laryngologists, Rhinologists and Otologists; they have received the unqualified approval of eminent specialists by whom they are constantly used and prescribed.

They comprise a series of absolutely reliable Sprays, scientifically designed and perfectly made.

Enquiries invited on any matter pertaining to Sprays, Atomizers,

etc.



ROGERS' No. 1 SPRAY
for Nose or Throat,
(Made also in Laryngeal & Post-Nasal forms.

ROGERS' CRYSTAL NEBULIZER.

POST-NASAL SPRAY (made also for Nose or Throat and for Laryngeal use).

Telephones:

4142 Gerrard.

4246 Gerrard.

ROGERS' STANDARD SPRAYS ARE MADE IN LONDON BY

FRANK A. ROGERS,

PHARMACIST.

327, OXFORD ST., LONDON, W. 1.

Telegrams:
"Pharyngeal,
Wesdo, London."

CENTRAL LONDON THROAT AND EAR HOSPITAL

GRAY'S INN ROAD (Near King's Cross Stations.)

Large Out-Patient Clinics. Over 12,000 new patients last year. In-Patient Department, 43 beds.

The work carried on at this Hospital comprises:

The Daily Out-Patient Clinic:

Monday, Wednesday, Thursday, Friday, Saturday, 2 p.m.

Tuesday, 5 p.m.

Conducted by

DR. ABERCROMBIE MR. STUART LOW

Dr. ATKINSON DR. DAN MCKENZIE DR. NICOL RANKIN MR. ARCHER RYLAND

DR. ANDREW WYLIE

MR. HAROLD KISCH

2. The Minor Operations.

These are performed at 9 a.m. on Monday, Tuesday, Wednesday, Thursday, Friday.

3. The In-Patient Department. Major Operations.

These take place at 2 o'clock on Monday, Tuesday, Wednesday, Thursday, Friday. The list of operations is to be seen on the notice board in the Out-patient Consulting Room.

4. Lectures and Demonstrations.

Courses of Practical Instruction are given throughout the year by Members of the

Staff, on Tuesdays and Fridays, at 3 p.m. punctually.

The Courses consist of two classes twice a week devoted to Anatomy, Pathology, Diagnosis and Treatment of the special diseases dealt with at the Hospital. They may be joined at any

A Surgical Anatomy and Operative Surgery Class is held when desired. The teaching is practical and demonstrative, and is illustrated by diagrams, models, specimens and instruments.

The Pathological Laboratory 5.

Is at all times available to students. Dr. Wyatt Wingrave, Pathologist to the Hospital, is in attendance Monday, Wednesday, Friday, 3 p.m.

Clinical Assistants

Are appointed from among those gentlemen who have enrolled themselves for attendance on the practice of the Hospital.

Further particulars may be had on application to the Dean.

Fees.

For attendance on the practice of the Hospital (Clinical Assistants)-

Three months 5 guineas. Six R

Perpetual ticket 10 **Operative Surgery Class** 5

Clinical Assistants are admitted to the Lectures and Demonstrations free.

HAROLD KISCH, F.R.C.S., Dean.

RICHARD KERSHAW. Secretary Superintendent.