## **INSTRUCTIONS TO CONTRIBUTORS**

The Journal of Helminthology publishes papers on all aspects of animal parasitic helminths, particularly those of medical or veterinary importance.

Manuscripts, which must be in English or French (with an English summary), should be addressed to:

The Editor, Journal of Helminthology, London School of Hygiene and Tropical Medicine, Keppel Street, London, WC1E 7HT, England.

Two copies of a typescript, on size A4 paper with double spacing, should be submitted. Papers should be preceded by a short abstract and will normally have the following sections: brief introduction (unheaded); Materials and Methods; Results; Discussion; Acknowledgements; References. However, the form of the paper may vary, depending on its subject matter; recent past issues should be consulted for a suitable form. Illustrations should be drawn in Indian ink, preferably not more than double the final size. Care should be taken that all illustrations fit into the format of the Journal. The maximum size an illustration may be printed is 13.5 × 18 cm. Where many separate drawings are made, some indication of how they may be grouped to make a corporate plate without undue wastage of space should be indicated. Some indication of scale should normally be given on the figure. Photocopies of illustrations should also be enclosed for refereeing purposes. Lettering and numbering, which must be of a high standard, should be added by the author, with due regard for subsequent reduction.

Photographs should be glossy prints of the same size as they are to appear in the Journal (maximum size  $13.5 \times 18$  cm). Composite prints must be mounted and can have the separate photographs abutting; they will then have a separating line inserted by the printers. All figures and letters on photographs must be inserted by the author.

Information should not be repeated in the text and in tables or figures. The legends to tables and to figures should be sufficiently detailed for the information to be understood without reference to the text.

References should be given in alphabetical order with the full title of the journal. The following are examples:

- DUKE, B. O. L. (1971) The ecology of onchocerciasis in man and animals. In *Ecology* and physiology of parasites (ed A. M. Fallis) pp. 213-222. Adam Hilger Ltd.: London.
- JAMES, C. and WEBBE, G. (1973) A comparison of Egyptian and East African strains of Schistosoma haematobium. Journal of Helminthology, 47, 49-59.

50 offprints are provided free of charge; additional copies may be ordered at the proof stage.

## **Contents**

	Pages
HAROUN, E. M. and HUSSEIN, M. F. Clinico-pathological studies on naturally-occurring bovine fascioliasis in the Sudan	143—152
GHANDOUR, A. M. and WEBBE, G. The effect of ultra-violet radiation on cercariae of Schistosoma mansoni and Schistosoma haematobium	153—159
GHANDOUR, A. M. and WEBBE, G. The effect of gamma radiation on cercariae of Schistosoma mansoni	161—165
MOHANDAS, A. Further studies on the sporocyst capable of producing miracidia	167—171
TAFFS, L. F. Continuous feed medication with thiabendazole for the removal of <i>Hymenolepis nana, Syphacia obvelata</i> and <i>Aspiculuris tetraptera</i> in naturally infected mice	173—177
BHOPALE, M. K. and JOHRI, G. N. Experimental infection of <i>Ancylostoma caninum</i> in mice. II. Migration and distribution of larvae in tissues after oral infection	179—185
COPLAND, J. W. Capillaria infections of pigs: Description of C. papuensis sp. n. and the pathology of natural infections	187—190
JAMES, C. and WEBBE, G. A comparison of Sudanese and South African strains of Schiştosoma haematobium	191—197
OPUNI, E. K. and MULLER, R. L. Studies on <i>Spirometra theileri</i> (Baer, 1925) n. comb. 3. Acquired immunity to reinfection with plerocercoids in mice	199—204
COLES, G. C. The response of Schistosoma mansoni maintained in vitro to schistosomicidal compounds	205—209