

LASER AND PARTICLE BEAMS

Volume 9 1991

Cambridge University Press

40 West 20th Street, New York, NY 10011, USA

The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU

10 Stamford Road, Oakleigh, Melbourne 3166, Australia

Laser and Particle Beams

Pulse Power and High Energy Densities

Editor in Chief: HEINRICH HORA
Head, Department of Theoretical Physics
University of New South Wales
Kensington 2033, Australia

Managing (and USA) Editor:
G. H. MILEY (for USA)
Director, Fusion Studies Laboratory,
University of Illinois,
103 S. Goodwin Ave, Urbana, Il. 61801, USA

Associate Editors:
R. DAUTRAY (for Europe)
Scientific Director, CEA Limeil, B.P. 27
94190 Villeneuve St. Georges, France
A. H. GUENTHER (for Pulse Power)
Chief Scientist (Adv. Def. Tech.),
Los Alamos Nat. Laboratory,
Los Alamos, NM 87545, USA
C. YAMANAKA (for Japan)
Director, Institute of Laser Engineering,
Osaka University, Suita,
565 Osaka, Japan

Editorial Board
N. G. Basov (Moscow)
D. Cartwright (Los Alamos)
P. van Devender (Albuquerque)
S. Eliezer (Soreq, Israel)
G. Kessler (Karlsruhe)
M. H. Key (Rutherford Appleton Lab.)
M. Kristiansen (Pulse Power Lab,
Texas Tech)
R. L. McCrory (Rochester)
G. A. Mesyats (USSR)
P. Mulser (Darmstadt)
S. Nakai (Osaka)
K. Niu (Nagatsuta)
A. A. Offenberger (Alberta)
A. M. Prokhorov (Moscow)
B. Ripin (Washington)
D. D. Ryutov (Novosibirsk)
E. Storm (Livermore)
J. P. Watteau (CEA Limeil)

Laser and Particle Beams is an international journal which covers the generation, and the interaction with matter, of high intensity laser and particle beams. It also covers the physics of systems with high energy densities. Specific fields of interest include nuclear fusion, especially inertial confinement, magnetic confinement, diagnostics, material treatment, laboratory astrophysics, plasmas and spectroscopy at extreme conditions, physical properties of hot dense matter and intense particle beams and optical (laser) beams from the microwave to the X-ray region. The exploration of these fields and their new physics, including nonlinear and nonclassical phenomena, should find a forum in this journal.

As well as publishing original articles the journal also publishes occasional review articles, surveys of research at particular laboratories and reviews of recent books.

©Cambridge University Press 1991

Copying: This journal is registered with the Copyright Clearance Center, 27 Congress St., Salem, Mass. 01970. Organizations in the USA who are also registered with C.C.C. may therefore copy material (beyond the limits permitted by sections 107 and 108 of US copyright law) subject to payment to C.C.C. of the per copy fee of \$05.00. This consent does not extend to multiple copying for promotional or commercial purposes. Code 5/0263-0346/91/\$5.00 + 00.

ISI Tear Sheet Service, 3501 Market Street, Philadelphia, Pennsylvania 19104, USA, is authorized to supply single copies of separate articles for private use only.

For all other use, permission must be sought from Cambridge University Press.

Subscriptions: *Laser and Particle Beams* (ISSN 0263-0346) is published quarterly. The subscription price (which includes postage) of Volume 9, 1991 is US \$226 for the US and Canada (£115 in UK: £125 elsewhere). Single parts cost US \$58 for the US and Canada (£32 elsewhere) plus postage. Four parts form a volume. Orders, which must be accompanied by payment, may be sent to a bookseller, subscription agent, or direct to the publishers: Cambridge University Press, Journals Department, 40 West 20th Street, New York, NY 10011-4211, USA; orders outside the US or Canada may be sent to Cambridge University Press, The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU, England. Claims for missing issues should be made immediately after receipt of the next issue. POSTMASTER: Send address changes in the US and Canada to *Laser and Particle Beams*, Cambridge University Press, 110 Midland Avenue, Port Chester, NY 10573-9864.

CONTENTS OF VOLUME 9

TABLE OF CONTENTS LASER AND PARTICLE BEAMS Vol. 9 1991

NUMBER 1

Special Section: Diagnostics of Laser-Produced Plasmas

- E. M. Campbell (LLNL, Livermore, CA, USA): Preface 1
- A. A. Hauer (LANL, Los Alamos, NM, USA), N. D. Delamater, and Z. M. Koenig (KMS Fusion, Ann Arbor, MI, USA): High-resolution X-ray spectroscopic diagnostics of laser-heated and ICF plasmas 3
- J. D. Kilkenny (LLNL, Livermore, CA, USA): High speed proximity focused X-ray cameras 49
- N. M. Ceglio (LLNL, Livermore, CA, USA): X-ray optics for X-ray laser research applications 71
- D. R. Kania (LLNL, Livermore, CA, USA): Radiation-induced conductivity: High-speed detection of X rays and neutrons 91
- R. A. Lerche, D. Ress, R. J. Ellis, S. M. Lane (LLNL, Livermore, CA, USA), and K. A. Nugent (U. Melbourne, Australia): Neutron penumbral imaging of laser-fusion targets 99
- H. Azechi, R. O. Stapf (Osaka U., Japan), and M. D. Cable (LLNL, Livermore, CA, USA): Review of secondary and tertiary reactions, and neutron scattering as diagnostic techniques for inertial confinement fusion targets 119
- E. Förster, K. Gäbel, and I. Uschmann (Friedrich-Schiller-U., Germany): X-ray microscopy of laser-produced plasmas with the use of bent crystals 135

Regular Papers

- K. Niu (Tokyo Inst. Tech., Japan), P. Mulser (Inst. Angewandte Physik, Germany), and L. Drška (Tech. U. Prague, Czechoslovakia): Beam generations of three kinds of charged particles 149
- V. A. Papadichev (Lebedev Inst., Moscow, USSR): Intense negative hydrogen ion production in high-power diodes 167

- M. Casini, M. A. Harith, V. Palleschi, A. Salvetti, D. P. Singh, and M. Vaselli (IFAM, Pisa, Italy): Time-resolved LIBS experiment for quantitative determination of pollutant concentrations in air 633
- M. M. Michaelis, P. F. Cunningham, R. S. Cazalet, J. A. Waltham, and M. Notcutt (U. Natal, Durban, South Africa): Gas lens applications 641

NUMBER 3

- G. H. Miley (U. Illinois, USA): In Commemoration of Heinrich Hora's 60th Birthday 653
- E. C. Harvey and M. J. Shaw (Rutherford Appleton Lab., Oxon, UK): A simple kinetic model for electron-beam-pumped KrF lasers 659
- T. Häuser and W. Scheid (Inst. Theoretische Physik, Giessen, Germany): Energy and angular distribution of ions emitted from a plasma after relativistic self-focusing of laser beams 675
- V. M. Bystritskii, Y. A. Glyshko, A. A. Sinebrjukhov, and A. V. Kharlov (Inst. Electrophys., Sverdlovsk, USSR): Experiments on high-power ion beam generation in self-insulated diodes 691
- V. M. Bystritskii, I. V. Lisitsyn (Inst. Electrophys., Sverdlovsk, USSR), S. N. Volkov, Y. E. Krasik, and N. M. Polkovnikova (Inst. Nuc. Phys., Tomsk, USSR): Generation and focusing of high-power ion beams in a magnetically insulated diode with applied B field 699
- J. W.-K. Mark (LLNL, Livermore, CA, USA): Recent Livermore research on ion beam fusion targets: Utilization of direct-drive efficiency during optimization of symmetry and utilization of polarized DT fuel 713
- C. Stöckl and G. D. Tsakiris (MPI, Garching, Germany): Experiments with laser-irradiated cylindrical targets 725
- V. J. Harper-Slaboszewicz and W. E. Fowler (SNL, Albuquerque, NM, USA): Measurements of the divergence of a 10-MA relativistic electron beam transported in a gas cell 749
- N. W. Kaiser, J. Meyer-ter-Vehn (MPI, Garching, Germany), and R. Ramis (E.T.S.I., Madrid, Spain): Numerical study of an X-ray-driven carbon foil 759
- F. Dahmani and T. Kerdja (Lab. de Fusion Thermonuc., Algiers, Algeria): Measurements and laser-wavelength dependence of mass-ablation rate and ablation pressure in planar layered targets 769

NUMBER 4

- H. Hora (CERN, Geneva, Switzerland): Editorial 779
- M. F. Mahmood (Howard Univ., Wash., DC, USA): Laser action on the ($B-X$) band of HgI at 445 nm 781
- Y.-L. Li, X.-F. Wang, Z.-Z. Xu, S.-S. Chen, and A.-D. Qian (Shanghai Inst., China): Absolute study of spectra from laser-produced plasmas 787
- K. Inoue and T. Ariyasu (Kansai Univ., Osaka, Japan): Sound waves and shock waves in high-density deuterium 795

W. Brunner and R. W. John (Zentralinst. für Opt. und Spektro., Berlin, Germany): Doppler-shift decoupling of radiation reabsorption in expanding laser-produced plasmas	817
A. K. Chung, M. S. Peck, and M. A. Prelas (Univ. of Missouri, Columbia, MO, USA): Effects of helium buffer gas on the atomic carbon nuclear-pumped laser at low power densities	829
J. A. Stamper (U.S. Naval Res. Lab., Wash., DC, USA): Review on spontaneous magnetic fields in laser-produced plasmas: Phenomena and measurements	841
B. Heimrich, H. J. Laue, and H. Wollnik (Univ. Giessen, Germany): RFQ final-focusing lens at the GSI	863
S. J. Rose (Rutherford Lab., Appleton, UK): High-power laser-produced plasmas and astrophysics	869
Erratum	880
Index	881

Information for Contributors

1. Manuscripts must be written in English. All manuscripts will be referred to acknowledged experts in the subject. Only those receiving favorable recommendations from the referees will be accepted for publication. Manuscripts may be sent to any Board member, any Associate Editor or the Editor.
2. Manuscripts should be double spaced, on one side of good grade paper, allowing a reasonable left-hand margin. An original and two copies should be submitted with the author's full postal address, phone and/or fax numbers, position, and affiliations.
3. The title and section headings should highlight the significant points. A short abstract should precede the main text.
4. One copy of photographs, prints or transparencies of good quality and unmarked should be submitted. Where lines or lettering are to appear on the photograph, an additional print should be supplied appropriately marked. Each should have, lightly written on the back, the author's name, the figure number and an indication of which is the top of the picture.
5. One copy of each line diagram should be submitted at approximately twice final size and unlettered. Diagrams must be drawn in indian ink on plain white or transparent paper. A second copy should be supplied with lettering included. The author's name and the figure number should be written on this copy.
6. Tables should be typewritten on separate sheets. Avoid, where possible, very wide tables.
7. References and footnotes should be cited should be cited according to the Harvard (Author/date) system, also known as the "British form". In the text, author and year are cited in parentheses e.g. "... was found by McCarthy (1980, 1980a)..." or "(Emmett *et al.* 1972)". Full references are listed in alphabetic order at the end of the paper. References are not numbered. An example of a reference list is:
DEUTSCH, C. & KLARSFELD, S. 1973 *Phys. Rev.* **A7**, 2081.
NICHOLSON, D. R. 1983 *Plasma Theory* (John Wiley, New York).
OOMURA, H. *et al.* 1982 *Res. Rep ILE*, ILE-8207p.
OOMURA, H. *et al.* 1982a *Trans. Ans* **43**, 617.
Note that the year of publication appears after the author's name. If possible, all authors names should be listed in preference to "*et al.*" If one author or team is referred to more than once in any year, the letters a, b, etc should be added after the year to distinguish the individual references.
8. Correction to proofs should be restricted to printers' errors only. Authors are entitled to 25 offprints of their article free of charge. Additional offprints may be purchased if they are ordered on the form sent with the proofs.

Cambridge University Press
40 West 20th Street, New York, NY 10011, USA
The Edinburgh Building, Shaftesbury Road, Cambridge CB2 2RU
10 Stamford Road, Oakleigh, Melbourne 3166, Australia

LASER AND PARTICLE BEAMS

Pulse Power and High Energy Densities

Volume 9, Number 4, 1991

H. Hora (CERN, Geneva, Switzerland): Editorial 779

M. F. Mahmood (Howard Univ., Wash., DC, USA): Laser action on the (*B-X*) band of HgI at 445 nm 781

Y.-L. Li, X.-F. Wang, Z.-Z. Xu, S.-S. Chen and A.-D. Qian (Shanghai Inst., China): Absolute study of spectra from laser-produced plasmas 787

K. Inoue and T. Ariyasu (Kansai Univ., Osaka, Japan): Sound waves and shock waves in high-density deuterium 795

W. Brunner and R. W. John (Zentralinst. für Opt. und Spektro., Berlin, Germany): Doppler-shift decoupling of radiation reabsorption in expanding laser-produced plasmas 817

A. K. Chung, M. S. Peck and M. A. Prelas (Univ. of Missouri, Columbia, MO, USA): Effects of helium buffer gas on the atomic carbon nuclear-pumped laser at low power densities 829

J. A. Stamper (U.S. Naval Res. Lab., Wash., DC, USA): Review on spontaneous magnetic fields in laser-produced plasmas: Phenomena and measurements 841

B. Heimrich, H. J. Laue and H. Wollnik (Univ. Giessen, Germany): RFQ final-focusing lens at the GSI 863

S. J. Rose (Rutherford Lab., Appleton, UK): High-power laser-produced plasmas and astrophysics 869

Erratum 880

Index 881

ISSN 0263-0364

© 1991 Cambridge University Press

Printed in the United States of America