The Journal of Laryngology and Otology

EDITED BY WALTER HOWARTH

WITH THE ASSISTANCE OF V. E. NEGUS AND F. W. WATKYN-THOMAS

Contents

ACOTE FURULENT MENINGITIS OF AURAL ORIGIN .	J. P. STEWART
Some Points in the Treatment of Meningitis .	G. J. JENKINS
OTITIC MENINGISM	
OTITIC MENINGITIS: ITS MORBID ANATOMY, PREVENTION	
AND EARLY DIAGNOSIS	E. D. D. DAVIS
CLINICAL RECORDS:—	
THE BACTERIOLOGY OF SPREADING OSTEO- (F. W.	WATKYN-THOMAS
MYELITIS OF THE SKULL	DAN MCKENZIE
ACUTE SENILE TUBERCULAR DISEASE OF THE LEFT	
MIDDLE-EAR AND MASTOID	H. BELL TAWSE
SERIOUS HÆMORRHAGE FROM AN ACUTELY	
INFLAMED RIGHT TONSIL, ARRESTED BY	
LIGATURE OF THE RIGHT EXTERNAL CAROTID	
ARTERY	H. BELL TAWSE
Societies' Proceedings:—	
ROYAL SOCIETY OF MEDICINE—SECTION OF OTOLOGY	
Abstracts:—	
THE EAR THE NOSE AND ACCESSORY SINUSES	THE LARYNX
THE PHARYNX ŒSOPHAGUS AND ENDOSCOPY	MISCELLANEOUS
Review of Book.	
OBITUARY: PROFESSOR GHERARDO FERRERI.	
LETTERS TO THE EDITORS.	
GENERAL NOTES.	

Edinburgh: Oliver and Boyd London: 33 Paternoster Row

Monthly, 4/- net

Annual Subscription, 40/- net

The Journal of Laryngology and Otology

(Founded in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY WALTER HOWARTH


ASSISTED BY

V. E. NEGUS AND F. W. WATKYN-THOMAS

- 1. Original Articles are accepted on the condition that they have not been published elsewhere.
- 2. Manuscripts should be typewritten, on one side only of the paper, and well spaced.
- 3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked and no additional matter should be added.
- 4. The order for reprints should be sent when returning galley proofs, and for this purpose special forms are supplied, on which the price of the reprints is stated.
- 5. Authors of Original Communications on Oto-Laryngology in other Journals are invited to send a copy, or two reprints, to the *Journal of Laryngology*. If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.
- 6. Editorial Communications should be addressed to "EDITOR, Journal of Laryngology, c/o Messrs OLIVER AND BOYD, Tweeddale Court, Edinburgh."
- 7. The Annual Subscription is Forty Shillings, post free, and is payable in advance.
- 8. Single copies of back numbers, both of the present and the previous series, are on sale at Four Shillings each.
- 9. An Annual Subscription can be commenced with any number of the Journal, and the preceding numbers of the current year can be purchased at Four Shillings each.

UNITED STATES OF AMERICA

Orders for this Journal, for single parts or yearly subscriptions, can be sent either through a local bookseller, or to Messrs G. E. STECHERT & Co., 31-33 East 10th Street, New York.



CHEVALIER JACKSON'S INSTRUMENTS FOR ŒSOPHAGOSCOPY, LARYNGOSCOPY, AND BRONCHOSCOPY

New Models as made for Walter G. Howarth, F.R.C.S.

Each Instrument is made in accordance with the details of Chevalier Jackson's most recent models, and each is supplied with a spare light carrier, i.e., 2 light carriers and 2 lamps. All the models have been redesigned with a view to rendering them more easily cleansed; all the crevices and corners for the dirt have been taken away.

To ensure better visibility the tips of the forceps are black.

The Howarth-Jackson's Instruments are less expensive than other American or English models, and a further economy has been effected by rendering the instrument tips interchangeable, thus reducing the number of forceps handles and tips required.

The lamps are 2.5 volt and more durable than the usual models.



Telegrams-"DOWN, LONDON." Telephone-HOP 4400 (4 lines).

Manufactured only by

DOWN

SURGICAL INSTRUMENT MAKERS

21 and 23 ST THOMAS'S STREET LONDON, S.E.1

(Opposite Guy's Hospital)

JUST PUBLISHED

Demy 8vo. 96 pp. 54 Illustrations.

6s. net (Postage 5d.)

CHRONIC OTORRHŒA

WITH ESPECIAL REFERENCE TO THE USE OF ZINC IONIZATION IN THE TREATMENT OF SELECTED CASES

By A. R. FRIEL, M.A., M.D. (Univ. Dub.), F.R.C.S.I.

An Assistant Aurist, School Medical Service, London County Council: Aurist to Tottenham, Hornsey, and Walthamstow Education Committees

Bristol: JOHN WRIGHT & SONS LTD.

London: SIMPKIN MARSHALL LTD.

Examination of Ear, Nose and Throat, Operation on Tonsils, Adenoids, Mastoid, Nasal Septum

As supplied to and used in

EAR, NOSE AND THROAT DEPARTMENT, ROYAL INFIRMARY, EDINBURGH THE EDINBURGH EYE, EAR AND THROAT INFIRMARY, ETC., ETC.

ALSO THE CHEVALIER JACKSON INSTRUMENTS

ARCHD. YOUNG & SON LTD., 57-61 FORREST RD., EDINBURGH

Surgical Instrument Makers to Royal Infirmary, Edinburgh

'Phone: 20669.

Telegrams: "Bandage, Edinburgh," A.B.C. Code, 5th Ed.

DeVILBISS SPRAY No. 15

FULLY GUARANTEED



FOR ALL PURPOSES

For Spraying the Nose and Throat with Oils and Aqueous Solutions

Important

The adjustable tip permits spraying in any direction, and is especially important when the bronchial tubes or the post-nasal cavities are to be treated.

When prescribing, please specify

"DeVilbiss Spray No. 15" (of all Chemists and Surgical Instrument makers)

Complete illustrated Catalogue from

DeVILBISS, CO., LTD., WEST DRAYTON, MIDDLESEX

The RE-EDUCATION of the SENSE of HEARING

BY MEANS OF THE

ZUND BURGUET ELECTROPHONOIDE APPARATUS

PRICE COMPLETE WITH \$96
RHEOPHONE - - - \$96
2-6 VOLT ACCUMULATORS

Shortly expected from Makers
A NEW TYPE OF
Audiometer which is a great
advance on any hitherto in use



MUCH greater interest is now being evinced in this method of treatment. A large number of instruments are now in use by eminent Aurists in London and the Provinces. In suitable cases the results are exceedingly gratifying, particularly in cases of "tinnitus" where one treatment frequently affords relief. An essential part of the treatment is the use of the Rheophone which produces vibration—usually applied

ance on any hitherto in use over the region of the mastoid.

To any Surgeon interested Free Literature will be forwarded

JOHN BELL&CROYDEN

In association with ARNOLD & SONS and SAVORY & MOORE LTD.

ACOUSTIC DEPARTMENT:—8 WELBECK STREET, LONDON, W.1



FOR IRRITATION OF THE THROAT AND LARYNX

EMS PASTILLES

(in Aluminium Tube)

INVALUABLE FOR THE PUBLIC SPEAKER Excellent for Chronic Bronchitis and Catarrh of the

TRADE

and Catarrh of the Respiratory Organs

EMS

MARK

EMS SALT

(in Glass Container)

DISSOLVED IN HOT MILK

Sole Agents: The Apollinaris Co., Ltd., 4 Stratford Place, London, W.1

4TH EDITION.

REVISED AND ENLARGED.

LEWIS'S PRACTICAL SERIES.

DISEASES OF THE NOSE AND THROAT

By HERBERT TILLEY, B.S.(Lond.), F.R.C.S.(Eng.), Surgeon, Ear and Throat Department, University College Hospital; Teacher of Laryngology and Otology, University of London. With numerous Illustrations, including 74 Plates. Demy 8vo.

28s. net. Postage Is., abroad Is. 3d.

Extracts from Press Notices.

"The work is so comprehensive that it should be a valuable book of reference, whilst it is not too large to serve as an ordinary text-book."—British Medical Journal.

"We have no hesitation in recommending his book to the practitioner as well as to the prospective specialist."—The Lancet.

"The author is to be congratulated upon his work; as a text-book it is one of the best upon the subject; . . . displays the master mind of an accomplished teacher."—Medical Press.

LONDON: H. K. LEWIS & CO. LTD., 136 Gower Street, and 24 Gower Place, W.C. 1.

Telegrams: "Publicavit, Eusroad, London."

Telephone: Museum 7756 (3 lines).

A STAINLESS STEEL TILLEY'S ANTRUM TROCAR AND CANULA

the advantages of which will be readily appreciated



11/6

CHARLES KING,

SURGICAL INSTRUMENT MAKERS

34 DEVONSHIRE STREET, LONDON, W.1

Telephone-Welbeck 2264

THE GOLDEN SQUARE THROAT, NOSE AND EAR HOSPITAL

LONDON, W.1

HONORARY MEDICAL STAFF

Surgeons

Mr T. JEFFERSON FAULDER Mr LIONEL COLLEDGE

Mr GILBERT CHUBB

Mr Theodore Just Mr Bedford Russell Mr F. C. ORMEROD

Assistant Surgeons

Mr DINGLEY Mr Sandiford Mr Howells Mr Wilson

The Hospital has recently undergone very extensive reconstruction and extension, and now has 73 beds for In-patients and an annual Out-patient attendance of about 40,000.

CLINICAL INSTRUCTION

Clinical Instruction in the Diagnosis and Treatment of Diseases of the Ear, Nose and Throat is daily given in the Out-patient Department from 2 to 5 p.m. On Tuesdays and Fridays from 6.30 to 8 p.m. also. Major operations are performed daily, except Mondays, in the In-patient Operating Theatres. Minor operations are performed in the Out-patient Department by the Assistant Surgeons on four mornings a week.

Practitioners and Medical Students are admitted to the practice of the Hospital, and Clinical Assistants, whose duty it is to assist the staff, are appointed from time to time among them. For further information apply to the Dean, Mr BEDFORD RUSSELL.

CONTENTS

ACUTE 1	Purulent	r Meni	NGITIS	OF A	URAL C	RIGIN.	I. P.	Stewa	rt. M.E)	PAGE
	C.S.E.				•	•		•		•	225
SOME PO	OINTS IN	THE TR	EATME	NT OF	MENIN	GITIS.	G. 1.	Ienkin.	s.		239
	MENINGIS									-	246
	MENINGI				NATOMY	. Pre	VENTIC	N ANI	Eari	.y	240
	GNOSIS.					•			•	•	249
	L RECORI										.,
The	Bacteriolo	gy of Sp	oreadin	g Osteo	myeliti	s of the	Skull.	F. W.	Watky	n-	
	Thomas a	nd Dan	McKe	nzie	•	•	•	,	•		253
	e Senile				f the L	.eft Mi	ddle-Ea	ır and	Mastoi	d.	
_	H. Bell T	Tawse, I	F.R.C.S	S	•		<u>.</u>		•		255
	ous Hæme										
	by Ligatu	re of th	e Righ	t Exte	rnal Ca	rotid <i>P</i>	Artery.	H. Be	ll Taws	e,	
	F.R.C.S.	•	•	•	•	•	•	•	•	•	257
	s' Proce					_					
Roya	al Society	of Med	licin e	-Section	n of Ot	ology	•	•	•	•	259
ABSTRAC	TS—										
The	Ear						•				277
	Nose and	Accesso	ory Sin	uses		•	•	•	•		28 I
	Larynx	•	•			•	•	•	•	•	285
	Pharynx		•			•	•	•	•		287
	phagus an		scopy	•		•	•	•	•	•	290
	ellaneous	-	•	•	•	•	•	•	•	•	292
REVIEW	of Book			•	•	•	•		•	•	2 96
OBITUAR	y; Profes	sor Ghe	rardo l	Ferreri							297
LETTERS	TO THE	EDITOR	s					•			298
GENERAL	L Notes					•					299
											,,

The 'Glaseptic' Nebuliser



WITH the exception of the bellows, the 'Glaseptic' Nebuliser is made entirely of glass, and is thus free from all possibility of corrosion. It may readily be cleansed and sterilised by boiling in water. The liquid is easily introduced, without having to take the appliance apart, and only a few drops are needed to obtain a nebula.

The 'Glaseptic' Nebuliser produces an extremely fine spray with almost all fluids—oily, alcoholic or aqueous. With oily fluids localisation of the nebula may be effected by the use of various glass attachments supplied separately. A pocket size is also available.

Further particulars will be supplied on request.

Parke, Davis & Co., 50 Beak St., London, W.1.