

## GENERAL NOTES

### BRITISH ASSOCIATION OF OTOLARYNGOLOGISTS RUEDEI TRUST FUND

THE British Association of Otolaryngologists has been entrusted with a sum of money to be devoted to the financial assistance of British postgraduates studying otolaryngology in Switzerland. Information can be obtained from the Secretary of the Association, 45 Lincoln's Inn Fields, London, W.C.2.

### THE INSTITUTE OF LARYNGOLOGY AND OTOLOGY

The Annual Address will be given by Dr. I. SIMSON HALL, on November 21st, at 4.30 p.m. The subject will be, "The Conservative Treatment of Cancer of the Larynx".

The Academic Board announces the following Special Lectures to be given in the Lecture Hall of the Institute at Gray's Inn Road. They are open to all members of the Speciality and to post-graduate students.

1952

November 8th, at 11.30 a.m. DR. A. W. PROETZ, "Olfaction."

### SEMON LECTURE

The Semon Lecture (University of London) will be delivered at the Royal Society of Medicine, 1 Wimpole Street, W.1. on Thursday, November 6th at 5 o'clock, by Dr. Arthur W. Proetz (St. Louis, Mo.) on the "Clinical aspects of Respiratory air currents".

### MEDICAL RESEARCH COUNCIL—TRAVELLING FELLOWSHIPS

The Medical Research Council announces that it has made the following travelling awards for the academic year 1952-53 :—

Alexander Pigott Wernher Memorial Travelling Fellowships in Otology :

## General Notes

Dr. D. R. HAYNES, Department of Otolaryngology, Johannesburg General Hospital.

Dr. R. F. NAUNTON, member of scientific staff, Wernher Research Unit on Deafness, Institute of Laryngology and Otology, Royal National Throat, Nose and Ear Hospital, London.

## POST-TONSILLECTOMY COMFORT

Immediate pain relief—Speedier Convalescence

The pain of traumatized tissues following tonsillectomy, demands its own relief—and points the need for analgesia that quickly reaches the irritated area.

ASPERGUM provides 'salivary analgesia' through the simple act of chewing—it brings pain-relieving acetylsalicylic acid into *intimate* and *prolonged* contact with the tonsillar

region, seldom reached even intermittently by gargling. The rhythmic stimulation of muscular action also aids in relieving local spasticity & stiffness: more rapid tissue repair is promoted. Each pleasantly flavoured chewing gum tablet provides  $3\frac{1}{2}$  grains acetylsalicylic acid, permitting frequent use. Particularly suitable for children

# Aspergum

for more than two decades a dependable  
and welcome aid to patient-comfort

*Ethically promoted in packages of 16 tablets and moisture proof bottles of 36 and 250*

WHITE LABORATORIES LTD., 428, SOUTHCROFT ROAD, LONDON, S.W.16

NOW READY

## THE ACOUSTIC METHOD

*For the Training of the Deaf and Hard-of-Hearing Child*

By MAX A. GOLDSTEIN, M.D., LL.D.

This Volume contains 244 pages; 50 illustrations

Textile Leather (Waterproof) Binding

*\$3.00 Postage Prepaid*

Twelve chapters, including Evolution of the Acoustic Method—Definition and Principles of the Acoustic Method—The Practice of the Acoustic Method—The Pupil: (1) The Deaf Child; (2) The Hard-of-Hearing Child; (3) The Pre-School Deaf Child—The Teacher—Case Recording—Tests of Hearing—Audiometers—The Audiogram—Hearing Aids—Tactile Training—Anatomy of the Ear.

Published by THE LARYNGOSCOPE PRESS

640 South Kingshighway


St. Louis, Mo.

Please mention *The Journal of Laryngology* when replying to advertisements



KING'S COLLEGE HOSPITAL PATTERN  
TRACHEOSTOMY TUBE

The cannula is expanded at its outer end, allowing the respiratory valve to be recessed without any diminution of lumen.



As used by  
V. E. NEGUS, M.S.

Down Bros.  
and

*Mayer & Phelps*

MANUFACTURERS  
of Surgical Instruments  
and Aseptic Hospital  
Furniture

Established over  
Eighty Years

CHIRON HOUSE  
32-34 New Cavendish Street  
London, W.1