The Journal of Laryngology and Otology

EDITED BY
WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

Contents

OBSERVER VARIATION IN THE INTERPRETA	HON OF	
PARANASAL SINUS SKIAGRAMS .	5 88	. R. HINCHCLIFFE
EPISTAXIS MORTALITY		C. I. Woolf and
		ALLAN JACOBS
CEREBROSPINAL OTORRHOBA IN CHRONIC EAR D	ISEASE .	P. W. R. M. ALBERTI
		and J. D. K. DAWES
TRACHEOSTOMY AND CONTROLLED RESPIRATION		
TRACHEOSTOMY AND CONTROLLED RESPIRATION	N	E. A. COOPER
TRACHEOTOMY AND CONTROLLED RESPIRATION	Reserved to	R. ATWOOD BEAVER
BEHAVIOUR OF ABSORBABLE GELATINE SPONG	E IN THE	
ANIMAL MIDDLE EAR		W. Doyle-Kelly
THE SIGNIFICANCE OF MYCOTIC INFECTION	IN THE	
AETIOLOGY OF OTITIS EXTERNA .		A. E. W. GREGSON
		and C. J. LA TOUCHE
CLINICAL RECORDS—		
DEAFNESS IN TOXOPLASMOSIS	STEEL .	Moshe Feinmesser
		and JACOB LANDAU
TRACHEAL DIVERTICULA		C. H. JONES
Two Cases of Bilateral Branchiogen		
OF THE NASOPHARYNX	Tack	OMAR H. SHAHEEN
TUMOUR OF GLOMUS JUGULARE .		ABBAS H. HASSAN,
		M. M. MOUSTAFA,
		M. E. FADLI
CLINICAL NOTE—		
In Defence of Transillumination	*	A. TUMARKIN
Couper Name		

London

Headley Brothers

109 Kingsway WC2

The Journal of Laryngology and Otology

(FOUNDED in 1887 by MORELL MACKENZIE and NORRIS WOLFENDEN)

EDITED BY

WALTER HOWARTH

ASSISTANT EDITOR G. H. BATEMAN

1. Original articles which have not been published elsewhere are invited and should be sent to the Editor. They are considered for publication on the understanding that they are contributed to this Journal solely. Reproduction elsewhere, in whole or in part, is not permitted without the previous written consent of the Author and Editor and the customary acknowledgement must be made.

2. Manuscripts should be typewritten, on one side only of the paper, and well spaced. Captions to illustrations should be typed on a separate sheet and

sent at the same time as original photographs, etc.

The Harvard system of recording references should be used, e.g. Green, C., and Brown, D. (1951) J. Laryng., 65, 33. Abbreviations of Journals should follow the style recommended in World Medical Periodicals, published by World Health Organization, 1952.

It is most important that authors should verify personally the accuracy of every reference before submitting a paper for publication.

3. Galley proofs and engraver's proofs of illustrations are sent to the author. Corrections, which should be kept to a minimum, must be clearly marked, and no extra matter added. Proofs should be returned within 5 days.

4. Illustration blocks are provided free up to the limit of £10 per article; beyond this authors are expected to pay half the cost. Coloured illustrations will

be charged in full to authors.

Blocks will normally be held by the Printers for three years after which they will be destroyed. Any author who has borne a part of the cost of his blocks is entitled to have these returned to him, but a request for this must be sent within three years of the appearance of the article, to HEADLEY BROTHERS, 109 Kingsway, London, WC2.

5. Orders for reprints must be sent when returning galley proofs, and for this

purpose special forms are supplied.

6. Authors of original communications on Oto-Laryngology in other journals are invited to send a copy, or two reprints, to the Journal of Laryngology, If they are willing, at the same time, to submit their own abstract (in English, French, Italian, or German) it will be welcomed.

7. Editorial communications may be addressed to The Entropy, Journal of

Laryngology, c/o HEADLEY BROTHERS, 109 Kingsway, London, WC2.

8 The annual subscription is four guineas sterling (U.S.A. \$13) post free, and is payable in advance.

9. Single copies will be on sale at 10s. od. each; copies of parts up to Vol.

LXIII which are available may be purchased at 7s. 6d. each,
10. All subscriptions, advertising and business communications should be
sent to the publishers, Headley Brothers, 109 Kingsway, London, WC2,

United States of America

Orders for this Journal may be sent through local bookseller, or to STECHERT-HAFNER, INC., 31-33 East 10th Street, New York, or direct to the publishers, Headley Brothers, 109 Kingsway, London, WC2, England.

D Journal of Laryngology and Otology, 1960

The Journal of Laryngology and Otology

CONTENTS	PAGE	
OBSERVER VARIATION IN THE INTERPRETATION OF PARANASAL SINUS		
Skiagrams. R. Hinchcliffe (London)	101	
Epistaxis Mortality. C. I. Woolf and Allan Jacobs (London)	114	
CEREBROSPINAL OTORRHŒA IN CHRONIC EAR DISEASE. P. W. R. M.		
Alberti and J. D. K. Dawes (Newcastle-upon-Tyne)	123	
Tracheostomy and Controlled Respiration. Ivor J. C. Frew		
Tracheostomy and Controlled Respiration. E. A. Cooper		
TRACHEOTOMY AND CONTROLLED RESPIRATION. R. Atwood Beaver		
BEHAVIOUR OF ABSORBABLE GELATINE SPONGE IN THE ANIMAL		
MIDDLE EAR. W. Doyle-Kelly (Dublin)	152	
THE SIGNIFICANCE OF MYCOTIC INFECTION IN THE AETIOLOGY OF	-	
Otitis Externa. A. E. W. Gregson and C. J. La Touche	167	
CLINICAL RECORDS—		
Deafness in Toxoplasmosis. Moshe Feinmesser and Jacob		
Landau (Jerusalem)		
Tracheal Diverticula. C. H. Jones (Liverpool)	175	
Two Cases of Bilateral Branchiogenic Cysts of the Nasopharynx.	0	
Omar H. Shaheen (London)	182	
Tumour of Glomus Jugulare. Abbas H. Hassan, M. M.	0	
Moustafa, M. E. Fadli (Cairo)	187	
CLINICAL NOTE—	196	
In Defence of Transillumination. A. Tumarkin (Liverpool) .		
General Notes	197	

DULL . . .

or DEAF?


Early ascertainment of deafness is now

Early ascertainment of dealness is now recognised as an essential item in school and clinical examinations of children; hearing loss is all too often confused with mental retardation.

The N.I.D. picture card test of hearing is a rapid and simple preliminary means of deciding whether full otological examination is needed. Can be used with the propagate infants.

ation is needed. Can youngest infants.

Strongly bound and with full instructions 12/6d. per set, plus 1/6d. postage. (Or letails will be sent request.)




THE NATIONAL INSTITUTE FOR THE DEAF

(Patron: H.R.H. The Duke of Edinburgh, K.G.) 105 Gower Street, London, W.C.I. Phone: EUSton 8033

For advertisement space in this Journal apply to:

HEADLEY BROTHERS 109 Kingsway, London, WC2

First clinical audiometer to provide 100% accurate audiograms



AMPLIVOX MODEL 82

world's most fully-developed clinical audiometer

It is now known that the disc type of earphone, used in conventional audiometers for air conduction testing and the application of masking noise, transfers the sound by bone conduction to the opposite ear at a level only 40 dB below the signal level. This means that up to 50% of audiograms taken at the present time with other audiometers may be invalid.

The Amplivox Model 82 Audiometer provides, for the first time, the means of taking accurate audiograms in cases of severe unilateral deafness through the provision of narrow band masking applied by insert earphone. This new masking technique is of special significance in bone conduction audiometry.

In addition to the exclusive narrow band masking feature, the Model 82 provides loudness balance test facilities, and *all* the other tests essential to proved pure tone audiometry.


${f AMPLIVOX}$ LTD

Medical Acoustic Division 80 New Bond St, London W.1. Tel: HYDe Park 9888



SEND FOR THIS DESCRIPTIVE BROCHURE

Containing full information on the latest audiometric techniques in air and bone conduction,





Dear Sir,

As you will probably agree, even though there may be many causes of deafness, the alleviation of it is an individual problem. This is something to which we at Philips have given our specialised attention.


Our wide, interchangeable range of unobtrusive receiving units and ear-pieces makes it possible to obtain the precise combination to match the exact needs of each patient. And in each combination tone and volume are fully adjustable to provide suitable correction for every kind of defective hearing in every listening situation. Even if a patient's hearing changes with time he can, with most models, tune his Philips Hearing Aid accordingly. This technical excellence of these Aids, which are, of course, on the Approved List of the National Institute for the Deaf, is the result of comprehensive - perhaps unique - research and manufacturing facilities and unrivalled experience in the accurate reproduction of sound.

It is an excellent idea to advise your patients who are hard of hearing to visit a Philips Audiometric Centre. There is a network of them throughout Britain, where patients can discuss their individual needs with a skilled audiometrician entirely free of charge.

Yours faithfully,

PHILIPS ELECTRICAL LTD

Century House · Shaftesbury Avenue London . W.C.2



Biomydrin

The COMPLETE nasal spray

which contains thonzoniumthe outstandingly effective mucolytic.

In nasal congestion arising from colds, influenza, sinusitis, hay fever, or any other source, Biomydrin provides rapid, safe, soothing release . . . and a comprehensive treatment that does more than decongestants alone can do.

All nasal sprays have a DECONGESTANT Most nasal sprays have an ANTIBIOTIC Some nasal sprays have an ANTIHISTAMINIC

BUT ONLY BIOMYDRIN contains all these and thonzonium-the effective mucolytic. The inclusion of thonzonium makes Biomydrin the only complete nasal spray. Thonzonium ensures adequate penetration by liquefying thick nasal mucus to enable the spray to reach affected tissue.

CONGESTION

EASTLEIGH, HAMPSHIRE TELEPHONE: EASTLEIGH 3131

MULTITONE

a complete range of British hearing aids



202 AUDIOMATIC (Post-aural aid)



101 SPECTACLES
(Monaural or Binaural)



SELECTOR 10



MINUET



CLARAFON (Telephone Amplifier)




ADAPHONE (T.V. and Radio Attachment)

Also

Induction Loop Aids; Group Aids and Auditory Trainers for schools

MULTITONE ELECTRIC COMPANY LIMITED
25 DOVER STREET LONDON W.I.
HYDe Park 9977


Branches and Agents throughout the World



"I know my patients get the best possible choice of aids with Ingrams. Ingrams don't make aids—they are Independent Suppliers of all the best makes. This means the patient can compare one make against another, Ingrams can advise impartially about each make, and the patient gets the best possible fitting. Patients like it and I can rely on Ingrams.

Ingrams have at Shepherd Street one of the best equipped consulting rooms I've ever seen. Their Speech Audiometry equipment, for example, is outstanding. They also do domiciliary visits throughout the country—a lot of my patients like this, especially those outside London."

REFER YOUR PATIENTS TO....



Largest selection of the Different Makes in the Country.

Member of the Society of Hearing Aid Audiologists


2, Shepherd Street, Shepherd Market, London, W.1 HYDe Park 9041 and 9042

Resident Representatives in all parts of the country.

CASE 2.

Fitting HEARING AIDS

DIFFICULT CASES



Case 2: FILM COMPANY EMPLOYEE
AGE: 18 YEARS

History: Deaf from birth. Lip reads very well. Hearing aid fitting: Amplivox Model A. No automatic volume compression. Wide range earphone. 3 volt battery. Full frequency range. Personal earmoulds for use in either ear.

Remarks: After one week only he was able to repeat several words without any visual assistance, and a short time afterwards the considerable progress made enabled him to obtain profitable employment in the film industry away from home.

In measuring the performance of a hearing aid, no yardstick is more indicative than the results achieved in 'difficult cases'. The above case history is only one of the many successes which Amplivox have had over the past quarter-century.

Contributing to this success are the care and thoroughness with which the Amplivox Hearing Advisory Service fit a hearing aid. Air and bone conduction pure tone audiograms, loudness tolerance levels and phonetically balanced word tests are the basis of testing. It is this extreme care in testing and fitting which, coupled with expert knowledge of the instrument characteristics, ensures optimum hearing in all cases.

Amplivox incorporate the world's finest hearing aids in their range, including head-borne and body-worn aids (many incorporating AVC) from the Super 'A', for the profoundly deaf, to the latest all-behind-the-ear model, Secrette.

There are permanent Amplivox Hearing Advisory Centres in principal cities throughout the country, providing a reliable and thorough service for the hard-of-hearing.


For further information and descriptive literature please telephone the local Amplivox Centre or write to:

AMPLIVOX LTD.


80 New Bond Street, London, W.1 Tel: Hyde Park 9888

CENTRES AT: BIRMINGHAM, BOURNEMOUTH, BRISTOL, CARDIFF, EDINBURGH, GLASGOW, HULL, LEEDS, LEICESTER, LIVERPOOL, MANCHESTER, NEWCASTLE, DUBLIN

In acute or chronic sinusitis, secondary infection in influenza and the common cold, and in sore throat



Sulfex Intranasal drops



rapid concentration at the site of infection prolonged bacteriostasis safe, effective vasoconstriction

Formula: 'Mickraform' sulphathiazole 5% in an isotonic aqueous medium with 'Paredrinex' (p-hydroxyamphetamine hydrobromide) 1%

SMITH KLINE & FRENCH LABORATORIES LTD Welwyn Garden City, Herts

*'Sulfex', 'Mickraform' and 'Paredrinex' are trade marks SX:PA21 (Col)