Papers to appear in forthcoming issues

Adler, R. L., Nowicki, T., Świrszcz, G. and Tresser, C.	Convex dynamics with constant input
Aliste Prieto, J.	Translation numbers for a class of maps on the dynamical systems arising from quasicrystals in the real line
Ashwin, P. and Goetz, A.	Cone exchange transformations and boundedness of orbits
Austin, T.	On the norm convergence of non-conventional ergodic averages
Baladi, V. and Smania, D.	Alternative proofs of linear response for piecewise expanding unimodal maps
Banyaga, A. and Hurtubise, D. E.	The Morse–Bott inequalities via a dynamical systems approach
Barwell, A., Good, C., Knight, R. and Raines, B. E.	A characterization of ω -limit sets in shift spaces
Bautista, S. and Morales, C.	A sectional-Anosov connecting lemma
Bayart, F., Costakis, G. and Hadjiloucas, D.	Topologically transitive skew-products of operators
Begun, B. and del Junco, A.	Partitions with independent iterates in random dynamical systems
Bergelson, V. and Håland Knutson, I. J.	Weak mixing implies weak mixing of higher orders along tempered functions
Bezuglyi, S., Kwiatkowski, J., Medynets, K. and Solomyak, B.	Invariant measures on stationary Bratteli diagrams
Blokh, A., Buff, X., Chéritat, A. and Oversteegen, L.	The solar Julia sets of basic quadratic Cremer polynomials
Bonatti, Ch., Gómez-Mont, X. and Vila-Freyer, R.	Statistical behaviour of the leaves of Riccati foliations
Bourgain, J., Lindenstrauss, E., Michel, P. and Venkatesh, A.	Some effective results for $\times a \times b$
Bowen, L.	Invariant measures on the space of horofunctions of a word hyperbolic group
Boyland, P.	Transitivity of surface dynamics lifted to Abelian covers
Bressaud, X., Durand, F. and Maass, A.	On the eigenvalues of finite rank Bratteli–Vershik dynamical systems
Bressaud, X., Hubert, P. and Maass, A.	Persistence of wandering intervals in self-similar affine interval exchange transformations
Breuillard, E.	Equidistribution of dense subgroups on nilpotent Lie groups
Bruin, H., Demers, M. and Melbourne, I.	Existence and convergence properties of physical measures for certain dynamical systems with holes

Fortl	hcom	ing	issues

1372

Buzzi, J.	Maximal entropy measures for piecewise affine surface homeomorphisms
Calegari, D. and Fujiwara, K.	Combable functions, quasimorphisms, and the central limit theorem
Calta, K. and Wortman, K.	On unipotent flows in $\mathcal{H}(1, 1)$
Carvalho, A. N., Langa, J. A. and Robinson, J. C.	Lower semicontinuity of attractors for non-autonomous dynamical systems
Cellarosi, F.	Renewal-type limit theorem for continued fractions with even partial quotients
Cornea, O., de Rezende, K. A. and da Silveira, M. R.	Spectral sequences in Conley's theory
Cuny, C.	The a.s. convergence of the one-sided ergodic Hilbert transform
de la Llave, R. and Windsor, A.	Livšic theorems for non-commutative groups including diffeomorphism groups and results on the existence of conformal structures for Anosov systems
Demers, M. F.	Functional norms for Young towers
Díaz, L. J. and Gorodetski, A.	Non-hyperbolic ergodic measures for non-hyperbolic homoclinic classes
Dooley, A. H. and Golodets, V. Ya.	The geometric dimension of an equivalence relation and finite extensions of countable groups
dos Santos, N. M. and Urzúa-Luz, R.	Minimal homeomorphisms on low-dimension tori
Durieu, O. and Volný, D.	On sums of indicator functions in dynamical systems
Dutkay, D. E., Jorgensen, P. E. T. and Picioroaga, G.	Unitary representations of wavelet groups and encoding of iterated function systems in solenoids
Einsiedler, M. and Fish, A.	Rigidity of measures invariant under the action of a multiplicative semigroup of polynomial growth on $\mathbb T$
Elekes, M., Keleti, T. and Máthé, A.	Self-similar and self-affine sets; measure of the intersection of two copies
Faller, B. and Pfister, CE.	A point is normal for almost all maps $\beta x + \alpha \mod 1$ or generalized β -transformations
Frantzikinakis, N., Johnson, M., Lesigne, E. and Wierdl, M.	Powers of sequences and convergence of ergodic averages
Froyland, G., Lloyd, S. and Quas, A.	Coherent structures and isolated spectrum for Perron–Frobenius cocycles
Gentile, G.	Quasi-periodic motions in strongly dissipative forced systems
Gogolev, A.	On diffeomorphisms Hölder conjugate to Anosov ones
Góra, P.	Invariant densities for piecewise linear maps of the unit interval
Guilloux, A.	A brief remark on orbits of SL(2, $\mathbb{Z})$ in the euclidean plane
Gupta, C.	Extreme value distributions for some classes of non-uniformly partially hyperbolic dynamical systems
Hayashi, S.	An extension of the ergodic closing lemma

Hochman, M.	On the automorphism groups of multidimensional shifts of finite type
Huang, W., Ye, X. and Zhang, G.	Lowering topological entropy over subsets
Iommi, G.	Multifractal analysis of Lyapunov exponent for the backward continued fraction map
Ito, H.	Birkhoff normalization and superintegrability of Hamiltonian systems
Ji, L. and Weber, A.	Dynamics of the heat semigroup on symmetric spaces
Jiang, Y. and Ye, YL.	Ruelle operator theorem for non-expansive systems
Julien, A.	Complexity and cohomology for cut-and-projection tilings
Kamae, T.	Mixing properties of numeration systems coming from weighted substitutions
Kennedy, J., Raines, B. E. and Stockman, D. R.	Basins of measures on inverse limit spaces for the induced homeomorphism
Kittrell, J. and Tsankov, T.	Topological properties of full groups
Koch, H. and Kocić, S.	A renormalization group approach to quasiperiodic motion with Brjuno frequencies
Kohlenbach, U. and Leuştean, L.	A quantitative mean ergodic theorem for uniformly convex Banach spaces
Larsen, N. S.	Crossed products by abelian semigroups via transfer operators
Leibman, A.	Multiple polynomial correlation sequences and nilsequences
Leplaideur, R. and Rios, I.	On <i>t</i> -conformal measures and Hausdorff dimension for a family of non-uniformly hyperbolic horseshoes
Levin, G. and Świątek, G.	Measure of the Julia set of the Feigenbaum map with infinite criticality
Li, S. and Shen, W.	An improved real C^k Koebe principle
Liu, C.	Strong bounded operators for ergodic averages and Lebesgue derivatives
Lohrmann, P.	Normalisation holomorphe de structures de Poisson
Łuczak, A.	The eigenvectors of semigroups of positive maps on von Neumann algebras
Melbourne, I., Nițică, V. and Török, A.	Transitivity of Euclidean-type extensions of hyperbolic systems
Morris, I. D.	The Mañé–Conze–Guivarc'h lemma for intermittent maps of the circle
Nayak, T. and Prasad, M. G. P.	Iteration of certain meromorphic functions with unbounded singular values
Nogueira, A.	Lattice orbit distribution on \mathbb{R}^2
Olivier, E.	Uniqueness of the measure with full dimension on sofic affine-invariant subsets of the 2-torus
Osipenko, G.	Symbolic image and invariant measures of dynamical systems
Pask, D., Raeburn, I. and Weaver, N. A.	A family of 2-graphs arising from two-dimensional subshifts

1374	Forthcoming issues
Patrão, M.	Entropy and its variational principle for noncompact metric spaces
Pikuła, R.	Enveloping semigroups of unipotent affine transformations of the torus
Pivato, M. and Yassawi, R.	Embedding Bratteli-Vershik systems in cellular automata
Pries, C.	Equicontinuous geodesic flows
Qiao, J., Yin, Y. and Gao, J.	Feigenbaum Julia sets of singularities of free energy
Quas, A. and Wierdl, M.	Rates of divergence of non-conventional ergodic averages
Rayskin, V.	Theorem of Sternberg–Chen modulo the central manifold for Banach spaces
Rees, M.	Multiple equivalent matings with the aeroplane polynomial
Rempe, L.	The escaping set of the exponential
Sadovskaya, V.	Dimensional characteristics of invariant measures for circle diffeomorphisms
San Martin, L. A. B. and Seco, L.	Morse and Lyapunov spectra and dynamics on flag bundles
Sumi, H. and Urbański, M.	Real analyticity of Hausdorff dimension for expanding rational semigroups
Sun, P.	Zero entropy invariant measures for skew product diffeomorphisms
Thomsen, K.	The homoclinic and heteroclinic C^* -algebras of a generalized one-dimensional solenoid
Tsukamoto, M.	Deformation of Brody curves and mean dimension
Wang, X. and Zhang, G.	Constructing ergodic exponential maps with dense post-singular orbits
Yarmola, T.	Degenerate random perturbations of Anosov diffeomorphisms
Yokoyama, T.	Fixed points of certain Anosov maps on Riemannian manifolds
Zaïmi, T.	On numbers having finite beta-expansions
Zhu, Y., Li, Z. and Li, X.	Preimage pressure for random transformations

INSTRUCTIONS FOR CONTRIBUTORS

Editorial Policy

The journal welcomes high quality contributions on topics closely related to dynamical systems and ergodic theory. Submissions in the field of differential geometry, number theory, operator algebra, differential, topological, symbolic, measurable dynamics and celestial and statistical mechanics are especially welcome. Expository survey papers and reviews of relevant books will be published from time to time.

Submission of typescripts

Two copies of the manuscript should be submitted to an executive or managing editor whose interest is closest to the material of their article. In case of doubt authors may send manuscripts to the Managing Editors at the University of Warwick. A paper may also be submitted electronically in postscript form as an attachment to an email, i.e. not in the body of an email. Please also send the TEX file. If you are unable to do this, please submit the manuscript in printed form. The editor in charge of the paper will acknowledge receipt of the paper. It is important that authors inform the editor of any changes of postal and/or e-mail address while their paper is under consideration.

The editor will send the manuscript to the referee electronically, if possible, and also airmail a copy to him/her. However, the editor can decide if the material is inappropriate for the journal and will also make the final decision regarding acceptance or rejection. Should you need further information you should communicate in the first instance with the editor in charge of your paper. In an attempt to decrease the journal's backlog an editor may decline a submission (without using the normal refereeing process) if he/she considers that a 'reasonable' referee might not recommend the paper sufficiently strongly, or (possibly) if the paper is more than 30 pages long. Such summary action, with its inherent risk of unfairness, seems preferable to introducing a moratorium (the only other alternative) and has the advantage that delayed negative decisions might be avoided. This policy will be reviewed at a later date.

Submission of a paper is taken to imply that it has not been previously published and that it is not being considered for publication elsewhere. Authors of articles published in the journal assign copyright to Cambridge University Press (with certain rights reserved) and you will receive a copyright assignment form for signature on acceptance of your paper.

The journal strongly recommends submission of accepted papers in LATEX using the ETDS LATEX class file. Papers that use this class file will be processed more efficiently. A LATEX file etds.cls is available via anonymous ftp from the Cambridge University Press site at ftp.cup.cam.ac.uk in the directory /pub/texarchive/journals/latex/etds-cls/. In case of difficulties with these files, please contact etds@sunrise-setting.co.uk or the Journal editorial office at etds@maths.warwick.ac.uk. Alternatively, authors may use "article" style.

On final acceptance of a paper, authors should send the $L^{T}EX$ source code on disc including the figures (line figures only) and all author-defined macro and style files, to the Managing Editors, together with a hard copy produced using the same file. Discs should be in Apple Mac or PC format and will not be returned. The publisher reserves the right to typeset any article by conventional means if the author's T_{EX} code presents problems in production.

Typescript

Papers should be typed, double-spaced, on one side only and with generous margins. The pages must be numbered.

The first page should give the title, the author's name and institution, and a short abstract intelligible to mathematicians.

The title, while brief, must be informative (e.g. A new proof of the ergodic theorem, whereas Some applications of a theorem of Birkhoff would be useless).

Notation

It is important that mathematician's expressions are clear to a printer (who is not a mathematician). For instance, n_k ($n \operatorname{sub} k$) is common usage, but avoid if possible using $c \operatorname{sub} n \operatorname{sub} k$. Fractions are generally best expressed by a solidus. Complicated exponents like $\exp\{z^2 \sin \theta/(1+y^2)\}$ should be shown in this and no other way.

In the typescript, italics, small capitals and capitals are specified by single, double and triple underlining. Bold-faced type is shown by wavy underlining.

It helps if displayed equations or statements which will be quoted later are numbered in order on the right of their line. They can then be referred to by, for example, 'from (7)'.

The author must enable the printer (if necessary by pencilled notes in the margin) to distinguish between similar symbols such as o, O, o, O, o, O, o; x, X, \times ; ϕ , Φ , \emptyset ; l, l; ε , \in ; κ , k.

There is no need to underline Greek or script letters provided these are clearly typed. Any special symbols should be explained on a separate sheet of directions for the printer.

If an author wishes to mark the end of the proof of a theorem, the sign \Box may be used.

Footnotes should be avoided.

Diagrams

Figures and drawings should be on separate sheets in black ink or produced by computer to comparable quality. Photocopies are acceptable only if they are as clear as the originals. *Symbols, legends and captions should be given on a transparent overlay.* Each text figure must be numbered as Figure 1, Figure 2, ... and its intended position clearly indicated in the typescript. The author's name in pencil must be on all separate sheets of diagrams. Figures should be used sparingly and only when they greatly clarify the exposition.

Tables

Tables should be numbered (above the table) and set out on separate sheets. Indicate the position of each in the text as for figures.

References

References should be collected at the end of the paper numbered in alphabetical order of the author's names. A reference to a book should give the title, in italics, and then in roman type the publisher's name and the place and year of publication:

[4] N. Dunford and J. T. Schwartz. Linear Operators. Part I. Wiley, New York, 1958.

A reference to a paper should give in italics the title of the periodical, the number of the volume and year, and the beginning and end pages of the paper. Titles should be abbreviated as in *Mathematical Reviews*:

[6] J. E. Littlewood. The 'pits effect' for functions in the unit circle. J. Analyse Math. 23 (1970), 236-268.

Proofs

Authors receive one set of proofs for correction. If excessive alterations to the original manuscript are requested after the paper has been typeset, the author will be charged the cost of resetting. For papers with more than one author the proofs are sent to the first named author unless the editor receives other instructions. It is important that proofs are corrected and returned promptly.

Offprints

50 offprints of each article will be supplied free to each first named author. Extra offprints may be purchased from the publisher if ordered at proof stage.

This journal issue has been printed on FSC-certified paper and cover board. FSC is an independent, non-governmental, not-for-profit organization established to promote the responsible management of the world's forests. Please see www.fsc.org for information.

Ergodic theory and dynamical systems

VOLUME 29 PART 4 AUGUST 2009

CONTENTS

Allouche, JP., Clarke, M. and Sidorov, N. Periodic unique beta-expansions: the Sharkovskiĭ ordering	1055
Barral, J. and Seuret, S. The singularity spectrum of the inverse of cookie-cutters	1075
<i>Chazottes, JR., Collet, P., Redig, F. and Verbitskiy, E.</i> A concentration inequality for interval maps with an indifferent fixed point	1097
Dajani, K., Hartono, Y. and Kraaikamp, C. Mixing properties of (α, β) -expansions	1119
Fenley, S., Feres, R. and Parwani, K. Harmonic functions on R-covered foliations	1141
<i>Gutkin, E. and Rams, M.</i> Growth rates for geometric complexities and counting functions in polygonal billiards	1163
<i>Hu, H. and Vaienti, S.</i> Absolutely continuous invariant measures for non- uniformly expanding maps	1185
Huveneers, F. Subdiffusive behavior generated by irrational rotations	1217
<i>Ingle, W., Kaufmann, J. and Wolf, C.</i> Natural invariant measures, divergence points and dimension in one-dimensional holomorphic dynamics	1235
Jung, U. Open maps between shift spaces	1257
<i>Kanai</i> , <i>M</i> . Rigidity of the Weyl chamber flow, and vanishing theorems of	1207
Matsushima and Weil	1273
Massart, D. Vertices of Mather's beta function, II	1289
Towsner, H. Convergence of diagonal ergodic averages	1309
<i>Yuri, M.</i> Entropy production at weak Gibbs measures and a generalized variational principle	1327
Zhang, X. Embedding diffeomorphisms in flows in Banach spaces	1349
Schmidt, K. and Vershik, A. Algebraic Polymorphisms – ERRATUM	1369
Papers to appear in forthcoming issues	1371

Cambridge Journals Online For further information about this journal please go to the journal website at: journals.cambridge.org/ets



FSC Mixed Sources Product group from well-managed forests and other controlled sources www.sfs.corg. Cert no. 5A-COC.1527 0 1996 Forest Stewardship Council

