

# INDEX OF SUBJECTS.

	PAGE
Air, <i>see</i> Dust	
Bacteria	
. Bacilli of <i>coli-aerogenes</i> group, differentiation . . . . .	357
.   of salmonella group, rough and smooth colonies . . . . .	44
. <i>Bacillus aertrycke</i> . . . . .	45
. <i>agglutinabilis</i> "U <sub>2</sub> " in relation to typhus fever . . . . .	225
. <i>coli</i> (slow lactose-fermenting) in urinary and intestinal infections . . . . .	285
. <i>coli</i> , etc., growth suppressed on suitable media . . . . .	375 <i>et seq.</i>
. <i>dysenteriae</i> of Sonne . . . . .	271
.   . . . . . "Group III" . . . . .	195
. <i>enteritidis</i> Gaertner . . . . .	48
. <i>friedlanderii</i> , <i>see</i> Cold	
. <i>hofmanni</i> , <i>see</i> Cold	
. <i>influenzae</i> , <i>see</i> Cold	
. <i>morbificans bovis</i> Basenau causing food-poisoning . . . . .	111
. <i>morgani</i> causing spontaneous epidemic in mice . . . . .	171
. <i>paradysenteriae</i> A and B of Mita . . . . .	197
. <i>paratyphosus</i> B . . . . .	48
. <i>pestis</i> , effect of animal passage on virulence . . . . .	152
.   . . . . . selection of strain for vaccine preparation . . . . .	152
. <i>pfeifferi</i> , <i>see</i> Cold	
. <i>proteus</i> , isolation on glucose bismuth sulphite iron medium . . . . .	374
. <i>proteus</i> X 19 in relation to typhus fever . . . . .	222
. <i>septus</i> , <i>see</i> Cold	
. <i>tuberculosis</i> , bovine, <i>see</i> Milk	
. <i>typhosus</i> , isolation on glucose bismuth sulphite iron medium . . . . .	374
. <i>whitmorei</i> , cause of melioidosis . . . . .	28-35
. <i>Brucella melitensis</i> and <i>B. abortus et al.</i> , differentiation. . . . .	279, 407 <i>et seq.</i>
Bacterial virulence and immunity . . . . .	235
Bacteriological methods, <i>see</i> Milk	
Blowflies (calliphorine), seasonal prevalence in Great Britain . . . . .	441
Chaulmoogra oil, <i>see</i> Diet	
Children, <i>see</i> Goitre, Growth and Nutrition in slums	
Cochin China, Melioidosis in . . . . .	28
Cod-liver oil, <i>see</i> Diet	
Cold, common, preventive value of mixed vaccines . . . . .	98
Dairy utensils, sterilisation by hypochlorites . . . . .	127
Diarrhoea, <i>see</i> Summer-	
Diet and tuberculosis. . . . .	204 <i>et seq.</i>
Diphtheria, newer knowledge and its applications . . . . .	327
Disinfectants, selective bactericidal action of . . . . .	118
.   . . . . . use of hypochlorites, for dairy utensils . . . . .	127
Dust inhalation, effect of haematite and iron on experimental guinea-pigs . . . . .	227
Dysenteric infections, bacterial, unusual forms . . . . .	187
Dysentery (Sonne), milk-borne . . . . .	271

# Index of Subjects

493

	PAGE
Enteric fever, <i>see Bacillus typhosus</i>	
Epidemic in mice due to Morgan's bacillus . . . . .	171
Epidemic temperature charts . . . . .	144
Epidemics, experimental study of . . . . .	19
. . . . . measuring their "severity" . . . . .	143 <i>et seq.</i>
. . . . . <i>see</i> Foot-and-mouth disease, Influenza, Plague	
Epidemiology, <i>see</i> Dysentery, Epidemics	
Fleas in relation to plague (Shanghai) in rat and man . . . . .	163
Flies, <i>see</i> Blowflies	
Food-poisoning, due to <i>B. morbificans bovis</i> . . . . .	111
Foot-and-mouth disease epidemiology, in Holland . . . . .	465
Geographical distribution of disease, <i>see</i> Goitre	
Goitre, in New Zealand, iodine and prophylaxis . . . . .	49
. . . . . in school children, England and Wales . . . . .	1
Growth and nutrition of slum child, relation to housing . . . . .	198
Haemolytic streptococci, <i>see</i> Streptococcus	
Horse, melioidosis in . . . . .	33
Housing, relation to slum child, <i>see</i> Growth	
Immunity and bacterial virulence . . . . .	235
Influenza epidemic in Royal Navy, New Zealand division . . . . .	132
Iodine, <i>see</i> Goitre	
Lung fibrosis in miners, <i>see</i> Dust	
Malta fever, <i>see</i> Brucella	
Media, selective for <i>B. proteus</i> and <i>B. typhosus</i>	
Melioidosis in Cochin China . . . . .	28, 31, 33
Methods, <i>see</i> Media	
Mice, <i>see</i> Epidemic	
<i>Micrococcus catarrhalis</i> , <i>see</i> Cold	
Milk, pasteurisation, effect on bovine tubercle bacillus . . . . .	392
. . . . . pipette for bacteriological testing of . . . . .	226
. . . . . <i>see</i> Dairy, Dysentery	
Mortality, <i>see</i> Pneumonia	
Navy, <i>see</i> Influenza	
Nutrition, <i>see</i> Growth	
Pasteurisation, <i>see</i> Milk	
Pipette, <i>see</i> Milk	
Plague in rats and man (Shanghai) . . . . .	163
. . . . . <i>Xenopsylla cheopis</i> chief carrier . . . . .	169
. . . . . <i>see</i> Bacillus pestis, Fleas	
<i>Pneumococcus</i> , <i>see</i> Cold	
Pneumonia, influence of external factors on mortality . . . . .	36
Rats, <i>see</i> Tuberculin	
Rhodesia, Southern, <i>see</i> Undulant fever	
Ricketts, experimental . . . . .	437
Saigon, melioidosis in . . . . .	30
Salmonella group, <i>see Bacillus morbificans bovis</i>	
. . . . . <i>see</i> Bacilli	
Scarlatina and <i>Streptococcus haemolyticus</i> types . . . . .	363

	PAGE
Scarlatina, newer knowledge and its applications . . . . .	327
<i>see</i> Streptococci	
School children, <i>see</i> Goitre, Growth	
Shanghai, <i>see</i> Bacilli, Plague	
Ships, <i>see</i> Influenza	
<i>Staphylococcus</i> spp., <i>see</i> Cold	
Statistics, <i>see</i> Goitre, Pneumonia	
Status thymico-lymphaticus and recent work on thymus . . . . .	305
Streptococci, haemolytic, specific toxicogenic properties of . . . . .	84
<i>Streptococcus haemolyticus</i> , agglutination of . . . . .	434
and scarlatina . . . . .	329 <i>et seq.</i>
serological classification . . . . .	420
types in relation to scarlatina . . . . .	363
<i>Streptococcus</i> spp., <i>see</i> Cold	
Summer-diarrhoea, <i>see</i> <i>Bacillus morgani</i>	
Swansea, <i>see</i> Food-poisoning	
Thymus, <i>see</i> Status	
Tuberculin shock in rats . . . . .	209
Tuberculosis in relation to diet in experimental animals . . . . .	204 <i>et seq.</i>
Typhus fever serology . . . . .	213
Ultraviolet irradiations, <i>see</i> Diet	
Undulant fever in <i>S. Rhodesia</i> , serology . . . . .	403
<i>see</i> <i>Brucella</i>	
Vaccines, <i>see</i> Cold, Plague	