# JUNE 1984 VOLUME 5/NUMBER 6



# **EDITORIAL**

Isolation Guidelines—A or B? Louis D. Saravolatz, MD; Lucille Arking, BSN

# **ORIGINAL ARTICLES**

A Maternal-Neonatal Outbreak of Infections Due to an Unusual Group A  $\beta$ -Hemolytic Streptococcus Andrew M. Wiesenthal, MD

Influence of Ethanol With and Without Chlorhexidine on the Bacterial Colonization of the Umbilicus of Newborn Infants S. Bygdeman, MD; A. Hambraeus, MD; A. Henningsson, RN; B. Nyström, MD; C. Skoglund, MD; R. Tunell, MD

### Staphylococcus epidermidis Bacteremia Associated With Vascular Catheters: An Important Cause of Febrile Morbidity in Hospitalized Patients

Fred R. Sattler, MD; Janet B. Foderaro, RN, BSN; Robert C. Aber, MD

#### Nosocomial Endocarditis

Gerald Friedland, MD; C. Fordam von Reyn, MD; Barry Levy, MD, MPH; Robert Arbeit, MD; Priscilla Dasse, RN; Clyde Crumpacker, MD

Brief Report: Nosocomial Infection Rates in a Cancer Treatment Center Gayle V. Robinson, RN; Bernard R. Tegtmeier, PhD; John A. Zaia, MD

Readers' Forum: Infection Control Committee Minutes—Revisited Harry C. Nottebart, Jr., JD, MD

Clinical Pharmacology of Antibiotics: The Pharmacology of Aminoglycosides: II. Distinctions Among the Agents Robert J. Geller, MD; Sandra M. Norris, PharmD

Infection Control and Employee Health: Employee Health Guidelines From the American Occupational Medical Association William M. Valenti, MD

# WHAT DO THESE INDUSTRIES HAVE IN COMMON?

# THE BIOTEST RCS AIR SAMPLING SYSTEM

The BIOTEST RCS Centrifugal Air Sampler is a completely portable, hand-held instrument which permits periodic assessment of air quality for microbial levels and provides necessary information on the effectiveness of disinfection programs, air treatment systems and other means of contamination control.

AEROSPACE

Contraction of the second

PHARMACEUTICAL

COSMETIC

ASMA PROTEIN

# FOR ADDITIONAL INFORMATION CONTACT:

BIOTEST DIAGNOSTICS CORP. 6 Daniel Road East, Fairfield, New Jersey 07006 Biotest<sup>0,1</sup>2017/575<sup>24</sup>500 Publish 800/63111150<sup>University Press</sup> **FOOD & BEVERAGE** 

# Table of Contents

### Editorial

| <b>Isolation Guidelines—A or B?</b><br>Louis D. Saravolatz, MD; Lucille Arking, BSN  |     |                               |     | 269 |
|--|-----|-------------------------------|-----|-----|
| <b>Original Articles</b>   |     |                               |     |     |
| A Maternal-Neonatal Outbreak of Infections Due to<br>an Unusual Group A β-Hemolytic Streptococcus<br>Andrew M. Wiesenthal, MD  |     |                               |     | 271 |
| <ul> <li>Influence of Ethanol With and Without Chlorhexidine<br/>on the Bacterial Colonization of the Umbilicus of Newborn Infants</li> <li>S. Bygdeman, MD; A. Hambraeus, MD; A. Henningsson, RN;</li> <li>B. Nyström, MD; C. Skoglund, MD; R. Tunell, MD</li> <li>Staphylococcus epidermidis Bacteremia Associated With Vascular Catheters:<br/>An Important Cause of Febrile Morbidity in Hospitalized Patients</li> <li>Fred R. Sattler, MD; Janet B. Foderaro, RN, BSN; Robert C. Aber, MD</li> </ul> |     |                               |     | 275 |
|  |     |                               |     | 279 |
| Nosocomial Endocarditis<br>Gerald Friedland, MD; C. Fordam von Reyn, MD; Barry Levy, MD, MPH;<br>Robert Arbeit, MD; Priscilla Dasse, RN; Clyde Crumpacker, MD  |     |                               |     | 284 |
| <b>Brief Report: Nosocomial Infection Rates in a Cancer Treatment Center</b><br>Gayle V. Robinson, RN; Bernard R. Tegtmeier, PhD; John A. Zaia, MD   |     |                               |     | 289 |
| <b>Readers' Forum: Infection Control Committee Minutes—Revisited</b><br>Harry C. Nottebart, Jr., JD, MD  |     |                               |     | 295 |
| <b>Clinical Pharmacology of Antibiotics: The Pharmacology of Aminoglycosides:</b><br><b>II. Distinctions Among the Agents</b><br>Robert J. Geller, MD; Sandra M. Norris, PharmD  |     |                               |     | 298 |
| <b>Infection Control and Employee Health: Employee Health Guidelines<br/>From the American Occupational Medical Association</b><br>William M. Valenti, MD  |     |                               |     | 303 |
| Departments  |     |                               |     |     |
| Information for Authors  | 264 | Calendar of Events            | 307 |     |
| Letters to the Editor  | 266 | <b>Classified Marketplace</b> | 309 |     |
|  |     |                               |     |     |

The ideas and opinions expressed by contributing authors do not necessarily reflect those of the editors or publisher.

Publisher: Infection Control (ISSN-0195-9417) is published monthly by SLACK Incorporated, 6900 Grove Road, Thorofare,

New Jersey 08086. Telephone: Thorofare (609) 848-1000.

**Copyright 1984:** All rights reserved. No part of this publication may be reproduced without written permission from the publisher.

Subscriptions: Subscription requests should be addressed to the publisher (except Japan). In Japan, contact Woodbell Scope Incorporated, 11-11, Shoto 2-chrome, Shibuya-Ku, Tokyo 150, Japan. Annual subscription price is: Individual: One year—\$35.00; Two years—\$50.00; Three years—\$65.00. Institutional: One year—\$50.00; Two years—\$65.00; Three years—\$65.00. All subscriptions, without exception, will start with the first issue published after the order is received. Back copies are available, but must be purchased separately. Cost per individual copy is \$5.00. Foreign subscribers add \$15.00 to regular rate: foreign orders, \$6.00.

**Change of address:** Notice should be sent to the publisher six weeks in advance of effective date. Include old and new addresses with zip codes. The publisher cannot accept responsibility for undelivered copies. Second-class postage is paid at Thorofare, New Jersey 08086. **Postmaster:** Form 3547 requested.

As of Volume 1, Number 1, Infection Control is listed in Index Medicus, Current Contents—Clinical Practice, Hospital Literature Index, and Cumulative Index to Nursing and Allied Health Literature. https://doi.org/10.1017/S0195941700060252 Published online by Cambridge University Press

# Infectious Waste Manager."

Check the outstanding features of the infectious waste manager. Medical SafeTEC offers a variety of units, each incorporating these features, engineered to meet your infectious waste disposal needs. Sizes and features range from small, quiet waste stations for pharmacies, laboratories, or nursing stations to large central units with optional conveyor feed and automatic debris removal. Medical SafeTEC engineers will work with you to select the appropriate unit and implement a comprehensive infectious waste management system

Infectious wastes in the destruction chamber are suspended in a steady flow of decontaminant solution. Interaction between the decontaminant and debris is accelerated by the hammermill action which reduces the waste to a fine, granular debris. All needles are broken and blunted. Plastics are shredded, and glass is returned to a sand-like material, safe from risk of puncture and infection. Disposal equipment is totally safe in operation. Pneumatically-controlled, automatically-recycling feed hopper assures safe entry of materials into destruction chamber and prevents back spillage of materials during destruction process. Hopper sizes vary with each unit. Central units are designed to accept infectious waste collection containers to eliminate risk of sharps injuries and contact with infectious wastes. Conveyor feed of large bagged wastes is also available.

The weir tank separates granular debris from the effluent. Debris may be manually removed or an optional device can automatically remove debris and deposit it in a drum or bin for safe, sanitary landfill disposal. Effluent directly enters the sewage system. The total infectious waste of a 500 bed hospital generated in 24 hours can be destroyed and decontaminated in one hour or less with volume reduction up to 30 to 1.

Disposal and decontamination units are engineered for the state of the art performance and safe, quiet operation. Cabinetry is constructed of #16 GA type 304 stainless steel. The entire cabinet and weir tank operate in a negative air pressure to prevent the escape or build-up of infectious aerosols. Units are constructed of UL listed components and engineering specifications on each unit are available upon request. Hammermills in the destruction chamber are specifically designed for sharps and surgical disposables, tough plastics including all types of tubing, glassware and more. Each hammermill features sets of offset hammers with specially treated leading edges. Tip speeds in some models exceed 240 miles per hour. A safety coupling transfers the power from the motor to the hammermill eliminating risk of motor overload.

For more information on complete infectious waste management systems contact Medical SafeTEC, Inc., 821 North Illinois, Indianapolis, Indiana 46204. 1-800-428-5008 or 317-263-3700.

# Medical SafeTEC

# Editorial Board

### **EDITOR**

**Richard P. Wenzel, MD** Charlottesville, Virginia

# SENIOR ASSOCIATE EDITOR

William Schaffner, MD Nashville, Tennessee

### **ASSOCIATE EDITORS**

Sue Crow, RN, MSN Shreveport, Louisiana

John E. McGowan, Jr., MD Atlanta, Georgia

Dennis G. Maki, MD Madison, Wisconsin

# SLACK

SLACK Incorporated 6900 Grove Road Thorofare, New Jersey 08086

Publisher Richard N. Roash

Managing Editor Donna Carpenter

**Consulting Editor** Eric Baloff

Assistant Editor Jeanne M. Campo

Circulation Manager Kevin J. Fenton

Advertising Manager Melissa Warner

Advertising Sales Representative Daniel W. Perkins

Classified Advertising Representative Harriet E. Hampton

# EDITORIAL ADVISORY BOARD

Robert C. Aber, MD Hershey, Pennsylvania

Charles S. Bryan, MD Columbia, South Carolina

John P. Burke, MD Salt Lake City, Utah

Richard E. Dixon, MD Trenton, New Jersey

Harvey A. Elder, MD Loma Linda, California

Peter C. Fuchs, MD, PhD Portland, Oregon

Richard A. Garibaldi, MD Farmington, Connecticut

Donald A. Goldmann, MD Boston, Massachusetts

Dieter H.M. Gröschel, MD Charlottesville, Virginia

Peter A. Gross, MD Hackensack, New Jersey

Karen Hadley, RN, MPH New Criteans, Louisiana

Cyrus C. Hopkins, MD Boston, Massachusetts

Allen B. Kaiser, MD Nashville, Tennessee

Harold Laufman, MD, PhD New York, New York

William J. Ledger, MD New York, New York

Barbara McArthur, RN, MS, PhD Detroit, Michigan

Rob Roy MacGregor, MD Philadelphia, Pennsylvania

C. Glen Mayha<sup>3</sup>l, MD Richmond, Virginia

Ronald Lee Nichols, MD New Orleans, Louisiana

Harry C. Nottebart, Jr., JD, MD Richmond, Virginia

Frank S. Rhame, MD Minneapolis, Minnesota

William E. Scheckler, MD Madison, Wisconsin

Robert J. Shannon, MSPH Boston, Massachusetts

Walter E. Stamm, MD Seattle, Washington Charles W. Stratton, MD Nashville, Tennessee

Timothy R. Townsend, MD Baltimore, Maryland

William M. Valenti, MD Rochester, New York

James Veazey, MD Albany, New York

Kathy J. Wydra, RN Geneva, New York

# FOREIGN ADVISORY BOARD

Graham Ayliffe, MD, FRC Path. Birmingham, England

Professor G. Berencsi Szeged, Hungary

Professor Jaap Dankert Groningen, Netherlands

Professor Dr. F. Daschner Freiburg, West Germany

Lars O. Kallings, MD Stockholm, Sweden

Professor W.B. Kędzia Sieroca, Poland

Professor A.P. Krasilnikow Minsk, USSR

Professor Dr. W. Marget Munich, West Germany

Bertil Nyström, MD Huddinge, Sweden

Ian Phillips, MA, MD, MRC Path. London, England

Samuel Ponce de Leon, MD Mexico

Hans Reber, MD Basel, Switzerland

Professor Gerald Reybrouck Leuven, Belgium

Manfred L. Rotter, MD, DipBact Vienna, Austria

Theodore Sacks, MD Jerusalem, Israel

Dr. Bernhard M. Thimm Federal Republic of Germany

Professor Dr. med. H.P. Werner Mainz, West Germany

Professor Dr. W. Weuffen Greifswald, German Democratic Republic